## There were issues affecting this run of Lighthouse:

• There may be stored data affecting loading performance in this location: IndexedDB. Audit this page in an incognito window to prevent those resources from affecting your scores.



## Performance

Values are estimated and may vary. The <u>performance score</u> <u>is calculated</u> directly from these metrics. <u>See calculator.</u>

LCP

0-49

50-89

90-100



**METRICS** Expand view First Contentful Paint Time to Interactive  $0.8 \, s$  $0.8 \, s$ Speed Index **Total Blocking Time** 4.5 s 0 ms Largest Contentful Paint **Cumulative Layout Shift**  $0.8 \, s$ 0 View Original Trace View Treemap Show audits relevant to: All **FCP** TBT LCP CLS **OPPORTUNITIES** Opportunity **Estimated Savings** Reduce initial server response time 1.28 s ^ Keep the server response time for the main document short because all other requests depend on it. <u>Learn more</u>. [FCP]

URL	Time Spent
jquery-version/index.html (joskapotin.github.io)	1,380 ms

Eliminate render-blocking resources

0.45 s ^

Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and deferring all non-critical JS/styles. Learn more. FCP LCP

✓ Show 3rd-party resources (4)

URL	Transfer Size	Potential Savings
0.9.1/jquery.modal.min.css (cdnjs.cloudflare.com)	1.8 KiB	260 ms
base/jquery-ui.css (code.jquery.com)	8.3 KiB	250 ms
3.5.1/jquery.min.js (ajax.googleapis.com)	30.4 KiB	320 ms
jquery-version/jquery.datetimepicker.full.min.js (joskapotin.github.io)	19.1 KiB	80 ms
1.12.1/jquery-ui.js (code.jquery.com)	121.6 KiB	240 ms

These suggestions can help your page load faster. They don't <u>directly affect</u> the Performance score.

## DIAGNOSTICS

▲ Does not use passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as `passive` to improve your page's scroll performance. <u>Learn</u> more.

Show 3rd-party resources (1)

Source

jquery.min.js:2

jquery.datetimepicker.full.min.js:1

Does not have a <meta name="viewport"> tag with width or initial-scale No `<meta name="viewport">` tag found

A `<meta name="viewport">` not only optimizes your app for mobile screen sizes, but also prevents <u>a 300 millisecond delay</u> to user input. <u>Learn more</u>. (TBT)

O Avoid chaining critical requests — 9 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. Learn more. FCP LCP

Maximum critical path latency: 1,780 ms

Initial Navigation

- ...jquery-version/index.html (joskapotin.github.io)
  - ...jquery-version/jquery.datetimepicker.css (joskapotin.github.io) 70 ms, 4.88 KiB
  - ...0.9.1/jquery.modal.min.css (cdnjs.cloudflare.com) 60 ms, 1.84 KiB
  - ...base/jquery-ui.css (code.jquery.com) 50 ms, 8.26 KiB
  - ...jquery-version/app.css (joskapotin.github.io) 40 ms, 0.39 KiB
  - ...3.5.1/jquery.min.js (ajax.googleapis.com) 60 ms, 30.37 KiB
  - ...jquery-version/jquery.datetimepicker.full.min.js (joskapotin.github.io) 90 ms, 19.11 KiB
  - ...0.9.1/jquery.modal.min.js (cdnjs.cloudflare.com) 100 ms, 2.08 KiB
  - ...1.12.1/jquery-ui.js (code.jquery.com) 200 ms, 121.65 KiB
  - ...jquery-version/app.js (joskapotin.github.io) 50 ms, 1.44 KiB
- O Keep request counts low and transfer sizes small 11 requests 198 KiB

To set budgets for the quantity and size of page resources, add a budget.json file. Learn more.

Resource Type	Requests	Transfer Size
Total	11	198.0 KiB
Script	5	174.6 KiB
Stylesheet	4	15.4 KiB
Image	1	7.0 KiB
Document	1	1.0 KiB
Media	0	0.0 KiB
Font	0	0.0 KiB
Other	0	0.0 KiB
Third-party	6	171.2 KiB

Largest Contentful Paint element — 1 element found	^
This is the largest contentful element painted within the viewport. <u>Learn More</u> <u>LCP</u>	
Element h2	
Avoid long main-thread tasks — 1 long task found	^
Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. Learn more TBT	
URL Start Du	uration
chrome-extension://bnjjngeaknajbdcgpfkgnonkmififhfo/build/content-script.js 315 ms	55 ms
More information about the performance of your application. These numbers don't directly affect the Performance score.	
PASSED AUDITS (32)	Hide
Properly size images	^
Serve images that are appropriately-sized to save cellular data and improve load time. Learn more.	
Defer offscreen images	^
Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. <u>Learn more</u> .	
Minify CSS	^
Minifying CSS files can reduce network payload sizes. <u>Learn more</u> . FCP (LCP)	
Minify JavaScript — Potential savings of 44 KiB	^
Minifying JavaScript files can reduce payload sizes and script parse time. Learn more. FCP LCP	

URL	Transfer Size	Potentia Savings
1.12.1/jquery-ui.js (code.jquery.com)	121.6 KiB	43.9 KiE
Reduce unused CSS		
Reduce unused rules from stylesheets and defer CSS not used for above network activity. Learn more. FCP LCP	-the-fold content to decrease bytes o	consumed b
Reduce unused JavaScript — Potential savings of 99 KiB		
Reduce unused JavaScript and defer loading scripts until they are require activity. <u>Learn more</u> . <u>LCP</u>	d to decrease bytes consumed by n	etwork
URL	Transfer Size	Potentia Savings
1.12.1/jquery-ui.js (code.jquery.com)	121.6 KiB	98.7 KiE
Efficiently encode images		
Optimized images load faster and consume less cellular data. <u>Learn more</u>	).	
Serve images in next-gen formats		
mage formats like WebP and AVIF often provide better compression than and less data consumption. <u>Learn more</u> .	PNG or JPEG, which means faster	downloads
Enable text compression		
Text-based resources should be served with compression (gzip, deflate or more. FCP LCP	r brotli) to minimize total network byt	es. <u>Learn</u>
Preconnect to required origins		
Consider adding `preconnect` or `dns-prefetch` resource hints to establish  Learn more. FCP LCP	n early connections to important third	l-party origiı
Avoid multiple page redirects		
Redirects introduce additional delays before the page can be loaded. <u>Lea</u>	rn mara (FCD) (LCD)	

Preload key requests	^
Consider using ` <link rel="preload"/> ` to prioritize fetching resources that are currently requested later in page load. Lemore. FCP (LCP)	<u>earn</u>
Use HTTP/2	^
HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multiplexing. Learn more.	
Use video formats for animated content	^
Large GIFs are inefficient for delivering animated content. Consider using MPEG4/WebM videos for animations and PNG/WebP for static images instead of GIF to save network bytes. <u>Learn more</u> (LCP)	
Remove duplicate modules in JavaScript bundles	^
Remove large, duplicate JavaScript modules from bundles to reduce unnecessary bytes consumed by network active TBT	vity.
Avoid serving legacy JavaScript to modern browsers	^
Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. For your bundled JavaScript, adopt a modern script deployment strategy using module/nomodule detection to reduce the amount of code shipped to modern browsers, while retaining support for legacy browsers. Legace TBT	e feature
Preload Largest Contentful Paint image	^
Preload the image used by the LCP element in order to improve your LCP time. Learn more. (LCP)	
Avoids enormous network payloads — Total size was 198 KiB	^
Large network payloads cost users real money and are highly correlated with long load times. <u>Learn more</u> . <u>LCP</u>	
✓ Show 3rd-party resor	urces (6)
URL	ransfer Size
1.12.1/jquery-ui.js (code.jquery.com)	.6 KiB
3.5.1/jquery.min.js (ajax.googleapis.com) 30	).4 KiB
jquery-version/jquery.datetimepicker.full.min.js (joskapotin.github.io) 19	9.1 KiB
base/jquery-ui.css (code.jquery.com)	3.3 KiB

URL	Transfer Size
images/ui-icons_777777_256x240.png (code.jquery.com)	7.0 KiB
jquery-version/jquery.datetimepicker.css (joskapotin.github.io)	4.9 KiB
0.9.1/jquery.modal.min.js (cdnjs.cloudflare.com)	2.1 KiB
0.9.1/jquery.modal.min.css (cdnjs.cloudflare.com)	1.8 KiB
jquery-version/app.js (joskapotin.github.io)	1.4 KiB
jquery-version/index.html (joskapotin.github.io)	1.0 KiB

Uses efficient cache policy on static assets  $\,$  — 4 resources found

A long cache lifetime can speed up repeat visits to your page. <u>Learn more</u>.

URL	Cache TTL	Transfer Size
jquery-version/jquery.datetimepicker.full.min.js (joskapotin.github.io)	10 m	19 KiB
jquery-version/jquery.datetimepicker.css (joskapotin.github.io)	10 m	5 KiB
jquery-version/app.js (joskapotin.github.io)	10 m	1 KiB
jquery-version/app.css (joskapotin.github.io)	10 m	0 KiB

Avoids an excessive DOM size — 606 elements

A large DOM will increase memory usage, cause longer <u>style calculations</u>, and produce costly <u>layout reflows</u>. <u>Learn more</u>. <u>TBT</u>

Statistic	Element	Value
Total DOM Elements		606
Maximum DOM Depth	div	9
Maximum Child Elements	div	101

O User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. <u>Learn more</u>.

JavaScript execution time — 0.2 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. <u>Learn more</u>. (TBT)

✓ Show 3rd-party resources (1)

URL	Total CPU Time	Script Evaluation	Script Parse
3.5.1/jquery.min.js (ajax.googleapis.com)	101 ms	69 ms	2 ms
<pre>chrome- extension://bnjjngeaknajbdcgpfkgnonkmififhfo/build/content- script.js</pre>	76 ms	43 ms	28 ms
Unattributable	65 ms	5 ms	0 ms
jquery-version/index.html (joskapotin.github.io)	65 ms	3 ms	1 ms

Minimizes main-thread work — 0.3 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn more (TBT)

Category	Time Spent
Script Evaluation	137 ms
Other	116 ms
Script Parsing & Compilation	41 ms
Style & Layout	23 ms
Parse HTML & CSS	10 ms
Rendering	7 ms
Garbage Collection	6 ms

All text remains visible during webfont loads

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. Learn more. FCP [LCP]

Minimize third-party usage — Third-party code blocked the main thread for 0 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. <a href="Learn more">Learn more</a>. <a href="TBT">TBT</a>

Third-Party	Transfer Size	Main-Thread Blocking Time
jQuery CDN	137 KiB	0 ms
1.12.1/jquery-ui.js (code.jquery.com)	122 KiB	0 ms
base/jquery-ui.css (code.jquery.com)	8 KiB	0 ms
images/ui-icons_777777_256x240.png (code.jquery.com)	7 KiB	0 ms
Google CDN	30 KiB	0 ms
3.5.1/jquery.min.js (ajax.googleapis.com)	30 KiB	0 ms
Cloudflare CDN	4 KiB	0 ms

Lazy load third-party resources with facades

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. <u>Learn more</u>. <u>TBT</u>

Largest Contentful Paint image was not lazily loaded

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. <u>Learn more</u>.

Avoid large layout shifts

These DOM elements contribute most to the CLS of the page. [CLS]

Avoids document.write()

For users on slow connections, external scripts dynamically injected via `document.write()` can delay page load by tens of seconds. <u>Learn more</u>.

Avoid non-composited animations

Animations which are not composited can be janky and increase CLS. Learn more CLS

Image elements have explicit width and height

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn more CLS

Avoids unload event listeners

The `unload` event does not fire reliably and listening for it can prevent browser optimizations like the Back-Forward Cache. Use `pagehide` or `visibilitychange` events instead. <u>Learn more</u>

Captured at Aug 4, 2022, 10:41 AM GMT+2 Initial page load Emulated Desktop with Lighthouse 9.6.1 Custom throttling Single page load

Using Chromium 103.0.0.0 with devtools

Generated by **Lighthouse** 9.6.1 | File an issue