

HOWTO:

Used java,css code comes from :

<https://metroui.org.ua/>

<https://github.com/olton/metroui>

<https://v5.metroui.org.ua/>

Created for webbuilder an extension in order to use this in your projects

<https://www.wysiwygwebbuilder.com/index.html>

the extension is found :

<https://github.com/joske1958/www.wysiwygwebbuilder.com>

In order to work with my code you can download it

<https://github.com/joske1958/METROUI>

Needed files before we can start on your webpage

see inc\_metro\_functions.php => function WIG\_chk\_needed\_files()

```
$needed_files="metro_5_1_20.css animate.css metro_5_1_20.js incl_metro_functions.php  
incl_metro_functions_1.php incl_metro_functions_2.php incl_metro_javascript.php";
```

Make sure that for the created webpage the extension is .php !!! and you have r/w access

At the beginning of your page/code add :

```
<?php  
include_once("incl_metro_functions.php");  
WIG_tooltip("ON");  
?>
```

Rules to follow :

New functions must start with : **WIG\_**

New SESSION vars must start with : **W\_**

The used separators are ||| or |%|

Example => \$\_SESSION["W\_tooltip"]="ON";

Session vars are saved in a file so data is not lost by refresh or load of the page

Right click is enabled and by default it is calling

```
$_SESSION["W_right_click"]=
```

```
"WIG_container=cmd=WIG_menu|my_option=h-menu|||txt_tablename=h-menu2.dat";
```

It can be changed inside **WIG\_demo** with dropdown => modify

Different ways to call WIG\_demo

```
WIG_btn("caption=howto.pdf","cmd=WIG_iframe|||iframe=howto.pdf");
```

```
WIG_btn("caption= javp toast","cmd=JAV_p=WIG_toast|||txt=hello2|||delay=4000");
```

```
WIG_btn("caption= javp msg","cmd=JAV_p=WIG_msg|||txt=hello");
```