

Open in app ↗

Medium

 Search

Exploring DuckDB potential



Josef Machytka

2 min read · 5 days ago



Listen



Share



More

This article serves as an introduction to my series on the DuckDB analytical database. In this series, I have so far published the following articles (listed from newest to oldest):

- [PostgreSQL and DuckDB: Supercharging Ad-Hoc Data Analysis and ETL](#) (with recorded online talk)
- [DuckDB Performance Problems with Inappropriate Pivoting Queries on Very Large Datasets](#)
- [DuckDB Database File as a New Standard for Sharing Data?](#)
- [Data Exports to Parquet Format Using DuckDB](#)
- [Statistics and Histograms with DuckDB](#)
- [Pivot Tables with DuckDB](#)
- [Extending DuckDB ETL Capabilities with Python](#)
- [DuckDB as a Rudimentary Data Migration Tool](#)
- [Cross-Database Selects with DuckDB](#)
- [Using DuckDB as an Intelligent ETL tool for PostgreSQL](#)
- [How DuckDB handles data not fitting into memory?](#)

How I Met DuckDB

My interest in DuckDB started during the PostgreSQL conference Swiss PG Day 2024. There, a big poster compared PostgreSQL and DuckDB, presenting this new tool as superior to my long-time favorite PostgreSQL database. Naturally, I was intrigued and decided to dig deeper, conducting some performance tests to see what DuckDB was truly capable of.

At first, my search led me to articles that felt overly hyped and disappointingly shallow. Many of them were so generic that replacing the word “DuckDB” with the name of another tool would leave the content practically unchanged. However, my perspective shifted when I discovered the e-book *DuckDB in Action* on the website motherduck.com. After diving into its main chapters, I became captivated by DuckDB’s potential.

DuckDB is not just another enthusiastic open-source project destined to fade away in six months because its creator loses interest. It was created at the National Research Institute for Mathematics and Computer Science in Amsterdam, which is also credited as a birthplace of the Python programming language.

Being familiar with PostgreSQL, I find it fascinating that DuckDB takes significant inspiration from PostgreSQL. It closely follows PostgreSQL SQL syntax, achieving it thanks to its use of a repackaged PostgreSQL SQL parser. This means that anyone familiar with PostgreSQL commands can immediately feel at home using DuckDB. Beyond this compatibility, DuckDB also introduces some really interesting innovative features, which I explore in details across my articles.

Importantly, DuckDB is not positioned as a competitor to traditional large-scale databases like PostgreSQL or MySQL. Instead, it occupies a unique niche as an embedded analytical database optimized for heavy parallel analytical workloads, leveraging its vectorized query engine. Remarkably, it can efficiently process very large datasets — even those not fitting into memory. I believe DuckDB holds significant promise as a complementary tool to established databases, as well as to modern data infrastructures like Data Lakes and Lakehouses. Let’s explore its potential deeper.



Image created by the author using DeepDreamGenerator

Postgresql

Duckdb

Data Analysis

Etl Tool



Edit profile

Written by Josef Machytka

58 Followers · 15 Following

I work as PostgreSQL specialist & database reliability engineer at NetApp Deutschland, Open Source Services division.


No responses yet



What are your thoughts?

Respond

More from Josef Machytka



Josef Machytka

DuckDB Database File as a New Standard for Sharing Data?

This is not my original idea; I came across it in an excellent article titled “DuckDB Beyond the Hype” by Alireza Sadeghi. However, it...

Dec 30, 2024



17



2



probe_id int64	2024-12-18_avg_tem. double	2024-12-19_avg_tem. double	2024-12-20_avg_tem. double	2024-12-21_avg_tem. double	2024-12-27_avg_tem. double	2024-12-28_avg_tem. double	2024-12-29_avg_tem. double	2024-12-30_avg_tem. double	
1	-0.0933333333333333	0.008709499040937112	-0.0951097901531423	0.018285515229008652	0.02408290016364426	-0.06485408315666406	0.012230606453306028	2.89	
2	-1.6681481481481474	-0.011747858418378	-0.19133368175211993	-0.06308527766649375	-0.04171747826158102	-0.02843359476698743	-0.0251576609090907	-31.82	
3	0.5514285714285712	0.03736647002665746	0.27300736561249165	0.1404807877274826	0.011376852694737617	0.05923246646506877	0.08681195292181234	-3.990000000000001	
4	0.1552025202520247	-0.00869218717319168	0.08583476862546609	-0.06119660214476116	0.10196071702661273	-0.08186630396378788	0.08996674464646202	19.36	
5	0.5163888888888885	-0.04570049073644817	0.01953642221439854	-0.015513540007672	-0.0155900227574125	-0.07238289422942779	-0.1835378423480908		
6	1.016548672566371	0.02907114059955196	0.08107486316960297	0.017795231646764282	0.11904802583941525	0.04725992074913865	0.08915156107911504	-27.380000000000003	
7	0.07568807339449547	0.14391917325689826	0.05512631347262228	-0.09983962752198643	0.16227462051478873	-0.15890124113132445	-0.05464776857339331		
8	2.0346000000000001	0.1148238688388646	0.09521098292944779	0.06277199528672414	0.1003629933070622	0.13754821380761314	0.05208853538214023	17.95	
9	1.545056179775286	0.09055607778879753	-0.03765412237862671	0.046972677461617703	-0.06521116188527977	-0.003200910688735	0.0677795153103001	-19.71	
10	-0.04380000000000001	-0.20492896786129126	-0.08407264902227768	-0.055358886158886	0.061434627070469434	0.08977896362267106	0.07613119220133417	-13.08	
11	-3.7764347626869957	-0.10416217933853829	0.07367137134759187	0.10342240982852617	0.04691991417915546	0.0842402263416545	0.07204998928179399	-19.3	
12	5.5206666666666666	0.2100927160344700	0.10693850710864261	0.05575693574662115	0.06861218940926169	-0.007777732469663	0.03364196580641206	45.96	
13	-0.4471967616822432	-0.04059024910542247	0.05239493131063208	-0.0214055895940591	-0.03592269770570314	0.07835406119365161	-0.03261512679306271	4.923333333333334	
14	-2.0013392857142858	0.07316663363505598	-0.050057994486042	-0.02237049309405826	0.039495450804054426	0.07728930017610073	0.03379195482260548	-1.7650000000000006	
15	-2.2092391304347827	-0.00514496824155	-0.056626768137670	0.002132036763498929	-0.0502924418318254	0.05335375404928863	0.06826872209785106	5.0200000000000005	
16	-5.104608095652175	-0.1803382623814361	0.012928384872972354	-0.059576542858545	-0.09010858405407832	0.03176683704763877	-0.0086681223794503	20.44	
17	4.781382978723486	0.0659882476780733	0.16312028213207262	-0.07717688773880778	0.0336502038722565	0.0891822381972314	0.0912850507993609	-13.65	
18	0.0980725637168122	-0.002597352359666	0.038032066751196233	0.056469057353496645	-0.056157513598531	0.04520215540037235	-0.0746272461962213		
19	2.093851063829783	-0.011483227106448	-0.02934499864170955	-0.12917833341526482	-0.09808158720020972	-0.06237591444411659	-0.1436466606662121		
20	0.6865853658536589	-0.1047552749540883	-0.02643016057244126	0.053324791695569904	-0.0348886009314119	0.08473957690249741	-0.09954026202597237		
981	6.274818101818182	-0.05899642646771017	-0.15701241468168753	-0.014281049403521	0.005729976703744055	0.07811998462155151	0.00303317574310037	35.695	
982	4.146236559139785	-0.006120066473466	-0.12709462668479013	0.07320853830092017	0.160077813251191	0.0847571866019098	0.060769155358762025	45.92	
983	-2.24244889795910374	0.1292289729655479	-0.03578956372968345	-0.11036742167256543	0.0985075288287772	0.08381679949749958	0.130114031511466	26.12	
984	-4.86189189189189	-0.014950834176213	-0.06395120195650242	0.10667740909053037	0.046130732866371114	0.10371431376077715	-0.1831907299622613	0.035	
985	-1.8353846515846156	0.003296305450702291	0.09753330664909428	0.1435671160092685	-0.146125083800932	0.04264527854992811	0.04527577740735554	45.31	
986	-4.5237277272727274	0.021925843797540274	0.018245244860026953	-0.026906124387028	0.007001466575995972	0.05016651930445020	0.09480504012551043	8.267499999999999	
987	0.940693069306931	0.1730250062481123	-0.12358152747873527	-0.04427029407290484	0.0031278984522367	0.057873365677165	0.05902411002970675	7.306666666666666	
988	-0.969724770642023	-0.0285990057851256	-0.0325738158977223	0.024569307822198974	-0.04084684167358322	0.08498042434439989	-0.0081810140448637	-17.515	
989	3.5681806792452837	0.19396788537089517	0.09409573405199327	-0.1733985185185182	0.0817664332403276	0.0632990507794010	-0.0953987805679721	6.27	
990	-4.490602409638554	-0.012684438773310816	0.1326593665410001	-0.1005713371668568	0.0382005065532511	-0.010583178705726	-0.024069368211442	2.5549999999999997	
991	-2.127849462365592	0.06413518089512372	0.03634113253189271	0.05266669692410176	0.1177017821684689	0.0843562066936853	-0.002490603653953		
992	-0.580091743119266	-0.02636662790196389	0.06159776005763601	0.0568653072339868	-0.11079811850732074	-0.07561719025622922	-0.002432837532352	-46.48	
993	3.4080990825688072	-0.0359274650840987	-0.0327235366839524	-0.055926547933885	-0.005098547548169	-0.030956338743224	-0.10192112685241057		
994	1.014807218045113	0.06102599214551422	-0.02018151491365789	0.0930426049610529	0.09056344001167159	0.10671040530775777	-0.09901044093960255		
995	-2.29923076923077	0.20774707867194425	0.04415908120009207	-0.0553594590366952	-0.0678810119571237	0.05968745894988238	0.011847770143864587		
996	1.4535245901639349	0.024149191364233966	0.04559683800928681	-0.13891605347874647	-0.08022091745526695	-0.032139952113877	0.04877205139074573	40.25	
997	-2.591138211382114	-0.00115191341321969	-0.06748401691747602	-0.12257084055994097	-0.07947193742613288	0.09856108471696426	0.020141248435970903		

Josef Machytka

DuckDB Performance Problems with Inappropriate Pivoting Queries on Very Large Datasets

The DuckDB documentation clearly states that this tool is designed for handling datasets fitting into memory. I fully understand that I'm...

Jan 3



6



Josef Machytka

Quick and Easy Data Exports to Parquet Format Using DuckDB

The Parquet format has become almost an industry standard for Data Lakes and Data Lakehouses, thanks to its efficiency and compact storage...

Dec 5, 2024 🖱 17



```
ate the table
TABLE special_data_types (
  INT AUTO_INCREMENT PRIMARY KEY,
  me VARCHAR(50) NOT NULL,
  atus ENUM('active', 'inactive', 'pending') NOT NULL,
  missions SET('read', 'write', 'execute') NOT NULL,
  all_number TINYINT NOT NULL,
  dium_number MEDIUMINT NOT NULL,
  scription TEXT,
  ta BLOB,
  eated_at DATE NOT NULL

ert 10 rows of data
INTO special_data_types (name, status, permissions, small_number, medium_number, description, data, created_at)
e', 'active', 'read,write', 5, 1000, 'Alice description', 'Alice data', '2023-01-01'),
, 'inactive', 'read', 10, 2000, 'Bob description', 'Bob data', '2023-02-01'),
lie', 'pending', 'write,execute', 15, 3000, 'Charlie description', 'Charlie data', '2023-03-01'),
d', 'active', 'read,write,execute', 20, 4000, 'David description', 'David data', '2023-04-01'),
, 'inactive', 'execute', 25, 5000, 'Eve description', 'Eve data', '2023-05-01'),
k', 'pending', 'read,write', 30, 6000, 'Frank description', 'Frank data', '2023-06-01'),
e', 'active', 'read', 35, 7000, 'Grace description', 'Grace data', '2023-07-01'),
, 'inactive', 'write,execute', 40, 8000, 'Hank description', 'Hank data', '2023-08-01'),
, 'pending', 'read,write,execute', 45, 9000, 'Ivy description', 'Ivy data', '2023-09-01'),
, 'active', 'execute', 50, 10000, 'Jack description', 'Jack data', '2023-10-01');
```



Josef Machytka

DuckDB as a Rudimentary Data Migration Tool

After exploring how to use DuckDB as an intelligent ETL tool for PostgreSQL, and how to extend its ETL capabilities with simple Python...

Nov 30, 2024 🖱 26 💬 2

[See all from Josef Machytka](#)

Recommended from Medium




PY In Python in Plain English by Kiran Maan

How I Speed Up My Python Scripts by 300%

You won't regret learning this.

★ 6d ago 🖱 783 💬 6





Pablo Cabeza

Incremental pipelines with Delta and Polars

How to apply watermark pipelines at a small scale with Change Data Feed

Nov 29, 2024 🖱️ 2



Lists




Practical Guides to Machine Learning

10 stories · 2155 saves



ChatGPT prompts

51 stories · 2472 saves



Staff picks

800 stories · 1569 saves



Natural Language Processing

1889 stories · 1544 saves



Varun Singh

Python 3.14 Released—Top 5 Features You Must Know

Faster Annotations & Mind-Blowing Updates You NEED to Know!




Dec 31, 2024



1K



5



Dor Yardeni - Tech Pineapple

Should We Stop Using Spark DataFrame API?

Benchmarking Spark SQL vs. DataFrame API: What the Docs Won't Tell You

Jan 6



77



10



bt

Search for models...

fact_sales view

Details Description Columns Referenced By Depends On Code

Fact table containing sales transactions.

Columns

Column	Type	Description	Constraints	Data Type	Model
sale_id	BIGINT	Unique identifier for each sale		INT	
invoice_no	VARCHAR	Invoice number associated with the sale		TEXT	
customer_key	BIGINT	Foreign key to the customer dimension		INT	
product_key	BIGINT	Foreign key to the product dimension		INT	
date_key	BIGINT	Foreign key to the date dimension		INT	
payment_key	BIGINT	Foreign key to the payment dimension		INT	
store_key	BIGINT	Foreign key to the store dimension		INT	
quantity	BIGINT	Quantity of items sold		INT	
price	DOUBLE	Price per item sold		DOUBLE	
total_amount	DOUBLE	Total amount for the sale (quantity * price)		DOUBLE	

Referenced By

Activate Windows
Go to Settings to activate Windows

 In Towards Dev by Wissem Hammoudi

Building an Efficient Data Pipeline: Setting Up dbt Core with DuckDB

A Comprehensive Guide to Setting Up Your Data Warehouse Project Using dbt Core and DuckDB

Nov 28, 2024  97



 In Towards Data Science by Jiayan Yin

Advanced SQL Techniques for Unstructured Data Handling

Everything you need to know to get started with text mining



Jan 8



126



2



See more recommendations