

Topic 3: Convex Sets and the Geometry of Choice

(Why economists care so much about “nice” shapes)

1. Why geometry enters microeconomics

In Topic 2, we introduced preferences and choice. At that point, however, we were deliberately vague about *what the set of alternatives looks like*.

This was intentional.

To understand why many economic problems are tractable – and why others are not – we need to think about the **geometry** of choice. That is, we need to understand the *shape* of the sets over which agents choose.

Convexity is the key concept here. It will explain:

- why interior solutions exist,
 - why averaging alternatives often makes sense,
 - why optimization problems behave smoothly,
 - and why equilibrium analysis is even possible in large economies.
-

2. Convex sets: the basic idea

Let $X \subseteq \mathbb{R}^n$ be a set.¹

We say that X is **convex** if for any two points $x, x' \in X$ and any $\lambda \in [0, 1]$,

$$\lambda x + (1 - \lambda)x' \in X.$$

Read aloud:

“If x and x' are feasible, then any weighted average of x and x' is also feasible.”

Geometrically, this means that the straight line segment connecting x and x' lies entirely inside the set. Or, in somewhat looser terms: If you want to walk from point x to point x' and you are not allowed to turn, you can do that by walking straight and without leaving the set X .

¹This is not a requirement. But for the cleanest geometric interpretation, and for most of the applications we are interested in, assuming the underlying vector space is a Euclidean space isomorphic to $\mathbb{R}^n$ will be fine.

3. Economic interpretation of convexity

Convexity has a very natural economic interpretation.

Think of x and x' as two consumption bundles. The bundle

$$\lambda x + (1 - \lambda)x'$$

can be interpreted as consuming a fraction λ of x and a fraction $1 - \lambda$ of x' .

Convexity therefore formalizes the idea that:

“Mixing feasible alternatives remains feasible.”

This is a powerful assumption. It encodes divisibility of goods, absence of indivisibilities, and the ability to trade off quantities smoothly.

It, in fact, also says that you can do combinations of choices. It means, if you have the option to go left and right, you can also go anything in between like “straight” (50% left, 50% right) or somewhat left (80% left, 20% right) and so on.

Most standard consumption sets in microeconomics are convex for exactly this reason.²

4. Why convex problems are easier to solve

From a math point of view, convexity matters because it dramatically simplifies optimization.

If choice sets are non-convex we often

- cannot use standard optimization algorithms
- need to worry about discrete math
- have a hard time to figure out what small perturbations imply

Therefore much of economic theory is built on convexity. That sometimes makes things less realistic, but often just simplifies the amount of math needed to convey ideas accurately and intuitively. In practice, one needs to, of course, think about what convexity assumptions preclude, but often the convexity assumption in fact allows us to separate the wheat from the chaff among the set of possible solutions. More on this, once we are actually solving things.³

²There are of course important situations where this assumption fails. If you have to make the decision whether to move to the US or stay in Europe, moving half way into the middle of the Atlantic may not be feasible, for example.

³For the applied economist it is worthwhile to note that many of the estimators also assume explicitly or implicitly a somewhat convex choice set to be working.

5. Convex combinations and notation

The expression

$$\lambda x + (1 - \lambda)x'$$

is called a **convex combination** of x and x' .

More generally, if $x_1, \dots, x_k \in X$ and $\lambda_1, \dots, \lambda_k \geq 0$ with

$$\sum_{i=1}^k \lambda_i = 1,$$

then

$$\sum_{i=1}^k \lambda_i x_i$$

is a convex combination of the points $x_1, \dots, x_k$.

Convex sets are exactly those sets that contain *all* convex combinations of their elements. Coming back to our ‘walking’ interpretation, here is how to think about this result.

Suppose you give me a set of points $x_1, \dots, x_k$ (in a Euclidean space). And now I want construct a set that contains those points and everything ‘inbetween’ then what I am doing is constructing a convex set.⁴

In practice constructing this set is easy on a 2-dimensional plane (like $\mathbb{R}^2$). There, I would simply connect each point with every other point by a straight line. This gives me the shape of a fully connected network, with my initial points as *nodes* and the lines connecting those points as *edges*. Now if in a second step, I connect all points on the edges with all other points on all other edges through straight lines, I have constructed the convex hull. This type of reasoning, does not directly extend to more dimensions in the sense that it is not clear that I can always construct the convex hull using finitely many such steps. It is true, however, that if I were to follow that procedure *ad infinitum* I will eventually arrive at the convex hull.

6. A brief word on Concavity (will show up again)

If one talks about convexity, one has the urge to talk about concavity as well which is often seen as the antonym of convexity.

However, with the set interpretation, that is, in fact hard to do. So I will just clarify a few things that are not true (at least under our conventions).

- It is not the case that every non-convex set is concave. It is simply *non-convex*

⁴In fact, what I am constructing is what is called the **convex hull**—the smallest convex set containing all my points

- It is not the case that the complement of a convex set is concave. It is (sometimes) called *reverse convex*.

To sum up, there is no relevant notion of concave set in math.⁵

All that said, concavity will come back to these lecture notes, but only after we talk about other notions of *convexity*,

7. Convex preferences (informal)

One confusion that sometimes comes up in Microeconomics is that when we talk about convex preferences we do not talk about sets of preferences, but something else.

We call preferences **convex** if agents weakly prefer any combination of two bundles x and x' over a third bundle z when x and x' alone are (weakly) preferred to z .⁶ This sounds, at first, totally unrelated to the geometric convexity notion apart from the fact that it talks about some form of mixing.

Formally, the statement is:

Preferences are convex if the following holds:

If for all x, x', z ,

$$x \succeq z \text{ and } x' \succeq z$$

then

$$\lambda x + (1 - \lambda)x' \succeq z \quad \text{for all } \lambda \in [0, 1].$$

In words the formal part means

“*If the preferences are convex and the agent likes x and x' better than z , then she prefers any combination $\lambda x + (1 - \lambda)x'$ over z too.”

How does that connect to our convexity notion? To understand this, we need to understand what a **better set** (MWG and mathematicians call it **upper contour set**—I will likely use both equivalently) is. The better set of some bundle x is the set of all things the agent weakly prefers to x .

So formally, the better set of x is

$$\{x' | x' \succeq x\}$$

⁵I say relevant, because as often in math, there may be some esoteric subfield, at least, that has defined such a notion. But that is irrelevant to us.

⁶This holds especially if $z = x$ which has the interpretation that combining x with something weakly better than x cannot make it worse.

which means⁷

the set of all x' (often relative to a base set) such that x' is weakly preferred to x .

Now, you may have already understood the relationship here. Convex preferences are preferences where for any bundle x , the better set is a convex set.

8. Convex Functions

When we talk about functions, we also often talk about convexity. One may remember from school that $f : x \mapsto x^2$ is called a “convex function.” Again, it may be hard to think about this given our notion of convexity on sets. It is not, however, if we think about it in the way we thought about it with our preferences.

Take a function that has domain X and codomain Y ⁸. We call a function’s **epigraph** the set of all points in $X \times Y$ that lie *on or above* the graph of the function.⁹

For a real valued function $f : X \rightarrow \mathbb{R}$, we can write the epigraph as

$$\{(x, y) \in X \times \mathbb{R} \mid y \geq f(x)\}.$$

Then we can define convex functions as follows:

A function is convex if its epigraph is a convex set.

Perhaps you have heard a different definition before which says that a function is convex if the straight line connecting any two points on the graph lies weakly above the function, that is,

A function $f : X \rightarrow \mathbb{R}$ is convex if

$$\forall x, x' \in X, \text{ and } \lambda \in [0, 1] \text{ it holds that } \lambda f(x) + (1 - \lambda)f(x') \geq f(\lambda x + (1 - \lambda)x')$$

The inequality in this function is often known as “Jensen’s inequality.” This definition is *equivalent* to the epigraph definition, yet—perhaps—the connection to convex sets is less clear.

⁷Sometimes you will see a “:” instead of a “|” in the notation for conditioning (so in our case $\{x : x' \succeq x\}$). These are identical. I use the | because it is familiar from, e.g., *conditional expectations*.

⁸So, as we should know by now $f : X \rightarrow Y$.

⁹You may, of course, wonder what *above* in this context now means, and you are correct in asking for a metric. This goes beyond what we cover here (where we focus on real-valued functions), but there are natural generalizations to codomains that are *partially ordered vector spaces*.

However, Jensen's inequality helps us to finally get to concavity which is well defined in this function interpretation, and very important in economics. The simplest definition is this

A function $f : X \rightarrow \mathbb{R}$ is concave if $-f$ is convex.

Alternatively, a function is concave if Jensen's inequality has $\leq$ instead of $\geq$.¹⁰

Clearly, of course, that means that a *linear* function $f(x) = mx$ or an *affine* function $f(x) = mx + t$ is both: convex *and* concave.

9. Utility functions and concavity

An important relationship between preferences and utility functions is that when it is possible to have a utility representation and this representation is a *concave utility function*, then the underlying preferences must be convex.

The intuition is simply that a concave utility function says, that if I take a combination $\lambda x + (1 - \lambda)x'$ then this gives me utility of

$$u(\lambda x + (1 - \lambda)x') \geq \lambda u(x) + (1 - \lambda)u(x').$$

Now take a third bundle z that has $u(z) \leq \min\{u(x), u(x')\}$.¹¹

Now we do know that this is true for any x, x' weakly better than z :

$$u(\lambda x + (1 - \lambda)x') \geq \lambda u(x) + (1 - \lambda)u(x') \geq u(z).$$

which means that u represents the preference relation¹²

$\lambda x + (1 - \lambda)x' \succeq z$ for any x, x', z . That in turn is the very definition of convex preferences.

Concave utilities have many desirable properties that we are going to discuss over the course, but unfortunately the converse is not true. That is, assuming convexity does not get us a concave utility representation.

There are two reasons. One is the monotone transformations we discussed when talking about cardinal vs ordinal preferences.

The utility function $u(x, y) = x + y$ (which is concave) represents the same preferences as the utility $u'(x, y) = (x + y)^3$, if $x, y \geq 0$. But we see that

$$u'(2, 1) = u'(1/2 * (4, 0) + 1/2 * (0, 2)) = 27 < 1/2 u'(4, 0) + 1/2 u'(0, 2) = 32 + 4.$$

¹⁰You can also think of the counterpart of the epigraph, the *hypograph* to define concavity of a function.

¹¹Read as: Take any bundle that fulfills this property.

¹²See Topic 2.

This in itself would not cause too much trouble, because it would perhaps be enough if all convex preferences have *at least one* concave utility representation. Unfortunately, that is not true either.

This is not a result to be discussed here but Danish-German mathematician Werner Fenchel proved in 1953 that if indifference curves are lines that are not always parallel, then no concave utility representation exists. That means, restricting ourselves to concave utility functions is not enough.

10. Quasi-concavity and upper contour sets

Instead, economists use a weaker (and more annoying) concept called “quasi-concavity.”

A function u is quasi-concave if, for every real number $\bar{u}$, the upper contour set of the function**

$$\{x \in X \mid u(x) \geq \bar{u}\}$$

is convex.**¹³

That means, we are looking for the set of choices x such that $u(x)$ is larger than some given level $\bar{u}$. Now think back to our “better” sets. If u represents preferences and x is in the better set of some other x' which delivers utility $\bar{u}$ then it is weakly better than $\bar{u}$ and must thus be represented by a (weakly) higher u .

Thus, quasi-concavity is not really derived from convex preferences, it is the exact same thing!

However, there is another way to represent quasi concavity. It is (equivalently) true that

**a function u is quasi-concave if

$$\forall x, x' \quad u(\lambda x + (1 - \lambda)x') \geq \min\{u(x), u(x')\}.$$

That means a function of a convex combination of the inputs is at least larger than the minimum of the two extremes. The main thing this rules out is that the function has an interior minimum (we will come back to what those are) like x^2 for example. Here if we take $x = -2$ and $x = 2$ then for any $\lambda \in (0, 1)$, $\lambda(-2) + (1 - \lambda)2 \in (-2, 2)$ and for any $z \in (-2, 2)$ $u(z) < u(2) = \min\{u(2), u(-2)\} = 4$.

¹³The name is the same here like with the better sets, because mathematically it is the same thing (just with a different metric). But there is a connection to convex preferences!

11. Where this appears in Mas-Colell, Whinston, and Green (MWG)

Convexity and concavity are introduced and used throughout:

- **MWG, Chapter 1** (preferences and choice)
- **MWG, Chapter 3** (consumer theory)
- **MWG, Mathematical Appendix B** (convex sets and functions)

The appendix provides formal definitions and theorems. The chapters show how these ideas drive economic results.

12. An economic example: diversification

Consider an agent choosing between two risky assets.

If preferences are convex, then holding a diversified portfolio – a mixture of the two assets – is weakly preferred to holding either asset alone.

This simple geometric fact underlies:

- portfolio choice,
- insurance demand,
- and risk-sharing in general equilibrium.

Without convexity, diversification need not be attractive.

13. Why this matters for microeconomics

Convexity is one of the main reasons microeconomic models “work”.

It:

- makes optimization tractable,
- ensures equilibria exist,
- stabilizes comparative statics,
- and links geometry to economic intuition.

Later in the course, convexity will quietly sit in the background of:

- welfare theorems,
- mechanism design,
- monotone comparative statics,
- and repeated games with convex payoff sets.

Understanding convexity now will save you a lot of confusion later.

14. What you should take away

After this topic, you should be comfortable with:

- visualizing feasible sets geometrically,
- interpreting convexity economically,
- understanding why convex problems are easier to solve,
- and seeing how convexity shapes choice correspondences.

Most importantly, you should appreciate that geometry is not decoration in microeconomics – it is structure.
