# MATERIALS · TEMPLATES ON EACH SHEET

One page per material: the modules it gets, the template (one sheet of a module) on each of its sheets, and the templates drawn on the real sheets. Best sheets first, fullest templates on the best sheets; RD of the template = RD of the sheet; template in the bottom-left corner (clamp corner).
CODES: notch codes of all the specimens of the material, checked unique per specimen type (code = angle digit + index). Last page: the different templates and their total.

| MATERIAL | ID | MODULES | SHEET → TEMPLATE | CODES |
|---|---|---|---|---|
| **DP980** | 2020_06_03A | SLOW78 + MEDIUM66 + HIGH66 | -1 → MEDIUM66 · -6 → HIGH66<br>-3 → SLOW78-1 · -5 → SLOW78-2 | **unique (210)** |
| **DC01** | 2025_11_25_B | MH18 | -1 → MH18 | **unique (36)** |
| **S235JR** | 2023_02_28_D | MEDIUM66 + HIGH66 | -1 → MEDIUM66 · -2 → HIGH66 | **unique (132)** |
| **AW5754-H22** | 2023_02_28_A | MEDIUM66 + HIGH66 | -1 → MEDIUM66 · -2 → HIGH66 | **unique (132)** |
| **S355MC** | 2023_02_28_C | MEDIUM66 + HIGH66 | -1 → MEDIUM66 · -2 → HIGH66 | **unique (132)** |
| **RA980** | 2022_05_04_D | A_LARGE | -1 → A_LARGE | **unique (210)** |
| **RA1200** | 2022_05_04_E | A_LARGE | -1 → A_LARGE | **unique (210)** |
| **CR1200Y1500T-MS-UNCOATED** | 2022_05_04_G | A_LARGE | -1 → A_LARGE | **unique (210)** |

# DP980 · 2020_06_03A

drawings at 1:8 on A4

thickness 1.0 mm · 7 sheet(s) · campaign A
modules: SLOW78 + MEDIUM66 + HIGH66 · 4 sheet(s) to cut


| SHEET | SIZE RD × TD | TEMPLATE | DXF FILE (folder dxf/) | PIECES | NOTE |
|---|---|---|---|---|---|
| 2020_06_03A-1 | 605 × 505 | **MEDIUM66** | ETH_600x500mm_INT66_1_SHEET_1_v20261113.dxf | 66 | |
| 2020_06_03A-2 | 598 × 502 | spare | | | |
| 2020_06_03A-3 | 605 × 501 | **SLOW78-1** | ETH_600x500mm_SLOW78_2_SHEET_1_v20261113.dxf | 41 | |
| 2020_06_03A-4 | 598 × 500 | spare | | | edges not straight |
| 2020_06_03A-5 | 599 × 507 | **SLOW78-2** | ETH_600x500mm_SLOW78_2_SHEET_2_v20261113.dxf | 41 | edges not straight |
| 2020_06_03A-6 | 603 × 502 | **HIGH66** | ETH_600x500mm_FAST66_1_SHEET_1_v20261113.dxf | 66 | edges not straight |
| 2020_06_03A-7 | 596 × 500 | spare | | | edges not straight |

**Notch codes: 210 coded specimens, every code unique per specimen type.**

real sheet · template · clamp / clamping band · Q3 · Q4 · Q5 (codes)

### 2020_06_03A-1 · 605 × 505 → MEDIUM66


campaign A, medium rate · 66 pieces




margins: left 10 · bottom 10 · right 15 · top 15 mm

### 2020_06_03A-6 · 603 × 502 → HIGH66


campaign A, high rate · 66 pieces




margins: left 10 · bottom 10 · right 12 · top 13 mm

### 2020_06_03A-3 · 605 × 501 → SLOW78-1


campaign A, slow rate · 41 pieces




margins: left 65 · bottom 65 · right 21 · top 77 mm

### 2020_06_03A-5 · 599 × 507 → SLOW78-2

campaign A, slow rate · 41 pieces




margins: left 65 · bottom 65 · right 27 · top 173 mm

# DC01 · 2025_11_25_B

drawings at 1:8 on A4


thickness 2.0 mm · 2 sheet(s) · campaign C medium + high
modules: MH18 · 1 sheet(s) to cut

| SHEET | SIZE RD × TD | TEMPLATE | DXF FILE (folder dxf/) | PIECES | NOTE |
|---|---|---|---|---|---|
| 2025_11_25_B-1 | 599 × 500 | **MH18** | ETH_600x500mm_INTFAST36_1_SHEET_1_v20261113.dxf | 36 | |
| 2025_11_25_B-2 | custom size | – | | | |

**Notch codes: 36 coded specimens, every code unique per specimen type.**

real sheet · template · clamp / clamping band · Q3 · Q4 · Q5 (codes)

**2025_11_25_B-1 · 599 × 500 → MH18**
campaign C, medium + high on one sheet · 36 pieces




margins: left 65 · bottom 65 · right 20 · top 231 mm

# S235JR · 2023_02_28_D

drawings at 1:8 on A4


thickness 3.0 mm · 3 sheet(s) · campaign A medium + high
modules: MEDIUM66 + HIGH66 · 2 sheet(s) to cut

| SHEET | SIZE RD × TD | TEMPLATE | DXF FILE (folder dxf/) | PIECES | NOTE |
|---|---|---|---|---|---|
| 2023_02_28_D-1 | 600 × 500 | **MEDIUM66** | ETH_600x500mm_INT66_1_SHEET_1_v20261113.dxf | 66 | |
| 2023_02_28_D-2 | 600 × 500 | **HIGH66** | ETH_600x500mm_FAST66_1_SHEET_1_v20261113.dxf | 66 | |
| 2023_02_28_D-3 | 600 × 500 | spare | | | |

**Notch codes: 132 coded specimens, every code unique per specimen type.**


real sheet · template · clamp / clamping band · Q3 · Q4 · Q5 (codes)

**2023_02_28_D-1 · 600 × 500 → MEDIUM66**
campaign A, medium rate · 66 pieces




margins: left 10 · bottom 10 · right 10 · top 10 mm

**2023_02_28_D-2 · 600 × 500 → HIGH66**
campaign A, high rate · 66 pieces




margins: left 10 · bottom 10 · right 10 · top 10 mm

# AW5754-H22 · 2023_02_28_A

drawings at 1:8 on A4


thickness 3.0 mm · 4 sheet(s) · campaign A medium + high
modules: MEDIUM66 + HIGH66 · 2 sheet(s) to cut

| SHEET | SIZE RD × TD | TEMPLATE | DXF FILE (folder dxf/) | PIECES | NOTE |
|---|---|---|---|---|---|
| 2023_02_28_A-1 | 600 × 500 | **MEDIUM66** | ETH_600x500mm_INT66_1_SHEET_1_v20261113.dxf | 66 | |
| 2023_02_28_A-2 | 600 × 500 | **HIGH66** | ETH_600x500mm_FAST66_1_SHEET_1_v20261113.dxf | 66 | |
| 2023_02_28_A-3 | 600 × 500 | spare | | | |
| 2023_02_28_A-4 | 600 × 500 | spare | | | |

**Notch codes: 132 coded specimens, every code unique per specimen type.**


real sheet · template · clamp / clamping band · Q3 · Q4 · Q5 (codes)

**2023_02_28_A-1 · 600 × 500 → MEDIUM66**
campaign A, medium rate · 66 pieces




margins: left 10 · bottom 10 · right 10 · top 10 mm

**2023_02_28_A-2 · 600 × 500 → HIGH66**
campaign A, high rate · 66 pieces




margins: left 10 · bottom 10 · right 10 · top 10 mm

# S355MC · 2023_02_28_C

drawings at 1:8 on A4


thickness 3.0 mm · 3 sheet(s) · campaign A medium + high
modules: MEDIUM66 + HIGH66 · 2 sheet(s) to cut

| SHEET | SIZE RD × TD | TEMPLATE | DXF FILE (folder dxf/) | PIECES | NOTE |
|---|---|---|---|---|---|
| 2023_02_28_C-1 | 600 × 500 | **MEDIUM66** | ETH_600x500mm_INT66_1_SHEET_1_v20261113.dxf | 66 | |
| 2023_02_28_C-2 | 600 × 500 | **HIGH66** | ETH_600x500mm_FAST66_1_SHEET_1_v20261113.dxf | 66 | |
| 2023_02_28_C-3 | 600 × 500 | spare | | | |

**Notch codes: 132 coded specimens, every code unique per specimen type.**


real sheet · template · clamp / clamping band · Q3 · Q4 · Q5 (codes)

**2023_02_28_C-1 · 600 × 500 → MEDIUM66**
campaign A, medium rate · 66 pieces




margins: left 10 · bottom 10 · right 10 · top 10 mm

**2023_02_28_C-2 · 600 × 500 → HIGH66**
campaign A, high rate · 66 pieces




margins: left 10 · bottom 10 · right 10 · top 10 mm

# RA980 · 2022_05_04_D

drawings at 1:7 on A4


thickness 1.4 mm · 1 sheet(s) · campaign A (one large plan)
modules: A_LARGE · 1 sheet(s) to cut

| SHEET | SIZE RD × TD | TEMPLATE | DXF FILE (folder dxf/) | PIECES | NOTE |
|---|---|---|---|---|---|
| 2022_05_04_D-1 | 900 × 1200 | **A_LARGE** | ETH_900x1140mm_SLOWINTFAST_210_1_SHEET_1_v20261113dxf | 214 | |

**Notch codes: 210 coded specimens, every code unique per specimen type.**

real sheet · template · clamp / clamping band · Q3 · Q4 · Q5 (codes)

**2022_05_04_D-1 · 900 × 1200 → A_LARGE**
campaign A on one large sheet · 214 pieces




margins: left 10 · bottom 10 · right 70 · top 10 mm

A_LARGE = slow 78 + medium 66 + high 66 in one template of 900 × 1140 (RD × TD), bottom-left corner, RD kept.
Rest of the sheet (outside the template): 5 % of its area.

# RA1200 · 2022_05_04_E

drawings at 1:7 on A4


thickness 1.4 mm · 1 sheet(s) · campaign A (one large plan)
modules: A_LARGE · 1 sheet(s) to cut

| SHEET | SIZE RD × TD | TEMPLATE | DXF FILE (folder dxf/) | PIECES | NOTE |
|---|---|---|---|---|---|
| 2022_05_04_E-1 | 913–915 × 1146 | **A_LARGE** | ETH_900x1140mm_SLOWINTFAST_210_1_SHEET_1_v20261113.dxf | 214 | RD 913 to 915 |

**Notch codes: 210 coded specimens, every code unique per specimen type.**

real sheet · template · clamp / clamping band · Q3 · Q4 · Q5 (codes)

**2022_05_04_E-1 · 913–915 × 1146 → A_LARGE**
campaign A on one large sheet · 214 pieces




margins: left 10 · bottom 10 · right 16 · top 23 mm

A_LARGE = slow 78 + medium 66 + high 66 in one template of 900 × 1140 (RD × TD), bottom-left corner, RD kept.
Rest of the sheet (outside the template): 2 % of its area.

# CR1200Y1500T-MS-UNCOATED · 2022_05_04_G

drawings at 1:7 on A4


thickness 1.4 mm · 1 sheet(s) · campaign A (one large plan)
modules: A_LARGE · 1 sheet(s) to cut

| SHEET | SIZE RD × TD | TEMPLATE | DXF FILE (folder dxf/) | PIECES | NOTE |
|---|---|---|---|---|---|
| 2022_05_04_G-1 | 916 × 1267 | **A_LARGE** | ETH_900x1140mm_SLOWINTFAST_210_1_SHEET_1_v20261113dxf | 214 | |

**Notch codes: 210 coded specimens, every code unique per specimen type.**

real sheet · template · clamp / clamping band · Q3 · Q4 · Q5 (codes)

**2022_05_04_G-1 · 916 × 1267 → A_LARGE**
campaign A on one large sheet · 214 pieces




margins: left 10 · bottom 10 · right 137 · top 26 mm

A_LARGE = slow 78 + medium 66 + high 66 in one template of 900 × 1140 (RD × TD), bottom-left corner, RD kept.
Rest of the sheet (outside the template): 12 % of its area.

# TEMPLATES · TOTAL

Every different template (one sheet of a module, one DXF sheet), how many times and on which sheets it is cut.

| TEMPLATE | SIZE | PIECES | CUT | MODULE | SHEETS (material-sheet) |
|---|---|---|---|---|---|
| **SLOW78-1** | 600 × 500<br>campaign A, slow rate | 41 | **× 1** | SLOW78 | 2020_06_03A-3 |
| **SLOW78-2** | 600 × 500<br>campaign A, slow rate | 41 | **× 1** | SLOW78 | 2020_06_03A-5 |
| **MEDIUM66** | 600 × 500<br>campaign A, medium rate | 66 | **× 4** | MEDIUM66 | 2020_06_03A-1, 2023_02_28_D-1<br>2023_02_28_A-1, 2023_02_28_C-1 |
| **HIGH66** | 600 × 500<br>campaign A, high rate | 66 | **× 4** | HIGH66 | 2020_06_03A-6, 2023_02_28_D-2<br>2023_02_28_A-2, 2023_02_28_C-2 |
| **MH18** | 600 × 500<br>campaign C, medium + high on one sheet | 36 | **× 1** | MH18 | 2025_11_25_B-1 |
| **A_LARGE** | 900 × 1140<br>campaign A on one large sheet | 214 | **× 3** | A_LARGE | 2022_05_04_D-1, 2022_05_04_E-1<br>2022_05_04_G-1 |

**In total: 6 different templates**
cut 14 times in all (14 sheets of material), from 5 modules: A_LARGE, HIGH66, MEDIUM66, MH18, SLOW78