EDM cutting sheet 1 / 5 – CAMPAIGN_300×300mm_WATERJET

DXF: CAMPAIGN_300×300mm_WATERJET.dxf
units mm · gap between parts ≥ 5 mm · sheet 300 (RD) × 300 (TD) · clamping left 40, bottom 40
machine area 255 (RD) × 255 (TD) · placement margin 5 · effective area 245 (RD) × 245 (TD) from x 45, y 45

Rolling direction 0°


Normal quality (Q3)

Medium quality (Q4)

Highest quality (Q5)

Mikrosteg: leave a bridge at the bottom of the half-circle recess (2 per part)

Numbers: specimen no. (see list). Only for information, bitte nicht gravieren.



CAMPAIGN_300×300mm_WATERJET
sheet 1 / 5
2026-11-10

clamping (left 40, bottom 40 mm)
machine area 255 (RD) x 255 (TD) mm (wire travel)
placement margin 5 mm

effective area 245 (RD) x 245 (TD) mm (specimens)
sheet out of reach of the wire

EDM cutting sheet 2 / 5 – CAMPAIGN_300×300mm_WATERJET

DXF: CAMPAIGN_300×300mm_WATERJET.dxf
units mm · gap between parts ≥ 5 mm · sheet 300 (RD) × 300 (TD) · clamping left 40, bottom 40
machine area 255 (RD) × 255 (TD) · placement margin 5 · effective area 245 (RD) × 245 (TD) from x 45, y 45

Rolling direction 0°


Normal quality (Q3)

Medium quality (Q4)

Highest quality (Q5)

Mikrosteg: leave a bridge at the bottom of the half-circle recess (2 per part)

Numbers: specimen no. (see list). Only for information, bitte nicht gravieren.



CAMPAIGN_300×300mm_WATERJET
sheet 2 / 5
2026-11-10

clamping (left 40, bottom 40 mm)
machine area 255 (RD) x 255 (TD) mm (wire travel)
placement margin 5 mm

effective area 245 (RD) x 245 (TD) mm (specimens)
sheet out of reach of the wire

EDM cutting sheet 3 / 5 – CAMPAIGN_300×300mm_WATERJET

DXF: CAMPAIGN_300×300mm_WATERJET.dxf
units mm · gap between parts ≥ 5 mm · sheet 300 (RD) × 300 (TD) · clamping left 40, bottom 40
machine area 255 (RD) × 255 (TD) · placement margin 5 · effective area 245 (RD) × 245 (TD) from x 45, y 45

Rolling direction 0°


Normal quality (Q3)

Medium quality (Q4)

Highest quality (Q5)

Mikrosteg: leave a bridge at the bottom of the half-circle recess (2 per part)

Numbers: specimen no. (see list). Only for information, bitte nicht gravieren.



CAMPAIGN_300×300mm_WATERJET
sheet 3 / 5
2026-11-10

clamping (left 40, bottom 40 mm)
machine area 255 (RD) x 255 (TD) mm (wire travel)
placement margin 5 mm

effective area 245 (RD) x 245 (TD) mm (specimens)
sheet out of reach of the wire

EDM cutting sheet 4 / 5 – CAMPAIGN_300×300mm_WATERJET

DXF: CAMPAIGN_300×300mm_WATERJET.dxf
units mm · gap between parts ≥ 5 mm · sheet 300 (RD) × 300 (TD) · clamping left 40, bottom 40
machine area 255 (RD) × 255 (TD) · placement margin 5 · effective area 245 (RD) × 245 (TD) from x 45, y 45

Rolling direction 0°


Normal quality (Q3)

Medium quality (Q4)

Highest quality (Q5)

Mikrosteg: leave a bridge at the bottom of the half-circle recess (2 per part)

Numbers: specimen no. (see list). Only for information, bitte nicht gravieren.



CAMPAIGN_300×300mm_WATERJET
sheet 4 / 5
2026-11-10

clamping (left 40, bottom 40 mm)
machine area 255 (RD) x 255 (TD) mm (wire travel)
placement margin 5 mm

effective area 245 (RD) x 245 (TD) mm (specimens)
sheet out of reach of the wire

EDM cutting sheet 5 / 5 – CAMPAIGN_300×300mm_WATERJET

DXF: CAMPAIGN_300×300mm_WATERJET.dxf
units mm · gap between parts ≥ 5 mm · sheet 300 (RD) × 300 (TD) · clamping left 40, bottom 40
machine area 255 (RD) × 255 (TD) · placement margin 5 · effective area 245 (RD) × 245 (TD) from x 45, y 45

Rolling direction 0°


Normal quality (Q3)

Medium quality (Q4)

Highest quality (Q5)

Mikrosteg: leave a bridge at the bottom of the half-circle recess (2 per part)

Numbers: specimen no. (see list). Only for information, bitte nicht gravieren.



CAMPAIGN_300×300mm_WATERJET
sheet 5 / 5
2026-11-10

clamping (left 40, bottom 40 mm)
machine area 255 (RD) x 255 (TD) mm (wire travel)
placement margin 5 mm

effective area 245 (RD) x 245 (TD) mm (specimens)
sheet out of reach of the wire

Specimen list – CAMPAIGN_300×300mm_WATERJET (64 specimens)

No.	Sheet	Type	Angle to RD	Notch code (angle digit, index)	Specimen ID
1	1	MNAK_RECT_HOLE	90°	6, 3	–
2	1	NT06	0°	0, 3	–
3	1	LASER	0°	–	–
4	1	LASER	0°	–	–
5	1	NT20	0°	0, 3	–
6	1	UT40	15°	1, 1	–
7	1	LASER	0°	–	–
8	1	NT20	0°	0, 1	–
9	1	CHD48	0°	0, 1	–
10	1	NT06	0°	0, 1	–
11	1	MNAK_RECT_HOLE	90°	6, 1	–
12	1	MNAK_RECT_HOLE	90°	6, 2	–
13	2	UT40	30°	2, 1	–
14	2	MNAK_RECT_HOLE	45°	3, 2	–
15	2	NT20	0°	0, 2	–
16	2	NT06	0°	0, 2	–
17	2	MNAK_RECT_HOLE	45°	3, 1	–
18	2	UT40	0°	0, 1	–
19	2	MNAK_RECT_HOLE	0°	0, 3	–
20	2	MNAK_RECT_HOLE	0°	0, 2	–
21	2	NT06	90°	6, 1	–
22	2	CHD48	0°	0, 2	–
23	2	MNAK_RECT_FULL	0°	0, 1	–
24	2	CHD48	90°	6, 2	–
25	3	NT06	90°	6, 2	–
26	3	MNAK_RECT_FULL	0°	0, 2	–
27	3	UT40	60°	4, 3	–
28	3	UT40	0°	0, 2	–
29	3	UT40	60°	4, 2	–
30	3	LASER	0°	–	–
31	3	UT40	60°	4, 1	–
32	3	UT40	30°	2, 2	–
33	3	UT40	45°	3, 1	–
34	3	MNAK_RECT_HOLE	0°	0, 1	–
35	3	NT20	45°	3, 1	–
36	3	NT06	45°	3, 2	–
37	3	NT20	90°	6, 1	–
38	4	UT40	90°	6, 1	–
39	4	CHD48	90°	6, 3	–
40	4	NT20	90°	6, 3	–
41	4	NT20	45°	3, 3	–
42	4	UT40	75°	5, 3	–
43	4	CHD48	0°	0, 3	–
44	4	NT20	45°	3, 2	–
45	4	UT40	75°	5, 2	–

Specimen list – CAMPAIGN_300×300mm_WATERJET (64 specimens)

No.	Sheet	Type	Angle to RD	Notch code (angle digit, index)	Specimen ID
46	4	UT40	0°	0, 3	–
47	4	NT20	90°	6, 2	–
48	4	UT40	75°	5, 1	–
49	4	NT06	90°	6, 3	–
50	4	MNAK_RECT_FULL	0°	0, 3	–
51	4	CHD48	90°	6, 1	–
52	5	UT40	90°	6, 3	–
53	5	CHD48	45°	3, 2	–
54	5	CHD48	45°	3, 3	–
55	5	MNAK_RECT_HOLE	45°	3, 3	–
56	5	NT06	45°	3, 1	–
57	5	CHD48	45°	3, 1	–
58	5	UT40	15°	1, 3	–
59	5	UT40	45°	3, 3	–
60	5	UT40	45°	3, 2	–
61	5	NT06	45°	3, 3	–
62	5	UT40	30°	2, 3	–
63	5	UT40	15°	1, 2	–
64	5	UT40	90°	6, 2	–