EDM cutting sheet 1 / 5 – CAMPAIGN_300×300mm_WATERJET

DXF: CAMPAIGN_300×300mm_WATERJET.dxf
units mm · gap between parts ≥ 5 mm · sheet 300 (RD) × 300 (TD) · clamping left 40, bottom 40
machine area 255 (RD) × 255 (TD) · placement margin 5 · effective area 245 (RD) × 245 (TD) from x 45, y 45

Rolling direction 0°


Normal quality (Q3)

Medium quality (Q4)

Highest quality (Q5)

Mikrosteg: leave a bridge at the bottom of the half-circle recess (2 per part)

Numbers: specimen no. (see list). Only for information, bitte nicht gravieren.



CAMPAIGN_300×300mm_WATERJET
sheet 1 / 5
2026-11-10

clamping (left 40, bottom 40 mm)
machine area 255 (RD) x 255 (TD) mm (wire travel)
placement margin 5 mm

effective area 245 (RD) x 245 (TD) mm (specimens)
sheet out of reach of the wire

EDM cutting sheet 2 / 5 – CAMPAIGN_300×300mm_WATERJET

DXF: CAMPAIGN_300×300mm_WATERJET.dxf
units mm · gap between parts ≥ 5 mm · sheet 300 (RD) × 300 (TD) · clamping left 40, bottom 40
machine area 255 (RD) × 255 (TD) · placement margin 5 · effective area 245 (RD) × 245 (TD) from x 45, y 45

Rolling direction 0°


Normal quality (Q3)

Medium quality (Q4)

Highest quality (Q5)

Mikrosteg: leave a bridge at the bottom of the half-circle recess (2 per part)

Numbers: specimen no. (see list). Only for information, bitte nicht gravieren.



CAMPAIGN_300×300mm_WATERJET
sheet 2 / 5
2026-11-10

clamping (left 40, bottom 40 mm)
machine area 255 (RD) x 255 (TD) mm (wire travel)
placement margin 5 mm

effective area 245 (RD) x 245 (TD) mm (specimens)
sheet out of reach of the wire

EDM cutting sheet 3 / 5 – CAMPAIGN_300×300mm_WATERJET

DXF: CAMPAIGN_300×300mm_WATERJET.dxf
units mm · gap between parts ≥ 5 mm · sheet 300 (RD) × 300 (TD) · clamping left 40, bottom 40
machine area 255 (RD) × 255 (TD) · placement margin 5 · effective area 245 (RD) × 245 (TD) from x 45, y 45

Rolling direction 0°


Normal quality (Q3)

Medium quality (Q4)

Highest quality (Q5)

Mikrosteg: leave a bridge at the bottom of the half-circle recess (2 per part)

Numbers: specimen no. (see list). Only for information, bitte nicht gravieren.



CAMPAIGN_300×300mm_WATERJET
sheet 3 / 5
2026-11-10

clamping (left 40, bottom 40 mm)
machine area 255 (RD) x 255 (TD) mm (wire travel)
placement margin 5 mm

effective area 245 (RD) x 245 (TD) mm (specimens)
sheet out of reach of the wire

EDM cutting sheet 4 / 5 – CAMPAIGN_300×300mm_WATERJET

DXF: CAMPAIGN_300×300mm_WATERJET.dxf
units mm · gap between parts ≥ 5 mm · sheet 300 (RD) × 300 (TD) · clamping left 40, bottom 40
machine area 255 (RD) × 255 (TD) · placement margin 5 · effective area 245 (RD) × 245 (TD) from x 45, y 45

Rolling direction 0°


Normal quality (Q3)

Medium quality (Q4)

Highest quality (Q5)

Mikrosteg: leave a bridge at the bottom of the half-circle recess (2 per part)

Numbers: specimen no. (see list). Only for information, bitte nicht gravieren.



CAMPAIGN_300×300mm_WATERJET
sheet 4 / 5
2026-11-10

clamping (left 40, bottom 40 mm)
machine area 255 (RD) x 255 (TD) mm (wire travel)
placement margin 5 mm

effective area 245 (RD) x 245 (TD) mm (specimens)
sheet out of reach of the wire

EDM cutting sheet 5 / 5 – CAMPAIGN_300×300mm_WATERJET

DXF: CAMPAIGN_300×300mm_WATERJET.dxf
units mm · gap between parts ≥ 5 mm · sheet 300 (RD) × 300 (TD) · clamping left 40, bottom 40
machine area 255 (RD) × 255 (TD) · placement margin 5 · effective area 245 (RD) × 245 (TD) from x 45, y 45

Rolling direction 0°


Normal quality (Q3)

Medium quality (Q4)

Highest quality (Q5)

Mikrosteg: leave a bridge at the bottom of the half-circle recess (2 per part)

Numbers: specimen no. (see list). Only for information, bitte nicht gravieren.



CAMPAIGN_300×300mm_WATERJET
sheet 5 / 5
2026-11-10

clamping (left 40, bottom 40 mm)
machine area 255 (RD) x 255 (TD) mm (wire travel)
placement margin 5 mm

effective area 245 (RD) x 245 (TD) mm (specimens)
sheet out of reach of the wire

Specimen list – CAMPAIGN_300×300mm_WATERJET (64 specimens)

No.	Sheet	Type	Angle to RD	Notch code (angle digit, index)	Specimen ID
1	1	MNAK_RECT_HOL	90°	6, 3	–
2	1	NT06	0°	0, 3	–
3	1	TENS_FULL	0°	–	–
4	1	TENS_FULL	0°	–	–
5	1	UTUT	15°	1, 1	–
6	1	NT06	0°	0, 2	–
7	1	CHCH	0°	0, 1	–
8	1	NT20	0°	0, 1	–
9	1	TENS_FULL	0°	–	–
10	1	UTUT	0°	0, 1	–
11	1	MNAK_RECT_HOL	90°	6, 2	–
12	1	NT06	0°	0, 1	–
13	1	MNAK_RECT_HOL	90°	6, 1	–
14	2	MNAK_RECT_HOL	0°	0, 3	–
15	2	MNAK_RECT_HOL	0°	0, 2	–
16	2	CHCH	0°	0, 2	–
17	2	UTUT	30°	2, 1	–
18	2	NT06	90°	6, 1	–
19	2	UTUT	90°	6, 1	–
20	2	MNAK_RECT_HOL	45°	3, 3	–
21	2	MNAK_RECT_HOL	45°	3, 2	–
22	2	MNAK_RECT_HOL	45°	3, 1	–
23	2	NT20	0°	0, 2	–
24	2	NT20	0°	0, 3	–
25	2	MNAK_RECT_HOL	0°	0, 1	–
26	3	NT20	90°	6, 1	–
27	3	UTUT	45°	3, 1	–
28	3	MNAK_RECT_FULL	0°	0, 2	–
29	3	UTUT	60°	4, 3	–
30	3	CHCH	45°	3, 2	–
31	3	UTUT	60°	4, 2	–
32	3	UTUT	60°	4, 1	–
33	3	UTUT	0°	0, 2	–
34	3	CHCH	45°	3, 1	–
35	3	NT06	45°	3, 2	–
36	3	NT06	45°	3, 1	–
37	3	TENS_FULL	0°	–	–
38	3	MNAK_RECT_FULL	0°	0, 1	–
39	3	NT06	90°	6, 2	–
40	4	NT20	90°	6, 3	–
41	4	UTUT	75°	5, 3	–
42	4	NT20	90°	6, 2	–
43	4	CHCH	90°	6, 3	–
44	4	UTUT	0°	0, 3	–
45	4	NT20	45°	3, 3	–

Specimen list – CAMPAIGN_300×300mm_WATERJET (64 specimens)

No.	Sheet	Type	Angle to RD	Notch code (angle digit, index)	Specimen ID
46	4	NT20	45°	3, 2	–
47	4	UTUT	75°	5, 2	–
48	4	UTUT	30°	2, 2	–
49	4	UTUT	75°	5, 1	–
50	4	NT06	90°	6, 3	–
51	4	CHCH	0°	0, 3	–
52	4	CHCH	90°	6, 2	–
53	4	MNAK_RECT_FULL	0°	0, 3	–
54	4	CHCH	90°	6, 1	–
55	5	UTUT	90°	6, 3	–
56	5	NT06	45°	3, 3	–
57	5	UTUT	45°	3, 3	–
58	5	UTUT	45°	3, 2	–
59	5	UTUT	30°	2, 3	–
60	5	UTUT	15°	1, 3	–
61	5	UTUT	15°	1, 2	–
62	5	CHCH	45°	3, 3	–
63	5	NT20	45°	3, 1	–
64	5	UTUT	90°	6, 2	–