EDM cutting sheet 1 / 1 – CAMPAIGN_600×500mm_WATERJET

DXF: CAMPAIGN_600×500mm_WATERJET.dxf
units mm · gap between parts ≥ 5 mm · sheet 600 (RD) × 500 (TD) · clamping 4 clamps
usable area 590 (RD) × 490 (TD) · placement margin 5 · effective area 580 (RD) × 480 (TD) from x 10, y 10

Rolling direction 0°


Normal quality (Q3)

Medium quality (Q4)

Highest quality (Q5)

Mikrosteg: leave a bridge at the bottom of the half-circle recess (2 per part)

Numbers: specimen no. (see list). Only for information, bitte nicht gravieren.



CAMPAIGN_600×500mm_WATERJET
sheet 1 / 1
2026-11-10

clamping (4 clamps 50 along the edge x 40 deep mm)
usable area 590 (RD) x 490 (TD) mm
placement margin 5 mm (+ clamp margin 5 mm)
effective area 580 (RD) x 480 (TD) mm (specimens)
edge margin 5 mm

Specimen list – CAMPAIGN_600×500mm_WATERJET (61 specimens)

No.	Sheet	Type	Angle to RD	Notch code (angle digit, index)	Specimen ID
1	1	MNAK_RECT_FULL	0°	0, 3	–
2	1	CHCH	90°	6, 3	–
3	1	NT20	90°	6, 3	–
4	1	UTUT	90°	6, 3	–
5	1	UTUT	60°	4, 3	–
6	1	UTUT	75°	5, 3	–
7	1	CHCH	45°	3, 3	–
8	1	UTUT	60°	4, 2	–
9	1	NT06	45°	3, 3	–
10	1	NT06	0°	0, 3	–
11	1	UTUT	45°	3, 3	–
12	1	NT06	90°	6, 3	–
13	1	CHCH	45°	3, 2	–
14	1	UTUT	45°	3, 2	–
15	1	UTUT	60°	4, 1	–
16	1	CHCH	90°	6, 2	–
17	1	MNAK_RECT_HOL	0°	0, 3	–
18	1	CHCH	45°	3, 1	–
19	1	UTUT	30°	2, 2	–
20	1	UTUT	30°	2, 3	–
21	1	NT20	90°	6, 2	–
22	1	UTUT	0°	0, 3	–
23	1	UTUT	90°	6, 2	–
24	1	UTUT	30°	2, 1	–
25	1	NT06	90°	6, 2	–
26	1	CHCH	0°	0, 3	–
27	1	NT06	0°	0, 2	–
28	1	UTUT	90°	6, 1	–
29	1	CHCH	90°	6, 1	–
30	1	MNAK_RECT_HOL	45°	3, 3	–
31	1	UTUT	0°	0, 2	–
32	1	NT20	90°	6, 1	–
33	1	MNAK_RECT_HOL	0°	0, 2	–
34	1	NT06	90°	6, 1	–
35	1	NT06	45°	3, 2	–
36	1	NT20	0°	0, 2	–
37	1	CHCH	0°	0, 2	–
38	1	NT20	0°	0, 3	–
39	1	MNAK_RECT_FULL	0°	0, 2	–
40	1	MNAK_RECT_HOL	0°	0, 1	–
41	1	NT20	0°	0, 1	–
42	1	NT06	45°	3, 1	–
43	1	UTUT	15°	1, 3	–
44	1	UTUT	15°	1, 2	–
45	1	UTUT	75°	5, 2	–

Specimen list – CAMPAIGN_600×500mm_WATERJET (61 specimens)

No.	Sheet	Type	Angle to RD	Notch code (angle digit, index)	Specimen ID
46	1	NT20	45°	3, 3	–
47	1	MNAK_RECT_FULL	0°	0, 1	–
48	1	CHCH	0°	0, 1	–
49	1	NT20	45°	3, 2	–
50	1	MNAK_RECT_HOL	45°	3, 2	–
51	1	NT20	45°	3, 1	–
52	1	UTUT	75°	5, 1	–
53	1	UTUT	15°	1, 1	–
54	1	MNAK_RECT_HOL	45°	3, 1	–
55	1	NT06	0°	0, 1	–
56	1	UTUT	0°	0, 1	–
57	1	UTUT	45°	3, 1	–
58	1	TENS_FULL	0°	–	–
59	1	MNAK_RECT_HOL	90°	6, 3	–
60	1	MNAK_RECT_HOL	90°	6, 2	–
61	1	MNAK_RECT_HOL	90°	6, 1	–