



SCIENTIFIC · SLEEP MEDICINE

Is there actually a healthiest sleeping position?

REFERENCES	TOKENS	VERIFICATION	COMPILED
13 verified	≈2.9k	Crossref	27 Aug 2026

ABSTRACT

No single sleeping position is healthiest for everyone. Human evidence in healthy adults is sparse and rarely measures long-term health. Posture instead modifies specific conditions: avoiding the back can reduce position-dependent obstructive apnoea; the left side can reduce nocturnal reflux; and settling on either side in late pregnancy is associated with lower stillbirth risk than settling supine. Supportive side-lying or supine postures may help low-back pain, but the evidence is observational. Claims that side sleeping improves brain waste clearance come from anesthetized rodents, not human clinical outcomes. Even where direction-specific benefits appear, most studies are short, condition-specific, and unable to establish long-term effects or causation. Position should therefore be chosen around the problem being treated, comfort, and sustained sleep—not treated as a substitute for care.

01 Introduction

Sleeping posture changes airway geometry, reflux, maternal circulation, and mechanical loading, making a universal ranking implausible. Comparative evidence in adults without a diagnosed condition is thin. In a two-night home-polysomnography study of 41 mature adults, supine sleep contained 108% more arousals and 107% more wake events than lateral sleep, but breathing or biomechanical factors may have caused participants to turn sideways.¹ The relevant question is which posture improves a defined outcome in a defined population.

02 Position-dependent obstructive sleep apnoea

Side sleeping can reduce respiratory events in position-dependent obstructive sleep apnoea, but not everyone should avoid the back. A Cochrane review of eight short randomized trials (n=323) found that positional therapy reduced the apnoea-hypopnoea index by 7.38 events/h versus inactive control (95% confidence interval (CI) 4.70–10.06 fewer) and sleepiness by 1.58 points (95% CI 0.29–2.89).² Vibration devices reduced the index by 54% across seven short studies, but lacked reliable long-term adherence data.³

Continuous positive airway pressure (CPAP) controlled breathing more completely, lowering the index by 6.4 events/h more than positional therapy (95% CI 3.00–9.79), although reported use favored positional treatment by 2.5 h/night (95% CI 1.41–3.59).² A six-week crossover trial in 117 selected patients similarly found mean indices of 7.29 events/h with a position trainer and 3.71 with auto-adjusting CPAP, while use favored the trainer by 58 minutes nightly.⁴ Lateral positioning is therefore a treatment for an apnoea phenotype, not a general-health rule.

03 Nocturnal reflux

The left side has the clearest direction-specific advantage for nocturnal gastro-oesophageal reflux disease. Concurrent posture and oesophageal pH-impedance monitoring in 57 referred patients found median acid exposure of 0% while left-lateral, versus 1.2% on the right and 0.6% supine; median acid-clearance time was 35, 90, and 76 seconds, respectively.⁵ A systematic review found only two non-randomized physiological studies and one randomized trial, however, so the physiological consistency rests on a small evidence base.⁶

Trial evidence supports symptom relief, not broad health benefit. In a double-blind sham-controlled trial (n=100), a wearable discouraging right-side sleep produced at least a 50% symptom reduction in 44% of patients versus 24% with sham stimulation (risk difference 20%, 95% CI 1.8–38.2), and increased median reflux-free nights from six to nine.⁷ Left-side sleep is a reasonable reflux adjunct, not the healthiest posture for people without reflux.

04 Late pregnancy

Late pregnancy is the setting in which avoiding supine sleep has the most consequential association. An individual-participant meta-analysis of five case-control studies (851 late-stillbirth cases; 2,257 controls) associated settling supine with higher odds of late stillbirth than settling on the left (adjusted odds ratio 2.63, 95% CI 1.72–4.04); right and left sides did not differ (1.04, 95% CI 0.83–1.31).⁸ A constituent multicentre study reported the same direction of association (164 cases; 569 controls), but both studies relied substantially on recalled going-to-sleep position, leaving potential recall and residual confounding.⁹ The evidence supports side sleeping in late pregnancy without privileging the left side.



Physiology supports but does not prove causation. Late-gestation magnetic-resonance imaging found that supine positioning reduced uterine arterial inflow by 23.7% and placental oxygen transfer by 6.2% relative to the left side.¹⁰ Another study (12 growth-restricted and 27 healthy pregnancies) found fetal oxygen saturation 3.8% lower supine, alongside reduced maternal-placental and umbilical blood flow.¹¹ As in positional apnoea and reflux, the benefit is conditional rather than a ranking of postures for everyone.

05 Pain and brain-clearance claims

For low-back pain, prescriptive evidence is weak. A 2025 systematic review found only six observational studies: supine and well-supported side-lying were associated with less pain, whereas prone sleep was associated with more.¹² Reverse causation and differences in mattress, pillow, and alignment favor individualized comfort over categorical rules.

Brain-clearance claims require a strict boundary between animal mechanism and human health. One experiment infused tracers into anesthetized rats and mice and found greater glymphatic transport and amyloid- β clearance in

lateral than prone posture.¹³ It measured neither naturally sleeping humans nor clinical outcomes; anesthesia, invasive tracer delivery, and species anatomy limit translation. This is a human hypothesis, not a prescription for brain health.

06 Conclusion

There is no universal healthiest sleeping position. The repeatable pattern is outcome specificity: lateral rather than supine sleep can help selected positional apnoea; left lateral can reduce nocturnal reflux; either side is preferable to settling supine in late pregnancy; and pain requires individualized support. For otherwise healthy adults, comfort and uninterrupted sleep are more defensible guides than claims of whole-body optimization. Until comparative trials establish otherwise, posture is best treated as one adjustable part of sleep care, subordinate to diagnosis and to whether a person can sleep comfortably and consistently. Human randomized comparisons with sustained adherence and patient-important outcomes—not posture snapshots or animal tracer studies—would be needed to rank positions for general health.

References

1. Rayward L, Ho SWK, Green D, Little JP (2025) Sleep disruption and sleep position: Increased wake frequency in supine predicts lateral position preference. *Journal of Sleep Research*. <https://doi.org/10.1111/jsr.14325>
2. Srijiresh PR, Aghoram R, Goel A, Dhanya J (2019) Positional therapy for obstructive sleep apnoea. *Cochrane Database of Systematic Reviews*. <https://doi.org/10.1002/14651858.cd010990.pub2>
3. Ravesloot MJL, White D, Heinzer R, Oksenberg A, Pépin JL (2017) Efficacy of the New Generation of Devices for Positional Therapy for Patients With Positional Obstructive Sleep Apnea: A Systematic Review of the Literature and Meta-Analysis. *Journal of Clinical Sleep Medicine*. <https://doi.org/10.5664/jcsm.6622>
4. Berry RB, Uhles ML, Abaluck BK, Winslow DH, Schweitzer PK, Gaskins RA, Doekel RC, Emsellem HA (2019) NightBalance Sleep Position Treatment Device Versus Auto-Adjusting Positive Airway Pressure for Treatment of Positional Obstructive Sleep Apnea. *Journal of Clinical Sleep Medicine*. <https://doi.org/10.5664/jcsm.7868>
5. Schuitemaker JM, van Dijk M, Oude Nijhuis RAB, Smout AJPM, Bredenoord AJ (2022a) Associations Between Sleep Position and Nocturnal Gastroesophageal Reflux: A Study Using Concurrent Monitoring of Sleep Position and Esophageal pH and Impedance. *American Journal of Gastroenterology*. <https://doi.org/10.14309/ajg.0000000000001588>
6. Simadibrata DM, Lesmana E, Amangku BR, Wardoyo MP, Simadibrata M (2023) Left lateral decubitus sleeping position is associated with improved gastroesophageal reflux disease symptoms: A systematic review and meta-analysis. *World Journal of Clinical Cases*. <https://doi.org/10.12998/wjcc.v11.i30.7329>
7. Schuitemaker JM, Kuipers T, Oude Nijhuis RAB, Schijven MP, Smout AJPM, Fockens P, Bredenoord AJ (2022b) Sleep Positional Therapy for Nocturnal Gastroesophageal Reflux: A Double-Blind, Randomized, Sham-Controlled Trial. *Clinical Gastroenterology and Hepatology*. <https://doi.org/10.1016/j.cgh.2022.02.058>

Cronin RS, Li M, Thompson JMD, Gordon A, Raynes-Greenow CH, Heazell AEP, Stacey T, Culling VM, Bowring V, Anderson NH, O'Brien LM, Mitchell EA, Askie LM, McCowan LME (2019) An Individual Participant Data Meta-analysis of Maternal Going-to-Sleep Position, Interactions with Fetal Vulnerability, and the Risk of Late Stillbirth. *EClinicalMedicine*. <https://doi.org/10.1016/j.eclinm.2019.03.014>

McCowan LME, Thompson JMD, Cronin RS, Li M, Stacey T, Stone PR, Lawton BA, Ekeroma AJ, Mitchell EA (2017) Going to sleep in the supine position is a modifiable risk factor for late pregnancy stillbirth; Findings from the New Zealand multicentre stillbirth case-control study. *PLOS ONE*. <https://doi.org/10.1371/journal.pone.0179396>

Couper S, Clark A, Thompson JMD, Flouri D, Aghwane R, David AL, Melbourne A, Mirjalili A, Stone PR (2021) The effects of maternal position, in late gestation pregnancy, on placental blood flow and oxygenation: an MRI study. *The Journal of Physiology*. <https://doi.org/10.1113/jp280569>

Jani D, Clark A, Couper S, Thompson JMD, David AL, Melbourne A, Mirjalili A, Lydon A, Stone PR (2023) The effect of maternal position on placental blood flow and fetoplacental oxygenation in late gestation fetal growth restriction: a magnetic resonance imaging study. *The Journal of Physiology*. <https://doi.org/10.1113/jp284269>

Saini Y, Rai A, Sen S (2025) Relationship Between Sleep Posture and Low Back Pain: A Systematic Review. *Musculoskeletal Care*. <https://doi.org/10.1002/msc.70114>

Lee H, Xie L, Yu M, Kang H, Feng T, Deane R, Logan J, Nedergaard M, Benveniste H (2015) The Effect of Body Posture on Brain Glymphatic Transport. *Journal of Neuroscience*. <https://doi.org/10.1523/jneurosci.1625-15.2015>

13. osci.1625-15.2015 ■

13 · VERIFIED VIA CROSSREF