

## How do mRNA vaccines work?

**SUMMARY** — An mRNA vaccine gives cells a short-lived recipe for one pathogen protein, not the pathogen itself. A lipid shell gets the recipe into cells and also helps alert the immune system; antigen production then recruits antibodies, memory B cells and T cells. The platform has delivered strong protection from severe respiratory disease, but protection from infection wanes, variant matching is imperfect, and myocarditis is a rare risk concentrated in young males after dose 2.

### The platform is a transient, programmable protein factory

- The payload is messenger RNA (mRNA) inside a lipid nanoparticle (LNP): the particle protects RNA, promotes cell entry and cytoplasmic release, and ribosomes translate the sequence without the RNA entering the nucleus or becoming DNA. Chaudhary et al. 2021, Hou et al. 2021, Pardi & Krammer 2024
- Ionizable lipids bind RNA during particle formation but are closer to neutral in the body, improving delivery over permanently charged carriers. Cullis & Felgner 2024, Hou et al. 2021
- The encoded antigen is designed: COVID-19 vaccines used prefusion-stabilized spike, building on earlier coronavirus structural work, so new targets can reuse the manufacturing platform. Corbett et al. 2020, Pardi & Krammer 2024

### Modified RNA and purification made useful expression possible

- Unmodified RNA activates innate sensors: substituting modified nucleosides suppressed signalling through Toll-like receptors 3, 7 and 8 and reduced cytokine release from human dendritic cells. Karikó et al. 2005
- Removing double-stranded RNA contaminants by high-performance liquid chromatography eliminated detectable interferon and inflammatory-cytokine induction in the tested cells and raised translation **10- to 1,000-fold**. Karikó et al. 2011

- Translation fidelity is a real design constraint: N1-methylpseudouridine caused +1 ribosomal frameshifting and immune recognition of off-target products in mice and people, although no adverse outcome was reported and synonymous recoding reduced the signal. Mulrone et al. 2024

### The carrier is both delivery vehicle and immune alarm


- In mice, the tested LNP formulation acted as an adjuvant even without antigen-encoding RNA, driving T-follicular-helper and germinal-centre responses through its ionizable lipid and interleukin-6; the exact pathway and magnitude cannot be assumed for every LNP or for humans. Alameh et al. 2021, Verbeke et al. 2022
- Mouse tissue profiling found vaccine mRNA chiefly in draining-node monocytes, macrophages and migratory dendritic cells at day 1; MDA5-type I interferon signalling supported antigen-specific CD8 T-cell expansion, while several other proposed pathways were dispensable in that model. Li et al. 2022

### Lymph nodes convert a brief signal into durable immune memory

- Early human trials found strong neutralizing antibodies and TH1-skewed CD4 and CD8 T-cell responses, while CD8 cells expanded after the first dose before neutralizing antibodies had fully matured. Sahin et al. 2020, Oberhardt et al. 2021

- Serial lymph-node sampling found spike-specific germinal-centre B cells for at least **12 weeks** and T-follicular-helper cells for about **6 months**, although these intensive studies involved small, relatively young cohorts. [Turner et al. 2021](#), [Mudd et al. 2022](#)

- Across 1,540 tracked B-cell clones, somatic mutation rose **3.5-fold over six months**; affinity-matured memory B cells and bone-marrow plasma cells persisted even as circulating antibody declined. [Kim et al. 2022](#)



the evidence-supported route from injection to memory. Delivery, transient expression and persistent human lymph-node responses are observed; detailed sensing pathways and LNP adjuvanticity rest mainly on mouse experiments. [Pardi & Krammer 2024](#), [Alameh et al. 2021](#), [Li et al. 2022](#), [Turner et al. 2021](#), [Kim et al. 2022](#)

#### Antibodies predict protection, but platform performance depends on pathogen and outcome

- The pivotal placebo-controlled COVID-19 trials reported **95.0%** efficacy (95% credible interval 90.3-97.6; n=43,448) for BNT162b2 and **94.1%** (95% CI 89.3-96.8; n=30,420) for mRNA-1273 against symptomatic disease before major immune-escape variants; six-month BNT162b2 efficacy was 91.3% (89.0-93.2) and 96.7% (80.3-99.9) against severe disease. [Polack et al. 2020](#), [Baden et al. 2021](#), [Thomas et al. 2021](#)

- In mRNA-1273 recipients, estimated vaccine efficacy rose from 78% (95% CI 54-89) at a neutralizing titre of 10 to 96% (94-98) at 1,000; a 24-study meta-analysis also linked neutralization loss to reduced protection across variants. Correlation does not mean antibodies mediate every component of protection. [Gilbert et al. 2022](#), [Cromer et al. 2022](#)
- The platform generalizes but does not guarantee success: one-dose mRNA-1345 prevented RSV lower-respiratory disease by 83.7% (95.88% CI 66.0-92.2; n=35,541), whereas an influenza formulation produced stronger A but weaker B responses than licensed vaccine. [Wilson et al. 2023](#), [Ma et al. 2025](#), [Kandinov et al. 2025](#), [Whitaker et al. 2023](#)

| VACCINE                      | EVIDENCE                               | MAIN RESULT                                                   | IMPORTANT BOUNDARY                                           |
|------------------------------|----------------------------------------|---------------------------------------------------------------|--------------------------------------------------------------|
| BNT162b2                     | Placebo RCT, n=43,448                  | 95.0% efficacy against symptomatic COVID-19                   | Ancestral-virus era <a href="#">Polack et al. 2020</a>       |
| mRNA-1273                    | Placebo RCT, n=30,420                  | 94.1% efficacy; 30 severe cases, all placebo                  | Ancestral-virus era <a href="#">Baden et al. 2021</a>        |
| mRNA-1345 RSV                | Placebo RCT, n=35,541, age at least 60 | 83.7% against lower-respiratory disease with at least 2 signs | Median follow-up 112 days <a href="#">Wilson et al. 2023</a> |
| ARCT-154 self-amplifying RNA | Placebo RCT, 5 micrograms              | 56.6% against any and 95.3% against severe COVID-19           | Mostly Delta; short follow-up <a href="#">Hô et al. 2024</a> |

#### Protection wanes fastest where the airway and variants matter most

- Across 78 estimates, effectiveness fell **21.0 percentage points** (95% CI 13.9-29.8) against infection from month 1 to 6, versus **10.0 points** (6.1-15.4) against severe disease; only 3 of 18 included studies had low overall risk of bias. [Feikin et al. 2022](#)
- The anatomical pattern fits: vaccinated people had strong blood responses but lower airway neutralization and no detectable spike-specific B or T cells in bronchoalveolar lavage, unlike convalescents. This small study supports, but does not by itself prove, a mechanism for breakthrough infection. [Tang et al. 2022](#)

- Variant matching helps incompletely. A BA.1-bivalent booster raised BA.1 titres over the ancestral booster but did not test effectiveness; later BQ.1.1 and XBB.1 escaped much BA.5-bivalent-dose neutralization. [Chalkias et al. 2022](#), [Kuruhade et al. 2023](#)
- A 28-study synthesis found bivalent boosters added about **28-31% relative effectiveness** against infection and **58-62%** against severe outcomes versus earlier-dose comparators, with substantial heterogeneity. [Song et al. 2024](#)
- XBB.1.5-vaccine effectiveness in 53.4 million adults fell by month 5 to 26.7% against infection, 52.3% against hospitalization and 69.4% against death; JN.1 replacement reduced it further. Antibody responses remained biased toward epitopes shared with the ancestral strain, with limited truly XBB-specific recruitment in some people. [Ma et al. 2026](#), [Johnston et al. 2024](#)

# Protection wanes faster against infection

Average decline from month 1 to month 6 · pre-Omicron systematic review

● **Infection**  
**21.0** percentage points  
95% CI 13.9–29.8

● **Severe disease**  
**10.0** percentage points  
95% CI 6.1–15.4

## Supported explanations




### Circulating memory

B and T cells can limit progression after infection



### Airway gap

Injected vaccine elicits limited local airway immunity



### Variant escape

Changed spike can evade existing antibodies

Equal row sizes do not encode magnitude

● 95% CI = confidence interval

● Percentage point = absolute change in percentages

● Pre-Omicron = evidence preceded widespread Omicron

waning is outcome-dependent. The two estimates and 95% confidence intervals come from a pre-Omicron systematic review/meta-regression; equal card sizes deliberately avoid encoding a false visual scale. Airway sampling and later variant studies explain why infection protection is more fragile, but they do not partition the decline quantitatively. [Feikin et al. 2022](#), [Tang et al. 2022](#), [Kurahade et al. 2023](#), [Ma et al. 2026](#)


## Myocarditis is rare, real, and sharply concentrated by age, sex, dose and product

- Active surveillance of 11.8 million mRNA doses found no prespecified serious-outcome signal and anaphylaxis at about **5 per million doses**; a separate matched national study found most examined adverse events were not elevated but confirmed a myocarditis excess. [Klein et al. 2021](#), [Barda et al. 2021](#)
- A 99-million-person multinational study reproduced the myocarditis/pericarditis signal after mRNA vaccination; its observed-versus-expected design remains sensitive to background-rate assumptions. [Faksova et al. 2024](#)

- In 39.6 million adolescent doses, pooled myopericarditis was **43.5 per million** (95% CI 30.8-61.6): **66.0** in males versus **10.1** in females, and **60.4** after dose 2 versus **16.6** after dose 1. [Guo et al. 2023](#)
- Nordic registers showed that males aged 16-24 had **55.5 excess cases per million** after BNT162b2 dose 2 and **183.9 per million** after mRNA-1273 dose 2; English data likewise found the highest relative risk after mRNA-1273 dose 2 and a smaller booster signal. [Karlstad et al. 2022](#), [Stowe et al. 2023](#)
- Infection is not a uniform comparator: across all ages, infection-associated myocarditis risk was higher, but among men younger than 40 the estimated excess after mRNA-1273 dose 2 was 97 per million versus 16 per million after a positive test. [Patone et al. 2022](#)

## Myocarditis risk is concentrated, not uniform

Two datasets · compare within each panel only · whiskers are 95% confidence intervals



Panel a = observed cases per million vaccine doses    Panel b = excess cases per million vaccinated people    95% CI = confidence interval

### Do not compare magnitudes across panels

the signal is heterogeneous, not a single platform-wide rate. Panel A pools observational adolescent studies; panel B uses Nordic register-derived excess events in young men. Different populations and denominators make within-panel comparisons valid but cross-panel bar heights non-comparable. [Guo et al. 2023](#), [Karlstad et al. 2022](#), [Patone et al. 2022](#), [Faksova et al. 2024](#)

### Speed and programmability remain constrained by stability, delivery and evidence gaps

- Purification, particle mixing, scale-up and cold-chain stability remain bottlenecks. [Rosa et al. 2021](#), [Hou et al. 2021](#)
- [Freeze-drying](#) preserved one mRNA-LNP formulation for 12 weeks at room temperature and 24 weeks at 4 degrees C in preclinical tests, but another study found post-drying RNA retention and translation depended strongly on the ionizable lipid; thermostability is therefore formulation-specific. [Muramatsu et al. 2022](#), [Lamoot et al. 2023](#)
- [Self-amplifying RNA](#) includes replication machinery and can reduce dose: 5-microgram ARCT-154 protected against severe Delta-era COVID-19, and as a fourth-dose booster it produced non-inferior ancestral and higher BA.4/5 neutralization than BNT162b2 at day 28; neither result establishes long-term superiority. [Blakney et al. 2021](#), [Hô et al. 2024](#), [Oda et al. 2024](#)

### REFERENCES

[Alameh et al. 2021](#) Lipid nanoparticles enhance the efficacy of mRNA and protein subunit vaccines by inducing

robust T follicular helper cell and humoral responses.

*Immunity*. <https://doi.org/10.1016/j.immuni.2021.11.001>

[Baden et al. 2021](#) Efficacy and Safety of the mRNA-1273 SARS-CoV-2 Vaccine. *New England Journal of Medicine*. <https://doi.org/10.1056/nejmoa2035389>

[Barda et al. 2021](#) Safety of the BNT162b2 mRNA Covid-19 Vaccine in a Nationwide Setting. *New England Journal of Medicine*. <https://doi.org/10.1056/nejmoa2110475>

[Blakney et al. 2021](#) An Update on Self-Amplifying mRNA Vaccine Development. *Vaccines*. <https://doi.org/10.3390/vaccines9020097>

[Chalkias et al. 2022](#) A Bivalent Omicron-Containing Booster Vaccine against Covid-19. *New England Journal of Medicine*. <https://doi.org/10.1056/nejmoa2208343>

[Chaudhary et al. 2021](#) mRNA vaccines for infectious diseases: principles, delivery and clinical translation. *Nature Reviews Drug Discovery*. <https://doi.org/10.1038/s41573-021-00283-5>

[Corbett et al. 2020](#) SARS-CoV-2 mRNA vaccine design enabled by prototype pathogen preparedness. *Nature*. <https://doi.org/10.1038/s41586-020-2622-0>

[Cromer et al. 2022](#) Neutralising antibody titres as predictors of protection against SARS-CoV-2 variants and the impact of boosting: a meta-analysis. *The Lancet Microbe*. [https://doi.org/10.1016/s2666-5247\(21\)00267-6](https://doi.org/10.1016/s2666-5247(21)00267-6)

[Cullis & Felgner 2024](#) The 60-year evolution of lipid nanoparticles for nucleic acid delivery. *Nature Reviews Drug Discovery*. <https://doi.org/10.1038/s41573-024-00977-6>

- Faksova et al. 2024** COVID-19 vaccines and adverse events of special interest: A multinational Global Vaccine Data Network (GVDN) cohort study of 99 million vaccinated individuals. *Vaccine*. <https://doi.org/10.1016/j.vaccine.2024.01.100>
- Feikin et al. 2022** Duration of effectiveness of vaccines against SARS-CoV-2 infection and COVID-19 disease: results of a systematic review and meta-regression. *The Lancet*. [https://doi.org/10.1016/s0140-6736\(22\)00152-0](https://doi.org/10.1016/s0140-6736(22)00152-0)
- Gilbert et al. 2022** Immune correlates analysis of the mRNA-1273 COVID-19 vaccine efficacy clinical trial. *Science*. <https://doi.org/10.1126/science.abm3425>
- Guo et al. 2023** Incidence of myopericarditis after mRNA COVID-19 vaccination: A meta-analysis with focus on adolescents aged 12–17 years. *Vaccine*. <https://doi.org/10.1016/j.vaccine.2023.05.049>
- Hou et al. 2021** Lipid nanoparticles for mRNA delivery. *Nature Reviews Materials*. <https://doi.org/10.1038/s41578-021-00358-0>
- Hô et al. 2024** Safety, immunogenicity and efficacy of the self-amplifying mRNA ARCT-154 COVID-19 vaccine: pooled phase 1, 2, 3a and 3b randomized, controlled trials. *Nature Communications*. <https://doi.org/10.1038/s41467-024-47905-1>
- Johnston et al. 2024** Immunological imprinting shapes the specificity of human antibody responses against SARS-CoV-2 variants. *Immunity*. <https://doi.org/10.1016/j.immuni.2024.02.017>
- Kandinov et al. 2025** An mRNA-based seasonal influenza vaccine in adults: Results of two phase 3 randomized clinical trials and correlate of protection analysis of hemagglutination inhibition titers. *Human Vaccines & Immunotherapeutics*. <https://doi.org/10.1080/21645515.2025.2484088>
- Karikó et al. 2005** Suppression of RNA Recognition by Toll-like Receptors: The Impact of Nucleoside Modification and the Evolutionary Origin of RNA. *Immunity*. <https://doi.org/10.1016/j.immuni.2005.06.008>
- Karikó et al. 2011** Generating the optimal mRNA for therapy: HPLC purification eliminates immune activation and improves translation of nucleoside-modified, protein-encoding mRNA. *Nucleic Acids Research*. <https://doi.org/10.1093/nar/gkr695>
- Karlstad et al. 2022** SARS-CoV-2 Vaccination and Myocarditis in a Nordic Cohort Study of 23 Million Residents. *JAMA Cardiology*. <https://doi.org/10.1001/jamacardio.2022.0583>
- Kim et al. 2022** Germinal centre-driven maturation of B cell response to mRNA vaccination. *Nature*. <https://doi.org/10.1038/s41586-022-04527-1>
- Klein et al. 2021** Surveillance for Adverse Events After COVID-19 mRNA Vaccination. *JAMA*. <https://doi.org/10.1001/jama.2021.15072>
- Kurhade et al. 2023** Low neutralization of SARS-CoV-2 Omicron BA.2.75.2, BQ.1.1 and XBB.1 by parental mRNA vaccine or a BA.5 bivalent booster. *Nature Medicine*. <https://doi.org/10.1038/s41591-022-02162-x>
- Lamoot et al. 2023** Successful batch and continuous lyophilization of mRNA LNP formulations depend on cryoprotectants and ionizable lipids. *Biomaterials Science*. <https://doi.org/10.1039/d2bm02031a>
- Li et al. 2022** Mechanisms of innate and adaptive immunity to the Pfizer-BioNTech BNT162b2 vaccine. *Nature Immunology*. <https://doi.org/10.1038/s41590-022-01163-9>
- Ma et al. 2025** Immune correlates analysis of mRNA-1345 RSV vaccine efficacy clinical trial. *Nature Communications*. <https://doi.org/10.1038/s41467-025-61153-x>
- Ma et al. 2026** Effectiveness of the monovalent XBB.1.5 COVID-19 vaccines: A systematic review and meta-analysis. *Journal of Microbiology, Immunology and Infection*. <https://doi.org/10.1016/j.jmii.2025.07.002>
- Mudd et al. 2022** SARS-CoV-2 mRNA vaccination elicits a robust and persistent T follicular helper cell response in humans. *Cell*. <https://doi.org/10.1016/j.cell.2021.12.026>
- Mulroney et al. 2024** N1-methylpseudouridylation of mRNA causes +1 ribosomal frameshifting. *Nature*. <https://doi.org/10.1038/s41586-023-06800-3>
- Muramatsu et al. 2022** Lyophilization provides long-term stability for a lipid nanoparticle-formulated, nucleoside-modified mRNA vaccine. *Molecular Therapy*. <https://doi.org/10.1016/j.ymthe.2022.02.001>
- Oberhardt et al. 2021** Rapid and stable mobilization of CD8+ T cells by SARS-CoV-2 mRNA vaccine. *Nature*. <https://doi.org/10.1038/s41586-021-03841-4>
- Oda et al. 2024** Immunogenicity and safety of a booster dose of a self-amplifying RNA COVID-19 vaccine (ARCT-154) versus BNT162b2 mRNA COVID-19 vaccine: a double-blind, multicentre, randomised, controlled, phase 3, non-inferiority trial. *The Lancet Infectious Diseases*. [https://doi.org/10.1016/s1473-3099\(23\)00650-3](https://doi.org/10.1016/s1473-3099(23)00650-3)
- Pardi & Krammer 2024** mRNA vaccines for infectious diseases — advances, challenges and opportunities. *Nature Reviews Drug Discovery*. <https://doi.org/10.1038/s41573-024-01042-y>
- Patone et al. 2022** Risk of Myocarditis After Sequential Doses of COVID-19 Vaccine and SARS-CoV-2 Infection by Age and Sex. *Circulation*. <https://doi.org/10.1161/circulationaha.122.059970>
- Polack et al. 2020** Safety and Efficacy of the BNT162b2 mRNA Covid-19 Vaccine. *New England Journal of Medicine*. <https://doi.org/10.1056/nejmoa2034577>
- Rosa et al. 2021** mRNA vaccines manufacturing: Challenges and bottlenecks. *Vaccine*. <https://doi.org/10.1016/j.vaccine.2021.03.038>
- Sahin et al. 2020** COVID-19 vaccine BNT162b1 elicits human antibody and TH1 T cell responses. *Nature*. <https://doi.org/10.1038/s41586-020-2814-7>
- Song et al. 2024** A systematic review and meta-analysis on the effectiveness of bivalent mRNA booster vaccines against Omicron variants. *Vaccine*. <https://doi.org/10.1016/j.vaccine.2024.04.049>
- Stowe et al. 2023** Risk of myocarditis and pericarditis after a COVID-19 mRNA vaccine booster and after

COVID-19 in those with and without prior SARS-CoV-2 infection: A self-controlled case series analysis in England. *PLOS Medicine*. <https://doi.org/10.1371/journal.pmed.1004245>

**Tang et al. 2022** Respiratory mucosal immunity against SARS-CoV-2 after mRNA vaccination. *Science Immunology*. <https://doi.org/10.1126/sciimmunol.add4853>

**Thomas et al. 2021** Safety and Efficacy of the BNT162b2 mRNA Covid-19 Vaccine through 6 Months. *New England Journal of Medicine*. <https://doi.org/10.1056/nejmoa2110345>

**Turner et al. 2021** SARS-CoV-2 mRNA vaccines induce persistent human germinal centre responses. *Nature*. <https://doi.org/10.1038/s41586-021-03738-2>

**Verbeke et al. 2022** Innate immune mechanisms of mRNA vaccines. *Immunity*. <https://doi.org/10.1016/j.immuni.2022.10.014>

**Whitaker et al. 2023** mRNA vaccines against respiratory viruses. *Current Opinion in Infectious Diseases*. <https://doi.org/10.1097/qco.0000000000000948>

**Wilson et al. 2023** Efficacy and Safety of an mRNA-Based RSV PreF Vaccine in Older Adults. *New England Journal of Medicine*. <https://doi.org/10.1056/nejmoa2307079>

---

Every citation in this review was resolved and verified through Crossref, including retraction screening. Generated with the scientific-review skill.