```
mysql> CREATE TABLE DBMS_stud(Reg_No INT UNSIGNED NOT NULL AUTO_INCREMENT,PRIMARY KEY (Reg_No),Name VARCHAR(30) NOT NULL,Department VARCHAR(30) NOT NULL,Mar
k INT(30) NOT NULL);
Query OK, 0 rows affected, 1 warning (0.07 sec)

mysql> DESC DBMS_stud;
+------------+--------------+------+-----+---------+----------------+
| Field      | Type         | Null | Key | Default | Extra          |
+------------+--------------+------+-----+---------+----------------+
| Reg_No     | int unsigned | NO   | PRI | NULL    | auto_increment |
| Name       | varchar(30)  | NO   |     | NULL    |                |
| Department | varchar(30)  | NO   |     | NULL    |                |
| Mark       | int          | NO   |     | NULL    |                |
+------------+--------------+------+-----+---------+----------------+
4 rows in set (0.00 sec)

mysql> INSERT INTO DBMS_stud (Name,Department,Mark) VALUES ('Raj','CSE',89),('Rajesh','CSE',88),('Ramesh','ECE',90),('Rajan','ECE',85);
Query OK, 4 rows affected (0.04 sec)
Records: 4  Duplicates: 0  Warnings: 0

mysql> SELECT * FROM DBMS_stud;
+--------+--------+------------+------+
| Reg_No | Name   | Department | Mark |
+--------+--------+------------+------+
|      1 | Raj    | CSE        |   89 |
|      2 | Rajesh | CSE        |   88 |
|      3 | Ramesh | ECE        |   90 |
|      4 | Rajan  | ECE        |   85 |
+--------+--------+------------+------+
4 rows in set (0.00 sec)
```

```
mysql> INSERT INTO DBMS_stud (Reg_No,Name,Department,Mark) VALUES (10,'Arthi','CSE',89),(12,'Anu','CSE',88),(11,'Anbu','ECE',90);
Query OK, 3 rows affected (0.04 sec)
Records: 3  Duplicates: 0  Warnings: 0

mysql> SELECT * FROM DBMS_stud;
+--------+--------+------------+------+
| Reg_No | Name   | Department | Mark |
+--------+--------+------------+------+
|      1 | Raj    | CSE        |   89 |
|      2 | Rajesh | CSE        |   88 |
|      3 | Ramesh | ECE        |   90 |
|      4 | Rajan  | ECE        |   85 |
|     10 | Arthi  | CSE        |   89 |
|     11 | Anbu   | ECE        |   90 |
|     12 | Anu    | CSE        |   88 |
+--------+--------+------------+------+
7 rows in set (0.00 sec)

mysql> INSERT INTO DBMS_stud(Name,Department,Mark) VALUES ('abc','CSE',89),('xyz','CSE',88);
Query OK, 2 rows affected (0.04 sec)
Records: 2  Duplicates: 0  Warnings: 0

mysql> SELECT * FROM DBMS_stud;
+--------+--------+------------+------+
| Reg_No | Name   | Department | Mark |
+--------+--------+------------+------+
|      1 | Raj    | CSE        |   89 |
|      2 | Rajesh | CSE        |   88 |
|      3 | Ramesh | ECE        |   90 |
|      4 | Rajan  | ECE        |   85 |
|     10 | Arthi  | CSE        |   89 |
|     11 | Anbu   | ECE        |   90 |
|     12 | Anu    | CSE        |   88 |
|     13 | abc    | CSE        |   89 |
|     14 | xyz    | CSE        |   88 |
+--------+--------+------------+------+
9 rows in set (0.00 sec)
```

```
mysql> INSERT INTO DBMS_stud(Name,Department,Mark) VALUES ('AAAAA','CSE',89),('BBBBB','ECE',88);
Query OK, 2 rows affected (0.04 sec)
Records: 2  Duplicates: 0  Warnings: 0

mysql> INSERT INTO DBMS_stud VALUES ('CCCCC','ECE',88);
ERROR 1136 (21S01): Column count doesn't match value count at row 1
mysql>  INSERT INTO DBMS_stud(Name,Department,Mark) VALUES ('CCCCC','ECE',88);
Query OK, 1 row affected (0.04 sec)

mysql> SELECT * FROM DBMS_stud;
+--------+--------+------------+------+
| Reg_No | Name   | Department | Mark |
+--------+--------+------------+------+
|      1 | Raj    | CSE        |   89 |
|      2 | Rajesh | CSE        |   88 |
|      3 | Ramesh | ECE        |   90 |
|      4 | Rajan  | ECE        |   85 |
|     10 | Arthi  | CSE        |   89 |
|     11 | Anbu   | ECE        |   90 |
|     12 | Anu    | CSE        |   88 |
|     13 | abc    | CSE        |   89 |
|     14 | xyz    | CSE        |   88 |
|     15 | AAAAA  | CSE        |   89 |
|     16 | BBBBB  | ECE        |   88 |
|     17 | CCCCC  | ECE        |   88 |
+--------+--------+------------+------+
12 rows in set (0.00 sec)

mysql> ALTER TABLE DBMS_stud AUTO_INCREMENT=50;
Query OK, 0 rows affected (0.05 sec)
Records: 0  Duplicates: 0  Warnings: 0

mysql> INSERT INTO DBMS_stud(Name,Department,Mark) VALUES ('DD','CSE',89),('EE','ECE',88),('FF','ECE',88);
Query OK, 3 rows affected (0.04 sec)
Records: 3  Duplicates: 0  Warnings: 0
```

```
mysql> SELECT * FROM DBMS_stud;
+--------+--------+------------+------+
| Reg_No | Name   | Department | Mark |
+--------+--------+------------+------+
|      1 | Raj    | CSE        |   89 |
|      2 | Rajesh | CSE        |   88 |
|      3 | Ramesh | ECE        |   90 |
|      4 | Rajan  | ECE        |   85 |
|     10 | Arthi  | CSE        |   89 |
|     11 | Anbu   | ECE        |   90 |
|     12 | Anu    | CSE        |   88 |
|     13 | abc    | CSE        |   89 |
|     14 | xyz    | CSE        |   88 |
|     15 | AAAAA  | CSE        |   89 |
|     16 | BBBBB  | ECE        |   88 |
|     17 | CCCCC  | ECE        |   88 |
|     50 | DD     | CSE        |   89 |
|     51 | EE     | ECE        |   88 |
|     52 | FF     | ECE        |   88 |
+--------+--------+------------+------+
15 rows in set (0.00 sec)

mysql> ALTER TABLE DBMS_stud DROP Reg_N0;
ERROR 1091 (42000): Can't DROP 'Reg_N0'; check that column/key exists
mysql> ALTER TABLE DBMS_stud DROP Reg_No;
Query OK, 15 rows affected (0.12 sec)
Records: 15  Duplicates: 0  Warnings: 0

mysql> INSERT INTO DBMS_stud(Name,Department,Mark) VALUES ('gggg','CSE',89),('hhhh','ECE',88);
Query OK, 2 rows affected (0.04 sec)
Records: 2  Duplicates: 0  Warnings: 0
```

```
mysql> SELECT * FROM DBMS_stud;
+--------+------------+------+
| Name   | Department | Mark |
+--------+------------+------+
| Raj    | CSE        |   89 |
| Rajesh | CSE        |   88 |
| Ramesh | ECE        |   90 |
| Rajan  | ECE        |   85 |
| Arthi  | CSE        |   89 |
| Anbu   | ECE        |   90 |
| Anu    | CSE        |   88 |
| abc    | CSE        |   89 |
| xyz    | CSE        |   88 |
| AAAAA  | CSE        |   89 |
| BBBBB  | ECE        |   88 |
| CCCCC  | ECE        |   88 |
| DD     | CSE        |   89 |
| EE     | ECE        |   88 |
| FF     | ECE        |   88 |
| gggg   | CSE        |   89 |
| hhhh   | ECE        |   88 |
+--------+------------+------+
17 rows in set (0.00 sec)

mysql> INSERT INTO DBMS_stud(Reg_No,Name,Department,Mark) VALUES (111,'yy','CSE',89),(222,'zz','ECE',88);
ERROR 1054 (42S22): Unknown column 'Reg_No' in 'field list'
mysql> DESC DBMS_stud;
+------------+-------------+------+-----+---------+-------+
| Field      | Type        | Null | Key | Default | Extra |
+------------+-------------+------+-----+---------+-------+
| Name       | varchar(30) | NO   |     | NULL    |       |
| Department | varchar(30) | NO   |     | NULL    |       |
| Mark       | int         | NO   |     | NULL    |       |
+------------+-------------+------+-----+---------+-------+
3 rows in set (0.00 sec)

mysql>
```