

$$a \cdot (b + c) = a \cdot b + a \cdot c$$

$$a \cdot (b - c) = a \cdot b - a \cdot c$$

1) Distributiva respecto a la suma

a) $5 \cdot (3 + 7)$

b) $4 \cdot (6 + 2)$

c) $x \cdot (x + 5)$

d) $3a \cdot (a + 4)$

e) $2m \cdot (3m + 7n)$

f) $-6k \cdot (k + 9)$

g) $4pq \cdot (2p + 3q)$

2) Distributiva respecto a la resta

a) $6 \cdot (10 - 4)$

b) $8 \cdot (7 - 3)$

c) $x \cdot (x - 6)$

d) $4y \cdot (2y - 3)$

e) $-3a \cdot (a - 5)$

f) $7x \cdot (4x - y)$

g) $-2mn \cdot (5m - n)$

3) Distributiva con trinomios

a) $2x \cdot (x^2 + 3x - 4)$

b) $3a \cdot (2a^2 - a + 5)$

c) $-m \cdot (m^2 + 4m - 7)$

d) $5xy \cdot (x - 2y + 1)$

4) Doble distributiva (binomio x binomio)

a) $(x + 1)(x + 4)$

b) $(x + 5)(x - 2)$

c) $(2a + 1)(a + 3)$

d) $(3x - 4)(x + 2)$

e) $(m - 6)(m - 3)$

f) $(4y + 3)(2y - 5)$

g) $(x - 7)(x + 7)$

5) Distributiva inversa (extraer factor comun)

a) $10x + 15$

b) $8a^2 + 4a$

c) $6xy - 9x$

d) $12m^2n + 18mn^2$

e) $20x^3 - 15x^2 + 5x$

f) $21a^2b - 14ab^2$

g) $16x^3y^2 - 8x^2y + 4xy$
