









A



CABINET I/O



JOTEGO

Sheet: /

File: exterm.kicad_sch

Title: EXTERMINATIONSize: A3 | Date: 29/08/2022
KiCad E.D.A. kicad-cl 7.0.10-7.0.10-ubuntu20.04.1Rev: José Tejada G.
Id: 1/10

1 2 3 4 5 6 7 8

A

B

C

D

E

F




JOTEGO

Sheet: /capacitors/
File: capacitors.kicad_sch


Title: EXTERMINATION

Size: A3 | Date: 29/08/2022
KiCad E.D.A. kicad-cli 7.0.10-7.0.10-ubuntu20.04.1

Rev: José Tejada G. | Id: 2/10



1 2 3 4 5 6 7 8




JOTEGO

Sheet: /main/
File: main.kicad_sch

Title: EXTERMINATION

Size: A3	Date: 29/08/2022	Rev: José Tejada G.
KiCad E.D.A. kicad-cli 7.0.10-7.0.10-ubuntu20.04.1		Id: 3/10





The output signals (pin 55) **HBLK** (15.6KHz) and (pin 56) **VSYNC** (59.2 Hz) of the **Setax1-001**, were simulated with the signal generator and an inverter. These were connected to the input pins of the **Setax01-003** (pin 19 – 20), respectively. No logic signals are observed on the output pins (22–23) **HBLK** – **SYNC**, applying Jotego's instructions, given in this issue. It is concluded with Jotego that the Chip **Setax1-001** is broken.

JOTEGO


Sheet: /colmix/
File: colmix.kicad_sch

Title: EXTERMINATION

Size: A3 Date: 29/08/2022
KiCad E.D.A. kicad-cli 7.0.10-7.0.10-ubuntu20.04.1



Rev: José Tejada G.
Id: 4/10



JOTEGO


Sheet: /gfx/
File: gfx.kicad_sch

Title: EXTERMINATION

Size: A3 Date: 29/08/2022
KiCad E.D.A. kicad-cli 7.0.10-7.0.10~ubuntu20.04.1



1 2 3 4 5 6 7 8



JOTEGO


Sheet: /watchdog/
File: watchdog.kicad_sch


Title: EXTERMINATION

Size: A3 | Date: 29/08/2022
KiCad E.D.A. kicad-cli 7.0.10-7.0.10-ubuntu20.04.1



Rev: José Tejada G.
Id: 6/10






JOTEGO

Sheet: /mcu/
File: mcu.kicad_sch

Title: EXTERMINATION

Size: A3 Date: 29/08/2022
KiCad E.D.A. kicad-cli 7.0.10-7.0.10~ubuntu20.04.1

The JT logo consists of the letters 'JT' in a bold, black, sans-serif font. A red horizontal line runs through the middle of the letters, with a small red 'J' positioned above the top bar and a small red 'T' positioned below the bottom bar.



JOTEGO

Sheet: /gfx/gfx_ram/
File: gfx_ram.kicad_sch

Title: EXTERMINATION

Size: A4 Date: 29/08/2022
KiCad E.D.A. kicad-cli 7.0.10-7.0.10-ubuntu20.04.1



Rev: José Tejada G.
Id: 9/10

