






































14/10/22−30/01/23
JOTEGO
JOTEGO

Sheet: /
File: cps3.kicad_sch

Title: CP SYSTEM III

Size: A3	Date: 14/10/22	**Rev: José Tejada G.**
KiCad E.D.A. 8.0.9		Id: 1/23



Juego	Ranura 1	Ranura 2	Ranura 3	Ranura 4	Ranura 5	Ranura 6
Warzard / Red Earth	64MBit		128MBit	128MBit	32MBit o 128MBit	
Street Fighter III: New Generation	64MBit		128MBit	128MBit	32MBit o 128MBit	
JoJo's Venture	64MBit	64MBit	128MBit	128MBit	32MBit o 128MBit	
JoJo's Bizarre Adventure	64MBit	64MBit	128MBit	128MBit	128MBit	
Street Fighter III: 2nd Impact Giant Attack	64MBit	64MBit	128MBit	128MBit	128MBit	
Street Fighter III: 3rd Strike Fight for the Future	64MBit	64MBit	128MBit	128MBit	128MBit	128MBit

14/10/22-30/01/23
JOTEGO
JOTEGO

Sheet: /simms_flash/
File: simms.kicad_sch

Title: CP SYSTEM III

Size: A3	Date: 14/10/22	**Rev: José Tejada G.**
KiCad E.D.A. 8.0.9		Id: 2/23

F11

DL-2929-IOU

INPUT OUTPUT UNIT

I/O controller.

BUS INTERFACE CONTROLLER

Am33C93A

BUS INTERFACE CONTROLLER

Small Computer System Interface Data Bus

Processor Data Bus

4CH HIGH-CURRENT DARLINGTON SINK DRIVER

TD62064 C12

TD62064 C11

Capcom Kick Button Harness Connector

CN1

Conn_01x34_Male

This pin is connected to pin 15 of the jamma (N.C)

64/128/256 words of 16 bits each.
According to programming

3 WIRE SERIAL

EEPROMs

PHOTOCOUPLER

1. Anode
2. Cathode
15. Emitter
16. Collector

DARLINGTON SINK DRIVER

14/10/22-30/01/23

JOTEGO

JOTEGO

Sheet: /iou/

File: iou.kicad_sch

Title: CP SYSTEM III

Size: A3 | Date: 14/10/22 | **Rev: José Tejada G.**

KiCad E.D.A. 8.0.9 | Id: 3/23

PWR_FLAG

Philips TDA1306T Noise Shaping Filter DAC (SOIC24).
The clock (on pin 12) measures
14.3181667MHz (42.9545/3)

14.3181667MHz

VCC

R43
101

BE

R42
472

Q8
ZR

VD3
VD-BAV99

VSS

CU383-69K
Bus-exchange switch
10 BIT

BCK
SNDD
APP0
APP2
WS
SYSCLK
APP1
BE

D6

RN3
620

RN2
620

TDA1306T
Noise shaping filter
Interpolator
DAC

CLKS2
CLKS1
BCK
WS
DATA
SYSCLK
APPL
APP0
APP1
APP2
APP3
TEST1
TEST2
VDDA
VDDD
VDDO
FILTCR
VOR
FILTCL
VOL
VREF
VSSA
VSSD
VSSO

C5

CP153 22µF
CP154 22µF
CP155 22µF

C143
102J

C144
102J

CP123
10µF

R38
7.3kΩ
R37
4.7kΩ
R35
4.7kΩ
R34
7.3kΩ

LM833N
A4B
Opamp_Dual

CP131
22µF
CP135
22µF
CP132
22µF
CP134
22µF

R_POT_5PINS
RV1

Opamp_Dual
A4A

R20
1.8kΩ
R19
1kΩ
R3
100Ω
CP138
22µF
CP133
22µF

0.003Ω
EXC2
R_Shunt_US

J2
AudioJack2

RS2
100kΩ

R27
9kΩ

CP137
22µF

A5B
LM833N
Opamp_Dual

R17
2.3kΩ
R18
2.3kΩ

CP143
3.3µF

TA8201AK B3
IN
NF
R.F
OUT1
OUT2

R4
5.6kΩ
CP139
33µF
CP140
220µF

R9
0.3Ω
R8
0.3Ω
CP145
154J
CP146
154J

FB6
F_Small
FB5
F_Small

SPEAKER(+)
SPEAKER(-)

LS1
Speaker

HS1
Heatsink_Pad_2Pin

Opamp_Dual
A5A

R22
1.8kΩ
R21
1kΩ
CP130
22µF

R11
100Ω
CP136
22µF
R1
100kΩ

0.003Ω
EXC1
R_Shunt_US

J1
AudioJack2

Optional RCA Left/Right Audio Out Connectors

+12V

FB1
F_Small
FB2
F_Small

R12
24Ω
R28
9kΩ

QB6
Q_NPN_CBE
CP148
22µF

QA6
Q_NPN_CBE
CP149
22µF

CP147
22µF
CP150
22µF

14/10/22-30/01/23
JOTEGO
JOTEGO
Sheet: /sound/
File: sound.kicad_sch

Title: CP SYSTEM III

Size: A3	Date: 14/10/22	**Rev: José Tejada G.**
KiCad E.D.A. 8.0.9		Id: 4/23

G2

DL-2729_PPU

Picture Processing Unit

SD10-505

Main graphics chip.

Color Palette

Bus Exchange Switch

Row address strobe

SPRITE ADDRESS BUS
*Buffer Line Driver

SCROLL ADDRESS BUS

Output enable

Write enable

Upper column address strobe

Lower column address strobe

system clock 256fs or 384fs

Synchronization Supply Unit*?

Buffer Frame Memory Data Bus

There is no certainty that it is Data Bus

Buffer Frame Memory Address Bus

There is no certainty that it is Address Bus

14/10/22-30/01/23	
JOTEGO	
JOTEGO	
Sheet: /ppu/	
File: ppu.kicad_sch	
Title: CP SYSTEM III	
Size: A3	Date: 14/10/22
KiCad E.D.A. 8.0.9	Id: 5/23

Rev: José Tejada G.




14/10/22-30/01/23
JOTEGO
JOTEGO

Sheet: /capacitors_uu/
File: capacitors_uu.kicad_sch


Title: CP SYSTEM III

Size: A3	Date: 14/10/22	**Rev: José Tejada G.**
KiCad E.D.A. 8.0.9		Id: 6/23


GRAPHIC LAYER LAYOUT 1




GRAPHIC LAYER LAYOUT 2




WATCHDOG TIMER



14/10/22-30/01/23	
JOTEGO	
JOTEGO	
Sheet: /objects/	
File: objects.kicad_sch	
Title: CP SYSTEM III	
Size: A3	Date: 14/10/22
KiCad E.D.A. 8.0.9	Id: 7/23
	Rev: José Tejada G.



14/10/22-30/01/23
JOTEGO
JOTEGO
Sheet: /video_dac/
File: video_dac.kicad_sch
Title: CP SYSTEM III
Size: A3 | Date: 14/10/22 | **Rev: José Tejada G.**
KiCad E.D.A. 8.0.9 | Id: 8/23



14/10/22-30/01/23
JOTEGO
JOTEGO

Sheet: /ssu/
File: ssu.kicad_sch

Title: CP SYSTEM III

Size: A3	Date: 14/10/22	**Rev: José Tejada G.**
KiCad E.D.A. 8.0.9		Id: 9/23

J13
DL-2829-CCU
COMMUNICATION CONTROL UNIT?

Cassette CPU RD
Cassette CPU CS
Cassette CPU Address Bus
ENABLING SIMMS MEMORIES - S1 Y 2
SOUND RAM SIMMS ADDRESS BUS
CASSETTE RAM CE
VOLTAGE MONITOR
SOUND RAM SIMMS DATA BUS
SHARED RAM DATA BUS
Cassette CPU Data Bus
ONLY CONNECTED TO PIN52 OF THE FEMALE SLOT

Shared RAM

MB8114260-70PJ
FAST PAGE MODE DYNAMIC RAM CMOS 256K X 16 BIT

VOLTAGE DETECTOR
VMON_XXN
INCIERTO

14/10/22-30/01/23
JOTEGO
JOTEGO
Sheet: /ccu/
File: ccu.kicad_sch

Title: CP SYSTEM III

Size: A3	Date: 14/10/22	**Rev: José Tejada G.**
KiCad E.D.A. 8.0.9		Id: 10/23

No device mounted
there is only the footprint

CP189 X
CP187 1µF
CP185 47µF
CP186 1µF
CP205 101
CP190 X
CP188 1µF
CP176 1µF
CP194 1µF
CP177 X
CP175 1µF
CP196 1µF
CP195 1µF
CP174 1µF
CP192 1µF
CP191 1µF
CP206 1µF
CP193 1µF
RR6 103
RR3 103
RR19 X
RR2 105
RR24 103
RR23 103
RR22 103
RR21 103
RR20 103
RR16 302
RR17 302
RR11 472
RR12 472
RR13 472
RR14 472
RR15 472
RR9 472
RR10 472
RR18 301
RR8 102
RR5 473
RR4 103
RR7 104
BT1 Battery
DA1 B3 61t
V.D2
V.D1
BD53E42
STANDBY
TRIP POINT 4,2V
RST_WD
RST_CPUC
NOT POPULATED
Capacitor connection terminal for output delay time
T4D 7400
T4C 7400
T1B 7400
T4B 7400
X1 Crystal 6.25SC6L
VCC
VSS
+5V
VCC(PLL)
Small Signal Zener Diode?
regulador de voltaje?
pending review here
pending review here
pending review here
pending review here

REDUCED INSTRUCTION SET COMPUTER

HD6417604F28_SH2
SCU3
CPU
(SCU) System Control Unit?
SLAVE?

Phase Locked Loop(PLL)
*External interrupt source input
***Nonmaskable interrupt request
**Interrupt vector fetch cycle
Clock pause request input CKPREQ/CKM
Clock pause acknowledge output CKPACK
Operating mode pin
External capacitance pin for PLL
Serial clock input/output
Serial data output
Serial data input
Free-running timer clock input
Free-running timer input
Free-running timer output
Watchdog timer output WDTOVF
Bus request in slave mode, bus grant in master mode BREQ/BGR
Bus acknowledge in slave mode, bus request in master mode BACK/BRLS
Hardware wait request WAIT
Synchronous DRAM clock enable control CKE
Read pulse RD
Least significant byte selection signal for memory CASLL/DQMLL/WE0
Third byte selection signal for memory CASHH/DQMUU/WE1
Second byte selection signal for memory CASHH/DQMUU/WE2
Most significant byte selection signal for memory CASHH/DQMUU/WE3
CAS for synchronous DRAM, OE for pseudo-SRAM CAS/OE
RAS for DRAM and synchronous DRAM, CE for pseudo-SRAM RAS/CE
Read/write RD/WR
BS
Chip select CS3 CS2 CS1
* DMAC request
** DMAC acknowledge

CASSETTE MALE CONNECTOR
CNN5
Conn_02x60_Male


CPUC_D[31..0]
CPUC_A[26..0]
CPUC_A[31..0]
CKIO_CPUC
SCK_CPUC
RxD_CPUC
FTI_CPUC
FTCI_CPUC
RD_CPUC
WAIT_CPUC
RD/WR_CPUC
BS_CPUC
CPUC_WE[3..0]
CPUC_CS[3..0]
MD
STBY_WD
BREAKDOWN?

memories_scu
CER_CSTD
WAIT_CPUC
CPUC_CS1
CPUC_WE0
Vpp
WE_CMOS
RST_CMOS
BYTE
OE_CMOS
CE_FRAM
CPUC_D[31..0]


QQ2 AEY
QQ1 BR39

14/10/22-30/01/23
JOTEGO
JOTEGO
Sheet: /cassette/
File: cassette.kicad_sch
Title: CP SYSTEM III
Size: A3 | Date: 14/10/22 | **Rev: José Tejada G.**
KiCad E.D.A. 8.0.9 | Id: 11/23

SIMM CONNECTOR



14/10/22-30/01/23			
JOTEGO			
JOTEGO			
Sheet: /simms_flash/simm_connector/			
File: simm_connector.kicad_sch			
Title: CP SYSTEM III			
Size: A3	Date: 14/10/22	**Rev: José Tejada G.**	
KiCad E.D.A. 8.0.9		Id: 12/23	




14/10/22-30/01/23
JOTEGO
JOTEGO

Sheet: /simms_flash/simms_2-1_snd/
File: simms_2-1_snd.kicad_sch

Title: CP SYSTEM III


Size: A3	Date: 14/10/22	**Rev: José Tejada G.**
KiCad E.D.A. 8.0.9		Id: 13/23

Simm




14/10/22-30/01/23		
JOTEGO		
JOTEGO		
Sheet: /simms_flash/simm3/		
File: simm.kicad_sch		
Title: CP SYSTEM III		
Size: A3	Date: 14/10/22	**Rev: José Tejada G.**
KiCad E.D.A. 8.0.9		Id: 14/23

Simm




14/10/22–30/01/23		
JOTEGO		
JOTEGO		
Sheet: /simms_flash/simm4/		
File: simm.kicad_sch		
Title: CP SYSTEM III		
Size: A3	Date: 14/10/22	**Rev: José Tejada G.**
KiCad E.D.A. 8.0.9		Id: 15/23

Simm



14/10/22–30/01/23		
JOTEGO		
JOTEGO		
Sheet: /simms_flash/simm5/		
File: simm.kicad_sch		
Title: CP SYSTEM III		
Size: A3	Date: 14/10/22	**Rev: José Tejada G.**
KiCad E.D.A. 8.0.9		Id: 16/23

Simm




14/10/22-30/01/23
JOTEGO
JOTEGO

Sheet: /simms_flash/simm6/
File: simm.kicad_sch

Title: CP SYSTEM III

Size: A3	Date: 14/10/22	**Rev: José Tejada G.**
KiCad E.D.A. 8.0.9		Id: 17/23

Slot Female




14/10/22-30/01/23
JOTEGO
JOTEGO

Sheet: /simms_flash/slots_female/
File: slots_females.kicad_sch

Title: CP SYSTEM III

Size: A3	Date: 14/10/22	**Rev: José Tejada G.**
KiCad E.D.A. 8.0.9		Id: 18/23




14/10/22-30/01/23
JOTEGO
JOTEGO

Sheet: /simms_flash/scroll/
File: scroll.kicad_sch

Title: CP SYSTEM III

Size: A4	Date: 14/10/22	**Rev: José Tejada G.**
KiCad E.D.A. 8.0.9		Id: 19/23

MEMORIES FRAME BUFFER




14/10/22-30/01/23
JOTEGO
JOTEGO

Sheet: /ppu/memories_fb/
File: memories_fb.kicad_sch

Title: CP SYSTEM III

Size: A3	Date: 14/10/22	**Rev: José Tejada G.**
KiCad E.D.A. 8.0.9		Id: 20/23



14/10/22-30/01/23
JOTEGO
JOTEGO

Sheet: /ppu/buffer_line_driver/
File: buffer_line_driver.kicad_sch

Title: CP SYSTEM III

Size: A3	Date: 14/10/22	**Rev: José Tejada G.**
KiCad E.D.A. 8.0.9		Id: 21/23

NOT POPULATED

This device does not support the 10% VPP option at extended temperatures, as it is in the commercial data sheet.
There is a table that specifies a tolerance of 5% VPP only.

CPUC_A[26..0]

CPUC_D[31..0]

Z5 — 28F400-200BX/BL — SMART 3 ADVANCED BOOT BLOCK — FLASH MEMORY FAMILY

Vpp — Peak to Peak Voltage

DU

N.C

A0 CPUC_A1 11
A1 CPUC_A2 10
A2 CPUC_A3 9
A3 CPUC_A4 8
A4 CPUC_A5 7
A5 CPUC_A6 6
A6 CPUC_A7 5
A7 CPUC_A8 4
A8 CPUC_A9 42
A9 CPUC_A10 41
A10 CPUC_A11 40
A11 CPUC_A12 39
A12 CPUC_A13 38
A13 CPUC_A14 37
A14 CPUC_A15 36
A15 CPUC_A16 35
A16 CPUC_A17 34
CE CPUC_A18 12
OE OE_CMOS 14
WE WE_CMOS 43
RP RST_CMOS 44
BYTE BYTE 33

4MB (256Kb x 16bits) 8MB (512Kb x 16bits) 16MB (1024Kb x 16bits)

D0 15 CPUC_D0
D1 17 CPUC_D1
D2 19 CPUC_D2
D3 21 CPUC_D3
D4 24 CPUC_D4
D5 26 CPUC_D5
D6 28 CPUC_D6
D7 30 CPUC_D7
D8 16 CPUC_D8
D9 18 CPUC_D9
D10 20 CPUC_D10
D11 22 CPUC_D11
D12 25 CPUC_D12
D13 27 CPUC_D13
D14 29 CPUC_D14
DI/O_A_MUX D15/A-1 31 CPUC_A0

BYTE Selects 8-bit or 16-bit Mode

VCC 23 — VSS 13 32 — VSS

WAIT_CPUC — 7400 T1A — WAIT_CPUC

CP179 10µF — VCC — VSS

Z2 — 29F400TA-90PF — CMOS FLASH MEMORY — 4MB (512Kb x 8bits)

A0 CPUC_A1 25
A1 CPUC_A2 24
A2 CPUC_A3 23
A3 CPUC_A4 22
A4 CPUC_A5 21
A5 CPUC_A6 20
A6 CPUC_A7 19
A7 CPUC_A8 18
A8 CPUC_A9 8
A9 CPUC_A10 7
A10 CPUC_A11 6
A11 CPUC_A12 5
A12 CPUC_A13 4
A13 CPUC_A14 3
A14 CPUC_A15 2
A15 CPUC_A16 1
A16 CPUC_A17 48
A17 CPUC_A18 17
WE WE_CMOS 11
RESET RST_CMOS 12
CE 26
OE OE_CMOS 28
BYTE BYTE 47

D0 29 CPUC_D0
D1 31 CPUC_D1
D2 33 CPUC_D2
D3 35 CPUC_D3
D4 38 CPUC_D4
D5 40 CPUC_D5
D6 42 CPUC_D6
D7 44 CPUC_D7
D8 30 CPUC_D8
D9 32 CPUC_D9
D10 34 CPUC_D10
D11 36 CPUC_D11
D12 39 CPUC_D12
D13 41 CPUC_D13
D14 43 CPUC_D14
DI/O_A_MUX D15/A-1 45 CPUC_A0
READY/BUSY STATUS _O RY/BY 15
N.C 16
N.C 14
N.C 13
N.C 10
N.C 9

BYTE Selects 8-bit or 16-bit Mode — 5 Volt Sector Erase

VCC — CCP180 1µF — VSS

VSS 27 46 VSS

CER_CSTD

CER_CST 12 — T1D 7400 — 11

CPUC_CS1 13

CPUC_A24

10 — T1C 7400 — 8 — CE_FRAM

9

CONNECTED IN FEMALE SLOT:
WE_CMOS TO PULL UP
RST_CMOS TO VCC
OE_CMOS TO VSS
BYTE TO VSS

FM1208S-250SC Z6 — 4096-BIT NONVOLATILE FERROELECTRIC RAM

A0 CPUC_A1 8
A1 CPUC_A2 7
A2 CPUC_A3 6
A3 CPUC_A4 5
A4 CPUC_A5 4
A5 CPUC_A6 3
A6 CPUC_A7 2
A7 CPUC_A8 1
A8 CPUC_A9 23
CE 18
OE VSS 20
WE CPUC_WEO 21
D/NV NOT CONECTED? 22

D0 9 CPUC_D0
D1 10 CPUC_D1
D2 11 CPUC_D2
D3 13 CPUC_D3
D4 14 CPUC_D4
D5 15 CPUC_D5
D6 16 CPUC_D6
D7 17 CPUC_D7
N.C 19

D/NV Mode Control Input

14/10/22-30/01/23
JOTEGO
JOTEGO
Sheet: /cassette/memories_scu/
File: memories_scu.kicad_sch

Title: CP SYSTEM III

Size: A3	Date: 14/10/22	**Rev: José Tejada G.**
KiCad E.D.A. 8.0.9		Id: 22/23

HARDWARE DESCRIPTION

Main CPU : Main CPU: Hitachi HD6417099 (SH-2) at 25 MHz
Storage : SCSI CD Rom, RAM and Flash ROM.
RAM : SIMMs on the left will physically hold 16M of data each (each has 8x 16M Flash ROMs, there's 4 SIMMs plugged in on this board). The SIMMs on the right will physically hold 8M each (there's 4 Flash ROMs on each board and there are 2 SIMMs plugged in)
OSC : 60MHz. 42.9545MHz, XTAL :3.6864MHz

**Sound chip: 16-channel 8-bit sample player, stereo*
**Maximum color palette: 16 million shades[5]*
**Maximum number of colors on screen: 32,768[6] (15-bit colour, 555 RGB)*
**Palette size: 131,072 pens*
**Colors per tile (backgrounds / sprites): 64 (6 bits per pixel) or 256 (8 bits per pixel), selectable*
**Colors per tile (text overlay): 16 (4 bits per pixel)*
**Maximum number of objects: 1024, with hardware scaling[6]*
**Scroll faces: 4 regular + 1 text overlay 'score screen' layer*
**Scroll features: Horizontal & vertical scrolling, linescroll, linezoom[6]*
**Framebuffer zooming*
**Color blending effects*
**Hardware RLE decompression of 6 bpp and 8 bpp graphics through DMA*
**Resolution, pixels: 384×224 (standard mode) / 496×224 (widescreen mode)*

KNOWN CP SYSTEM III (CPS3) GAME LIST

All six games are developed by Capcom and are all head-to-head fighting games in a list of games that appears to be as small as the CP System Dash library.

English title	Release date	Japanese title
Red Earth	1996-11-21	*War-Zard* (ウォーザード)
Street Fighter III: New Generation	1997-02-04	*Street Fighter III* (ストリートファイターIII)
Street Fighter III 2nd Impact: Giant Attack	1997-09-30	*Street Fighter III 2nd Impact* (ストリートファイターIII 2nd Impact)
JoJo's Bizarre Adventure	1998-12-02	*JoJo no Kimyō na Bōken* (ジョジョの奇妙な冒険)
Street Fighter III 3rd Strike: Fight for the Future	1999-05-12	*Street Fighter III 3rd Strike* (ストリートファイターIII 3rd Strike)
JoJo's Bizarre Adventure: Heritage for the Future	1999-09-13	*JoJo no Kimyō na Bōken Mirai e no Isan* (ジョジョの奇妙な冒険 未来への遺産)

Font:
The Museum Arcade System 16

14/10/22-30/01/23
JOTEGO
JOTEGO

Sheet: /h_description/
File: h_description.kicad_sch

Title: CP SYSTEM III

Size: A3 | Date: 14/10/22 | **Rev: José Tejada G.**
KiCad E.D.A. 8.0.9 | Id: 23/23