

CUSTOMER SUPPORT TICKET PRIORITY PREDICTION AND AUTOMATED ASSIGNMENT SYSTEM USING AGENTFORCE

Naan Mudhalvan - Salesforce Agentforce Project

Team Details

Team Leader: Jothimarimuthu K

Team Members: Gowtham N , Thaksheel M , Sohail khan S , Rahul kumar S .

Department: Artificial Intelligence and Data Science

Institution: Christian College of Engineering and Technology, Oddanchatram

Academic Year: 2026-2027 (Batch 2023-2027)

User Story

The Customer Support Ticket Priority Prediction and Automated Assignment System uses Salesforce and Agentforce to analyze customer support ticket descriptions, automatically determine the priority as High, Medium or Low, and trigger backend automation for appropriate support handling. The solution uses the Support Ticket Intelligence custom object, an Autolaunched Flow and an Agentforce subagent named Support Ticket Priority Analysis. High-priority tickets create an urgent handling task and are assigned to a senior support agent, which reduces manual effort and improves response time.

1. INTRODUCTION

1.1 Project Overview

Customer support teams receive a large number of tickets every day. In many teams, setting the priority of a ticket and assigning it to the right support level is done manually. This is slow, and urgent tickets can be missed.

This project provides a Salesforce-based solution that accepts an Account Name, retrieves the latest support ticket of that account, analyzes the ticket description, classifies the priority, and starts the required automation. Users interact with the system through a simple chat with Agentforce.


1.2 Purpose

- Automatically classify support tickets as High, Medium or Low priority.
- Retrieve the latest support ticket associated with a customer Account.
- Reduce manual prioritization and assignment effort.
- Create an urgent handling task for High-priority tickets.
- Use Agentforce to analyze ticket details and trigger backend automation.
- Improve ticket response and resolution efficiency.

2. IDEATION PHASE

2.1 Problem Statement (Customer Problem Statement Template)


PS	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	Support Agent	focus on critical tickets first	tickets are not always prioritized automatically	ticket prioritization can be manual	frustrated
PS-2	Customer	get urgent issues resolved quickly	critical issues may wait behind lower-priority tickets	support teams handle large ticket volumes	concerned
PS-3	Support Manager	assign tickets to the right support level	assignment may require manual decisions	ticket urgency is not consistently analyzed	overwhelmed
PS-4	Support Agent	identify urgent issues from descriptions	important keywords can be missed	ticket descriptions contain different urgency signals	uncertain
PS-5	Support Manager	reduce SLA-related risk	older unresolved tickets may remain unnoticed	SLA risk needs additional checking	concerned



2.2 Empathy Map Canvas

User Persona: Support Agent

- **Think and Feel:** Wants critical issues identified quickly so that urgent customer problems receive attention.
- **Hear:** Receives customer issue descriptions and support requests.
- **See:** Ticket status, issue type, description, priority level, assignment and SLA risk.
- **Say and Do:** Reviews tickets, handles assigned cases and focuses on urgent support issues.
- **Pain:** Manual prioritization, missed urgency signals and delays in handling critical tickets.
- **Gain:** Automatic priority classification, clearer assignment, urgent task creation and reduced manual effort.



2.3 Brainstorming and Idea Prioritization


Ideas Considered

- Manual ticket registers
- Spreadsheet-based ticket tracking
- Standalone support portal
- Salesforce CRM with Agentforce

Final Selection

Salesforce CRM with Agentforce was selected because of:

- Automation through Salesforce Flow
- AI-assisted ticket interaction through Agentforce
- Automatic priority classification
- Automatic urgent task creation
- Reduced manual support effort



3. REQUIREMENT ANALYSIS PHASE

3.1 Customer Journey Map

Stages: Ticket Creation → Account Identification → Ticket Retrieval → Description Analysis → Priority Classification → Agent Assignment → Urgent Task Creation → Support Handling → Resolution



3.2 Solution Requirements

Functional Requirements


FR No	Requirement
FR-1	Support ticket creation and management using the Support Ticket Intelligence object
FR-2	Account and Contact association with each ticket
FR-3	Ticket description analysis using keyword conditions
FR-4	Automatic priority classification (High, Medium, Low)
FR-5	Urgent task creation for High-priority tickets
FR-6	Support level assignment (Senior, Standard, Queue)
FR-7	Agentforce conversational analysis
FR-8	SLA breach risk tracking (data field provided; automated check is future scope)

Non-Functional Requirements

NFR	Description
Usability	Clear Agentforce interaction and understandable priority messages
Reliability	Consistent priority classification based on configured conditions
Performance	Quick retrieval and analysis of the latest support ticket (the flow completes in about 1.5 seconds in testing)
Security	Controlled Salesforce access to customer and ticket information
Maintainability	Flow and Agentforce configuration can be updated without code
Scalability	Supports increasing ticket volumes through Salesforce automation

3.3 Data Flow Diagram

Flow: User gives Account Name → Agentforce subagent (Support Ticket Priority Analysis) → Autolaunched Flow → Get Account → Get Latest Ticket → Read Ticket Description → Analyze Description → High / Medium / Low decision → Task creation (High only) → Assigned agent and message → Response to the user.




3.4 Technology Stack

Layer	Technology
Platform	Salesforce Developer Edition
Database	Support_Ticket_Intelligence__c custom object with Account, Contact, User and Task records
Logic	Autolaunched Flow
AI	Agentforce
Agent Configuration	Support Ticket Priority Analysis subagent with a Flow-based action
Automation	Flow Decision, Assignment and Create Records elements
Output	Agentforce conversation response

4. PROJECT DESIGN PHASE

4.1 Problem-Solution Fit

Problem	Solution	Benefit
Manual ticket prioritization	Flow analyzes the description and sets the priority	Faster identification of urgent cases
Urgent issues may be missed	High-priority keyword decision (urgent, not working, failure)	Critical cases receive attention
Manual task creation	Flow creates a Task for High priority tickets	Reduced manual effort
Manual support assignment	Flow sets the assigned support level	More consistent handling
Need for conversational access	Agentforce subagent with a Flow action	Easy, AI-assisted interaction
SLA risk can be overlooked	SLA Breach Risk field in the data model	Foundation for future SLA monitoring




4.2 Proposed Solution

Parameter	Description
Problem	Manual ticket prioritization and assignment cause delays in handling critical customer support issues
Solution	Salesforce-based Customer Support Ticket Priority Prediction and Automated Assignment System
Innovation	Agentforce AI combined with an Autolaunched Flow to analyze ticket descriptions, classify priority, assign a support level and trigger urgent task automation through chat
Impact	Faster identification of critical tickets, reduced manual effort, improved response time and better team productivity
Business Model	Customer support operations involving customers, support agents, support managers and AI-assisted ticket handling
Scalability	Supports growing ticket volumes through Salesforce automation, with scope for more assignment rules, SLA monitoring and priority indicators

4.3 Solution Architecture

Components: Users / Support Team → Agentforce (Default Agent) → Support Ticket Priority Analysis subagent → Flow Action → Autolaunched Flow → Account and Ticket Data → Description Analysis → Priority Decision → Task / Assignment → Final Message → Agentforce Response



5. PROJECT PLANNING AND SCHEDULING

5.1 Project Planning

- Agile methodology
- Epics → Stories → Story Points
- Sprint-based execution
- Velocity calculation used for estimation

Product Backlog, Sprint Schedule and Estimation

Sprint	Epic	USN	User Story / Task	Points	Priority	Team Member
Sprint-1	Developer Setup	USN-1	As a system administrator, I want to create the Salesforce Developer org and enable Agentforce so that the support solution can be developed.	3	High	Jothimarimuthu K
Sprint-1	Data Modeling	USN-2	As an admin, I want to create the Support Ticket Intelligence object with the required fields and relationships so that ticket information is stored systematically, along with a custom tab, app, validation rule and field-level security.	5	High	Jothimarimuthu K
Sprint-1	Data Modeling	USN-3	As a support user, I want tickets associated with Accounts so that the latest ticket of a customer can be identified.	2	High	[Member 2]
Sprint-2	Automation	USN-4	As a support agent, I want an Autolaunched Flow to retrieve the Account and its latest ticket so that the description can be analyzed.	5	High	Jothimarimuthu K
Sprint-2	Automation	USN-5	As a support agent, I want tickets classified as High, Medium or Low based on keyword conditions so that critical issues receive attention first.	5	High	Jothimarimuthu K
Sprint-3	Task and Assignment	USN-6	As a support manager, I want High-priority tickets to create an urgent handling task and be assigned to a senior agent, with Medium and Low paths setting their own assignment and message.	5	High	[Member 3]

Sprint	Epic	USN	User Story / Task	Points	Priority	Team Member
Sprint-3	Agentforce	USN-7	As an AI agent, I want to analyze the ticket request and trigger the backend Flow so that manual prioritization is reduced.	5	High	Jothimarimuthu K
Sprint-4	Conversational Support	USN-8	As a support user, I want to give an Account Name to Agentforce and receive the Account Id, Ticket Id, priority, assigned agent and action message.	5	Medium	[Member 4]
Sprint-4	Testing and Documentation	USN-9	As a team, I want to test all scenarios and prepare the documentation and demo video.	5	Medium	All members

Project Tracker, Velocity and Burndown

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed	Sprint Release Date (Actual)
Sprint-1	10	6 days	[DD Mon 2026]	[DD Mon 2026]	10	[DD Mon 2026]
Sprint-2	10	6 days	[DD Mon 2026]	[DD Mon 2026]	10	[DD Mon 2026]
Sprint-3	10	6 days	[DD Mon 2026]	[DD Mon 2026]	10	[DD Mon 2026]
Sprint-4	10	6 days	[DD Mon 2026]	[DD Mon 2026]	10	[DD Mon 2026]

Velocity: 10 story points per sprint ÷ 6 days = 1.67 story points per day. Total story points: 40. Average velocity: 10 points per sprint.

Burndown data (remaining story points):

Sprint	Start	End
Sprint-1	40	30
Sprint-2	30	20
Sprint-3	20	10
Sprint-4	10	0



Brainstorming & Idea Prioritization

From Ideas to Impact

*Big Ideas
Better Support*

1

Brainstorming


Let's explore ideas to solve our customer support challenges!



2

Idea Prioritization

We evaluated the ideas based on Impact and Feasibility.



3

Top Prioritized Ideas

These ideas will add the most value and are feasible to implement.



Collaborate. Prioritize. Build a Better Support Experience.



*Ideas Today.
Happier Customers Tomorrow.*

6. PROJECT DEVELOPMENT PHASE


What we learned and used

1. Data Modeling
2. Fields and Relationships (Lookup relationships)
3. Custom Tab and Lightning App
4. Validation Rules, Field History Tracking and Field-Level Security
5. Autolaunched Flows (Get Records, Assignment, Decision, Create Records)
6. Agentforce Subagents and Agent Actions
7. Testing using Flow Debug and the Agentforce Conversation Preview

Milestone 1: Salesforce Account


Activity 1: Creating a Developer Account

1. Open the Salesforce Developer Edition sign-up page (developer.salesforce.com/signup).
2. Enter the Job title (Developer), Company (college name), Country (India), State and Email.
3. Accept the agreement and click Sign me up.



Activity 2: Account Activation

1. Open the verification email and click Verify Account.
2. Set a password and a security question.
3. The Salesforce Setup page opens.



Activity 3: Enabling Agentforce

1. In Setup, search for Agents and open Agentforce Agents.
2. Turn the Agentforce toggle ON.
3. Open Salesforce Go from the gear icon, search Agentforce (Default), and select Get Started, Turn On and Confirm.
4. The Agentforce (Default) agent appears in the agent list.

Fields

Field Label	API Name	Data Type	Description
Ticket Number	Name	Auto Number	TKT-{0000}
Customer	Customer__c	Lookup (Account)	Related Account
Contact	Contact__c	Lookup (Contact)	Customer contact
Issue Type	Issue_Type__c	Picklist	Technical, Billing, General
Description	Description__c	Long Text Area (32768)	Issue details
Priority Level	Priority_Level__c	Picklist	Low, Medium, High
Status	Status__c	Picklist	New, In Progress, Resolved
Assigned To	Assigned_To__c	Lookup (User)	Support agent
SLA Breach Risk	SLA_Breach_Risk__c	Checkbox	Risk flag
Resolution Time (hrs)	Resolution_Time_hrs__c	Number (4,0)	Time taken

The screenshot shows the Salesforce Object Manager interface for the 'Support Ticket Intelligence' object. The 'Fields & Relationships' section is active, displaying a table of 13 fields. The table columns are: FIELD LABEL, FIELD NAME, DATA TYPE, CONTROLLING FIELD, and INDEXED. The fields listed are: Ticket Number (Name, Auto Number, indexed), Status (Status__c, Picklist, indexed), SLA Breach Risk (SLA_Breach_Risk__c, Checkbox, indexed), Resolution Time (hrs) (Resolution_Time_hrs__c, Number(4,0), indexed), Priority Level (Priority_Level__c, Picklist, indexed), Owner (OwnerId, Lookup(User Group), indexed), Last Modified By (LastModifiedById, Lookup(User), indexed), Issue Type (Issue_Type__c, Picklist, indexed), Description (Description__c, Long Text Area(32768), indexed), Customer (Customer__c, Lookup(Account), indexed), Created By (CreatedBy, Lookup(User), indexed), Contact (Contact__c, Lookup(Contact), indexed), and Assigned To (Assigned_To__c, Lookup(User), indexed).

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Ticket Number	Name	Auto Number		✓
Status	Status__c	Picklist		✓
SLA Breach Risk	SLA_Breach_Risk__c	Checkbox		✓
Resolution Time (hrs)	Resolution_Time_hrs__c	Number(4, 0)		✓
Priority Level	Priority_Level__c	Picklist		✓
Owner	OwnerId	Lookup(User Group)		✓
Last Modified By	LastModifiedById	Lookup(User)		✓
Issue Type	Issue_Type__c	Picklist		✓
Description	Description__c	Long Text Area(32768)		✓
Customer	Customer__c	Lookup(Account)		✓
Created By	CreatedBy	Lookup(User)		✓
Contact	Contact__c	Lookup(Contact)		✓
Assigned To	Assigned_To__c	Lookup(User)		✓

Test Data

Accounts: Eagle Tech, Kovai Traders, Madurai Foods

Ticket	Customer	Issue Type	Description	Status
TKT-0001	Eagle Tech	Technical	Urgent: payment system is not working	New
TKT-0002	Kovai Traders	Technical	Dashboard is slow and reports have a delay	New
TKT-0003	Madurai Foods	General	Need information about the invoice format	New

SkillWalletWelcome to SalesforceMadurai Foods | AccountRecently Viewed | SupportProject preparation guideTelegram WebAsk Gemini

orgfarm-a90881a080-dev-ed.develop.lightning.force.com/lightning/o/Support_Ticket_Intelligence_c/home

Developer Edition

Developer EditionWelcome

Search...



Support Ticket Intelligences

Recently Viewed

NewImportChange OwnerAssign Label

3 items • Updated a few seconds ago

Search this list...

Ticket Number

1TKT-0002

2TKT-0003

3TKT-0001

28°C Sunny

Search




ENG IN09:59 AM02-10-2026

Milestone 3: Tab, Custom App and Security Configuration


Activity 1: Creating a Tab for the Object

1. Go to Setup and type Tabs in the Quick Find box, then click Tabs.
2. Under Custom Object Tabs, click New.
3. Select the object Support Ticket Intelligence and choose a tab style.
4. Click Next (Add to profiles) and keep the default setting.
5. Click Next (Add to Custom App) and make sure Append tab to users' existing personal customizations is checked.
6. Click Save.




Activity 2: Creating a Lightning App

1. Go to Setup, search App Manager and click New Lightning App.
2. App Name: Support Ticket Intelligence App.
3. Navigation Items: Support Ticket Intelligences, Accounts and Tasks.
4. User Profiles: System Administrator.
5. Click Save and Finish. The app now appears in the App Launcher.




Activity 3: Validation Rule

Property	Value
Rule Name	Customer_And_Description_Required
Formula	OR(ISBLANK(Customer__c), ISBLANK(Description__c))
Error Message	Customer and Description are required.
Error Location	Top of Page



Activity 4: Field History Tracking

1. Open Object Manager → Support Ticket Intelligence → Details → Edit and enable Track Field History.
2. Open Fields and Relationships → Set History Tracking.
3. Select Priority Level, Status and Assigned To, then click Save.



Activity 5: Field-Level Security

1. Open Fields and Relationships and click the Priority Level field.
2. Click Set Field-Level Security.
3. For the Standard User and Custom: Support Profile profiles, keep Visible checked and also check Read-Only. System Administrator keeps edit access.
4. Click Save.
5. Repeat the same steps for the SLA Breach Risk field.

With this setting, support users can view the priority and SLA fields but cannot edit them, while administrators keep full access.

The screenshot displays the Salesforce Lightning interface for a task titled 'Urgent Ticket Handling'. The browser address bar shows the URL: `orgfarm-a90881a080-dev-ed.develop.lightning.force.com/lightning/o/task/home`. The interface includes a top navigation bar with 'Developer Edition' and a search bar. On the left, a 'Recently Viewed' sidebar lists the current task. The main content area shows task details for 'Urgent Ticket Handling' (TKT-0001), assigned to 'johannammuthu K'. The details are organized into two columns: 'Details' and 'Related'. The 'Details' column includes fields for Assigned To, Subject, Due Date, Priority, Created By, and Comments. The 'Related' column includes fields for Status, Name, Related To, and Last Modified By. The task is currently 'Not Started'. The bottom of the screen shows a Windows taskbar with the date and time as 11:44 AM on 02-10-2026.

Details	Related
Assigned To: johannammuthu K	Status: Not Started
Subject: Urgent Ticket Handling	Name:
Due Date:	Related To: TKT-0001
Priority: High	
Created By: johannammuthu K, 10/1/2026, 10:30 PM	Last Modified By: johannammuthu K, 10/1/2026, 10:30 PM
Comments:	

Milestone 4: Autolaunched Flow

Flow Type: Autolaunched Flow (No Trigger). It is used because Agentforce can call only autolaunched flows.

Flow Label / API Name: Support Ticket Intelligence / Support_Ticket_Intelligence

Variables

Label	API Name	Type	Availability
Account Name	varAccountName	Text	Input
Account Id	varAccountId	Text	Output
Ticket Id	varTicketId	Text	Output
Priority Level	varPriorityLevel	Text	Output
Assigned Agent	varAssignedTo	Text	Output
Action Message	varActionMessage	Text	Output

Support Ticket Intelligence

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Ticket Number	Name	Auto Number		✓
Status	Status__c	Picklist		
SLA Breach Risk	SLA_Breach_Risk__c	Checkbox		
Resolution Time (hrs)	Resolution_Time_Hrs__c	Number(0)		
Priority Level	Priority_Level__c	Picklist		
Owner	OwnerId	Lookup(User Group)		✓
Last Modified By	LastModifiedById	Lookup(User)		
Issue Type	Issue_Type__c	Picklist		
Description	Description__c	Long Text Area(32768)		
Customer	Customer__c	Lookup(Account)		✓
Created By	CreatedById	Lookup(User)		
Contact	Contact__c	Lookup(Contact)		✓
Assigned To	Assigned_To__c	Lookup(User)		✓

Step-by-Step Flow Implementation

Step	Element	Label	Configuration
1	Get Records	Get Account	Object: Account. Filter: Name Equals {!varAccountName}. Sort: CreatedDate descending. Store only the first record.
2	Assignment	Store Account Id	varAccountId = {!Get_Account.Id}
3	Get Records	Get Ticket	Object: Support Ticket Intelligence. Filter: Customer Equals {!varAccountId}. Sort: CreatedDate descending. Store only the first record.
4	Assignment	Store Ticket Id	varTicketId = {!Get_Ticket.Id}
5	Decision	Analyze Description	Outcomes: High Priority, Medium Priority, Low Priority (default). See the decision logic below.
6	Assignment	High Path	varPriorityLevel = High
7	Create Records	Create Task	Subject = Urgent Ticket Handling, Related To (WhatId) = {!varTicketId}, Priority = High, Status = Not Started
8	Assignment	Set Assigned Agent	varAssignedTo = Senior Support Agent
9	Assignment	Set Final Message	varActionMessage = High priority ticket detected. Assigned to senior agent.
10	Assignment	Medium Path	varPriorityLevel = Medium, varAssignedTo = Standard Support Agent, varActionMessage = Ticket marked as medium priority. Will be handled shortly.
11	Assignment	Low Path	varPriorityLevel = Low, varAssignedTo = Support Queue, varActionMessage = Ticket is low priority and queued for processing.
12	Save and Activate	-	Flow saved as Support Ticket Intelligence and activated.

Decision Logic (Analyze Description)

Outcome	Condition (any one must be true)
High Priority	Description contains "urgent" OR "not working" OR "failure"
Medium Priority	Description contains "issue" OR "slow" OR "delay"
Low Priority (default)	None of the above

The High Priority outcome is placed first so that tickets containing urgent keywords are never classified as Medium.

Final Flow Structure

Start → Get Account → Store Account Id → Get Ticket → Store Ticket Id → Analyze Description (Decision)

- High Priority → High Path → Create Task → Set Assigned Agent → Set Final Message → End
- Medium Priority → Medium Path → End
- Low Priority → Low Path → End

Screenshot of the Salesforce Flow Builder interface showing a flow named "Support Ticket Intelligence - V1". The flow starts with an "Autolaunched Flow" event, followed by "Get Account", "Store Account Id", "Get Ticket", "Store Ticket Id", and "Analyze Description" (Decision). The decision logic branches into three paths: High Priority, Medium Priority, and Low Priority. The High Priority path includes "High Path Assignment", "Create Task", "Get Assigned Agent", "Get First Message", and "End". The Medium Priority path includes "Medium Path Assignment" and "End". The Low Priority path includes "Low Path Assignment" and "End". The interface shows the flow is last saved on 10/2/2026, 11:09 AM, and is currently Active. The bottom status bar indicates 31°C Mostly sunny and the time is 11:52 AM on 02-10-2026.


Second screenshot of the Salesforce Flow Builder interface, showing the same flow with the "Analyze Description" decision logic expanded. The decision logic is configured to use "Define Manually (Default)". The outcomes are defined as follows:

Outcome Label	Outcome API Name	Condition Requirements to Execute Outcome
High Priority	High_Priority	Any Condition is Met (OR)
Medium Priority	Medium_Priority	Any Condition is Met (OR)
Low Priority	Low_Priority	Any Condition is Met (OR)

The conditions for each outcome are:

- High Priority: `!Isnull(Get Ticket > Description)` Contains `urgent`
- Medium Priority: `!Isnull(Get Ticket > Description)` Contains `not working`
- Low Priority: `!Isnull(Get Ticket > Description)` Contains `failure`

The interface shows the flow is last saved on 10/2/2026, 11:09 AM, and is currently Active. The bottom status bar indicates 30°C Partly cloudy and the time is 06:28 PM on 03-10-2026.



Milestone 5: Agentforce Configuration

Activity 1: Open the Agent Builder

1. Setup → Agentforce Agents → select Agentforce (Default) → Open in Builder.
2. The agent is kept deactivated while the subagent and action are edited.

Activity 2: Create the Subagent

Property	Value
Name	Support Ticket Priority Analysis
API Name	Support_Ticket_Priority_Analysis

Classification Description

Use this subagent when the user asks about support ticket priority, ticket urgency, ticket severity or wants a support ticket analyzed for an account. It retrieves the latest support ticket of an account and determines whether the priority is High, Medium or Low.

Scope

Your job is only to analyze support ticket descriptions, determine the priority level (High, Medium, Low), and trigger backend automation for task assignment. Do not handle billing, subscription management or account updates.

Instructions

Follow these steps when this topic is triggered:

1. Ask the user for the Account Name if not already given.
2. Use the Support Ticket Intelligence action with the Account Name to retrieve the latest ticket and analyze it.
3. High priority: description contains "urgent", "not working" or "failure". Medium: contains "issue", "slow" or "delay". Low: none of these.
4. Show the user the Ticket Id, Priority Level, Assigned Agent and Action Message.
5. For High priority, tell the user urgent handling is started and the ticket is assigned to a senior agent.
6. For Medium, tell the user it will be handled shortly. For Low, tell the user it is queued.
7. Do not update records directly or send emails. Use the Flow for all actions.

#Subagents

Data

Context

Language

Events

← Subagent Details

⌵

→

You're customizing

#

Support Ticket Priority Analysis

* Name

Support Ticket Priority Analysis

* API Name

Support_Ticket_Priority_Analysis_16jfj0000039x5Z

* Classification Description

Use this subagent when the user asks about support ticket priority, ticket urgency, ticket severity or wants a support ticket analyzed for an account. It retrieves the latest support ticket of an account and determines whether the priority is High, Medium or Low.

* Scope

Your job is only to analyze support ticket descriptions, determine the priority level (High, Medium, Low), and trigger backend automation for task assignment. Do not handle billing, subscription management or account updates.

Instructions

The following instructions are used to run this subagent.

* Instruction

Follow these steps when this topic is triggered:
1. Ask the user for the Account Name if not already given.
2. Use the Support Ticket Intelligence action with the Account Name to retrieve the latest ticket and analyze it.
3. High priority: description contains "urgent", "not working" or "failure". Medium: contains "issue", "slow" or "delay". Low: none of these.
4. Show the user the Ticket Id, Priority Level.

Add Instructions

Example User Input

Add examples of questions or requests that could trigger this subagent.

Example User Input

Example User Input

Add Example Input

☰

Checklist

Page 28

Activity 3: Create the Agent Action

1. Open the subagent → This Subagent's Actions → New → Create New Action.
2. Reference Action Type: Flow. Reference Action: Support Ticket Intelligence.

Agent Action Description: Analyzes customer support tickets based on the provided account name, determines ticket priority using the issue description, and triggers automation to create tasks for high-priority cases.

Loading Text: Analyzing ticket details and determining priority...

Variable	Direction	Description	Settings
varAccountName	Input	Enter the customer account name to fetch the latest support ticket and analyze its priority.	Require Input: Enabled. Collect data from user: Enabled
varAccountId	Output	Returns the unique ID of the customer account.	Show in conversation: Enabled
varTicketId	Output	Returns the ID of the support ticket analyzed.	Show in conversation: Enabled
varPriorityLevel	Output	Calculated priority level: High, Medium or Low.	Show in conversation: Enabled
varAssignedTo	Output	Support agent or team assigned to the ticket.	Show in conversation: Enabled
varActionMessage	Output	Final message about priority and actions taken.	Show in conversation: Enabled

Inputs

Inputs are the data and parameters an agent action needs to run properly

1 *varAccountName Instructions ⓘ
Enter the customer account name to fetch the latest support ticket and analyze its priority.

Advanced Settings

Data Type
lightning_textType

Require Input ⓘ
☒

Collect data from user ⓘ
☒

Outputs

Outputs are the results the agent provides after completing an action

1 *varAccountId Instructions ⓘ
Returns the unique ID of the customer account.

Advanced Settings

2 *varActionMessage Instructions ⓘ
Final message about priority and actions taken.

Advanced Settings

3 *varAssignedTo Instructions ⓘ
Support agent or team assigned to the ticket.

Advanced Settings

4 *varPriorityLevel Instructions ⓘ
Calculated priority level: High, Medium or Low.

Advanced Settings

5 *varTicketId Instructions ⓘ
Returns the ID of the support ticket analyzed.

Advanced Settings

Activity 4: Activate the Agent

Click Activate in the Agentforce Builder.

Milestone 6: Final Outcome

- Takes the Account Name as input
- Fetches the latest support ticket of that account
- Analyzes the description using keyword conditions
- Sets the priority automatically
- Creates an urgent task for High-priority tickets
- Returns the output to Agentforce

Final Output (Agentforce Conversation Preview)

Conversation Preview



Hi! I'm Agentforce, an AI assistant. I can do things like search your Salesforce data or the internet, edit your Salesforce records, and draft or revise emails and fields. Ask me "What else can you do?" to see how I can help simplify your work day.



Give me my support ticket data



Please provide the Account Name to fetch and analyze the latest support ticket.

*varAccountName ⓘ

✓ Submitted 



Here is the analysis of the latest support ticket for Eagle Tech.
001fj000020WR0rAAG
High priority ticket detected. Assigned to senior agent.
Senior Support Agent
High
a00fj00002aCAsHAAW







Give me my support ticket data



Please provide the Account Name to fetch and analyze the latest support ticket.

*varAccountName

Kovai Traders

✓ Submitted



Here is the analysis of the latest support ticket for Kovai Traders.
001fj000020W4AtAAK

Ticket marked as medium priority. Will be handled shortly.

Standard Support Agent

Medium

a00fj00002aCBDFAA4



Describe your task or ask a question...



Conversation Preview



Give me my support ticket data



Please provide the Account Name to fetch and analyze the latest support ticket.

* varAccountName ⓘ

Madurai Foods

✓ Submitted



Here is the analysis of the latest support ticket for Madurai Foods.
001fj000020WNuwAAG

Ticket is low priority and queued for processing.

Support Queue

Low

a00fj00002aByMYAA0



Describe your task or ask a question...



Project x SkillW x Sales x (50) C x New x All S x Urgen x Agent x Supp x Sales x GitHu x + Ask Gemini

orgfarm-a90881a080-dev-ed.develop.lightning.force.com/lightning/o/task/home

Developer Edition

Agentforce

Search...

Support Ticket Intelligence... Support Ticket Intelligences Accounts Tasks

Recently Viewed

2 items • Updated 4 minutes ago

Search this list...

Recently Viewed

Urgent Ticket Handling TKT-0001

Urgent Ticket Handling TKT-0001

Task

Urgent Ticket Handling

Mark Complete Edit Comments Change Date Create Follow-Up Task

Name Related To TKT-0001

Details Related

Assigned To Jothimarimuthu K

Subject Urgent Ticket Handling

Due Date

Priority High

Created By Jothimarimuthu K, 10/3/2026, 6:02 AM

Comments

Status Not Started

Name

Related To TKT-0001

Last Modified By Jothimarimuthu K, 10/3/2026, 6:02 AM

29°C Partly cloudy

Search

ENG IN

07:05 PM 03-10-2026

Page 33

7. FUNCTIONAL AND PERFORMANCE TESTING

7.1 Flow Testing (Flow Debug)

The flow was tested using the Debug option with rollback mode enabled so that test tasks were not saved.

Test Case	Input (varAccountName)	Expected Result	Actual Result	Status
TC-F1	Eagle Tech	High Priority outcome, Task created, Senior Support Agent	High Priority outcome executed, Task created, message "High priority ticket detected. Assigned to senior agent."	Pass
TC-F2	Kovai Traders	Medium Priority outcome, Standard Support Agent	Medium_Priority outcome executed, 3 variables updated	Pass
TC-F3	Madurai Foods	Low (default) outcome, Support Queue	Default outcome executed, Priority Low, Support Queue, "Ticket is low priority and queued for processing."	Pass

The screenshot displays the Salesforce Flow Builder interface during a debug session. The left-hand pane shows the 'Debug' tab with a list of steps and their execution details:

- Get Records: Get Ticket**: One or more `SupportTicketIntelligence_c` records were retrieved.
- Assignment: Store Ticket Id**: 1 variable was updated.
- Decision: Analyze Description**: The **default** outcome was executed.
- Assignment: Low Path**: 3 variables were updated.
- How the Interview Finished**: The flow interview ran for 1.38 seconds and finished on October 3, 2026 at 6:35 PM.

The right-hand pane shows the flow diagram, which includes a decision node 'Analyze Description' that branches into three paths: 'High Priority', 'Medium Priority', and 'Low Priority'. Each path leads to a 'Create Task' step, followed by an 'Assign Agent' step, and finally a 'Send First Message' step. The flow ends with a 'End' node.

The bottom status bar indicates the flow ran for 1.38 seconds and finished on October 3, 2026 at 6:35 PM.

Project x SkillWall x custom: x Salesfor x (50) Cus x New Tal x All | Sup x Flows | x Support x Salesfor x + Ask Gemini

orgfarm-a90881a080-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app?flowid=301fj000020WrubAAC

Developer Edition

Flow Builder Support Ticket Intelligence - V1 Debug Run: Support Ticket Intelligence 10/3/2026, 6:34 PM **Completed**

Debug

Setup Details

Expand All Basic Debug Log

Search this list...

Get Records: Get Ticket
One or more **Support_Ticket_Intelligence_c** records were retrieved.
> Details

Assignment: Store Ticket Id
1 variable was updated.
> Details

Decision: Analyze Description
"Medium_Priority" outcome was executed.
> Details

Assignment: Medium Path
3 variables were updated.
> Details

How the Interview Finished
> Details
The flow interview ran for 2.88 seconds and finished on October 3, 2026 at 6:34 PM.

Convert to Test

30°C Partly cloudy

Search

ENG IN 06:35 PM 03-10-2026

Project x SkillWall x custom: x Salesfor x (50) Cus x New Tal x All | Sup x Flows | x Support x Salesfor x + Ask Gemini

orgfarm-a90881a080-dev-ed.develop.lightning.force.com/builder_platform_interaction/flowBuilder.app?flowid=301fj000020WrubAAC

Developer Edition

Flow Builder Support Ticket Intelligence - V1 Debug Run: Support Ticket Intelligence 10/3/2026, 6:32 PM **Completed**

Debug

Setup Details

Expand All Basic Debug Log

Search this list...

Assignment: High Path
1 variable was updated.
> Details

Create Records: Create Task
One or more **Task** records are ready to be created.
> Details

Assignment: Set Assigned Agent
1 variable was updated.
> Details

Assignment: Set Final Message
1 variable was updated.
> Details

How the Interview Finished
> Details
The flow interview ran for 2.97 seconds and finished on October 3, 2026 at 6:32 PM.

Convert to Test

30°C Partly cloudy

Search

ENG IN 06:33 PM 03-10-2026


7.2 Agentforce End-to-End Testing

Test Case	User Input	Expected Result	Actual Result	Status
TC-A1	"Analyze the priority of the latest support ticket for an account"	Agent selects the Support Ticket Priority Analysis subagent and asks for the Account Name	Subagent selected and Account Name requested	Pass
TC-A2	Eagle Tech	High priority, Senior Support Agent, urgent handling message	Output matched the expected result	Pass
TC-A3	Kovai Traders	Medium priority, Standard Support Agent	Output matched the expected result	Pass
TC-A4	Madurai Foods	Low priority, Support Queue	Output matched the expected result	Pass
TC-A5	High-priority ticket (Eagle Tech)	Task "Urgent Ticket Handling" created and linked to the ticket	Task created with Priority High, Status Not Started, Related To TKT-0001	Pass

The screenshot displays the Agentforce Builder interface in a web browser. The top navigation bar includes 'Developer Edition' and 'Agentforce (Default) Version 1'. The main workspace is divided into several panels:

- Subagents:** A sidebar on the left showing a list of subagents. The 'Support Ticket Priority Analysis' subagent is selected.
- Reasoning: Action Selection:** A central panel showing the agent's reasoning process. It includes a 'Prompt Used' section and an 'Action Launched' section for 'Support Ticket Intelligence 179f000004 Lfk D'. Below this, an 'Input' field shows the account name 'Madurai Foods', and an 'Output' field shows the resulting ticket details.
- Conversation Preview:** A panel on the right showing a simulated conversation between the user and the agent. The user input is 'Analyze the priority of the latest support ticket for an account'. The agent's response is 'Please provide the account name to analyze the latest support ticket.' followed by a form input for 'Madurai Foods'.

The bottom of the interface shows a Windows taskbar with the date and time as 11:42 AM on 02-10-2026.



7.3 Performance Observation

The Autolaunched Flow completed in approximately 1.5 seconds in the debug run, which includes retrieving the account, retrieving the latest ticket, analyzing the description and creating the task. The agent response is returned within a few seconds of submitting the Account Name.

7.4 Issues Found and Resolved During Testing

Issue	Resolution
The agent initially selected the General CRM subagent and returned a plain ticket list	The classification description of the Support Ticket Priority Analysis subagent was improved with ticket priority keywords, and the correct subagent was then selected
Action creation showed "API name already in use"	The existing action was added from the Asset Library instead of creating a duplicate
Output variables must be visible in chat	"Show in conversation" was enabled for all output variables

8. ADVANTAGES AND DISADVANTAGES

Advantages

- **Automatic ticket prioritization:** Classifies tickets as High, Medium or Low based on the ticket description.
- **Faster identification of critical issues:** Helps support agents focus on urgent tickets first.
- **Reduced manual effort:** Automates ticket analysis, priority setting and task creation.
- **Automatic urgent task creation:** High-priority tickets create an Urgent Ticket Handling task.
- **Consistent assignment:** High-priority tickets are mapped to a senior support agent; Medium and Low tickets are mapped to their own support levels.
- **Conversational support:** Support users interact through Agentforce chat and get the result in one response.
- **Low-code solution:** Built using Flow and Agentforce without writing Apex code, so it is easy to maintain.
- **Scalable:** Salesforce automation can handle increasing ticket volumes.
- **Better response time:** Automation reduces delays in handling critical customer issues.

Disadvantages

- **Keyword-based priority logic:** Classification depends on configured keywords such as urgent, not working, failure, issue, slow and delay.
- **Limited understanding of context:** Urgent tickets that use different words may not be classified as High.
- **Dependence on accurate ticket data:** A correct Account name and a linked Customer on the ticket are required.
- **Assignment is label-based:** The assigned agent is returned as a support level label (for example Senior Support Agent), and the flow does not yet update the Assigned To user field on the ticket.
- **Flow and Agentforce configuration dependency:** Changes require maintenance of the Flow and the subagent instructions.
- **Limited scope of Agentforce:** The subagent handles ticket analysis only; billing or subscription requests are out of scope.
- **SLA monitoring not automated:** The SLA Breach Risk field exists, but an automated SLA check is not part of the current implementation.
- **Limited analytics:** Dashboards for priority trends and resolution performance are future scope.

9. CONCLUSION

The Customer Support Ticket Priority Prediction and Automated Assignment System demonstrates how Salesforce Flow and Agentforce can work together to reduce manual support ticket handling. The solution retrieves the latest ticket for an Account, analyzes its description, classifies the priority, creates an urgent task for High-priority cases, maps a support level, and returns a clear conversational response. This supports faster ticket handling, reduced manual effort, intelligent prioritization and better team productivity.

10. FUTURE SCOPE

- Use an LLM or Einstein prompt template for priority classification instead of fixed keywords, so that context and sentiment are understood.
- Add more priority indicators and business rules.
- Update the Priority Level and Assigned To fields on the ticket record directly from the flow.
- Add automated SLA monitoring and escalation using the SLA Breach Risk field.
- Support additional support teams and skill-based assignment rules.
- Send email or in-app notifications to the assigned agent and the customer.
- Introduce dashboards for priority trends and resolution performance.
- Add more outputs and variables to the Agentforce action for richer responses.

11. APPENDIX

- A. Custom Object: Support Ticket Intelligence (Support_Ticket_Intelligence__c)
- B. Key Salesforce Records: Account, Contact, User, Task
- C. Flow: Support Ticket Intelligence (Autolaunched Flow)
- D. Agentforce Subagent: Support Ticket Priority Analysis
- E. Agentforce Action: Flow-based Support Ticket Intelligence action
- F. Security and App Configuration: Custom Tab, Support Ticket Intelligence App, Validation Rule, Field History Tracking, Field-Level Security
- G. Demo Video Link: [paste link here]
- H. Project Documentation Link: [paste link here]

Thank You