User Acceptance Testing (UAT) Template

Date	03 October 2026
Team ID	
Project Name	Employee Data Import using Transform Maps (Spreadsheet) - ServiceNow
Maximum Marks	

Project Overview:

Project Name: Employee Data Import using Transform Maps (Spreadsheet) - ServiceNow

Project Description: Employee data from an Excel / CSV spreadsheet is imported into ServiceNow through a Data Source, a staging (Import Set) table and a Transform Map. Each record is linked to an employee (Employee ID to the sys_user reference), department details are pulled into the record, and access is secured with ACLs that are tested using Impersonate User.

Project Version: 1.0

Testing Period: _____ (start date) to _____ (end date)

Testing Scope:

- **Features and functionalities to be tested:** spreadsheet attachment to a Data Source, loading into the staging table, Transform Map and Field Maps, Employee ID reference mapping, department population, Coalesce (duplicate control), ACLs and Impersonate User, reporting by department.
- **User stories / requirements to be tested:** USN-1 to USN-11 (and USN-12, USN-13 if completed) and functional requirements FR-1 to FR-7.

Testing Environment:

URL/Location: https://<your-instance>.service-now.com (ServiceNow Personal Developer Instance)

Credentials (if required): Provided separately by the team. Do not write passwords in this document.

Test Cases:

Test Case ID	Test Scenario	Test Steps	Expected Result	Actual Result	Pass/Fail
TC-001	Attach a valid spreadsheet to the Data Source	1. Open System Import Sets > Administration > Data Sources 2. Create a Data Source (File, Excel, header row = Yes) 3. Attach the .xlsx file	File is attached and the Data Source is saved		
TC-002	Attach an invalid file type (negative)	1. Open the Data Source 2. Attach a .pdf or .txt file 3. Click Load All Records	Error is shown or no rows are loaded		
TC-003	Load all records	1. Open the Data Source 2. Click Load All Records 3. Open the Import Set table	Import Set created; row count matches the spreadsheet		
TC-004	Misnamed or missing column header (negative)	1. Prepare a file with one wrong header 2. Attach and load it 3. Open the Field Maps	The column shows as unmapped and the issue is visible		
TC-005	Create the Transform Map	1. Open Transform Maps > New 2. Select the staging table as source and the target table 3. Save	Transform Map is saved with the correct tables		
TC-006	Map the fields	1. Open the Field Maps list 2. Use Auto Map Matching Fields 3. Map any remaining columns manually	All spreadsheet columns are mapped		
TC-007	Run the transform	1. Open the Transform Map 2. Click Transform and select the Import Set 3. Open Transform History	Records are inserted; counts are shown		
TC-008	Employee ID mapped to the Employee reference	1. Map Employee ID to the sys_user reference field 2. Run the transform 3. Open an imported record	Record is linked to the correct employee		
TC-009	Unknown Employee ID (negative)	1. Add a row with an unknown Employee ID 2. Run the transform 3. Check the Import Log	Row is ignored or flagged; no wrong link is created		
TC-010	Department population	1. Enable the department field map script 2. Run the transform 3. Open an imported record	Department is filled in automatically		
TC-011	Coalesce on re-import	1. Set Coalesce on Employee ID 2. Load and transform the same file again 3. Check the target table	Records are updated; no duplicates are created		
TC-012	Changed value on re-import	1. Change a department in the file 2. Load and transform it 3. Open the record	Existing record shows the new department		
TC-013	ACL: unauthorised user (negative)	1. Impersonate an unauthorised user 2. Open the target table 3. Try to view the records and fields	Restricted records / fields are not accessible		
TC-014	ACL: field-level access	1. Impersonate an employee 2. Open the record 3. Check the department / sensitive field	Field is hidden or read-only as per the ACL		

Test Case ID	Test Scenario	Test Steps	Expected Result	Actual Result	Pass/Fail
TC-015	ACL: authorised role	1. Impersonate an HR user 2. Open the target table 3. View the records	Permitted records and fields are visible		
TC-016	End impersonation	1. Click End Impersonation 2. Check the user menu 3. Open the target table	Session returns to the administrator with full access		
TC-017	Report by department	1. Create a report on the target table 2. Group by Department 3. Run the report	Record counts are shown per department		
TC-018	Filter list by department	1. Open the target table list 2. Apply a Department filter 3. Review the results	Only matching records are displayed		

Bug Tracking:

Bug ID	Bug Description	Steps to reproduce	Severity	Status	Additional feedback
BG-001					
BG-002					
BG-003					
...					

Severity: Low / Medium / High. Status: Open / In Progress / Closed. Add one row per bug found; leave this table empty only if no bugs were found.

Sign-off:

Tester Name: _____

Date of Test Completion: _____

Signature: _____

Project Manager Sign-off: _____

Product Owner Sign-off: _____

Notes:

- Ensure that all test cases cover both positive and negative scenarios.
- Encourage testers to provide detailed feedback, including any suggestions for improvement.
- Bug tracking should include details such as severity, status, and steps to reproduce.
- Obtain sign-off from both the project manager and product owner before proceeding with deployment.