




# Delta



Norlux -the nordic lighting supplier



Dimensions

Optional with regulation of lumen

Life expectancy: 50 000 hours

Product no.	Product name	System (W)	Lumen	Color temp.	CRI	Reflector	Color
0240-45-2	Delta	240W	36 720 lm	4000K	75	45°	Sort
0240-70-2	Delta	240W	36 720 lm	4000K	75	70°	Sort
0240-90-2	Delta	240W	36 720 lm	4000K	75	90°	Sort
0240-110-2	Delta	240W	36 720 lm	4000K	75	110°	Sort
0240-06-2	Delta w/Sports Grid	240W	36 720 lm	4000K	75	110°	Sort
0240-01-2	Delta	240W	36 720 lm	4000K	75	Opal	Sort



[norlux.no](http://norlux.no)




Norlux- part of LightGroupNordic

LED Pendants  
Power LED

The Delta is absolute top-notch concerning light output and mechanical strength. The luminaire is classified accordance to the IP65 norm. This makes the Delta very suitable for use in tough conditions. The light output from the Delta is 153 lumens per Watt makes this a perfect choice. The Delta can even be dimmed and taking all these features in to consideration one understands that this is a true winner.



# NORLUX®



EN 60598-1:2008+A11  
EN 60598-2-1:1989  
EN 62471:2008

UL1598  
UL8750  
IEC 60598-1:2008  
IEC 60598-2-1:1979+A1

J60598-2-1(H23)  
J60598-1(H23)  
J61347-2-13(H21)  
J61347-1(H20)  
J55015(H20)

AS/NZS 60598.2.1:2014  
AS/NZS 60598.1:2013





English / Deutsch / Español / Français / Italiano / 日本語 / 中文 [中文]

Read the safety instructions carefully before installing this product. / **Bitte lesen Sie diese Informationen sorgfältig bevor Sie mit der Installation dieses Produktes beginnen.** / Lea las instrucciones de seguridad antes de instalar este producto. / **Lisez les consignes de sécurité avant d'installer ce produit.** / Si prega di leggere attentamente queste informazioni prima di iniziare l'installazione di questo prodotto. / 取付前に「説明書」を必ずお読みください / **安装产品之前请仔细阅读说明书。**





Great personal danger even death can result from misuse of this product. / **Große Gefahr, unter Umständen auch der Tod, können die Folge von Missbrauch dieses Produktes sein.** / Un gran peligro personal, incluso la muerte puede resultar de un mal uso de este producto. / **Un grand danger personnel, même la mort peuvent résulter d'une mauvaise utilisation de ce produit.** / Grande pericolo inclusa anche la morte possono essere conseguenza dell'utilizzo non corretto di questo prodotto. / 誤った取り扱いをすると、大きな財産損失または人が死亡する可能性が想定します。/ **产品使用不当可导致巨大的财产损失，并且可能导致人员死亡。**





Only professionals, certificate electricians should be employed for installation. / **Nur zertifizierte Elektroinstallateure sollten dieses Produkt installieren.** / Sólo los profesionales, los electricistas certificados deben emplearse para su instalación. / **Seulement les électriciens professionnels certifiés devraient installer ce produit.** / Exclusivamente eletticisti certificati dovrebbero installare questo prodotto. / 取付は必ず専門技術者又は電工より実施します。/ **仅专业人员或电工方可安装此产品。**



Switch off the electric power before starting the installation. / **Vor der Installation den Strom ausschalten.** / Antes de iniciar la instalación desconectar la alimentación eléctrica. / **Couper l'alimentation électrique avant l'installation.** / Prima dell'installazione spegnere la corrente. / 取付前に、必ず電源を切ってください。/ **产品安装之前请断开电源。**



	<b>LED HIGH BAY</b>	<b>200/240W</b>
	Volt	100-260V, 50/60 Hz
	Watt	200/240W
		5.2~6.2KG
		-40°C...+60°C
		Analog 1-10V DC/ 0-100%/PWM



Connecting a 1-10V Dimmer to multiple fixtures:

