

# **Dokumentacija**

## **Web Programiranje 1**

*Napomena: kod sajta je rađen od strane autora i nije korišćen template.*

## **Zajedničko za sve web stranice**

- Dinamičko ispisivanje header menija, u common.js fajlu, za svaku stranicu
- CSS i Bootstrap: Pisani stilovi u eksternom CSS-u, uključujući Bootstrap za responsivni dizajn. responsive.css, style.css
- Kada korisnik klikne na ikonu hamburgera (navbar-toggler), navigacioni meni se prikazuje ili sklanja

### **index.html**

- Dinamičko ispisivanje carousel-a za koji je postavljen interval za automatsko klizanje slajdova
- 

### **skincare.html**

- Automatsko klizanje slajdova sa savetima za negu kože na svakih 5 sekundi.
- Korisnici mogu vertikalno skrolati kroz savete o nezi kože. Svaki savet ima naslov, tekstualno objašnjenje i poseban scroll isključivo za navigaciju do sledećeg saveta
- Forma za Kontakt i Poručivanje: Korisnik može uneti svoje ime, prezime, email, telefon i poruku. Odabir proizvoda iz padajućeg menija. Odabir tipa kontakta putem radio dugmadi (SMS ili Email).
- Validacija unosa i prikazivanje odgovarajućih poruka: Pri validaciji, prikazuju se odgovarajuće poruke o greškama za svako polje koje nije ispravno popunjeno.
- Koriste se 3 regularna izraza: za ime, prezime i telefon.
- Za checkbox je postavljena poruka o uspehu ukoliko je izabrat jedan od ponuđenih i greška ukoliko nije izabrano.

### **makeup.html**

- Dinamički ispisan tekst i 8 crno-belih slika koje na prelazak mišem daju originalnu boju slike

# contact.html

## 1. forma

- Funkcija se poziva kada korisnik pokuša da pošalje formu. Prvo, resetuje sve poruke o greškama postavljajući sadržaj odgovarajućih elemenata na prazan string. Zatim uzima vrednosti iz polja forme za ime, email, poruku i ocenu. Vršiti validaciju svakog polja posebno i, ako dođe do greške, postavlja odgovarajuću poruku o grešci u odgovarajući element i prekida izvršavanje funkcije
- Ako nema grešaka, postavlja poruku o uspehu u element sa ID-om "successMessage" sa tekстом 'Form successfully sent'
- Poruka može da podnese 300 karaktera
- Reg. Izrazi za mejl i ime

## 2. forma

- Inicijalizuje jQuery Validation plugin za formu sa ID-om "reservationForm". Postavlja pravila validacije za svako polje u formi (npr. ime je obavezno, email mora biti validan itd.). Definiše poruke o greškama koje će se prikazati ako neko od pravila nije ispunjeno. submitHandler deo se poziva kada je forma uspešno validirana i spremna za slanje. U ovom delu, postavljena je poruka o uspehu u elementu sa ID-om "successMessage"

# sitemap.xml

```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
  <url>
    <loc>https://jovanabosnjak.github.io/beautybliss/index.html</loc>
    <lastmod>2023-12-07</lastmod>
    <changefreq>daily</changefreq>
    <priority>1</priority>
  </url>
  <url>
    <loc>https://jovanabosnjak.github.io/beautybliss/skincare.html</loc>
    <lastmod>2023-12-07</lastmod>
    <changefreq>weekly</changefreq>
    <priority>0.9</priority>
  </url>
  <url>
    <loc>https://jovanabosnjak.github.io/beautybliss/makeup.html</loc>
    <lastmod>2023-12-07</lastmod>
    <changefreq>monthly</changefreq>
    <priority>0.7</priority>
  </url>
  <url>
    <loc>https://jovanabosnjak.github.io/beautybliss/contact.html</loc>
    <lastmod>2023-12-07</lastmod>
    <changefreq>yearly</changefreq>
    <priority>0.5</priority>
  </url>
  <url>
    <loc>https://jovanabosnjak.github.io/beautybliss/author.html</loc>
    <lastmod>2023-12-07</lastmod>
    <changefreq>yearly</changefreq>
    <priority>0.5</priority>
  </url>
</urlset>
```

# index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8"/>
  <meta name="viewport" content="width=device-width, initial-
scale=1.0"/>
  <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
  <meta name="description" content="If you are looking for beauty
tips and tricks, some phenomenal makeup and art, you're at the right
link!"/>
  <meta name="keywords" content="Beauty, Makeup, skincare, Beauty
Bliss, inspiration makeup, makeup brands, skincare brands, makeup
artists"/>
  <meta name="author" content="Jovana Bošnjak"/>
  <title>Beauty Bliss</title>
  <script src="https://code.jquery.com/jquery-
3.6.4.min.js"></script>
  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/fancybox/3.5.7/jquery.fan
cybox.min.css" />
  <script
src="https://cdnjs.cloudflare.com/ajax/libs/fancybox/3.5.7/jquery.fanc
ybox.min.js"></script>
  <!--JS files-->
  <script src="./js/index.js"></script>
  <script src="./js/common.js"></script>

  <!--Favicon-->
  <link rel = "icon" type = "image/ico" href = "./images/favicon-
32x32.png"/>
  <!--Sitemap-->
  <link rel="sitemap" type="application/xml" href="./sitemap.xml">
  <!--Font awesome-->
```

```

    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.3.0/css/all.min.css"/>
    <!--CSS-->
    <link rel="stylesheet" href="./style.css" type="text/css"/>
    <!--Responsive-->
    <link rel="stylesheet" href="./responsive.css" type="text/css"/>
    <!--Bootstrap-->
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.
min.css" rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpUuCOMLASjC"
crossorigin="anonymous"/>

</head>
<body>
    <header>
        <nav class="navbar navbar-expand-md navbar-dark fixed-top bg-
dark">
            <div class="container-fluid">
                <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarCollapse" aria-
controls="navbarCollapse" aria-expanded="false" aria-label="Toggle
navigation">
                    <span class="navbar-toggler-icon"></span>
                </button>
                <div class="collapse navbar-collapse" id="navbarCollapse">
                    <ul id="navList" class="navbar-nav me-auto mb-2 mb-md-
0">
                        </ul>
                        <div class="logo">
                            <a class="nav-link active" aria-current="page"
href="index.html">
                                <span class="colored-letter">B</span>eauty<span
class="colored-letter">B</span>liss

```

```

        </a>
      </div>
    </div>
  </div>
</nav>
</header>

<main>

  <div id="carouselHTML"></div>
  <!-- Marketing messaging and featurettes-->
  <div class="container marketing">

    <!-- Three columns of text below the carousel -->
    <div class="row remove-left-padding d-flex justify-content-
center align-items-center ">
      <div class="col-lg-4">
        <div class="image1" style="background-image:
url('./images/marketing-img1.jpg');"></div>

        <h2 class="heading1">Products</h2>
        <p>Together we're building a safe, welcoming space in
beauty and beyond. These are products made to feel good in, without
hiding what makes you unique. And it's all vegan and cruelty free.</p>
        <p><a class="btn btn-secondary" href="makeup.html#h2-
2">Check out &raquo;</a></p>
      </div><!-- /.col-lg-4 -->

      <div class="col-lg-4 text-lg-center d-flex flex-column
align-items-center">
        <div class="image1" style="background-image:
url('./images/marketing-img2.jpg');"></div>
        <h2 class="heading1">Heal the skin</h2>
        <p> Products go beyond superficial solutions, targeting
the root and healing it. Whether you're dealing with dryness, acne,
aging, or other skin issues, our offers solutions to meet your
needs.</p>

```

```

        <p><a class="btn btn-secondary" href="skincare.html#h2-
2">View details &raquo;</a></p>
    </div><!-- /.col-lg-4 -->

    <div class="col-lg-4 remove text-end d-flex flex-column
align-items-end">
        <div class="image1" style="background-image:
url('./images/marketing-img3.jpg');"></div>
        <h2 class="heading1">Match the type</h2>
        <p>We will help you find your best product for your skin
type, along with complexion must-haves perfect for all skin types. All
in just 5 simple steps. Click the link to see detailed
explanation.</p>
        <p><a class="btn btn-secondary"
href="skincare.html#header3">View the steps &raquo;</a></p>
    </div><!-- /.col-lg-4 -->

</div><!-- /.row -->

<!-- START THE FEATURETTES -->

<hr class="featurette-divider">

    <div class="heading2 d-flex justify-content-center align-
items-center p-sm-2 p-md-4 p-lg-5">
        <h2 id="tips">Tips to get started <hr/></h2>
    </div>

    <div class="row featurette d-flex align-items-center">
        <div class="col-md-7">
            <h2 class="featurette-heading">1. Understand Your Skin
Type. <span class="text-muted">It'll blow your mind.</span></h2>
            <p class="lead">One of the most crucial aspects of a
successful skincare routine is understanding your skin
            type. There are different <span class="important">
skin types such as oily, dry, combination, or sensitive</span> that
you should discover

```



```

        by following these <a class="important"
href="skincare.html">5 steps</a> and find product recommendations and
skincare

        tips for each type down below.
    </p>
</div>
<div class="col-md-5">
    <div class="image2" style="background-image:
url('./images/featurette-divider1.jpg');"></div>

    </div>
</div>

<hr class="featurette-divider">

<div class="row featurette d-flex align-items-center">
    <div class="col-md-7 order-md-2">
        <h2 class="featurette-heading">2. Oh yeah, it's that
good. <span class="text-muted">See for yourself.</span></h2>
        <p class="lead"><span class="important">Want to Master
the Art of Flawless Makeup Application? Of course.</span> We will help
you learn how to achieve a
            flawless complexion, perfectly defined eyes, and
luscious lips. Whether you're a makeup novice or a beauty
            enthusiast, our step-by-step guides will help you
master the art of makeup application. </p>
    </div>
    <div class="col-md-5 order-md-1">
        <div class="image2" style="background-image:
url('./images/featurette-divider2.jpg');"></div>
    </div>
</div>

<hr class="featurette-divider">

<div class="row featurette d-flex align-items-center">
    <div class="col-md-7">

```

```

        <h2 class="featurette-heading">3. And lastly, this one.
<span class="text-muted">Prioritize Skincare as the
Foundation</span></h2>
        <p class="lead">Unlock the secret to flawless makeup
that lasts. Prioritize skincare as your ultimate
        beauty essential. Discover the power of a consistent
skincare routine that nurtures and nourishes your
        skin, creating the perfect base for your makeup.
Experience the transformative effects of healthy, radiant
        skin.</p>
    </div>
    <div class="col-md-5">
        <div class="image2" style="background-image:
url('./images/featurette-divider3.jpg');"></div>
    </div>
</div>

<hr class="featurette-divider">

<!-- /END THE FEATURETTES -->

<div class="container">
    <h5 class="h5 text-center" id="brands">Skincare Brand
Recommendations</h5>
    <div class="row">
        <div class="col-md-6 col-lg-3 d-flex align-items-
center">
            <div class="image-box">
                <a href="https://www.paulaschoice.com/">  </a>
            </div>
        </div>
        <div class="col-md-6 col-lg-3 d-flex align-items-
center">
            <div class="image-box">
                <a href="https://www.cerave-adria.com/sr">  </a>
            </div>
        </div>
    </div>

```

```

        <div class="col-md-6 col-lg-3 d-flex align-items-
center">
            <div class="image-box">
                <a href="https://www.laroche-posay.rs/">  </a>
            </div>
        </div>
        <div class="col-md-6 col-lg-3 d-flex align-items-
center">
            <div class="image-box">
                <a href="https://hanscc.com/">  </a>
            </div>
        </div>
        <div>
            <h5 class="h5 text-center">Makeup Brand
Recommendations</h5>
            <div class="row">
                <div class="col-md-6 col-lg-3 d-flex align-items-
center">
                    <div class="image-box">
                        <a href="https://fentybeauty.com/">  </a>
                    </div>
                </div>
                <div class="col-md-6 col-lg-3 d-flex align-items-
center">
                    <div class="image-box">
                        <a href="https://www.maybelline.com/">  </a>
                    </div>
                </div>
                <div class="col-md-6 col-lg-3 d-flex align-items-
center">
                    <div class="image-box">
                        <a href="https://www.loreal.com/">  </a>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```

        <div class="col-md-6 col-lg-3 d-flex align-items-
center">
            <div class="image-box">
                <a href="https://www.nyxcosmetics.com/">  </a>
            </div>
        </div>
    </div>
</div><!-- /.container -->

</main>

<!-- FOOTER -->
<footer class="navbar navbar-expand-md navbar-dark bg-dark">
    <div class="container-fluid footer d-flex">
        <p class="removee">&copy; 2023 Company BB | Beauty Bliss
&middot;
        <a class="important" href="#">Privacy</a> &middot;
        <a class="important" href="#">Terms</a>
    </p>
    <div class="css d-flex">
        <a class="important p-1" href="./style.css">CSS</a>
        <a class="important p-1"
href="./responsive.css">Responsive</a>
        <a class="important p-1"
href="./sitemap.xml">Sitemap</a>
    </div>
    <div class="socials d-flex">
        <a class="important text-white p-1"
href="https://www.facebook.com"><i class="fab fa-facebook"></i></a>
        <a class="important text-white p-1"
href="https://www.instagram.com"><i class="fab fa-instagram"></i></a>
    </div>
    </div>
</footer>

```

```

        <a class="important text-white p-1"
href="https://twitter.com"><i class="fab fa-twitter"></i></a>
        <p><a class="important p-3" id="back" href="#">Back to
top</a></p>
    </div>
</div>
</footer>

<!--JS bootstrap-->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bu
ndle.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>

<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.1/jquery.min.js"
></script>
</body>
</html>

```

## skincare.html

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8"/>
    <meta name="viewport" content="width=device-width, initial-
scale=1.0"/>
    <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
    <meta name="description" content="If you are looking for beauty
tips and tricks, some phenomenal makeup and art, you're at the right
link!"/>

```

```

    <meta name="keywords" content="Beauty, Makeup, skincare, Beauty
Bliss, inspiration makeup, makeup brands, skincare brands, makeup
artists"/>
    <meta name="author" content="Jovana Bošnjak"/>
    <title>| Skincare</title>
    <!--JS files-->
    <script src="./js/skincare.js"></script>
    <script src="./js/common.js"></script>

    <!--Favicon-->
    <link rel = "icon" type = "image/ico" href = "./images/favicon-
32x32.png"/>
    <!--Sitemap-->
    <link rel="sitemap" type="application/xml" href="./sitemap.xml"/>
    <!--Font awesome-->
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.3.0/css/all.min.css"/>
    <!--CSS-->
    <link rel="stylesheet" href="./style.css" type="text/css"/>
    <!--Responsive-->
    <link rel="stylesheet" href="./responsive.css" type="text/css"/>
    <!--Bootstrap-->
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.
min.css" rel="stylesheet">

</head>
<body>
    <header>
        <nav class="navbar navbar-expand-md navbar-dark fixed-top bg-
dark">
            <div class="container-fluid">
                <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarCollapse" aria-
controls="navbarCollapse" aria-expanded="false" aria-label="Toggle
navigation">
                    <span class="navbar-toggler-icon"></span>

```

```

        </button>
        <div class="collapse navbar-collapse" id="navbarCollapse">
            <ul id="navList" class="navbar-nav me-auto mb-2 mb-md-0">
            </ul>
            <div class="logo">
                <a class="nav-link active" aria-current="page"
href="index.html">
                    <span class="colored-letter">B</span>eauty<span
class="colored-letter">B</span>liss
                </a>
            </div>
        </div>
    </div>
</nav>
</header>

<main>

    <div class="overlay-image2" style="background-image:
url('./images/carousel-img1-min.jpg');">

    <div class="d-flex align-items-center justify-content-center
text-center" id="heading3">
        <h2 class="heading3-h1 fw-bolder" id="header3-h1">Discover
Your Skin Type By Following These 5 Steps.</h2>
    </div>

    <div class="container skincare-tips">
        <div class="row">

            <div class="col-12">
                <div class="section d-flex flex-column align-items-
center border border-5 border-dark text-center" id="section1">
                    <h2 class="fw-bolder fs-1 text-center">Tip 1:
Observe Shine and Texture.</h2>
                    <p class="p-text fw-lighter text-center h-auto d-
inline-block fs-4">Wash your face with a gentle cleanser and pat it
dry.

```

Wait for about an hour. Check your T-zone area (forehead, nose, and chin) for any shine or oiliness. If your T-zone appears shiny, you likely have combination skin. If your entire face feels oily and shiny, you likely have oily skin. If your skin feels tight and lacks moisture all over, you likely have dry skin.</p>

<p><a class="slider-link btn btn-dark" href="#">Scroll &#8675;</a></p>  
</div>  
</div>

<div class="col-12">  
<div class="section d-flex flex-column align-items-center text-center" id="section2">  
<h2 class="fw-bolder fs-1 text-center">Tip 2: Assess Skin Sensitivity.</h2>  
<p class="p-text fw-lighter text-center h-auto d-inline-block fs-4">Pay attention to how your skin reacts to different products and environmental factors.  
If your skin becomes easily irritated, red, or itchy when using certain skincare products or exposed to harsh weather conditions, you likely have sensitive skin.</p>  
<p><a class="btn btn-dark" href="#">Scroll &#8675;</a></p>  
</div>  
</div>

<div class="col-12">  
<div class="section d-flex flex-column align-items-center border border-5 border-dark text-center" id="section3">  
<h2 class="fw-bolder fs-1 text-center">Tip 3: Consider Pore Size.</h2>  
<p class="p-text fw-lighter text-center h-auto d-inline-block fs-4">Examine the size of your pores. If your pores appear larger and more noticeable,



especially in the T-zone area, you likely have oily or combination skin. If your pores are smaller and less visible, you

likely have dry or normal skin.</p>

<p><a class="btn btn-dark" href="#">Scroll

&#8675;</a></p>

</div>

</div>

<div class="col-12">

<div class="section d-flex flex-column align-items-center text-center" id="section4">

<h2 class="fw-bolder fs-1 text-center">Tip 4: Evaluate Skin Texture.</h2>

<p class="p-text fw-lighter text-center h-auto d-inline-block fs-4">Gently run your fingers across different areas of your face.

If your skin feels consistently smooth and even, you likely have normal skin. If you notice rough patches, flakiness, or uneven texture, you likely have dry skin. If you feel a mix of oily areas and dry patches, you likely have combination skin</p>

<p><a class="btn btn-dark" href="#">Scroll

&#8675;</a></p>

</div>

</div>

<div class="col-12">

<div class="section d-flex flex-column align-items-center border border-5 border-dark text-center" id="section5">

<h2 class="fw-bolder fs-1 text-center">Tip 5: Seek Professional Advice.</h2>

<p class="p-text fw-lighter text-center h-auto d-inline-block fs-4">If you're still unsure about your skin type or if you have specific concerns,

it can be helpful to consult a dermatologist or skincare professional. They can assess your skin in-depth,

provide professional guidance, and recommend suitable products and treatments tailored to your skin's needs.</p>

```

        </div>
    </div>

    </div>
</div>

</div>

<div class="container marketing" id="marketing2">

    <div class="row skincare-marketing remove-left-padding d-flex
justify-content-center align-items-center">
        <div class="col-md-12 col-lg-4 pt-5">
            <div class="image1" style="background-image:
url('./images/cleanser.jpg');"></div>
            <h2 class="heading1">1. <span
class="important">Cleanser</span></h2>
            <p>A gentle cleanser is essential for removing dirt,
oil, and impurities from your skin. It helps keep your skin clean and
prepares it for other skincare products. Here is the <span class="fw-
bolder">Recommendation: CeraVe cleanser</span></p>

            </div><!-- /.col-lg-4 -->

            <div class="col-md-12 col-lg-4 text-lg-center d-flex
flex-column align-items-center pt-5">
                <div class="image1" style="background-image:
url('./images/moisturizer.jpg');"></div>
                <h2 class="heading1">2. <span
class="important">Moisturizer</span></h2>
                <p>Moisturizer helps hydrate and nourish your skin,
keeping it soft, supple, and protected. Look for a moisturizer
suitable for your skin type to maintain optimal hydration levels.
<span class="fw-bolder">Recommendation: Paula's choice
moisturizer</span></p>

                </div><!-- /.col-lg-4 -->

```

```

        <div class="col-md-12 col-lg-4 remove text-end d-flex
flex-column align-items-end pt-5">
            <div class="image1" style="background-image:
url('./images/sunscreen.jpg');"></div>
            <h2 class="heading1">3. <span
class="important">Sunscreen</span></h2>
            <p>Sunscreen is crucial for protecting your skin from
harmful UV rays, which can cause premature aging, and sunburn. Choose
a sunscreen with SPF 30 and apply it daily, even on cloudy days. <span
class="fw-bolder">Recommendation: La roche-posay sunscreen</span></p>

        </div><!-- /.col-lg-4 -->

        <div class="col-md-12 col-lg-4 pt-5">
            <div class="image1" style="background-image:
url('./images/exfoliator.jpg');"></div>
            <h2 class="heading1">4. <span
class="important">Exfoliator</span></h2>
            <p>Regular exfoliation helps remove dead skin cells,
unclog pores, and improve skin texture. It can be done using physical
exfoliants like scrubs like alpha-hydroxy acids (AHAs). <span
class="fw-bolder">Recommendation: HAN cosmetics exfoliator</span></p>

        </div><!-- /.col-lg-4 -->

        <div class="col-md-12 col-lg-4 text-lg-center d-flex
flex-column align-items-center pt-5">
            <div class="image1" style="background-image:
url('./images/serum.jpg');"></div>
            <h2 class="heading1">5. <span
class="important">Serum</span></h2>
            <p>Serums are concentrated formulations that target
hydration, brightening, anti-aging, or acne. They deliver potent
active ingredients deep into the skin for maximum effectiveness. <span
class="fw-bolder">Recommendation: Paula's choice serum</span></p>

        </div><!-- /.col-lg-4 -->

```

```

        <div class="col-md-12 col-lg-4 remove text-end d-flex
flex-column align-items-end pt-5">
            <div class="image1" style="background-image:
url('./images/eye-cream.jpg');"></div>
            <h2 class="heading1">6. <span class="important">Eye
cream</span></h2>
                <p>The skin around the eyes is prone to dryness. An
eye cream can help hydrate the under-eye area, reduce puffiness, and
minimize the appearance of dark circles and wrinkles. <span class="fw-
bolder">Recommendation: La roche-posay eye cream</span></p>

        </div><!-- /.col-lg-4 -->

    </div><!-- /.row -->

</div>

    <div class="heading2 d-flex justify-content-center align-items-
center p-sm-2 p-md-4 p-lg-5">
        <h2 id="tips">Purchase the products<hr/></h2>
    </div>
    <div class="row my-5 pb-3 justify-content-center form">
        <div class="col-lg-8 col-md-9 col-12 form-skincare">
            <form id="kontaktForm" name="kontaktForm" method="post"
action="kontakt.php" class="row g-3 text-dark">
                <div class="form-floating col-md-6">
                    <input type="text" class="form-control" id="inputIme"
name="inputIme" placeholder="Jovana"/>
                    <label for="inputIme" class="form-label ps-3">Name
<span class="text-danger"><i class="fa-asterisk"></i></span> example:
Jovana</label>
                    <p class="az-red mt-2 mb-0 ms-1 az-invisible fw-
bold"></p>
                </div>
                <div class="form-floating col-md-6">
                    <input type="text" class="form-control"
id="inputPrezime" name="inputPrezime" placeholder="Bošnjak"/>

```

```

        <label for="inputPrezime" class="form-label ps-3">Last
Name <span class="text-danger"><i class="fa-asterisk"></i></span>
example: Bošnjak</label>
        <p class="az-red mt-2 mb-0 ms-1 az-invisible fw-
bold"></p>
    </div>
    <div class="form-floating col-md-12">
        <input type="email" class="form-control" id="inputEmail"
name="inputEmail" placeholder="primer@gmail.com"/>
        <label for="inputEmail" class="form-label ps-3">Email
<span class="text-danger"><i class="fa-asterisk"></i></span></label>
        <p class="az-red mt-2 mb-0 ms-1 az-invisible fw-
bold"></p>
    </div>
    <div class="form-floating col-md-12">
        <input type="text" class="form-control"
id="inputTelefon" placeholder="063/5564440"/>
        <label for="inputTelefon" class="form-label ps-3">Phone
<span class="text-danger"><i class="fa-asterisk"></i></span> example:
063/5564440</label>
        <p class="az-red mt-2 mb-0 ms-1 az-invisible fw-
bold"></p>
    </div>
    <div class="form-floating col-md-12">
        <label for="ddlUsluga" class="ps-3 py-1 text-danger
position-relative h-auto fw-bold opacity-100">Required</label>
        <select id="ddlUsluga" class="form-select mb-3 pt-3"
aria-label=".form-select-lg example">
            <option class="d-flex align-bottom" selected="selected"
value="0">Choose a product</option>
            <option class="d-flex align-bottom" value="1">CeraVe
cleanser</option>
            <option value="2">Paula's choice moisturizer</option>
            <option value="3">La roche-posay sunscreen</option>
            <option value="4">HAN cosmetics exfoliator</option>
            <option value="5">Paula's choice serum</option>
            <option value="6">La roche-posay eye cream</option>
        </select>

```

```

        <p id="ddlUslugaError" class="az-red mt-2 mb-0 ms-1 az-
invisible fw-bold"></p>
    </div>

    <div class="col-md-12 mt-4 mb-3">
        <p class="mb-2 ms-2 fw-bold">Where should we contact you?
<span class="text-danger"></span></p>
        <div class="row ">
            <div class="col-6 text-center">
                <input class="form-check-input" type="radio"
name="tipKontakt" id="kontaktSMS" value="SMS" />
                <label class="form-check-label" for="kontaktSMS">
                    SMS
                </label>
            </div>
            <div class="col-6 text-center">
                <input class="form-check-input" type="radio"
name="tipKontakt" id="kontaktMail" value="Email"/>
                <label class="form-check-label" for="kontaktMail">
                    Email
                </label>
            </div>
        </div>
        <div id="porukaDiv" class="mt-3 mb-3 text-center"></div>
    </div>

    <div class="col-12">
        <textarea class="form-control" placeholder="Leave a
message..." id="txtPoruka" rows="5" cols="80"
spellcheck="false"></textarea>
        <p class="az-red mt-2 mb-0 ms-1 az-invisible"></p>
    </div>
    <div class="col-12 text-center center">
        <p id="porukaForme" class="mt-2 mb-2 ms-1 az-invisible
fw-bold"></p>
        <button type="button" id="dugmeProvera" class="btn btn-
lg w-50 az-bg-red">Send <i class="fas fa-paper-plane" aria-
hidden="true"></i></button>
    </div>

```

```

        </form>
    </div>
</div>
</main>

<!-- FOOTER -->
<footer class="navbar navbar-expand-md navbar-dark bg-dark rel"
id="footer-m">
    <div class="container-fluid footer d-flex">
        <p class="removee">&copy; 2023 Company BB | Beauty Bliss &middot;
        <a class="important" href="#">Privacy</a> &middot;
        <a class="important" href="#">Terms</a>
    </p>
    <div class="css d-flex">
        <a class="important p-1" href="./style.css">CSS</a>
        <a class="important p-1" href="./responsive.css">Responsive</a>
        <a class="important p-1" href="./sitemap.xml">Sitemap</a>
    </div>
    <div class="socials d-flex">
        <a class="important text-white p-1"
href="https://www.facebook.com"><i class="fab fa-facebook"></i></a>
        <a class="important text-white p-1"
href="https://www.instagram.com"><i class="fab fa-instagram"></i></a>
        <a class="important text-white p-1"
href="https://twitter.com"><i class="fab fa-twitter"></i></a>
        <p><a class="important p-3" id="back" href="#">Back to
top</a></p>
    </div>
</div>
</footer>

<!--bootstrap js-->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bu

```

```

ndle.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>

<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.1/jquery.min.js"
></script>
</body>
</html>

```

## makeup.html

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8"/>
  <meta name="viewport" content="width=device-width, initial-
scale=1.0"/>
  <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
  <meta name="description" content="If you are looking for beauty
tips and tricks, some phenomenal makeup and art, you're at the right
link!"/>
  <meta name="keywords" content="Beauty, Makeup, skincare, Beauty
Bliss, inspiration makeup, makeup brands, skincare brands, makeup
artists"/>
  <meta name="author" content="Jovana Bošnjak"/>
  <title>| Makeup</title>
  <!--JS files-->
  <script src="./js/makeup.js"></script>
  <script src="./js/common.js"></script>

  <!--Favicon-->
  <link rel = "icon" type = "image/ico" href = "./images/favicon-
32x32.png"/>
  <!--Sitemap-->

```



```

<link rel="sitemap" type="application/xml" href="./sitemap.xml"/>
<!--Font awesome-->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.3.0/css/all.min.css"/>
<!--CSS-->
<link rel="stylesheet" href="./style.css" type="text/css"/>
<!--Responsive-->
<link rel="stylesheet" href="./responsive.css" type="text/css"/>
<!--Bootstrap-->
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.
min.css" rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous"/>
</head>
<body>
<header>
<nav class="navbar navbar-expand-md navbar-dark fixed-top bg-
dark">
<div class="container-fluid">
<button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarCollapse" aria-
controls="navbarCollapse" aria-expanded="false" aria-label="Toggle
navigation">
<span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarCollapse">
<ul id="navList" class="navbar-nav me-auto mb-2 mb-md-0">
</ul>
<div class="logo">
<a class="nav-link active" aria-current="page"
href="index.html">
<span class="colored-letter">B</span>eauty<span
class="colored-letter">B</span>liss
</a>
</div>
</div>
</div>

```

```

    </nav>
</header>

<main>
  <div class="image3" data-interval="2000">
    <div class="overlay-image2 d-flex justify-content-evenly"
id="block" style="background-image: url('./images/makeup-img.jpg');">

      <div class="heading2 d-flex justify-content-evenly align-
items-center text-center p-sm-2 p-md-4 p-lg-5 mt-5" id="remove-margin-
1">
        <a class="link-makeup" href="#makeup-tips"
onmouseover="showPreview()" onmouseout="hidePreview()"><h2>Top 6
Beauty Hacks</h2></a>
        <div id="previewContent" class="link-preview">

          <p>Are you ready girls? &#9825;</p>
        </div>
      </div>

      <div class="heading2 d-flex justify-content-center align-
items-center text-center p-sm-2 p-md-4 p-lg-5 mt-5" id="remove-
margin">
        <a class="link-makeup" href="#makeup-looks"><h2>Makeup
Looks</h2></a>
      </div>

      <div class="heading2 d-flex justify-content-center align-
items-center text-center p-sm-2 p-md-4 p-lg-5 mt-5" id="remove-
margin">
        <a class="link-makeup" href="#marketing2"><h2>Brands and
products</h2></a>
      </div>

    </div>
  </div>

  <div class="container makeup-tips">
    <div class="row" id="makeup-tips">

```

```
<div class="col-12">
  <div class="makeup d-flex flex-column align-items-center
text-center" id="makeup-1">
    <h2 class="p-text2 fw-bolder fs-1 text-center mt-
3">Hack 1: Double Duty.</h2>
    <p class="p-text fw-lighter text-center h-auto d-
inline-block fs-4">Make the most out of your makeup products by using
them for multiple purposes. For example, a shimmery eyeshadow can also
be used as a highlighter on your cheekbones, or a matte bronzer can
double as an eyeshadow in the crease of your eyelids. This hack saves
both space and money in your makeup collection. Get creative and
experiment with different product combinations for unique looks.</p>
    <p><a class="slider-link btn btn-secondary"
href="#makeup-looks">See the look &#8675;</a></p>
  </div>
</div>

<div class="col-12 mt-5">
  <div class="makeup d-flex flex-column align-items-center
text-center" id="makeup-2">
    <h2 class="p-text2 fw-bolder fs-1 text-center">Hack 2:
White Eyeliner Pencil.</h2>
    <p class="p-text fw-lighter text-center h-auto d-
inline-block fs-4">Applying a white eyeliner pencil to your waterline
can make your eyes appear brighter and more awake. This trick is
especially useful on those days when you haven't had enough sleep or
want to make your eyes pop. It can also help create the illusion of
larger eyes. Experiment with different eyeliner shades to enhance your
eye color.</p>
    <p><a class="btn btn-secondary" href="#makeup-
looks">See the look &#8675;</a></p>
  </div>
</div>

<div class="col-12 mt-5">
  <div class="makeup d-flex flex-column align-items-center
text-center" id="makeup-3">
```

```
    <h2 class="p-text2 fw-bolder fs-1 text-center">Hack 3:  
Make Mascara Last Longer.</h2>
```

```
    <p class="p-text fw-lighter text-center h-auto d-  
inline-block fs-4"> If your mascara is starting to dry out or become  
clumpy, add a few drops of saline solution or eye drops into the tube.  
Gently swirl the wand to mix the solution, and your mascara should be  
good to use again. This hack can help revive your mascara and make it  
last longer. Say goodbye to dry, clumpy lashes. Remember to replace  
your mascara every three months to maintain eye health and prevent  
bacterial buildup.</p>
```

```
    <p><a class="btn btn-secondary" href="#makeup-  
looks">See the look &#8675;</a></p>
```

```
    </div>  
</div>
```

```
    <div class="col-12 mt-5">  
    <div class="makeup d-flex flex-column align-items-center  
text-center" id="makeup-4">  
    <h2 class="p-text2 fw-bolder fs-1 text-center">Hack 4:  
DIY Lip Scrub.</h2>
```

```
    <p class="p-text fw-lighter text-center h-auto d-  
inline-block fs-4"> Create a simple lip scrub at home using a mixture  
of honey and sugar. Apply the scrub to your lips and gently massage in  
circular motions to exfoliate and remove any dry or flaky skin. Rinse  
off the scrub with warm water, and your lips will feel smooth and  
ready for lipstick application. This natural lip scrub will leave your  
lips feeling soft and nourished. Follow up with a hydrating lip balm  
for extra moisture and protection.</p>
```

```
    <p><a class="btn btn-secondary" href="#makeup-  
looks">See the look &#8675;</a></p>
```

```
    </div>  
</div>
```

```
    <div class="col-12 mt-5">  
    <div class="makeup d-flex flex-column align-items-center  
text-center" id="makeup-5">  
    <h2 class="p-text2 fw-bolder fs-1 text-center">Hack 5:  
Set Your Lipstick with Translucent Powder.</h2>
```

```
<p class="p-text fw-lighter text-center h-auto d-
inline-block fs-4">To make your lipstick last longer and prevent it
from smudging or transferring, apply your desired lip color, place a
tissue over your lips, and lightly dust translucent powder over the
tissue. This helps to set the lipstick and increase its longevity.
You'll have a beautiful, long-lasting pout throughout the day. Opt for
a translucent powder with a matte finish for a more natural look.</p>
```

```
<p><a class="btn btn-secondary" href="#makeup-
looks">See the look &#8675;</a></p>
```

```
</div>
</div>
```

```
<div class="col-12 mt-5">
  <div class="makeup d-flex flex-column align-items-center
text-center" id="makeup-6">
    <h2 class="p-text2 fw-bolder fs-1 text-center">Hack 6:
Concealer as Eyeshadow Primer.</h2>
```

```
<p class="p-text fw-lighter text-center h-auto d-
inline-block fs-4"> If you don't have an eyeshadow primer on hand, you
can use a small amount of concealer as a substitute. Apply a thin
layer of concealer to your eyelids and blend it out. This creates a
smooth and even base for your eyeshadow, helps intensify the color
payoff, and increases its longevity. Just make sure to set the
concealer with a translucent powder or a neutral eyeshadow shade to
prevent creasing.</p>
```

```
<p><a class="btn btn-secondary" href="#makeup-
looks">See the look &#8675;</a></p>
```

```
</div>
</div>
```

```
<div class="col-12 mt-5">
  <div class="makeup d-flex flex-column align-items-center
text-center" id="makeup-7">
    <h2 class="p-text2 fw-bolder fs-1 text-center">Hack 7:
Fuller Lips with Lip Liner.</h2>
```

```
<p class="p-text fw-lighter text-center h-auto d-
inline-block fs-4"> To create the illusion of fuller lips, use a lip
liner that is slightly darker than your natural lip color. Start by
lining the outer edges of your lips, slightly exaggerating the shape.
```

Then, fill in your lips with the lip liner before applying your lipstick or lip gloss. This technique helps define and enhance your lips, giving them a plumper appearance.</p>

```
<p><a class="btn btn-secondary" href="#makeup-looks">See the look &#8675;</a></p>
</div>
</div>

<div class="col-12 mt-5">
  <div class="makeup d-flex flex-column align-items-center text-center" id="makeup-8">
    <h2 class="p-text2 fw-bolder fs-1 text-center">Hack 8: Mascara for Lash Curling.</h2>
    <p class="p-text fw-lighter text-center h-auto d-inline-block fs-4"> If you don't have a lash curler on hand, you can use your mascara to curl your lashes. Start by applying a coat of mascara to your upper lashes. Then, take the mascara wand and gently press it against the base of your lashes. Slowly wiggle the wand upwards to lift and curl the lashes. The mascara formula will help hold the curl in place, giving your lashes a lifted and voluminous look. Just be careful not to poke your eye while doing this hack!</p>
    <p><a class="btn btn-secondary" href="#makeup-looks">See the look &#8675;</a></p>
  </div>
</div>

</div>
</div>

<div class="container makeup-looks" id="makeup-looks">
  <div class="row" id="makeup-row"></div>
</div>

<div class="container marketing" id="marketing2">

  <div class="row skincare-marketing remove-left-padding d-flex justify-content-center align-items-center">
    <div class="col-md-12 col-lg-4 pt-5">
```

```
        <div class="image1" style="background-image:
url('./images/primer.jpg');"></div>
        <h2 class="heading1">1. <span
class="important">Primer</span></h2>
        <p>Start by applying a small amount onto clean
and moisturized skin. Use your fingertips to evenly spread the primer
across your face. Allow the primer to set for a minute or two for a
smoother, longer-lasting application. <span class="fw-
bolder">Recommendation: Maybelline primer</span></p>
    </div><!-- /.col-lg-4 -->
```

```
    <div class="col-md-12 col-lg-4 text-lg-center d-
flex flex-column align-items-center pt-5">
        <div class="image1" style="background-image:
url('./images/foundation.jpg');"></div>
        <h2 class="heading1">2. <span
class="important">Foundation</span></h2>
        <p>To apply foundation, start with a clean and
moisturized face. Using a makeup brush, sponge, or your fingertips,
dab a small amount of foundation onto your skin and blend it evenly,
focusing on areas that need more coverage. <span class="fw-
bolder">Recommendation: Fenty Beauty foundation.</span></p>
    </div><!-- /.col-lg-4 -->
```

```
    <div class="col-md-12 col-lg-4 remove text-end d-
flex flex-column align-items-end pt-5">
        <div class="image1" style="background-image:
url('./images/cc.jpg');"></div>
        <h2 class="heading1">3. <span
class="important">Contouring And Concealer</span></h2>
        <p>To contour, use a shade darker from your skin
and apply it to the hollows of your cheeks, temples, and jawline. For
concealer, choose a lighter shade and apply it to areas with
blemishes, dark circles and blend it. <span class="fw-
bolder">Recommendation: Loreal contour and concealer.</span></p>
    </div><!-- /.col-lg-4 -->

    <div class="col-md-12 col-lg-4 pt-5">
```

```

        <div class="image1" style="background-image:
url('./images/setting.jpg');"></div>
        <h2 class="heading1">4. <span
class="important">Setting powder</span></h2>
        <p>After applying your foundation and concealer,
lightly dust setting powder over your face using a fluffy brush to
help set your makeup and control shine. Focus on areas prone to
oiliness, such as the T-zone. <span class="fw-bolder">Recommendation:
Nyx Cosmetics setting powder.</span></p>
    </div><!-- /.col-lg-4 -->

    <div class="col-md-12 col-lg-4 text-lg-center d-flex
flex-column align-items-center pt-5">
        <div class="image1" style="background-image:
url('./images/eyeshadow.jpg');"></div>
        <h2 class="heading1">5. <span
class="important">Eyeshadow</span></h2>
        <p>To apply eyeshadow, start by applying a neutral
base color over your eyelids. Then, use a slightly darker shade on the
outer corner of the eye and blend it into the crease for added
dimension. Beautiful eyes by <span class="fw-bolder">Recommendation:
Fenty Beauty eyeshadow</span></p>
    </div><!-- /.col-lg-4 -->

    <div class="col-md-12 col-lg-4 remove text-end d-
flex flex-column align-items-end pt-5">
        <div class="image1" style="background-image:
url('./images/mascara3.jpg');"></div>
        <h2 class="heading1">6. <span
class="important">Mascara</span></h2>
        <p>To apply mascara, start at the base of your
lashes and wiggle the wand back and forth to coat them evenly. Then,
sweep the wand upward from the roots to the tips to lengthen and
volumize your lashes. That's the recipe to a cat eye. <span class="fw-
bolder">Recommendation: Maybelline mascara</span></p>
    </div><!-- /.col-lg-4 -->

</div><!-- /.row -->

```



```

        </div>

</main>

<!-- FOOTER -->
<footer class="navbar navbar-expand-md navbar-dark bg-dark rel"
id="footer-m">
    <div class="container-fluid footer d-flex">
        <p class="removee">&copy; 2023 Company BB | Beauty Bliss
&middot;
        <a class="important" href="#">Privacy</a> &middot;
        <a class="important" href="#">Terms</a>
    </p>
    <div class="css d-flex">
        <a class="important p-1" href="./style.css">CSS</a>
        <a class="important p-1"
href="./responsive.css">Responsive</a>
        <a class="important p-1" href="./sitemap.xml">Sitemap</a>
    </div>
    <div class="socials d-flex">
        <a class="important text-white p-1"
href="https://www.facebook.com"><i class="fab fa-facebook"></i></a>
        <a class="important text-white p-1"
href="https://www.instagram.com"><i class="fab fa-instagram"></i></a>
        <a class="important text-white p-1"
href="https://twitter.com"><i class="fab fa-twitter"></i></a>
        <p><a class="important p-3" id="back" href="#">Back to
top</a></p>
    </div>
</div>
</footer>

<!--JS bootstrap-->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bu
ndle.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>

```

```
<script  
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.1/jquery.min.js"  
></script>  
</body>  
</html>
```

## contact.html

```
<!DOCTYPE html>  
<html lang="en">  
<head>  
  <meta charset="UTF-8"/>  
  <meta name="viewport" content="width=device-width, initial-  
scale=1.0"/>  
  <meta http-equiv="X-UA-Compatible" content="IE=edge"/>  
  <meta name="description" content="If you are looking for beauty  
tips and tricks, some phenomenal makeup and art, you're at the right  
link!"/>  
  <meta name="keywords" content="Beauty, Makeup, skincare, Beauty  
Bliss, inspiration makeup, makeup brands, skincare brands, makeup  
artists"/>  
  <meta name="author" content="Jovana Bošnjak"/>  
  <title>| Skincare</title>  
  <script src="https://code.jquery.com/jquery-  
3.6.4.min.js"></script>  
  <!--JS files-->  
  <script src="./js/contact.js"></script>  
  <script src="./js/common.js"></script>  
  
  <!--Favicon-->  
  <link rel = "icon" type = "image/ico" href = "./images/favicon-  
32x32.png"/>  
  <!--Sitemap-->
```

```

<link rel="sitemap" type="application/xml" href="./sitemap.xml"/>
<!--Font awesome-->
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.3.0/css/all.min.css"/>
<!--CSS-->
<link rel="stylesheet" href="./style.css" type="text/css"/>
<!--Responsive-->
<link rel="stylesheet" href="./responsive.css" type="text/css"/>
<!--Bootstrap-->
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.
min.css" rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpUuCOmLASjC"
crossorigin="anonymous"/>
</head>
<body>
  <header>
    <nav class="navbar navbar-expand-md navbar-dark fixed-top bg-
dark">
      <div class="container-fluid">
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarCollapse" aria-
controls="navbarCollapse" aria-expanded="false" aria-label="Toggle
navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarCollapse">
          <ul id="navList" class="navbar-nav me-auto mb-2 mb-md-0">
            </ul>
            <div class="logo">
              <a class="nav-link active" aria-current="page"
href="index.html">
                <span class="colored-letter">B</span>eauty<span
class="colored-letter">B</span>liss
              </a>
            </div>
          </div>
        </div>
      </div>

```

```

    </nav>
</header>

<main>
  <div class="container padd">
    <div class="row d-flex justify-content-evenly align-items-
center">
      <div class="col-md-6 border border-4 border-secondary p-3
borderrr">
        <div class="form-container">
          <form id="contactForm">
            <h2 class="form-heading">Contact us in need of
consulting</h2>
            <div class="form-group mt-3">
              <label for="name">Name</label>
              <input type="text" class="form-control"
id="name" placeholder="Enter your name"/>
              <div id="nameError" class="error-message"></div>
            </div>
            <div class="form-group mt-3">
              <label for="email">Email address</label>
              <input type="email" class="form-control"
id="email" placeholder="Enter email address"/>
              <div id="emailError" class="error-
message"></div>
            </div>
            <div class="form-group mt-3">
              <label for="message">Message</label>
              <textarea class="form-control" id="message"
rows="5" placeholder="Enter your message and questions, we will
respond on your email"></textarea>
              <div id="messageError" class="error-
message"></div>
            </div>
            <div class="form-group mt-3">
              <label for="rating">Rate us based on how helpful
we are</label>
              <select class="form-control" id="rating">
                <option value="1">1</option>

```

```

        <option value="2">2</option>
        <option value="3">3</option>
        <option value="4">4</option>
        <option value="5">5</option>
    </select>
    <div id="ratingError" class="error-
message"></div>
    </div>
    <button type="button" onclick="validateForm()"
class="btn btn-secondary mt-3">Send</button>
    <div id="successMessage" class="success-
message"></div>

    </form>

</div>
</div>
<div class="col-md-6">
    <div class="contact-info justify-content-center align-
items-center text-center fw-lighter lineh">
        <p class="fs-4 fw-light lineh p-3">We offer
professional consulting services for makeup, skincare, and overall
beauty. Our team is dedicated to providing personalized guidance
tailored to your unique needs. Feel confident and empowered with our
expert advice and unlock your true beauty potential.<hr/></p>
        <h2 class="info-heading fs-2 d-flex flex-column justify-
content-center align-items-center color">Contact information. Free
hours:

        <pre>08:00 - 16:00</pre></h2>
        <p class="fs-4">Location: Kralja Petra I, Belgrade</p>
        <p class="fs-4">Email: jovana.bosnjak@gmail.com</p>
        <p class="fs-4">Phone: 123-456-789</p>
    </div>
</div>
</div>
<style>
    .btn {
        background-color: #7d858c;

```

```

        color: #fff;
    }
</style>

<h2 class="d-flex justify-content-center mt-5 fw-light">Make a
Reservation</h2>
<div class="d-flex justify-content-center align-items-center">
    <button type="button" class="btn headings-font fs-5 m-5" data-
bs-toggle="modal" data-bs-target="#modal1">
        <p class="pt-2 fw-lighter">Makeup appointment</p>
    </button>
    <div class="modal fade" id="modal1" tabindex="-1" aria-
labelledby="modal" aria-hidden="true">
        <div class="modal-dialog">
            <div class="modal-content">
                <div class="modal-header">
                    <h1 class="modal-title fs-5" id="modal-heading">Makeup
Appointment</h1>
                    <button type="button" class="btn-close" data-bs-
dismiss="modal" aria-label="Close"></button>
                </div>
                <div class="modal-body">
                    <p>We are delighted to offer makeup appointments! To
schedule a makeup appointment, please contact us at <a
href="mailto:beautybliss@gmail.com">beautybliss@gmail.com</a>.</p>
                    <div id="successMessage" class="mt-3"></div>
                </div>
            </div>
        </div>
    </div>
</div>

</main>

<!-- FOOTER -->
<footer class="navbar navbar-expand-md navbar-dark bg-dark mt-5">
    <div class="container-fluid footer d-flex">
        <p class="removee">&copy; 2023 Company BB | Beauty Bliss &middot;

```

```

    <a class="important" href="#">Privacy</a> &middot;
    <a class="important" href="#">Terms</a>
</p>
<div class="css d-flex">
    <a class="important p-1" href="/style.css">CSS</a>
    <a class="important p-1" href="/responsive.css">Responsive</a>
    <a class="important p-1" href="/sitemap.xml">Sitemap</a>
</div>
<div class="socials d-flex">
    <a class="important text-white p-1"
href="https://www.facebook.com"><i class="fab fa-facebook"></i></a>
    <a class="important text-white p-1"
href="https://www.instagram.com"><i class="fab fa-instagram"></i></a>
    <a class="important text-white p-1"
href="https://twitter.com"><i class="fab fa-twitter"></i></a>
    <p><a class="important p-3" id="back" href="#">Back to
top</a></p>
</div>
</div>
</footer>

<!--JS bootstrap-->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bu
ndle.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>

<script type="text/javascript"
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.1/jquery.min.js"
></script>
<!-- jQueryPlugin -->
<script type="text/javascript"
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/jquery.validate
.min.js"></script>

```

```
<script type="text/javascript"
src="https://cdn.jsdelivr.net/jquery.validation/1.16.0/additional-
methods.min.js"></script>

</body>
</html>
```

## author.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8"/>
  <meta name="viewport" content="width=device-width, initial-
scale=1.0"/>
  <meta http-equiv="X-UA-Compatible" content="IE=edge"/>
  <meta name="description" content="If you are looking for beauty
tips and tricks, some phenomenal makeup and art, you're at the right
link!"/>
  <meta name="keywords" content="Beauty, Makeup, skincare, Beauty
Bliss, inspiration makeup, makeup brands, skincare brands, makeup
artists"/>
  <meta name="author" content="Jovana Bošnjak"/>
  <title>| Author</title>
  <!--JS files-->

  <script src="../js/common.js"></script>

  <!--Favicon-->
  <link rel = "icon" type = "image/ico" href = "../images/favicon-
32x32.png"/>
  <!--Sitemap-->
  <link rel="sitemap" type="application/xml" href="../sitemap.xml"/>
  <!--Font awesome-->
```



```

    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.3.0/css/all.min.css"/>
    <!--CSS-->
    <link rel="stylesheet" href="./style.css" type="text/css"/>
    <!--Responsive-->
    <link rel="stylesheet" href="./responsive.css" type="text/css"/>
    <!--Bootstrap-->
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.
min.css" rel="stylesheet" integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWfSpd3yD65VohhpUuCOMLASjC"
crossorigin="anonymous"/>
</head>
<body>
    <header>
        <nav class="navbar navbar-expand-md navbar-dark fixed-top bg-
dark">
            <div class="container-fluid">
                <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#navbarCollapse" aria-
controls="navbarCollapse" aria-expanded="false" aria-label="Toggle
navigation">
                    <span class="navbar-toggler-icon"></span>
                </button>
                <div class="collapse navbar-collapse" id="navbarCollapse">
                    <ul id="navList" class="navbar-nav me-auto mb-2 mb-md-
0">

                        </ul>
                        <div class="logo">
                            <a class="nav-link active" aria-current="page"
href="index.html">
                                <span class="colored-letter">B</span>eauty<span
class="colored-letter">B</span>liss
                            </a>
                        </div>
                    </div>
                </div>
            </nav>

```

```

</header>

<main>
  <div class="container both">
    <div class="row d-flex justify-content-center align-items-center text-center">
      <div class="col-md-6">
        <h2 class="featurette-heading" id="image7"><span
class="text-muted">My name is <pre>Jovana Bošnjak.</pre></span></h2>
        <p class="lead">I'm a 20-year-old web developer and
designer, passionate about creating impressive and user-friendly
websites. I study at ICT college and my index is 143/22. <span
class="important">If you'd like to know me better click on this link
</span>
          <a class="important"
href="https://jovanabosnjak.github.io/">Portfolio</a>
        </p>
      </div>
      <div class="col-md-6">
        
      </div>
    </div>
  </div>
</main>

<!-- FOOTER -->
<footer class="navbar navbar-expand-md navbar-dark bg-dark mt-
5">
  <div class="container-fluid footer d-flex">
    <p class="removee">&copy; 2023 Company BB | Beauty Bliss
&middot;
    <a class="important" href="#">Privacy</a> &middot;
    <a class="important" href="#">Terms</a>
  </p>
  <div class="css d-flex">
    <a class="important p-1" href="./style.css">CSS</a>

```

```

        <a class="important p-1"
href="./responsive.css">Responsive</a>
        <a class="important p-1" href="./sitemap.xml">Sitemap</a>
    </div>
    <div class="socials d-flex">
        <a class="important text-white p-1"
href="https://www.facebook.com"><i class="fab fa-facebook"></i></a>
        <a class="important text-white p-1"
href="https://www.instagram.com"><i class="fab fa-instagram"></i></a>
        <a class="important text-white p-1"
href="https://twitter.com"><i class="fab fa-twitter"></i></a>
        <p><a class="important p-3" id="back" href="#">Back to
top</a></p>
    </div>
</div>
</footer>

<!--JS bootstrap-->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/js/bootstrap.bu
ndle.min.js" integrity="sha384-
MrcW6ZMFYlzcLA8Nl+NtUVF0sA7MsXsP1UyJoMp4YLEuNSfAP+JcXn/tWtIaxVXM"
crossorigin="anonymous"></script>

<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.1/jquery.min.js"
></script>
</body>
</html>

```

## javascript

```

// start of index.html
document.addEventListener("DOMContentLoaded", function() {
    const carouselContainer = document.getElementById("carouselHTML");

```

```

if (carouselContainer) {
  // definisem podatke za svaki slajd
  const slidesData = [
    {
      image: './images/carousel-img1-min.jpg',
      caption: {
        title: 'Glowing Beauty.',
        description: 'Revealing the Secrets of Makeup and Skincare
with the Right Skills.',
        buttonLabel: "Let's begin",
        link: '#tips'
      },
      interval: 2000
    },
    {
      image: './images/carousel-img2-min.jpg',
      caption: {
        title: 'Beauty Bliss.',
        description: 'Elevate Your Look with Expert Makeup and
Skincare Advice.',
        buttonLabel: 'Learn more',
        link: '#tips'
      },
      interval: 1000
    },
    {
      image: './images/carousel-img3-min.jpg',
      caption: {
        title: 'Feminine Splendor.',
        description: 'Embracing Your Beauty Inside and Out with Your
favourite Brands.',
        buttonLabel: 'Explore them',
        link: '#brands'
      },
      interval: 500
    }
  ];
  // dinamicki generisem carousel HTML

```

```

    var carouselHTML = generateCarouselHTML(slidesData);
    carouselContainer.innerHTML = carouselHTML;
  }
});

function generateCarouselHTML(slidesData) {
  const indicatorsHTML = slidesData.map( (_, index) => `<button
type="button" data-bs-target="#myCarousel" data-bs-slide-to="${index}"
${index === 0 ? 'class="active" aria-current="true"' : ''} aria-
label="Slide ${index + 1}"></button>`).join('');

  const slidesHTML = slidesData.map((slide, index) => `
    <div class="carousel-item${index === 0 ? ' active' : ''}" data-
interval="${slide.interval}">
      <div class="overlay-image" style="background-image:
url('${slide.image}');"></div>
      <div class="container">
        <div class="carousel-caption ${index === 0 ? 'text-start' :
(index === slidesData.length - 1 ? 'text-end' : '')}">
          <h1>${slide.caption.title}</h1>
          <p>${slide.caption.description}</p>
          <p><a class="btn btn-lg btn-primary btn-resize"
href="${slide.caption.link}">${slide.caption.buttonLabel}</a></p>
        </div>
      </div>
    </div>
  `).join('');

  return `
    <div id="myCarousel" class="carousel slide" data-bs-
ride="carousel">
      <div class="carousel-indicators">
        ${indicatorsHTML}
      </div>
      <div class="carousel-inner">
        ${slidesHTML}
      </div>

```

```

        <button class="carousel-control-prev" type="button" data-bs-
target="#myCarousel" data-bs-slide="prev">
        <span class="carousel-control-prev-icon" aria-
hidden="true"></span>
        <span class="visually-hidden">Previous</span>
    </button>
    <button class="carousel-control-next" type="button" data-bs-
target="#myCarousel" data-bs-slide="next">
        <span class="carousel-control-next-icon" aria-
hidden="true"></span>
        <span class="visually-hidden">Next</span>
    </button>
</div>
`
;
}

// end of index.html
//start of skincare.html
document.addEventListener("DOMContentLoaded", function () {
    document.getElementById("dugmeProvera").addEventListener("click",
proveriFormu);
    document.getElementById("inputIme").addEventListener("input",
proveriImePrezime);
    document.getElementById("inputPrezime").addEventListener("input",
proveriImePrezime);
    document.getElementById("inputEmail").addEventListener("input",
proveriEmail);
    document.getElementById("inputTelefon").addEventListener("input",
proveriTelefon);
});

// provere forme
function proveriFormu() {
    let isValid = true;
    isValid = isValid && proveriImePrezime();
    isValid = isValid && proveriEmail();
    isValid = isValid && proveriTelefon();

```

```
function prikaziPoruku(imePolja, isValid, inputElement,
errorMessage) {
    let porukaElement = inputElement.parentElement ?
inputElement.parentElement.querySelector(".az-red") : null;
    let porukaDiv = document.getElementById("porukaDiv");

    if (isValid) {
        porukaElement.classList.add("az-invisible", "success-
message");
    } else {
        porukaElement.classList.remove("az-invisible", "success-
message");
        porukaElement.classList.add("error-message");
        porukaElement.innerText = errorMessage;
        porukaDiv.innerText = "Please fill out.";
        porukaDiv.classList.add("error-message");
    }
}

let ddlUsluga = document.getElementById("ddlUsluga");
let ddlUslugaError = document.getElementById("ddlUslugaError");

if (!ddlUsluga || !ddlUslugaError) {
    console.error("Element with id 'ddlUsluga' or 'ddlUslugaError'
not found.");
} else {
    if (ddlUsluga.value === "0") {
        isValid = false;
        ddlUslugaError.innerText = "Choose a product.";
        ddlUslugaError.classList.remove("az-invisible");
    } else {
        ddlUslugaError.classList.add("az-invisible");
    }
}

document.getElementById("ddlUsluga").addEventListener("change",
function () {
    let ddlUsluga = document.getElementById("ddlUsluga");
```

```

        let ddlUslugaError =
document.getElementById("ddlUslugaError");

        if (ddlUsluga.value === "0") {
            ddlUslugaError.innerText = "Please choose a product.";
            ddlUslugaError.classList.remove("az-invisible", "success-
message");
            ddlUslugaError.classList.add("error-message");
        } else {
            ddlUslugaError.innerText = "Product chosen successfully.";
            ddlUslugaError.classList.remove("az-invisible", "error-
message");
            ddlUslugaError.classList.add("success-message");
        }
    });

    let tipKontaktaSMS =
document.getElementById("kontaktSMS").checked;
    let tipKontaktaEmail =
document.getElementById("kontaktMail").checked;

    if (!tipKontaktaSMS && !tipKontaktaEmail) {
        prikaziPoruku("Choose one", false, null, "Choose one contact
method");
        isValid = false;
    } else {
        prikaziPoruku("Choose one", true, null, "");
    }

    console.log("isValid nakon provere forme:", isValid);

    if (isValid) {
        document.getElementById("kontaktForm").reset();
        prikaziPoruku("Form is valid!", true, null, "");
    } else {
        prikaziPoruku("Form is invalid!", false, null, "");
    }
}

```



```

function proveriImePrezime() {
    let inputIme = document.getElementById("inputIme");
    let inputPrezime = document.getElementById("inputPrezime");
    let regexImePrezime = /^[A-ZŠĐČĆŽ][a-zšđčćž]*(\s[A-ZŠĐČĆŽ][a-zšđčćž]*)*$/;

    let isValidIme = regexImePrezime.test(inputIme.value);
    let isValidPrezime = regexImePrezime.test(inputPrezime.value);

    prikaziPoruku("Name", isValidIme, inputIme, "Invalid name format");
    prikaziPoruku("Last Name", isValidPrezime, inputPrezime, "Invalid last name format");

    return isValidIme && isValidPrezime;
}

function proveriEmail() {
    let inputEmail = document.getElementById("inputEmail");
    let regexEmail = /^[a-zA-Z0-9._-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,4}$/;

    let isValidEmail = regexEmail.test(inputEmail.value);

    prikaziPoruku("Email", isValidEmail, inputEmail, "Invalid email format");

    return isValidEmail;
}

function proveriTelefon() {
    let inputTelefon = document.getElementById("inputTelefon");
    let regexTelefon = /^06[0-9]\[/?[0-9]{5,7}$/;

    let isValidTelefon = regexTelefon.test(inputTelefon.value);

    prikaziPoruku("Phone", isValidTelefon, inputTelefon, "Invalid phone format");
}

```

```

        return isValidTelefon;
    }

function prikaziPoruku(imePolja, isValid, inputElement, errorMessage)
{
    if (!inputElement) {
        console.log("inputElement nije definisan.");
        return;
    }
    let porukaElement = inputElement.parentElement ?
inputElement.parentElement.querySelector(".az-red") : null;

    if (!porukaElement) {
        console.log("porukaElement nije definisan.");
        return;
    }

    if (isValid) {
        porukaElement.classList.add("az-invisible");
    } else {
        porukaElement.classList.remove("az-invisible");
        porukaElement.innerText = errorMessage;
    }

    let porukaDiv = document.getElementById("porukaDiv");

    if (!inputElement) {
        porukaDiv.innerText = isValid ? "" : "Choose one";
        porukaDiv.style.color = isValid ? "" : "red";
        porukaDiv.classList.toggle("error-message", !isValid);
    }
}

// skincare tips autoscroll
function autoScroll() {
    const container = document.querySelector('.skincare-tips');

```

```

const sections = document.querySelectorAll('.section');

let index = 0;
const interval = setInterval(() => {
    const scrollAmount = sections[index].offsetHeight;

    container.scrollTo({
        top: scrollAmount,
        behavior: 'smooth',
    });

    index++;

    if (index === sections.length) {
        clearInterval(interval);
    }
}, 5000);
}
window.onload = autoScroll;
//end of skincare.html
//start of makeup.html
function showPreview() {
    document.getElementById("previewContent").style.display = "block";
}

function hidePreview() {
    document.getElementById("previewContent").style.display = "none";
}

const makeupHacks = [
    { src: "./images/double-duty-min.jpg", alt: "Hack 1", text:
"Hack1" },
    { src: "./images/white-eyeliner-min.jpg", alt: "Hack 2", text:
"Hack2" },
    { src: "./images/mascara-min.jpg", alt: "Hack 2", text: "Hack3" },
    { src: "./images/lip-scrub-min.jpg", alt: "Hack 2", text: "Hack4"
},
    { src: "./images/set-lips-min.jpg", alt: "Hack 2", text: "Hack5"
},

```

```

    { src: "../images/concealer-min.jpg", alt: "Hack 2", text: "Hack6"
  },
  { src: "../images/lip-liner-min.jpg", alt: "Hack 2", text: "Hack7"
  },
  { src: "../images/mascara2-min.jpg", alt: "Hack 2", text: "Hack8" }
];

```

```

function generateMakeupLooks() {
  const makeupRow = document.getElementById("makeup-row");

  makeupHacks.forEach((hack, index) => {
    const makeupLookHTML = `
      <div class="col-md-6 col-lg-3 d-flex align-items-center">
        <div class="image-box">
          
          <div class="overlay-text">${hack.text}</div>
        </div>
      </div>
    `;

    makeupRow.insertAdjacentHTML('beforeend', makeupLookHTML);
  });
}

```

```

document.addEventListener('DOMContentLoaded', generateMakeupLooks);
//end of makeup.html

```

```

//start of contact.html

```

```

function validateForm() {
  // Reset error messages
  document.getElementById("nameError").innerHTML = "";
  document.getElementById("emailError").innerHTML = "";
  document.getElementById("messageError").innerHTML = "";
  document.getElementById("ratingError").innerHTML = "";
}

```

```
// Get form values
var name = document.getElementById("name").value.trim();
var email = document.getElementById("email").value.trim();
var message = document.getElementById("message").value.trim();
var rating = document.getElementById("rating").value;

// Validate Name
if (name === "" || name.length < 3 || /^[a-z]/.test(name)) {
    document.getElementById("nameError").innerHTML =
        "Please enter a valid name (at least 3 characters and should
not start with a lowercase letter).";
    return;
}

// Validate Email
var emailRegex = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
if (email === "" || !emailRegex.test(email)) {
    document.getElementById("emailError").innerHTML =
        "Please enter a valid email address.";
    return;
}

// Validate Message
if (message === "") {
    document.getElementById("messageError").innerHTML =
        "Message field is required.";
    return;
} else if (message.length > 300) {
    document.getElementById("messageError").innerHTML =
        "Please limit your message to 300 characters.";
    return;
}

// Validate Rating
if (rating === "") {
    document.getElementById("ratingError").innerHTML =
        "Please select a rating.";
    return;
}
```

```

        document.getElementById("successMessage").innerHTML =
            "Form successfully sent!";

    }

// zajednicki js za stranice

document.addEventListener("DOMContentLoaded", function () {
    // Provera jQuery i js
    if (typeof jQuery == 'undefined') {
        console.error("jQuery is not loaded!");
    } else {
        console.log("jQuery is loaded!");
    }

    console.log("main.js is loaded!");

});

// navigacija
function createNavigation() {
    // definisem elemente
    const navItems = [
        { text: "Home", link: "index.html" },
        { text: "Skincare", link: "skincare.html" },
        { text: "Makeup", link: "makeup.html" },
        { text: "Contact", link: "contact.html" },
        { text: "Author", link: "author.html" }
    ];

    // ubacujem u navList
    const navList = document.getElementById("navList");

    // prolazim kroz stavke i stvaram HTML za svaku od njih
    if (navList) {
        navItems.forEach(item => {

```

```
    const li = document.createElement("li");
    li.classList.add("nav-item");

    const a = document.createElement("a");
    a.classList.add("nav-link");
    a.href = item.link;
    a.textContent = item.text;

    li.appendChild(a);
    navList.appendChild(li);
  });
} else {
  console.error("Element with ID 'navList' not found.");
}
}

document.addEventListener("DOMContentLoaded", createNavigation);
//kraj navigacije
```