VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE

INTERNET TEHNOLOGIJE

DOKUMENTACIJA

https://reid1234.000webhostapp.com/

Predmet: Web programiranje PHP1   Student: Mihailo Jovicic 25/19

Beograd, april 2021

Sadržaj

Uvod

Korišćeni programski jezici i tehnologije: HTML, CSS, XML , JavaScript, Jquery,PHP

Opis funkcionalnosti

1. Dinamičko ispisivanje menija iz baze na svim stranama.
2. Dinamičko ispisivanje footer-a na svim stranama.
3. Ispisivanje kategorija na početnoj strani.
4. Prikaz ankete na početnoj strani. Samo ulogovani korisnici mogu glasati (samo jednom). Ukoliko je korisnik već glasao, dugme za glasanje je disable-ovano
5. Ispisivanje proizvoda na stranici shop (sa straničenjem uparenim sa searchom).
6. Ispis pojedinačnog proizvoda. Ukoliko je korisnik ulogovan, može dodati proizvod u korpu. Ispod proizvoda, ispisuju se najnoviji proizvodi
7. Kontakt strana za slanje poruke administratoru. Vrši se klijentska i serverska validacija podataka(ispisivanje poruke o greškama pri popunjavanju i uspešnosti).
8. Logovanje i registracija korisnika(ispisivanje poruke o greškama pri popunjavanju i uspešnosti).Slanje mejla za aktivaciju naloga(ne radi na free hostu).Klijentska i serverska validacija
9. Prikaz korpe(za ulogovane korisnike) uz mogućnost brisanja i naručivanja.
10. Admin panel-prikaz rezultata ankete (u procentima) i mogućnost promene statusa ankete (aktivna/neaktivna)
11. Admin panel-prikaz svih proizvoda sa linkovima za ažuriranje i brisanje. Klikom na link za ažuriranje na dnu strane prikazuje se forma popunjena podacima za odabran proizvod. Mogućnost dodavanja proizvoda.
12. Admin panel-prikaz svih kategorija sa linkovima za brisanje i ažuriranje. Klikom na link za ažuriranje na dnu strane prikazuje se forma sa popunjenim podacima za odabranu kategoriju. Mogućnost dodavanja kategorije
13. Admin panel-prikaz svih registrovanih korisnika.
14. Admin panel-prikaz svih poruka.

Template

Za sajt i admin panel korišćeni su template-i

Organizacija

Organizaciona šema

Svakoj stranici može se pristupiti sa svake stranice, pojedinačnom proizvodu je moguće pristupiti sa stranice sa svim proizvodima. Pristup stranicama zavisi od uloge korisnika.

Šema baze

Mapa sajta

```xml
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
<url>
<loc>https://reid1234.000webhostapp.com/index.php</loc>
<lastmod>2021-04-22</lastmod>
<changefreq>weekly</changefreq>
<priority>1</priority>
</url>
<url>
<loc>https://reid1234.000webhostapp.com/shop.php</loc>
<lastmod>2021-04-22</lastmod>
<changefreq>weekly</changefreq>
<priority>0.9</priority>
</url>
<url>
<loc>https://reid1234.000webhostapp.com/product-details.php</loc>
<lastmod>2021-04-22</lastmod>
<changefreq>yearly</changefreq>
<priority>0.7</priority>
</url>
<url>
<loc>https://reid1234.000webhostapp.com/about.php</loc>
<lastmod>2021-04-22</lastmod>
<changefreq>yearly</changefreq>
<priority>0.2</priority>
</url>
<url>
<loc>https://reid1234.000webhostapp.com/author.php</loc>
<lastmod>2021-04-22</lastmod>
<changefreq>yearly</changefreq>
<priority>0.2</priority>
</url>
<url>
<loc>https://reid1234.000webhostapp.com/contact.php</loc>
<lastmod>2021-04-22</lastmod>
<changefreq>yearly</changefreq>
<priority>0.2</priority>
</url>
<url>
<loc>https://reid1234.000webhostapp.com/sign.php</loc>
<lastmod>2021-04-22</lastmod>
<changefreq>yearly</changefreq>
<priority>0.2</priority>
</url>
<url>
```

```xml
<loc>https://reid1234.000webhostapp.com/basket.php</loc>
<lastmod>2021-04-22</lastmod>
<changefreq>daily</changefreq>
<priority>0.8</priority>
</url>
<url>
<loc>https://reid1234.000webhostapp.com/admin.php</loc>
<lastmod>2021-04-22</lastmod>
<changefreq>weekly</changefreq>
<priority>0.8</priority>
</url>
</urlset>
```

Stranice

Home

Na ovoj stranici prikazani su meni, anketa (ako korisnik nije ulogovan, ispisuje se poruka da se uloguje kako bi glasao, ako je korisnik već glasao, dugme za glasanje je disable-ovano) i footer. Ukoliko je ulogovan korisink. Prikazuje se link za korpu.

Shop

Na ovoj strani prikazani su meni, ispis svih proizvoda (sa straničenjem I pretragom).

Proizvod

Reid ☰

Thermobal Eco Vest

$49.00

Lined with 100%-recycled insulation, the slim-fit ThermoBall™ Eco Vest has a water-repellent finish, secure pockets and comes in both a shiny and matte finish.Slim fit 11 g/ft² ThermoBall™ Eco insulation for warmth even when wet Exposed, VISLON® center front zip Internal, secure-zip chest pocket Covered, secure-zip hand pockets Stows in hand pocket Hem cinch-cord

Size   size ⌄

Quantity   1   ADD TO CART

New Products

Contemporary, minimal and modern designs embody the Lavish Alice handwriting

Unisex Lightweight
$60.00

Dryblend Hooded Sweatshirt
$89.99

Lightweight Bomber Jacket
$67.99

Nublend Hooded Sweatshirt
$66.99

Information

Stores
Adress: Princess Road 55
Phone: +385/555-555
Adress: King James street 156
Phone: +385/665-335

Contact Us

Address: 6688 Princess Road, London, Greater London BAS 23JK, UK

Phone: (+012) 800 456 789 - 987

Email: reid@gmail.com

🐦 G+ f ▶

Na ovoj strani prikazani su meni, izabrani proizvod sa linkom za dodavanje u korpu I najnoviji proizvodi

Basket

Na ovoj stranici prikazana je korpa. Korisnik može da obriše proizvod iz korpe ili naruči.

Kontakt

Reid ≡

Search entire store here... 🔍 Basket

Contact Us

CClothing Shop Online is dedicated to fulfilling the apparel needs of our customers. Our Customer Service representatives are available Monday through Friday during regular business hours to address any questions or concerns that you may have.

Address : Princess Road 55

Infor@roadthemes.com

0(1234) 567 890

Tell Us Your Project

Your Email (required)

Email *

Subject

Subject *

Your Message

Message *

SEND

Information

Stores
Adress: Princess Road 55
Phone: +385/555-555
Adress: King James street 156
Phone: +385/665-335

Contact Us

Address: 6688 Princess Road, London, Greater London BAS 23JK, UK
Phone: (+012) 800 456 789 - 987
Email: reid@gmail.com

Na ovoj strani prikazani su meni, kontakt forma za slanje poruke adminu I footer. Popunjavanjem forme ispisuje se odgovarajuća poruka. Vrši se klijentska I serverska validacija podataka.

Registracija I logovanje

Na ovoj slici prikazana je forma za registraciju I logovanje. Prilikom registracije vrši se klijentska I serverska validacija podataka I ispisuje odgovarajuća poruka. Nakon uspešne registracije, šalje se poruka za aktivaciju naloga.

Admin Products

Na ovoj strani prikazani su svi proizvodi sa linkovima za brisanje i ažuriranje. Iznad tabele, nalazi se link za dodavanje proizvoda. Klikom na link, na dnu strane otvara se forma za insert proizvoda. Klikom na link za update, na dnu strane se otvara forma sa popunjenim podacima za izabrani proizvod. Kada se radi update proizvoda, ako je cena promenjena, radi se insert cene u tabelu za cenu.

Prikaz forme za insert proizvoda

Prikaz forme za update proizvoda

Admin Kategorije

Na ovoj slici prikazane su kategorije sa linkovima za brisanje i ažuriranje. Iznad tabele nalazi se link za dodavanje kategorije. Kada se klikne na link, na dnu strane prikazuje se forma za insert. Kada se klikne na link za update, na dnu strane prikazuje se forma sa popunjenim podacima za izabrani proizvod

Prikaz forme za dodavanje kategorije

Prikaz forme za update kategorije

Orders

Orders

Name	E-mail	Adress	Product	Quantity	Size	Processed
Mihailo Jovicic	mihailo@gmail.com	Princess Road 55	Dryblend Hooded Sweatshirt	5	xs	Processed
Mihailo Jovicic	mihailo@gmail.com	Princess Road 55	Thermobal Eco Vest	2	xs	Processed

Na ovoj slici prikazani su naručeni proizvodi. Kada je porudžbina obrađena, može se obrisati.

Anketa

Survey

Rate our products

Excelent : 50%

Very good : 50%

Disable

Na ovoj slici prikazani su rezultati ankete. Moguće je promeniti aktivnost ankete

Korisnici

Users

Name	E-mail
Mihailo Jovicic	mihailo@gmail.com
Stefan Jovicic	stefan@gmail.com
Pera Peric	pera@gmail.com
Pera Peric	peraa@gmail.com

Na ovoj slici prikazani su svi korisnici.

Poruke

Messages

E-mail	Subject	Text	Delete
petar.petrovic@ict.edu.rs	Subject	Message message message message message message message message message message	**Delete**

Na ovoj slici prikazane su sve poruke poslate preko kontakt forme.

Reid ≡

Search entire store here...

🔍

🛒 Basket

Author

My name is Mihailo Jovicic, and I am a second year student at the College of Information and Communication Technologies in Belgrade, in the information technology module. I was born in Lazarevac.I am constantly looking to improve and I try to learn as much as possible.

Information

Stores
Adress: Princess Road 55
Phone: +385/555-555
Adress: King James street 156
Phone: +385/665-335

Contact Us

Address: 6688 Princess Road, London, Greater London BAS 23JK, UK

Phone: (+012) 800 456 789 - 987

Email: reid@gmail.com

🐦 G+ f ▶

Kodovi

Root

Index.php

```php
<?php
    $title="Home";

    require_once "view/fixed/head.php";

    require_once "view/fixed/header.php";

    require_once "view/pages/index.php";

    require_once "view/fixed/footer.php";

?>
```

Shop.php

```php
<?php
    $title="Shop";

    require_once "view/fixed/head.php";

    require_once "view/fixed/header.php";

    require_once "view/pages/shop.php";

    require_once "view/fixed/footer.php";

?>
```

Product-details.php

```php
<?php

    $title="Product";

    require_once "view/fixed/head.php";

    require_once "view/fixed/header.php";

    require_once "view/pages/product-details.php";

    require_once "view/fixed/footer.php";

?>
```

Contact.php

```php
<?php

    $title="Contact";

    require_once "view/fixed/head.php";

    require_once "view/fixed/header.php";

    require_once "view/pages/contact.php";

    require_once "view/fixed/footer.php";

?>
```

About.php

```php
<?php

    $title="About";

    require_once "view/fixed/head.php";

    require_once "view/fixed/header.php";

    require_once "view/pages/about.php";

    require_once "view/fixed/footer.php";

?>
```

Author.php

```php
<?php

    $title="Author";

    require_once "view/fixed/head.php";

    require_once "view/fixed/header.php";

    require_once "view/pages/author.php";

    require_once "view/fixed/footer.php";

?>
```

Sign.php

```php
<?php

    $title="Sign in / Sign up";

    require_once "view/fixed/head.php";

    require_once "view/fixed/header.php";

    if(isset($_SESSION['user'])){
        echo "<div class='pt-5 text-center'><h1 class='pt-
5'>Error 404</h1></div>";
    }
    else{
        require_once "view/pages/sign.php";
    }

    require_once "view/fixed/footer.php";

?>
```

Basket.php

```php
<?php

    $title="Basket";

    require_once "view/fixed/head.php";

    require_once "view/fixed/header.php";

    if(isset($_SESSION['user'])){
        require_once "view/pages/basket.php";
    }
    else{
        echo "<div class='pt-5 text-center'><h1 class='pt-
5'>Error 404</h1></div>";
    }

    require_once "view/fixed/footer.php";
```

View/fixed

Footer.php

```php
    <!--footer area start-->
    <footer class="footer_widgets mt-5">
        <div class="footer_top mt-5">
            <div class="container pt-5">
                <div class="row">
                    <div class="col-lg-6 col-md-6 col-sm-6 col-6">
                        <div class="widgets_container">
                            <h3>Information</h3>
                            <div class="footer_menu">
                                <ul>
                                    <li>Stores</li>
                                    <li>Adress:  Princess Road 55</li>
                                    <li>Phone: +385/555-555</li>
                                    <li>Adress:  King James street 156</li>
                                    <li>Phone: +385/665-335</li>
                                </ul>
                            </div>
                        </div>
                    </div>
                    <div class="col-lg-6 col-md-6">
                        <div class="widgets_container contact_us">
                            <h3>Contact Us</h3>
                            <div class="footer_contact">
                                <p>Address: 6688 Princess Road, London, Greater L
ondon BAS 23JK, UK</p>
                                <p>Phone: <a href="tel:+(+012)800456789-
987">(+012) 800 456 789 - 987</a> </p>
                                <p>Email: reid@gmail.com</p>
                                <ul>
                                    <li><a href="#" title="Twitter"><i class="fa
fa-twitter"></i></a></li>
                                    <li><a href="#" title="google-
plus"><i class="fa fa-google-plus"></i></a></li>
                                    <li><a href="#" title="facebook"><i class="fa
 fa-facebook"></i></a></li>
                                    <li><a href="#" title="youtube"><i class="fa
fa-youtube"></i></a></li>
                                </ul>

                            </div>
                        </div>
```

```html
                    </div>
                  </div>
                </div>
              </div>
              <div class="footer_bottom">
                <div class="container">
                  <div class="row">
                    <div class="col-lg-6 col-md-6">
                      <div class="copyright_area">
                        <p> &copy; 2021 <strong> </strong> Mede with ❤
 by <a href="https://hasthemes.com/" target="_blank"><strong>HasThemes</strong>
</a></p>
                      </div>
                    </div>
                  </div>
                </div>
              </div>
    </footer>
    <!--footer area end-->


<!-- Plugins JS -->
<script src="assets/js/plugins.js"></script>

<!-- Main JS -->
<script src="assets/js/main.js"></script>
<script src="assets/js/myjs.js"></script>

</body>
</html>
```

Head.php

```php
<?php
    session_start();
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0-
beta3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-
eOJMYsd53ii+scO/bJGFsiCZc+5NDVN2yr8+0RDqr0Ql0h+rP48ckxlpbzKgwra6" crossorigin="an
onymous">
    <meta charset="UTF-8"/>
    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
    <title><?=$title?></title>
    <link rel="stylesheet" href="assets/css/style.css" type="text/css"/>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.1/css/all.min.css"/>
    <meta name="keywords" content="Reid, Shop, Products, Delivery"/>
    <meta name="description" content="Shop the latest on trend  fashion online at
 Reid.  With over 150 new products hitting our shelves every week, check out our
new collections."/>
    <meta name="author" content="Mihailo Jovicic"/>


    <!-- Favicon -->
    <link rel="shortcut icon" type="image/x-icon" href="assets/img/favicon.ico">

    <!-- CSS
    ========================= -->


    <!-- Plugins CSS -->
    <link rel="stylesheet" href="assets/css/plugins.css">

    <!-- Main Style CSS -->
    <link rel="stylesheet" href="assets/css/style.css">
</head>
<body>
```

Header.php

```php
<?php
    require_once "models/getMenu.php";
?>
    <!-- Main Wrapper Start -->
    <!--Offcanvas menu area start-->
    <div class="off_canvars_overlay">

    </div>
    <div class="offcanvas_menu offcanvas_seven">
        <div class="canvas_open">
                        <a href="javascript:void(0)"><i class="ion-
navicon"></i></a>
                    </div>
        <div class="offcanvas_menu_wrapper">
                        <div class="canvas_close">
                            <a href="javascript:void(0)"><i class="ion-android-
close"></i></a>
                        </div>
                        <div class="search_bar">
                            <form action="shop.php" method="get">
                                <input
                                <?php
                                    if(isset($_GET['search'])):
                                        $key=$_GET['search'];
                                ?>
                                    value="<?=$key?>"
                                <?php
                                    endif;
                                ?>
                                placeholder="Search entire store here..." name="s
earch" type="text">
                                <button type="submit"><i class="ion-ios-search-
strong"></i></button>
                            </form>
                        </div>
                        <div id="menu" class="text-left ">
                            <ul class="offcanvas_main_menu">
                                <?php
                                    foreach($menu as $m):
                                ?>
                                <li class="menu-item-has-children">
                                    <a href="<?=$m['path']?>"><?=$m['name']?></a>
                                </li>
                                <?php
```

```php
                            endforeach;
                        ?>
                    </ul>
                </div>
                    <?php
                        if(isset($_SESSION['user'])):
                    ?>
                    <div class="cart_link">
                        <a href="basket.php"><i class="fa fa-shopping-
basket"></i>Basket</a>
                        <!--mini cart-->
                        <!--mini cart end-->
                    </div>
                    <?php
                        endif;
                    ?>
                <div class="offcanvas_footer">
                    <span><a href="#"><i class="fa fa-envelope-
o"></i> info@yourdomain.com</a></span>
                    <ul>
                        <li class="facebook"><a href="#"><i class="fa fa-
facebook"></i></a></li>
                        <li class="twitter"><a href="#"><i class="fa fa-
twitter"></i></a></li>
                        <li class="pinterest"><a href="#"><i class="fa fa
-pinterest-p"></i></a></li>
                        <li class="google-
plus"><a href="#"><i class="fa fa-google-plus"></i></a></li>
                        <li class="linkedin"><a href="#"><i class="fa fa-
linkedin"></i></a></li>
                    </ul>
                </div>
            </div>
    </div>
    <!--Offcanvas menu area end-->
    <!--header area start-->
    <header class="header_area header_seven sticky-header">
        <!--header top start-->
        <div class="container-fluid">
            <div class="header_seven_top">
             <div class="row align-items-center">
                <div class="col-lg-3">
                    <div class="header_top_logo_wrapper">
                        <div class="logo">
```

```php
                                <a href="index.php"><img src="assets/img/logo/log
o.png" alt=""></a>
                            </div>
                            <div class="home_menu_bar">
                                <div class="icone_menu">
                                    <a href="#"><i class="fa fa-bars"></i></a>
                                    <div class="home_menu_inner">
                                        <nav>
                                                <ul class="dropdown_other_pag
e_menu">
                                                    <?php
                                                        foreach($menu as $m):
                                                    ?>
                                                    <li><a href="<?=$m['path'
]?>"><?=$m['name']?></a></li>
                                                    <?php
                                                        endforeach;
                                                    ?>
                                                </ul>
                                            </li>
                                        </ul>
                                    </nav>
                                </div>
                            </div>

                        </div>
                    </div>
                </div>
                <div class="col-lg-9">
                    <div class="header_top_right">
                        <div class="search_bar">
                            <form action="shop.php" method="get">

                                <input

                                <?php
                                $key="";
                                if(isset($_GET['search'])):
                                    $key=$_GET['search'];
                                ?>
                                    value="<?=$key?>"
                                <?php
                                endif;
                                ?>
```

```
                                            placeholder="Search entire store here..." nam
e="search" type="text">
                                    <button type="submit"><i class="ion-ios-
search-strong"></i></button>
                                </form>
                            </div>

                            <?php
                                if(isset($_SESSION['user'])):
                            ?>
                            <div class="cart_link">
                                <a href="basket.php"><i class="fa fa-shopping-
basket"></i>Basket</a>

                                <!--mini cart-->
                                <!--mini cart end-->
                            </div>
                            <?php
                                endif;
                            ?>

                        </div>
                    </div>
                </div>
            </div>
        </div>
        <!--header top end-->
    </header>
    <!--header area end-->
```

View/pages

Pocetna.php

Pocetna.php

Index.php

```php
<?php
    require_once "models/getCategories.php";
    require_once "models/getSurvey.php";
?>


    <!--slider area start-->
    <div class="slider_area home_seven_slider owl-carousel">
        <div class="single_slider" data-bgimg="assets/img/slider/slider13.jpg">
            <div class="slider_content_inner">
                <div class="slider_content">
                    <h2>new arrivals</h2>
                    <h1>autumn</h1>
                    <p>Brands you know & love </p>
                    <a href="shop.php">Discover Now</a>
                </div>
            </div>
        </div>
        <div class="single_slider" data-bgimg="assets/img/slider/slider14.jpg">
            <div class="slider_content_inner">
                <div class="slider_content">
                    <h2>top products</h2>
                    <h1>packback</h1>
                    <p>Backpacks and Bags for Hiking, Trekking, and Everyday Use
</p>
                    <a href="shop.php">Discover Now</a>
                </div>
            </div>
        </div>
        <div class="single_slider" data-bgimg="assets/img/slider/slider15.jpg">
            <div class="slider_content_inner">
                <div class="slider_content">
                    <h2>top selections</h2>
                    <h1>handbag</h1>
                    <p>Your plans for the season meet perfect bags for every of t
hem </p>
                    <a href="shop.php">Discover Now</a>
                </div>
            </div>
        </div>
    </div>
    <!--slider area end-->


    <!--shiping area start-->
```

```php
    <div class="shipping_area px-5">
        <div class="container-fluid">
            <div class="row">
                <div class="shipping_carousel shipping_column5 owl-carousel">
                    <?php
                        foreach($category as $c):
                    ?>
                    <div class="col-lg-2">
                        <div class="single_shipping">
                            <div class="shipping_thumb">
                                <a href=""><img src="assets/img/about/<?=$c['img'
]?>" alt="<?=$m['name']?>"></a>
                            </div>
                            <div class="shipping_content">
                                <a href=""><?=$c['name']?></a>
                            </div>
                        </div>
                     </div>
                    <?php
                        endforeach;
                    ?>
                </div>

            </div>
        </div>
    </div>
    <!--shiping area end-->


    <!--banner area start-->
    <section class="banner_section">
        <div class="container-fluid">
            <div class="row ">
                <div class="col-12">
                    <div class="banner_conteiner">
                        <div class="banner_text">
                            <h1>Game Of Thrones Jaime<br> Lannister <br>Themed Sn
eakers</h1>

                            <a href="shop.php">Discover Now</a>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </section>
```

```html
    <!--banner area end-->
    <!--Instagram area start-->
    <section class="instagram_area instagram_seven">
        <div class="container-fluid">
            <div class="row">
                <div class="col-12">
                    <div class="section_title">
                        <h2>Follow us On Instagram</h2>
                        <p>Contemporary, minimal and modern designs embody the Lav
ish Alice handwriting</p>
                    </div>
                </div>
            </div>
            <div class="instagram_home_block">
                <div class="row">
                    <div class="instagram_wrapper instagram_column5 owl-
carousel">
                        <div class="col-lg-3">
                            <div class="single_instagram">
                                <a href="#"><img src="assets/img/about/intagram.pn
g" alt=""></a>
                                <div class="instagram_icone">
                                    <a class="instagram_pupop" href="assets/img/ab
out/intagram.png"><i class="fa fa-instagram"></i></a>
                                </div>
                            </div>
                        </div>
                        <div class="col-lg-3">
                            <div class="single_instagram">
                                <a href="#"><img src="assets/img/about/intagram1.p
ng" alt=""></a>
                                <div class="instagram_icone">
                                    <a class="instagram_pupop" href="assets/img/ab
out/intagram1.png"><i class="fa fa-instagram"></i></a>
                                </div>
                            </div>
                        </div>
                        <div class="col-lg-3">
                            <div class="single_instagram">
                                <a href="#"><img src="assets/img/about/intagram2.p
ng" alt=""></a>
                                <div class="instagram_icone">
                                    <a class="instagram_pupop" href="assets/img/ab
out/intagram2.png"><i class="fa fa-instagram"></i></a>
                                </div>
```

```
                                                        </div>
                                                </div>
                                                <div class="col-lg-3">
                                                        <div class="single_instagram">
                                                                <a href="#"><img src="assets/img/about/intagram3(1
).png" alt=""></a>
                                                                <div class="instagram_icone">
                                                                        <a class="instagram_pupop" href="assets/img/ab
out/intagram3(1).png"><i class="fa fa-instagram"></i></a>
                                                                </div>
                                                        </div>
                                                </div>
                                                <div class="col-lg-3">
                                                        <div class="single_instagram">
                                                                <a href="#"><img src="assets/img/about/intagram4(1
).png" alt=""></a>
                                                                <div class="instagram_icone">
                                                                        <a class="instagram_pupop" href="assets/img/ab
out/intagram4(1).png"><i class="fa fa-instagram"></i></a>
                                                                </div>
                                                        </div>
                                                </div>
                                                <div class="col-lg-3">
                                                        <div class="single_instagram">
                                                                <a href="#"><img src="assets/img/about/intagram1.p
ng" alt=""></a>
                                                                <div class="instagram_icone">
                                                                        <a class="instagram_pupop" href="assets/img/ab
out/intagram1.png"><i class="fa fa-instagram"></i></a>
                                                                </div>
                                                        </div>
                                                </div>
                                        </div>
                                         <div class="col-12">
                                                <div class="text_follow">
                                                        <a href="#">#Follow us on Instagram</a>
                                                </div>
                                        </div>
                                </div>
                        </div>
                </div>
        </section>
        <!--Instagram area end-->

        <?php
```

```php
            if(isset($question)):
        ?>
        <form action="">
        <div class="container">
            <div class="row text-center">
                <h2>Survey</h2>
            </div>
            <div class="row text-center">
                <?php
                    if(isset($_SESSION['user'])):
                ?>
                    <h3><?=$question['question']?></h3>
                    <div class="my-3">
                    <?php
                        foreach($answers as $a):
                    ?>
                        <input type="radio" value="<?=$a['idAnswer']?>" name="answer"
> <?=$a['answer']?>
                    <?php
                        endforeach;
                    ?>
                    </div>
                    <div class="product_variant quantity my-3 mx-auto">
                    <button
                    <?php
                        if($glasao):
                    ?>
                        disabled="true"
                    <?php
                        endif;
                    ?>
                    class="button border-none mx-
auto" type="button" id="vote">Vote</button>
                    </div>
                    <div class="mx-auto text-center">
                        <p id="answerError"></p>
                    </div>
                <?php
                    else:
                ?>
                    <h3>Login to vote our survey</h3>
                <?php
                    endif;
                ?>
            </div>
```

```
        </div>
    </form>
        <?php
            endif;
        ?>
```

404.php

```html
    <!--error section area start-->
    <div class="error_section">
        <div class="container">
            <div class="row">
                <div class="col-12">
                    <div class="error_form">
                        <h1>404</h1>
                        <h2>Opps! PAGE NOT BE FOUND</h2>
                        <p>Sorry but the page you are looking for does not exist,
have been<br> removed, name changed or is temporarily unavailable.</p>
                        <a href="index.php">Back to home page</a>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <!--error section area end-->
```

sign.php

```php
<?php?>

    <!-- customer login start -->
    <div class="customer_login pt-5">
        <div class="container pt-5">
            <div class="row pt-5">
                <!--login area start-->
                <div class="col-lg-6 col-md-6">
                    <div class="account_form">
                        <h2>login</h2>
                        <form action="#">
                            <p>
                                <label>E-mail <span>*</span></label>
                                <input type="text" id="email">
                             </p>
                             <p>
                                <label>Password <span>*</span></label>
                                <input type="password" id="password">
                             </p>
                            <div class="login_submit">
                                <button type="button" id="login">login</button>
                            </div>
                            <p id="errorsLogin"></p>
                        </form>
                    </div>
                </div>
                <!--login area start-->

                <!--register area start-->
                <div class="col-lg-6 col-md-6">
                    <div class="account_form register">
                        <h2>Register</h2>
                        <form action="#">
                            <p>
                                <label>First Name  <span>*</span></label>
                                <input type="text" id="firstName">
                            </p>
                            <p>
                                <label>Last Name  <span>*</span></label>
                                <input type="text" id="lastName">
                            </p>
                            <p>
                                <label>Phone  <span>*</span></label>
                                <input type="text" id="phone">
```

```html
                    </p>
                    <p>
                        <label>Email address  <span>*</span></label>
                        <input type="text" id="emailReg">
                    </p>
                    <p>
                        <label>Passwords <span>*</span></label>
                        <input type="password" id="passwordReg">
                    </p>
                    <div class="login_submit">
                        <button type="button" id="register">Register</button>
                    </div>
                    <p id="errorsRegister"></p>
                </form>
            </div>
        </div>
        <!--register area end-->
    </div>
    </div>
</div>
<!-- customer login end -->
```

Shop.php

```php
<?php
    require_once "models/getProducts.php";
?>


    <!--shop  area start-->
    <div class="shop_area shop_fullwidth shop_reverse pt-5">
        <div class="container pt-5">
            <div class="shop_inner_area">
                <div class="row">
                    <div class="col-12">
                        <!--shop toolbar start-->
                        <div class="shop_toolbar_wrapper">
                            <div class="shop_toolbar_btn">

                                <button data-
role="grid_3" type="button" class=" btn-grid-3" data-
toggle="tooltip" title="3"></button>

                                <button data-
role="grid_4" type="button"  class="active btn-grid-4" data-
toggle="tooltip" title="4"></button>

                                <button data-
role="grid_5" type="button"  class="btn-grid-5" data-
toggle="tooltip" title="5"></button>

                            </div>
                            <div class="page_amount">
                                <p><?=$sum?> results</p>
                            </div>
                        </div>
                         <!--shop toolbar end-->

                        <div class="row shop_wrapper">

                            <?php
                            if($sum!=0):
                                foreach($products as $p):
                            ?>
                            <div class="col-lg-3 col-md-4 col-12 ">
                                <div class="single_product">
                                    <div class="product_thumb">
```

```php
                                        <a class="primary_img" href="product-
details.php?id=<?=$p['idProduct']?>"><img src="assets/img/product/<?=$p['img']?>"
 alt="<?=$p['name']?>"></a>
                                    </div>

                                    <div class="product_content grid_content">
                                        <h3><a href="product-
details.php?id=<?=$p['idProduct']?>"><?=$p['name']?></a></h3>
                                        <span class="current_price">$<?=$p['price
']?></span>
                                    </div>
                                </div>
                            </div>
                            <?php
                                endforeach;
                            else:
                            ?>
                                <h2 class="my-5"><?=$products?></h2>
                            <?php
                                endif;
                            ?>
                        </div>
                        <!--shop toolbar end-->
                    </div>
                </div>

                <!--shop tab product end-->
                <div class="row">
                    <div class="col-12">
                        <!--shop toolbar start-->
                            <?php

                                $page=1;
                                if(isset($_GET['page'])){
                                    $page=$_GET['page'];
                                }
                                if($page<=$numberPages):
                            ?>

                        <div class="shop_toolbar t_bottom">
                            <div class="pagination">
                                <ul>
                                    <?php
                                    $search="";
                                    if(isset($_GET['search'])){
```

```php
                                            $search=$_GET['search'];
                                    }
                                        if($page!=1):
                                            $previous=$page-1;
                                    ?>
                                        <li class="next"><a href="<?=$_SERVER['PH
P_SELF']."?page=".$previous."&search=".$search?>">Previous</a></li>
                                    <?php
                                        endif;
                                    ?>
                                    <?php
                                        for($i=0;$i<$numberPages;$i++):
                                            $br=$i+1;
                                    ?>
                                        <li><a href="<?=$_SERVER['PHP_SELF']."?pa
ge=".$br."&search=".$search?>"><?=$br?></a></li>
                                    <?php
                                        endfor;
                                    ?>
                                    <?php
                                        if($page!=$numberPages):
                                            $next=$page+1;
                                    ?>
                                        <li class="next"><a href="<?=$_SERVER['PH
P_SELF']."?page=".$next."&search=".$search?>">Next</a></li>
                                    <?php
                                        endif;
                                    ?>
                                </ul>
                            </div>
                        </div>
                            <?php
                                endif;
                            ?>
                        <!--shop toolbar end-->
                    </div>
                </div>
            </div>

        </div>
    </div>
    <!--shop  area end-->
```

Product-details.php

```php
<?php
    require_once "models/getProduct.php";
    require_once "models/getSizes.php";
    require_once "models/getNew.php";
?>

    <?php
        if(isset($message)):
    ?>
        <div class="container pt-5 text-center">
            <div class="row pt-5">
                <h1 class="pt-5"><?=$message?></h1>
            </div>
        </div>
    <?php
        else:
    ?>
    <!--product details start-->
    <div class="product_details pt-5">
        <div class="container pt-5">
            <div class="row pt-5">
                <div class="col-lg-5 col-md-5">
                    <div class="product-details-tab">

                        <div id="img-1" class="zoomWrapper single-zoom">
                            <a href="#">
                                <img id="zoom1" src="assets/img/product/<?=$produ
ct['img']?>" data-zoom-
image="assets/img/product/<?=$product['img']?>" alt="<?=$product['name']?>">
                            </a>
                        </div>

                    </div>
                </div>
                <div class="col-lg-7 col-md-7">
                    <div class="product_d_right">
                        <form action="#">

                            <h1><?=$product['name']?></h1>
                            <div class="product_price">
                                <span class="current_price">$<?=$product['price']
?></span>
                            </div>
                            <div class="product_desc">
```

47

```html
                                        <p><?=$product['description']?></p>
                                </div>

                                <div class="product_variant size">
                                    <h3>size</h3>
                                    <select class="niceselect_option" id="size" name=
"produc_color">
                                        <option selected value="0">size</option>
                                        <?php
                                            foreach($size as $s):
                                        ?>
                                            <option value="<?=$s['idSize']?>"><?=$s['
size']?></option>
                                        <?php
                                            endforeach;
                                        ?>
                                    </select>
                                </div>
                                <div class="product_variant quantity">
                                    <input type="hidden" id="price" value="<?=$produc
t['idPrice']?>">

                                    <label>quantity</label>
                                    <input id="quantity" min="1" max="100" value="1"
type="number">

                                    <button class="button" type="button" id="add">add
 to cart</button>
                                </div>
                                <div>

                                <p id="errorAdd"></p>
                                </div>

                            </form>

                        </div>
                    </div>
                </div>
            </div>
            <!--product details end-->


            <!--product section area start-->
            <section class="product_section related_product">
                <div class="container">
```

```php
            <div class="row">
                <div class="col-12">
                    <div class="section_title">
                        <h2>New Products</h2>
                        <p>Contemporary, minimal and modern designs embody the Lav
ish Alice handwriting</p>
                    </div>
                </div>
            </div>
            <div class="product_area">
                <div class="row">
                    <div class="product_carousel product_three_column4 owl-
carousel">
                        <?php
                            foreach($new as $n):
                        ?>
                        <div class="col-lg-3">
                            <div class="single_product">
                                <div class="product_thumb">
                                    <a class="primary_img" href="product-
details.php?id=<?=$n['idProduct']?>"><img src="assets/img/product/<?=$n['img']?>"
 alt="<?=$n['name']?></a>"></a>
                                </div>
                                <div class="product_content">
                                    <h3><a href="product-
details.php?id=<?=$n['idProduct']?>"><?=$n['name']?></a></h3>
                                    <span class="current_price">$<?=$n['price']?>
</span>
                                </div>
                            </div>
                        </div>
                        <?php
                            endforeach;
                        ?>
                    </div>
                </div>
            </div>

        </div>
    </section>
    <!--product section area end-->

    <?php
        endif;
    ?>
```

Contact.php

```php
<?php?>

    <!--contact area start-->
    <div class="contact_area pt-5">
        <div class="container pt-5">
            <div class="row pt-5">
                <div class="col-lg-6 col-md-12">
                    <div class="contact_message content">
                        <h3>contact us</h3>
                        <p>CClothing Shop Online is dedicated to fulfilling the
apparel needs of our customers. Our Customer Service representatives are availabl
e Monday through Friday during regular business hours to address any questions or
 concerns that you may have.</p>
                        <ul>
                            <li><i class="fa fa-
fax"></i>  Address : Princess Road 55</li>
                            <li><i class="fa fa-
phone"></i> <a href="#">Infor@roadthemes.com</a></li>
                            <li><i class="fa fa-envelope-
o"></i> 0(1234) 567 890</li>
                        </ul>
                    </div>
                </div>
                <div class="col-lg-6 col-md-12">
                    <div class="contact_message form">
                        <h3>Tell us your project</h3>
                        <form id="contact-
form" method="POST"  action="https://demo.hasthemes.com/reid-
v1/reid/assets/mail.php">
                            <p>
                                <label>  Your Email (required)</label>
                                <input name="email" id="email" placeholder="Email
 *" type="email">
                            </p>
                            <p>
                                <label>  Subject</label>
                                <input name="subject" id="subject" placeholder="S
ubject *" type="text">
                            </p>
                            <div class="contact_textarea">
                                <label>  Your Message</label>
                                <textarea placeholder="Message *" name="message"
 class="form-control2" id="text" ></textarea>
                            </div>
```

```html
                                <button type="button" id="message"> Send</button>
                                <p class="form-messege" id="errorMessage"></p>
                        </form>

                    </div>
                </div>
            </div>
        </div>

    <!--contact area end-->

     <!--contact map start-->
    <div class="contact_map">
        <div class="container-fluid">
            <div class="row">
                <div class="col-12">
                    <div class="map-area">
                        <div id="googleMap">
                        <iframe src="https://www.google.com/maps/embed?pb=!1m18!1m1
2!1m3!1d2481.578535326183!2d-
0.15417758479829716!3d51.53928971619285!2m3!1f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3
m3!1m2!1s0x48761ae630af7ac1%3A0x35c7d84d52901877!2zUHJpbmNlc3MgUmQsIFByaW1yb3NlIE
hpbGwsIExvbmRvbiwg0JLQtdC70LjQutCwINCR0YDQuNGC0LDQvdC40ZjQsA!5e0!3m2!1ssr!2srs!4v
1618747248226!5m2!1ssr!2srs" allowfullscreen="" loading="lazy"></iframe>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <!--contact map end-->
```

Basket.php

```php
<?php
    require_once "models/getCard.php";
?>


    <!--shopping cart area start -->
    <div class="shopping_cart_area pt-5">
        <div class="container pt-5">
            <?php
                if(isset($message)):
            ?>
            <div class="row text-center pt-5">
                <h1><?=$message?></h1>
            </div>
            <?php
                else:
            ?>
            <form action="#">
                <div class="row text-center pt-5">
                    <h1 id="message"></h1>
                </div>
                <div class="row" id="tabela">
                    <div class="col-12">
                        <div class="table_desc">
                            <div class="cart_page table-responsive">
                                <table>
                                    <thead>
                                        <tr>
                                            <th class="product_remove">Delete</th>
                                            <th class="product_thumb">Image</th>
                                            <th class="product_name">Product</th>
                                            <th class="product-price">Price</th>
                                            <th class="product_quantity">Quantity</th>
                                            <th class="product_quantity">Size</th>
                                            <th class="product_total">Total</th>
                                        </tr>
                                    </thead>
                                    <tbody>
                                        <?php
                                            foreach($basket as $b):
                                        ?>
                                        <tr>
```

```php
                                                <td class="product_remove"><a class="d
eleteFromBasket" data-id="<?=$b['idOrder']?>" href="#"><i class="fa fa-trash-
o"></i></a></td>
                                                <td class="product_thumb"><a href="#"
><img src="assets/img/product/<?=$b['img']?>" alt=""></a></td>
                                                <td class="product_name"><a href="#">
<?=$b['name']?></a></td>
                                                <td class="product-
price">$<?=$b['price']?></td>
                                                <td class="product_quantity"><p><?=$b
['quantity']?></p></td>
                                                <td class="product_quantity"><p><?=$b
['size']?></p></td>
                                                <td class="product_total">$<?=$b['qua
ntity']*$b['price']?></td>
                                        </tr>
                                        <?php
                                            endforeach;
                                        ?>
                                    </tbody>
                                </table>
                            </div>
                        </div>
                    </div>
                </div>

                <!--coupon code area start-->
                <div class="coupon_area" id="total">
                    <div class="row">
                        <div class="col-lg-6 col-md-6">
                            <div class="coupon_code right">
                                <h3>Cart Totals</h3>
                                <div class="coupon_inner">
                                    <div class="cart_subtotal">
                                        <p>
                                            <label>Address: <span>*</span></label
>
                                        </p>
                                        <p>
                                            <input type="text" id="address">
                                        </p>
                                    </div>
                                     <hr>
                                    <div class="cart_subtotal">
                                        <p>Total</p>
```

```
                                        <p class="cart_amount">$<?=$total['total']
?></p>
                                    </div>
                                    <div class="checkout_btn">
                                        <button type="button" id="order">Order</bu
tton>
                                    </div>
                                    <p id="errorBasket"></p>
                                </div>
                            </div>
                        </div>
                    </div>
                    <!--coupon code area end-->


            </form>
            <?php
                endif;
            ?>
        </div>
    </div>
    <!--shopping cart area end -->
```

Author.php

```php
<?php?>
<div class="container pt-5">
    <div class="row pt-5 text-center">
        <h1>Author</h1>
    </div>
    <div class="row p-5">
        <div class="col-xs-12 col-md-6 p-2">
            <img src="assets/img/author.jpg" alt="Mihailo Jovicic" class="img-
fluid">
        </div>
        <div class="col-xs-12 col-md-5 p-2">
            <p class="fs-
6">My name is Mihailo Jovicic, and I am a second year student at the College of I
nformation and Communication Technologies in Belgrade, in the information technol
ogy module. I was born in Lazarevac.I am constantly looking to improve and I try
to learn as much as possible.</p>
        </div>
    </div>
</div>
```

About.php

```php
<?php?>

        <!--about section area -->
        <div class="about_section pt-5">
        <div class="container pt-5">
            <div class="row pt-5">
                <div class="col-lg-6 col-md-12">
                    <div class="about_content">
                        <h1>Welcome To Reid Store!</h1>
                        <p> Welcome to Clothing Shop Online – the web's one-
stop shop for apparel of all kinds.We offer a wide selection of blank apparel sty
les, brands, and sizes for crafting, DIY projects, and just wearing every day.Our
 goal is to satisfy the apparel needs of online shoppers with plenty of options,
a user-friendly site and affordable prices. From cozy fleeces, to casual t-
shirts and sweat-
wicking athletic wear, Clothing Shop Online has it all.Our online store provides
apparel from trusted brands, including Gildan, Bella + Canvas, Hanes, Champion, J
erzees, Next Level, Boxercraft, Anvil and Comfort Colors. Check out our brands pa
ge to see a complete list of what we have to offer.Explore clothing options for e
very member of the family at Clothing Shop Online.</p>

                    </div>
                </div>
                <div class="col-lg-6 col-md-12">
                    <div class="about_thumb">
                        <img src="assets/img/about/about1.jpg" alt="">
                    </div>
                </div>
            </div>
        </div>
    </div>
    <!--about section end-->


    <!--counterup area -->
    <div class="counterup_section">
        <div class="container">
            <div class="row">
                <div class="col-lg-4 col-md-6 col-sm-6">
                    <div class="single_counterup">
                        <div class="counter_img">
                            <img src="assets/img/about/count.png" alt="">
                        </div>
                        <div class="counter_info">
```

```html
                            <h2 class="counter_number">2170</h2>
                            <p>happy customers</p>
                        </div>
                    </div>
                </div>
                 <div class="col-lg-4 col-md-6 col-sm-6">
                    <div class="single_counterup count-two">
                        <div class="counter_img">
                            <img src="assets/img/about/count2.png" alt="">
                        </div>
                        <div class="counter_info">
                            <h2 class="counter_number">8080</h2>
                            <p>AWARDS won</p>
                        </div>
                    </div>
                </div>
                 <div class="col-lg-4 col-md-6 col-sm-6">
                    <div class="single_counterup">
                        <div class="counter_img">
                            <img src="assets/img/about/count3.png" alt="">
                        </div>
                        <div class="counter_info">
                            <h2 class="counter_number">2150</h2>
                            <p>HOURS WORKED</p>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <!--counterup end-->
```

Models

addCard.php

```php
<?php
session_start();
    require_once "konekcija.php";

    $data="";
    $code=200;

    $idPrice=$_POST['idPrice'];
    $quantitiy=$_POST['quantity'];
    $size=$_POST['size'];

    if(isset($_SESSION['user'])){
        $user=$_SESSION['user'];
        $idUser=$user['idUser'];
        $upit="INSERT INTO basket VALUES (null,:user,:price,:quantity,:ordered,null,:size)";
        $ordered=0;
        $priprema=$konekcija->prepare($upit);
        $priprema->bindParam(":user",$idUser);
        $priprema->bindParam(":price",$idPrice);
        $priprema->bindParam(":quantity",$quantitiy);
        $priprema->bindParam(":ordered",$ordered);
        $priprema->bindParam(":size",$size);
        try{
            $priprema->execute();
            $data="Successfulu addes to card";
        }
        catch(PDOException $e){
            $data=$e->getMessage();
            $code=500;
        }
    }
    else{
        $data="Login to add to card";
    }


    echo json_encode($data);
    http_response_code($code);
?>
```

updateCategory.php

```php
<?php
    require_once "konekcija.php";

    $data="";
    $code=200;

    $nameCat=$_POST['name'];
    $id=$_POST['id'];

    $regName="/^[A-Z][a-z]+(\s[A-Z][a-z]+)?$/";
    $greske=0;

    if(isset($_FILES['image'])){
        $slika=$_FILES['image'];

        $tmpName=$slika['tmp_name'];
        $size=$slika['size'];
        $tip=$slika['type'];
        $name=$slika['name'];
        $naziv=time().$name;
        $putanja="../assets/img/about/$naziv";
        move_uploaded_file($tmpName,$putanja);
    }



    if(!preg_match($regName,$nameCat)){
        $data="Title must begin with capital letter and have 2 word max";
        $greske++;
    }

    if($greske==0){
        if(isset($_FILES['image'])){
            $upit="UPDATE category SET name=:name,img=:img WHERE idCategory=:id";
            $priprema=$konekcija->prepare($upit);
            $priprema->bindParam(":img",$naziv);
        }
        else{
            $upit="UPDATE category SET name=:name WHERE idCategory=:id";
            $priprema=$konekcija->prepare($upit);
        }
        $priprema->bindParam(":name",$nameCat);
        $priprema->bindParam(":id",$id);
```

```php
        try{
            $data="Category updated";
            $priprema->execute();
            $code=200;
        }
        catch(PDOException $e){
            $code=500;
            $data="Server error";
        }
    }




echo json_encode($data);
http_response_code($code);


?>
```

removeFromBasket.php

```php
<?php

    require_once "konekcija.php";

    $data="";
    $code="";
    $id=$_POST['id'];

    $upit="DELETE FROM basket WHERE idOrder=:id";
    $priprema=$konekcija->prepare($upit);
    $priprema->bindParam(":id",$id);
    try{
        $priprema->execute();
        $data="Deleted";
        $code=200;
    }
    catch(PDOException $e){
        $code=500;
        $data="Server error";
    }

    echo json_encode($data);
    http_response_code($code);
?>
```

getUsers.php

```php
<?php
    require_once "konekcija.php";
    $data="";
    $upit="SELECT * FROM user";
    try{
        $data=$konekcija->query($upit)->fetchAll();
        $code=200;
    }
    catch(PDOException $e){
        $code=500;
        $data="Server error";
    }
echo json_encode($data);
http_response_code($code);
?>
```

Login.php

```php
<?php

session_start();
    require_once "konekcija.php";

    $data="";
    $code=200;
    if(isset($_POST['btnLog'])){

        $email=$_POST['email'];
        $password=$_POST['password'];

        $regEmail="/^\w[.\d\w]*\@[a-z]{2,10}(\.[a-z]{2,3})+$/";
        $regPass="/^.{8,50}$/";

        $err=[];

        if(!preg_match($regEmail,$email)){
            array_push($err,"E-
mail formats: pera@gmail.com or petar.petrovic@ict.edu.rs. ");
        }
        if(!preg_match($regPass,$password) && strlen($password)<8){
            array_push($err,"Password must be at least 8 characters long. ");
        }

        if(count($err)==0){
                    $upit="SELECT * FROM user u INNER JOIN roles r ON u.idRole=r.
id WHERE email=:email AND active=1 AND  password=:pass";
                    $password=md5($password);
                    $priprema2=$konekcija->prepare($upit);
                    $priprema2->bindParam(":email",$email);
                    $priprema2->bindParam(":pass",$password);
                    try{
                        $priprema2->execute();
                        $code=200;
                        if($priprema2->rowCount()==1){
                            $user=$priprema2->fetch();
                            $_SESSION['user']=$user;
                            $code=200;
                            $data="ok";
                        }
                        else{
                            $data="User not found";
                        }
```

```php
                }
                catch(PDOException $e){
                    $code=500;
                    $data="Server error";
                }
        }
        else{
            $data=$err;
        }
    }
    else if(isset($_POST['btnReg'])){
        $firstName=$_POST['firstName'];
        $lastName=$_POST['lastName'];
        $phone=$_POST['phone'];
        $email=$_POST['email'];
        $password=$_POST['password'];

        $regName="/^[A-ZŠĐŽČĆ][a-zšđžčć]{2,19}$/";
        $regEmail="/^\w[.\d\w]*\@[a-z]{2,10}(\.[a-z]{2,3})+$/";
        $regPass="/^.{8,15}$/";
        $regPhone="/^06\d{1}\/\d{7}$/";

        $err=[];
        if(!preg_match($regName,$firstName)){
            array_push($err,"First name has capital letter, 3 letter min, 20 max.
 ");
        }
        if(!preg_match($regName,$lastName)){
            array_push($err,"Last name has capital letter, 3 letter min, 20 max.
");
        }
        if(!preg_match($regEmail,$email)){
            array_push($err,"E-
mail formats: pera@gmail.com or petar.petrovic@ict.edu.rs. ");
        }
        if(!preg_match($regPass,$password) && strlen($password)<8){
            array_push($err,"Password must be at least 8 characters long. ");
        }
        if(!preg_match($regPhone,$phone)){
            array_push($err,"Phone format: 060/1234567. ");
        }

        if(count($err)==0){
            $mailProvera="SELECT email FROM user WHERE email=:email";
            $priprema=$konekcija->prepare($mailProvera);
```

```php
                $priprema->bindParam(":email",$email);
            try{
                $priprema->execute();
                $rez=$priprema->fetch();
                if($priprema->rowCount()==1){
                    $data="userName";
                    $code=200;
                }
                else{

                        $insert="INSERT INTO user VALUES(NULL,:fName,:lName,:
telefon,:iduloge,:email,:pass,:aktivan,:kod)";
                        $password=md5($password);
                        $datum=date("Y-m-d H:i:s");
                        $uloga=2;
                        $aktivan=1;
                        $kod=md5(time().md5($email));

                        //mail($mail,"Account activation","http://127.0.0.1/r
eid/activation.php?kod=".$kod);
                        $priprema2=$konekcija->prepare($insert);
                        $priprema2->bindParam(":fName",$firstName);
                        $priprema2->bindParam(":lName",$lastName);
                        $priprema2->bindParam(":email",$email);
                        $priprema2->bindParam(":pass",$password);
                        $priprema2->bindParam(":aktivan",$aktivan);
                        $priprema2->bindParam(":kod",$kod);
                        $priprema2->bindParam(":iduloge",$uloga);
                        $priprema2->bindParam(":telefon",$phone);
                        try{
                            $uspesno=$priprema2->execute();
                            $code=201;
                            $data="You have successfuli register. Activate yo
u acount.";
                        }
                        catch(PDOException $e){
                            $code=500;
                            $data="Server error";
                        }
                }
            }
            catch(PDOException $e){
                $data="Server error";
                $code=500;
            }
```

```php
            }
        else{
            $data=$err;
        }
    }
    else{
        $data="Error 404.";
        $code=404;
    }



echo json_encode($data);
http_response_code($code);

?>
```

getProductAdmin.php

```php
<?php
    require_once "konekcija.php";

    $data="";
    $code=200;


    $upit="SELECT * FROM product p INNER JOIN price pr ON p.idProduct=pr.idProduct WHERE pr.idPrice = (SELECT idPrice FROM price WHERE idProduct=pr.idProduct ORDER BY dateFrom DESC LIMIT 1)";

    try{
        $data=$konekcija->query($upit)->fetchAll();

    }
    catch(PDOException $e){
        $data="Server error";
        $code=500;
    }


    echo json_encode($data);
    http_response_code($code);
?>
```

getProductAdmin.php

```php
<?php
    require_once "konekcija.php";

    $data="";
    $code=200;
        $id=$_GET['id'];
        $upit="SELECT * FROM product p INNER JOIN price pr ON p.idProduct=pr.idPr
oduct WHERE p.idProduct=:id AND pr.idPrice = (SELECT idPrice FROM price WHERE idP
roduct=pr.idProduct ORDER BY dateFrom DESC LIMIT 1)";
        $priprema=$konekcija->prepare($upit);
        $priprema->bindParam(":id",$id);
        try{
            $priprema->execute();
            if($priprema->rowCount()==1){
                $data=$priprema->fetch();
            }
            else{
                $data="No access";
                $code=404;
            }

        }
        catch(PDOException $e){
            $data="Server error";
            $code=500;
        }


        echo json_encode($data);
        http_response_code($code);
?>
```

Order.php

```php
<?php
    session_start();

    require_once "konekcija.php";

    $code=200;
    $data="";

    $address=$_POST['address'];

    $user=$_SESSION['user'];
    $idUser=$user['idUser'];

    $upit="UPDATE basket set ordered=1,adress=:adr WHERE idUser=:id";
    $priprema=$konekcija->prepare($upit);
    $priprema->bindParam(":id",$idUser);
    $priprema->bindParam(":adr",$address);
    try{
        $priprema->execute();
        $data="You have successfuly ordered";
        $code=200;
    }
    catch(PDOException $e){
        $code=500;
        $data="Server error";
    }

    echo json_encode($data);
    http_response_code($code);
?>
```

Vote.php

```php
<?php
session_start();
    require_once "konekcija.php";

    $data="";
    $code=200;
    $id=$_POST['id'];

    $user=$_SESSION['user'];
    $idUser=$user['idUser'];

    $upit="INSERT INTO useranswer VALUES (null,$idUser,$id)";

    try{
        $konekcija->query($upit);
        $code=200;
        $data="Thanks for voting!";
    }
    catch(PDOException $e){
        $code=500;
        $message="Server error";
    }


    echo json_encode($data);
    http_response_code($code);
?>
```

Message.php

```php
<?php

    require_once "konekcija.php";

if(isset($_POST["btnMessage"])){
    $kod=200;
    $email=$_POST["email"];
    $subject=$_POST["subject"];
    $message=$_POST["message"];
    $regEmail="/^\w[.\d\w]*\@[a-z]{2,10}(\.[a-z]{2,3})+$/";
    $regNaslov="/^[\w\s]+$/";
    $greska=0;
    if(!preg_match($regEmail,$email)){
        $greska++;
        $data="E-mail formats: pera@gmail.com or petar.petrovic@ict.edu.rs";
    }
    if(!preg_match($regNaslov,$subject)){
        $greska++;
        $data="You have to write subject";
    }
    if(count($message)<10){
        $greska++;
        $data="Message mus have 10 words minimum";
    }
    if($greska==0){
        $message=implode($message," ");
        $insert="INSERT INTO message VALUES(null,:email,:subj,:mess)";
        $priprema=$konekcija->prepare($insert);
        $priprema->bindParam(":email",$email);
        $priprema->bindParam(":subj",$subject);
        $priprema->bindParam(":mess",$message);
        try{
            $priprema->execute();
            $poruka="Message successfuly sent";
            $kod=201;
        }
        catch(PDOException $e){
            $poruka="Server error";
            $kod=500;
            zabeleziGresku($e);
        }
    }
}
```

```php
else{
    $kod=404;
    $poruka="Error";
}

echo json_encode($poruka);
http_response_code($kod);
?>
```

insertCategory.php

```php
<?php
    require_once "konekcija.php";

    $data="";
    $code=200;

    $nameCat=$_POST['name'];

    $regName="/^[A-Z][a-z]+(\s[A-Z][a-z]+)?$/";
    $greske=0;

    if(isset($_FILES['image'])){
        $slika=$_FILES['image'];

        $tmpName=$slika['tmp_name'];
        $size=$slika['size'];
        $tip=$slika['type'];
        $name=$slika['name'];
        $naziv=time().$name;
        $putanja="../assets/img/about/$naziv";
        move_uploaded_file($tmpName,$putanja);
    }
    else{
        $data="You have to choose image";
        $greske++;
    }



    if(!preg_match($regName,$nameCat)){
        $data="Title must begin with capital letter and have 2 word max";
        $greske++;
    }

    if($greske==0){
        $upit="INSERT INTO  category VALUES (null,:name,:img)";
        $priprema=$konekcija->prepare($upit);
        $priprema->bindParam(":name",$nameCat);
        $priprema->bindParam(":img",$naziv);

        try{
            $data="Category added";
            $priprema->execute();
            $code=200;
```

```php
        }
        catch(PDOException $e){
            $code=500;
            $data="Server error";
        }
    }



echo json_encode($data);
http_response_code($code);


?>
```

getSurveyResult.php

```php
<?php

require_once "konekcija.php";

        $pitanjeUpit="SELECT * FROM survey";

        $upit="SELECT *,ROUND(COUNT(o.idAnswer)/(SELECT COUNT(idAnswer) AS ukupno
 FROM useranswer)*100) AS broj FROM useranswer oa INNER JOIN answer o ON oa.idAns
wer=o.idAnswer GROUP BY o.idAnswer";
        $code=200;

        try{
            $pitanje=$konekcija->query($pitanjeUpit)->fetch();
            $data['pitanje']=$pitanje['question'];
            $data['aktivna']=$pitanje['active'];
            $data['odgovori']=$konekcija->query($upit)->fetchAll();
        }
        catch(PDOException $e){
            $code=500;
            $data=$e;
        }



echo json_encode($data);
http_response_code($code);

?>
```

getSurvey.php

```php
<?php
    require_once "konekcija.php";



    $upit="SELECT * FROM survey WHERE active=1";
    $glasao=false;

    try{
        $rez=$konekcija->query($upit);
        if($rez->rowCount()!=0){
            $question=$rez->fetch();
            $idQuestion=$question['idSurvey'];
            $upit2="SELECT * FROM answer WHERE idSurvey=$idQuestion";
            $answers=$konekcija->query($upit2)->fetchAll();
            if(isset($_SESSION['user'])){
                $user=$_SESSION['user'];
                $idUser=$user['idUser'];
                $upit3="SELECT * FROM useranswer ua INNER JOIN answer a ON a.idAn
swer=ua.idAnswer WHERE idUser=$idUser AND a.idSurvey=(SELECT idSurvey FROM survey
 WHERE active=1)";
                try{
                    $rez2=$konekcija->query($upit3);
                    if($rez2->rowCount()==1){
                        $glasao=true;
                    }
                    else{
                        $glasao=false;
                    }
                }
                catch(PDOException $e){
                    $code=500;
                    $message="Server error";
                }
            }
        }
    }
    catch(PDOException $e){
        $code=500;
        $message="Server error";
    }
?>
```

getSizes.php

```php
<?php
    require_once "konekcija.php";

    $upit="SELECT * FROM size ORDER BY idSize";
    try{
        $size=$konekcija->query($upit)->fetchAll();
    }
    catch(PDOException $e){
        $size="Server error";
    }
?>
```

getNew.php

```php
<?php
    require_once "konekcija.php";

    if(isset($_GET['id'])){
        $id=$_GET['id'];
        $upit="SELECT * FROM product p INNER JOIN price pr ON p.idProduct=pr.idPr
oduct WHERE pr.idPrice = (SELECT idPrice FROM price WHERE idProduct=pr.idProduct
ORDER BY dateFrom DESC LIMIT 1) ORDER BY p.idProduct DESC LIMIT 7";

        try{
            $new=$konekcija->query($upit)->fetchAll();

        }
        catch(PDOException $e){
            $new="Server error";
        }
    }
    else{
        $new="No access";
    }
?>
```

getOrders.php

```php
<?php
    require_once "konekcija.php";

    $data="";
    $code=200;

    $upit="SELECT *,pr.name as pName FROM basket b INNER JOIN price p ON b.idPric
e=p.idPrice INNER JOIN product pr ON p.idProduct=pr.idProduct INNER JOIN user u o
n b.idUser=u.idUser INNER JOIN size s on b.idSize=s.idSize WHERE ordered=1";

    try{
        $rez=$konekcija->query($upit);
        if($rez->rowCount()!=0){
            $data=$rez->fetchAll();
        }
        else{
            $data="Basket is empty";
        }
    }
    catch(PDOException $e){
        $code=500;
        $data="Server error";
    }


echo json_encode($data);
http_response_code($code);
?>
```

getProduct.php

```php
<?php
    require_once "konekcija.php";

    if(isset($_GET['id'])){
        $id=$_GET['id'];
        $upit="SELECT * FROM product p INNER JOIN price pr ON p.idProduct=pr.idPr
oduct WHERE p.idProduct=:id AND pr.idPrice = (SELECT idPrice FROM price WHERE idP
roduct=pr.idProduct ORDER BY dateFrom DESC LIMIT 1)";
        $priprema=$konekcija->prepare($upit);
        $priprema->bindParam(":id",$id);
        try{
            $priprema->execute();
            if($priprema->rowCount()==1){
                $product=$priprema->fetch();
            }
            else{
                $message="No access";
            }

        }
        catch(PDOException $e){
            $message="Server error";
        }
    }
    else{
        $message="No access";
    }
?>
```

getProducts.php

```php
<?php
    require_once "konekcija.php";


    $limit=4;
    $offset=0;
    $page=0;
    if(isset($_GET['page'])){
        $page=$_GET['page']-1;
    }
    $search="";
    if(isset($_GET['search'])){
        $search=$_GET['search'];
        $offset=$page*$limit;
    }
    $sum=0;
    $numberPages=0;


    $upit="SELECT * FROM product p INNER JOIN price pr ON p.idProduct=pr.idProduc
t WHERE pr.idPrice = (SELECT idPrice FROM price WHERE idProduct=pr.idProduct ORDE
R BY dateFrom DESC LIMIT 1) AND p.name LIKE '%$search%'";

    try{
        $data=$konekcija->query($upit);
        if($data->rowCount()==0){
            $products="There is no match";
        }
        else{
            $products=$data->fetchAll();
            $sum=$data->rowCount();
            $numberPages=ceil($sum/$limit);


            $upit.="LIMIT $limit OFFSET $offset";
            $products=$konekcija->query($upit)->fetchAll();

            if($page+1>$numberPages){
                $sum=0;
                $products="There is no match";
            }
        }
```

```php
    }
    catch(PDOException $e){
        $products="Server error";
    }
?>
```

getMessage.php

```php
<?php

    require_once "konekcija.php";

    $data="";
    $upit="SELECT * FROM message";


    try{
        $data=$konekcija->query($upit)->fetchAll();
        $code=200;
    }
    catch(PDOException $e){
        $code=500;
        $data="Server error";
    }


echo json_encode($data);
http_response_code($code);
?>
```

getCategories.php

```php
<?php
    require_once "konekcija.php";

    $data="";

    $upit="SELECT * FROM category";


    try{
        $category=$konekcija->query($upit)->fetchAll();
        $code=200;
    }
    catch(PDOException $e){
        $code=500;
        $category="Server error";
    }
?>
```

getMenu.php

```php
<?php
    require_once "konekcija.php";

    $data="";

    $upit="SELECT * FROM menu WHERE preview=0";

    if(isset($_SESSION['user'])){
        $korisnik=$_SESSION['user'];
        if($korisnik['idRole']==1){
            $upit.="  OR preview=1";
        }
        $upit.=" OR preview=2";
    }
    else{
        $upit.=" OR preview=3";
    }
    $upit.=" ORDER BY priority";

    try{
        $menu=$konekcija->query($upit)->fetchAll();
        $code=200;
    }
    catch(PDOException $e){
        $code=500;
        $menu="Server error";
    }

?>
```

getCategoriesAdmin.php

```php
<?php
    require_once "konekcija.php";

    $data="";
    $code=200;



    $upit="SELECT * FROM category";


    try{
        $data=$konekcija->query($upit)->fetchAll();
        $code=200;
    }
    catch(PDOException $e){
        $code=500;
        $data="Server error";
    }



echo json_encode($data);
http_response_code($code);



?>
```

getCategori.php

```php
<?php

    require_once "konekcija.php";


        $id=$_POST['id'];
        $data="";


        $upit="SELECT * FROM category WHERE idCategory=:id";
        $priprema=$konekcija->prepare($upit);
        $priprema->bindParam(":id",$id);

        try{
            $priprema->execute();
            $data=$priprema->fetch();
            $code=200;
        }
        catch(PDOException $e){
            $code=500;
            $data="Server error";
        }


echo json_encode($data);
http_response_code($code);
?>
```

getCard.php

```php
<?php
    require_once "konekcija.php";

    $user=$_SESSION['user'];
    $idUser=$user['idUser'];

    $upit="SELECT * FROM basket b INNER JOIN price p ON b.idPrice=p.idPrice INNER
 JOIN product pr ON p.idProduct=pr.idProduct INNER JOIN size s on b.idSize=s.idSi
ze WHERE idUser=:id AND ordered=0";
    $priprema=$konekcija->prepare($upit);
    $priprema->bindParam(":id",$idUser);

    $upit2="SELECT SUM(quantity*price) AS total FROM basket b INNER JOIN price p
on b.idPrice=p.idPrice WHERE idUser=:id AND ordered=0";
    $priprema2=$konekcija->prepare($upit2);
    $priprema2->bindParam(":id",$idUser);

    try{
        $priprema->execute();
        $priprema2->execute();
        if($priprema->rowCount()!=0){
            $basket=$priprema->fetchAll();
            $total=$priprema2->fetch();
        }
        else{
            $message="Basket is empty";
        }
    }
    catch(PDOException $e){
        $code=500;
        $message="Server error";
    }
?>
```

Enable.php

```php
<?php
    require_once "konekcija.php";


    $code=200;
    $data="";
        $upit="UPDATE survey set active=1";

        try{
            $konekcija->query($upit);


        }
        catch(PDOException $e){
            $code=500;
            $data="Server error";
        }



echo json_encode($data);
http_response_code($code);
?>
```

Disable.php

```php
<?php
    require_once "konekcija.php";
    $code=200;
    $data="";
        $upit="UPDATE survey set active=0";

        try{
            $konekcija->query($upit);

        }
        catch(PDOException $e){
            $code=500;
            $data="Server error";
        }
echo json_encode($data);
http_response_code($code);
?>
```

editProduct.php

```php
<?php

    require_once "konekcija.php";


        $data="";
        $code=200;
        $greske=0;


        $title= $_POST['name'];
        $desc= $_POST['descripion'];
        $price=$_POST['price'];
        $id=$_POST['id'];
        $oldPrice=$_POST['oldPrice'];

        if(isset($_FILES['image'])){
            $slika=$_FILES['image'];

            $tmpName=$slika['tmp_name'];
            $size=$slika['size'];
            $tip=$slika['type'];
            $name=$slika['name'];
            $naziv=time().$name;
            $putanja="../assets/img/product/$naziv";
        }
        else{
            $data="You have to choose image";
            $greske++;
        }



        $greske=0;

        $regTitle="/^[A-Z][a-z]+(\s[A-z]+)+$/";
        $regDesc=explode(" ",$desc);

        if(!preg_match($regTitle,$title)){
            $data="Title must begin with capital letter and have 2 words minimum"
;
            $greske++;
        }
```

```php
        if(count($regDesc)<30){
            $data="Description have 30 words minimum";
            $greske++;
        }
        if(!is_numeric($price)){
            $data="Price is decimal";
            $greske++;
        }


        if($greske==0){


        if(isset($_FILES['image'])){
            $rezultat=move_uploaded_file($tmpName,$putanja);
            if(!$rezultat){
                $data="Error";
                $code=200;
            }
        }




            if(isset($_FILES['image'])){
                $upit="UPDATE product set name=:title,description=:description,im
g=:img WHERE idProduct=:id";
                $priprema=$konekcija->prepare($upit);
                $priprema->bindParam(":img",$naziv);
            }
            else{
                $upit="UPDATE product set name=:title,description=:description WH
ERE idProduct=:id";
                $priprema=$konekcija->prepare($upit);
            }
            $priprema->bindParam(":title",$title);
            $priprema->bindParam(":description",$desc);
            $priprema->bindParam(":id",$id);

            try{
                $priprema->execute();
                if($oldPrice!=$price){
                    $date=date("Y-m-d");
                    $upit2="INSERT INTO price values (null,$id,$price,'$date')";
                    try{
                        $konekcija->query($upit2);
                        $data="Product successfully updated";
```

```php
                $code=201;
            }
            catch(PDOException $e){
                $data="Server error";
                $code=500;
            }
        }
        else{
            $data="Product successfully updated";
            $code=201;
        }
    }
    catch(PDOException $e){
        $data="Server error";
        $code=500;
    }
}


echo json_encode($data);
http_response_code($code);
?>
```

deleteProduct.php

```php
<?php

    require_once "konekcija.php";



        $data="";
        $code=200;
        $id=$_POST['id'];
        $upit="DELETE FROM product WHERE idProduct=:id";
        $priprema=$konekcija->prepare($upit);
        $priprema->bindParam(":id",$id);
            try{
                $priprema->execute();
                $code=201;
            }
            catch(PDOException $e){
                $data="Server error";
                $code=500;
            }



echo json_encode($data);
http_response_code($code);
?>
```

deleteMessage.php

```php
<?php

    require_once "konekcija.php";


        $id=$_POST['id'];
        $data="";


        $upit="DELETE FROM message WHERE idMessage=:id";
        $priprema=$konekcija->prepare($upit);
        $priprema->bindParam(":id",$id);

        try{
            $priprema->execute();
            $code=200;
        }
        catch(PDOException $e){
            $code=500;
            $data="Server error";
        }


echo json_encode($data);
http_response_code($code);
?>
```

getCard.php

```php
<?php

    require_once "konekcija.php";


        $id=$_POST['id'];
        $data="";


        $upit="DELETE FROM category WHERE idCategory=:id";
        $priprema=$konekcija->prepare($upit);
        $priprema->bindParam(":id",$id);

        try{
            $priprema->execute();
            $code=200;
        }
        catch(PDOException $e){
            $code=500;
            $data="Server error";
        }


echo json_encode($data);
http_response_code($code);
?>
```

addProduct.php

```php
<?php

    require_once "konekcija.php";



        $data="";
        $code=200;
        $greske=0;


        $title= $_POST['name'];
        $desc= $_POST['descripion'];
        $price=$_POST['price'];

        if(isset($_FILES['image'])){
            $slika=$_FILES['image'];

            $tmpName=$slika['tmp_name'];
            $size=$slika['size'];
            $tip=$slika['type'];
            $name=$slika['name'];
            $naziv=time().$name;
            $putanja="../assets/img/product/$naziv";
        }
        else{
            $data="You have to choose image";
            $greske++;
        }



        $greske=0;

        $regTitle="/^[A-Z][a-z]+(\s[A-z]+)+$/";
        $regDesc=explode(" ",$desc);

        if(!preg_match($regTitle,$title)){
            $data="Title must begin with capital letter and have 2 words minimum"
;
            $greske++;
        }
        if(count($regDesc)<30){
            $data="Description have 30 words minimum";
```

```php
            $greske++;
        }
        if(!isset($_FILES['image'])){
            $data="You have to choose image";
            $greske++;
        }
        if(!is_numeric($price)){
            $data="Price is decimal";
            $greske++;
        }

        if($greske==0){

        $rezultat=move_uploaded_file($tmpName,$putanja);
        if(!$rezultat){
            $data="Error";
            $code=200;
        }
        else{
            $upit="INSERT INTO product VALUES (null, :name, :description, :img)";
            $priprema=$konekcija->prepare($upit);
            $priprema->bindParam(":name",$title);
            $priprema->bindParam(":description",$desc);
            $priprema->bindParam(":img",$naziv);
            try{
                $priprema->execute();
                $prId=$konekcija->lastInsertId();
                $date=date("Y-m-d");
                $upit2="INSERT INTO price values (null,$prId,$price,'$date')";
                $konekcija->query($upit2);
                $data="Product successfully added";
                $code=201;
            }
            catch(PDOException $e){
                $data="Server error";
                $code=500;
            }
        }
        }
echo json_encode($data);
http_response_code($code);
?>
```

Myjs.php

```javascript
$(document).ready(function(){

    var url=location.href;

    if(url.indexOf("index.php")!=-1){
        $("#vote").click(vote)
    }
    if(url.indexOf("sign.php")!=-1){
        $("#login").click(login)
        $("#register").click(register)
    }
    if(url.indexOf("basket.php")!=-1){
        $("#order").click(order)
        $(".deleteFromBasket").click(removeFromBasket)
    }
    if(url.indexOf("product-details.php")!=-1){
        $("#add").click(basketAdd)
    }
    if(url.indexOf("contact.php")!=-1){
        $("#message").click(message)
    }
    if(url.indexOf("admintemplate")!=-1){
        $("#messages").click(getMessages)
        $("#users").click(getUsers)
        $("#survey").click(getSurvey)
        $("#orders").click(getOrders)
        $("#allProducts").click(allProducts)
        $("#allCategories").click(allCategories)
    }
})
function allCategories(e){
    e.preventDefault()
    $.ajax({
        url:'../../models/getCategoriesAdmin.php',
        method:"GET",
        dataType:"json",
        success:function(data){
            printCategories(data)
        },
        error:function(xhr){
            $("#content").html(JSON.parse(xhr.responseText))
        }
    })
}
```

```
function printCategories(data){
    $("#title").html("Categories")
    var print=`<a href="#form" id="addCatForm">Add category</a>`
    print+=`<table class="table text-
center"><tr><th>Image</th><th>Name</th><th>Update</th><th>Delete</th></tr>`
    for(let d of data){
        print+=`<tr><td><img src="../../assets/img/about/${d.img}" alt="${d.name}
"/></td><td>${d.name}</td><td><a href="#" data-
id="${d.idCategory}" class="updateCat">Update</a></td><td><a href="#" data-
id="${d.idCategory}" class="deleteCat">Delete</a></td></tr>`
    }
    print+=`<table>`
    $("#forms").html("")
    $("#content").html(print)
    $("#addCatForm").click(formCategory)
    $(".deleteCat").click(deleteCat)
    $(".updateCat").click(updateCat)
}
function updateCat(e){
    e.preventDefault()
    var id=this.dataset.id
    $.ajax({
        url:'../../models/getCategori.php',
        method:"POST",
        dataType:"json",
        data:{
            "id":id
        },
        success:function(data){
            formUpdateCategory(data)
        },
        error:function(xhr){
            $("#content").html(JSON.parse(xhr.responseText))
        }
    })
}
function formUpdateCategory(data){
    var print=`<div class="col-12"><h2>Add product</h2></div>
    <div class="col-12">
        <form enctype="multipart/form-data">
            <label>  Name (required)</label>
            <input class="form-
control" value="${data['name']}" name="nameCatUpdate" id="nameCatUpdate" type="te
xt"/>
            <label>  Image (required)</label>
```

```
                <input id="imageCatUpdate" type="file"/>
                <br><br>
                <input type="hidden" value="${data['idCategory']}" id="catId"/>
                <input type="button" class="btn btn-
primary" id="updateCat" value="Update category"/>
            </form>
            <p id="err"></p>
            </div>
        `
    $("#forms").html(print)
    $("#updateCat").click(doUpdate)
}
function doUpdate(e){
    var id=$("#catId").val()
    var img=$("#imageCatUpdate")[0].files[0]
    var name=$("#nameCatUpdate").val()


    var podaciZaSlanje=new FormData()

    podaciZaSlanje.append("name",name)
    podaciZaSlanje.append("image",img)
    podaciZaSlanje.append("id",id)
    $.ajax({
        url:'../../models/updateCategory.php',
        method:"POST",
        processData:false,
        contentType:false,
        data:podaciZaSlanje,
        success:function(data){
            if(JSON.parse(data)=="Category updated"){
                allCategories(e)
                $("#err").html(data)
            }
            else{
                $("#err").html(data)
            }
        },
        error:function(xhr){
            $("#content").html(JSON.parse(xhr.responseText))
        }
    })
}
function deleteCat(e){
    e.preventDefault()
```

```javascript
        var id=this.dataset.id
        $.ajax({
            url:'../../models/deleteCat.php',
            method:"POST",
            dataType:"json",
            data:{
                "id":id
            },
            success:function(data){
                allCategories(e)
            },
            error:function(xhr){
                $("#content").html(JSON.parse(xhr.responseText))
            }
        })
}
function formCategory(e){
    e.preventDefault()
    var print=`<div class="col-12"><h2>Add category</h2></div>
    <div class="col-12">
        <form enctype="multipart/form-data">
            <label>  Name (required)</label>
             <input class="form-
control" name="nameCat" id="nameCat" type="text"/>
            <label>  Image (required)</label>
             <input id="imageCat" type="file"/>
             <br><br>
             <input type="button" class="btn btn-
primary" id="addCat" value="Add category"/>
        </form>
        <p id="err"></p>
        </div>
    `

    $("#forms").html(print)
    $("#addCat").click(addCat)
}
function addCat(e){
    var name=$("#nameCat").val()
    var img=$("#imageCat")[0].files[0]


    var podaciZaSlanje=new FormData()

    podaciZaSlanje.append("name",name)
    podaciZaSlanje.append("image",img)
```

```javascript
        $.ajax({
            url:'../../models/insertCategoru.php',
            method:"POST",
            processData:false,
            contentType:false,
            data:podaciZaSlanje,
            success:function(data){
                if(JSON.parse(data)=="Category added"){
                    allCategories(e)
                    $("#err").html(data)
                }
                else{
                    $("#err").html(data)
                }
            },
            error:function(xhr){
                $("#content").html(JSON.parse(xhr.responseText))
            }
        })
}
function allProducts(e){
    e.preventDefault()
    $.ajax({
        url:'../../models/getProductsAdmin.php',
        method:"GET",
        dataType:"json",
        success:function(data){
            printProducts(data)
        },
        error:function(xhr){
            $("#content").html(JSON.parse(xhr.responseText))
        }
    })
}
function printProducts(data){
    $("#title").html("Products")
    var print=`<a href="#form" id="addProductForm">Add product</a>`
    print+=`<table class="table text-
center"><tr><th>Image</th><th>Title</th><th>Price</th><th>Update</th><th>Delete</
th></tr>`
    for(let d of data){
        print+=`<tr><td><img src="../../assets/img/product/${d.img}" alt="${d.nam
e}"/></td><td>${d.name}</td><td>${d.price}</td><td><a href="#" data-
id="${d.idProduct}" class="updateProduct">Update</a></td><td><a href="#" data-
id="${d.idProduct}" class="deleteProduct">Delete</a></td></tr>`
```

```
        }
    print+=`<table>`

    $("#forms").html("")
    $("#content").html(print)
    $("#addProductForm").click(productForm)
    $(".updateProduct").click(updateProduct)
    $(".deleteProduct").click(deleteProduct)
}
function deleteProduct(e){
    e.preventDefault()
    var id=this.dataset.id
    $.ajax({
        url:'../../models/deleteProduct.php',
        method:"POST",
        dataType:"json",
        data:{
            "id":id
        },
        success:function(data){
            allProducts(e)
        },
        error:function(xhr){
            $("#content").html(JSON.parse(xhr.responseText))
        }
    })
}
function updateProduct(e){
    e.preventDefault()
    var id=this.dataset.id
    $.ajax({
        url:'../../models/getProductUpdate.php',
        method:"GET",
        dataType:"json",
        data:{
            "id":id
        },
        success:function(data){
            formUpdateProduct(data)
        },
        error:function(xhr){
            $("#content").html(JSON.parse(xhr.responseText))
        }
    })
}
```

```
function formUpdateProduct(data){
    var print=`<div class="col-12"><h2>Edit product</h2></div>
    <div class="col-12">
        <form enctype="multipart/form-data">
            <label>  Name (required)</label>
             <input class="form-
control" name="titleUpdate" value="${data['name']}" id="titleUpdate" type="text"/
>
            <label>  Price (required)</label>
             <input class="form-
control" name="priceUpdate" id="priceUpdate" value="${data['price']}" type="text"
/>
        <div class="contact_textarea">
            <label>  Description</label>
            <textarea name="descriptionUpdate"  class="form-
control" id="descriptionUpdate">${data['description']}</textarea>
            <input type="hidden" id="productId" value="${data['idProduct']}"/>
            <input type="hidden" id="oldPrice" value="${data['price']}"/>
        </div>
            <label>  Image (required)</label>
            <input id="imageUpdate" type="file"/>
            <br><br>
            <input type="button" class="btn btn-
primary" id="edit" value="Edit product"/>
        </form>
        <p id="err"></p>
        </div>
    `
    $("#forms").html(print)
    $("#edit").click(editProduct)
}
function editProduct(e){
    var name=$("#titleUpdate").val()
    var price=$("#priceUpdate").val()
    var description=$("#descriptionUpdate").val()
    var image=$("#imageUpdate")[0].files[0];
    var id=$("#productId").val()
    var oldPrice=$("#oldPrice").val()

    var podaciZaSlanje=new FormData();

    podaciZaSlanje.append("name",name)
    podaciZaSlanje.append("price",price)
    podaciZaSlanje.append("descripion",description)
    podaciZaSlanje.append("image",image)
```

```javascript
    podaciZaSlanje.append("id",id)
    podaciZaSlanje.append("oldPrice",oldPrice)
    $.ajax({
        url:'../../models/editProduct.php',
        method:"POST",
        processData:false,
        contentType:false,
        data:podaciZaSlanje,
        success:function(data){
            if(JSON.parse(data)=="Product successfully updated"){
                allProducts(e)
                $("#err").html(JSON.parse(data))
            }
            else{
                $("#err").html(data)
            }
        },
        error:function(xhr){
            $("#content").html(JSON.parse(xhr.responseText))
        }
    })
}
function productForm(e){
    e.preventDefault()
    var print=`<div class="col-12"><h2>Add product</h2></div>
    <div class="col-12">
        <form enctype="multipart/form-data">
            <label>  Name (required)</label>
            <input class="form-
control" name="titleAdd" id="titleAdd" type="text"/>
            <label>  Price (required)</label>
            <input class="form-
control" name="priceAdd" id="priceAdd" type="text"/>
        <div class="contact_textarea">
            <label>  Description</label>
            <textarea name="descriptionAdd"  class="form-
control" id="descriptionAdd"></textarea>
        </div>
            <label>  Image (required)</label>
            <input id="imageAdd" type="file"/>
            <br><br>
            <input type="button" class="btn btn-
primary" id="add" value="Add product"/>
        </form>
        <p id="err"></p>
```

```
            </div>
        `
    $("#forms").html(print)
    $("#add").click(addProduct)
}
function addProduct(e){
    var name=$("#titleAdd").val()
    var price=$("#priceAdd").val()
    var description=$("#descriptionAdd").val()
    var image=$("#imageAdd")[0].files[0];

    var podaciZaSlanje=new FormData();

    podaciZaSlanje.append("name",name)
    podaciZaSlanje.append("price",price)
    podaciZaSlanje.append("descripion",description)
    podaciZaSlanje.append("image",image)
    $.ajax({
        url:'../../models/addProduct.php',
        method:"POST",
        processData:false,
        contentType:false,
        data:podaciZaSlanje,
        success:function(data){
            if(JSON.parse(data)=="Product successfully added"){
                allProducts(e)
                $("#err").html(JSON.parse(data))
            }
            else{
                $("#err").html(data)
            }
        },
        error:function(xhr){
            $("#content").html(JSON.parse(xhr.responseText))
        }
    })

}
function getOrders(e){
    e.preventDefault()
    $.ajax({
        url:'../../models/getOrders.php',
        method:"GET",
        dataType:"json",
        success:function(data){
```

```javascript
                printOrders(data)
        },
        error:function(xhr){
            $("#content").html(JSON.parse(xhr.responseText))
        }
    })
}
function printOrders(data){
    $("#title").html("Orders")
    var print=`<table class="table text-center"><tr><th>Name</th><th>E-
mail</th><th>Adress</th><th>Product</th><th>Quantity</th><th>Size</th><th>Process
ed</th></tr>`
    for(let d of data){
        print+=`<tr><td>${d.name} ${d.lastName}</td><td>${d.email}</td><td>${d.ad
ress}</td><td>${d.pName}</td><td>${d.quantity}</td><td>${d.size}</td><td><a href=
"#" data-id="${d.idOrder}" class="order">Processed</a></td></tr>`
    }
    print+=`<table>`

    $("#forms").html("")
    $("#content").html(print)
    $(".order").click(processed)
}
function processed(e){
    e.preventDefault()
    var id=this.dataset.id

    $.ajax({
        url:'../../models/removeFromBasket.php',
        method:"POST",
        dataType:"json",
        data:{
            "id":id
        },
        success:function(data){
            getOrders(e)
        },
        error:function(xhr){
            $("#content").html(`<h2>${JSON.parse(xhr.responseText)}</h2>`)
        }
    })
}
function getSurvey(e){
    e.preventDefault()
    $.ajax({
```

```javascript
        url:'../../models/getSurveyResult.php',
        method:"GET",
        dataType:"json",
        success:function(data){
            printResult(data)
        },
        error:function(xhr){
            $("#content").html(JSON.parse(xhr.responseText))
        }
    })
}
function printResult(data){
    $("#title").html("Survey")

    var print=`<h2>${data['pitanje']}</h2>`
    for(let o of data['odgovori']){
        print+=`<p>${o.answer} : ${o.broj}%</p>`
    }

    if(data['aktivna']==1){
        print+=`<a href="#" id="disable">Disable</a>`
    }
    else{
        print+=`<a href="#" id="enable">Enable</a>`
    }
    $("#content").html(print)

    $("#forms").html("")
    $("#enable").click(enable)
    $("#disable").click(disable)

}
function enable(e){
    e.preventDefault()
    $.ajax({
        url:'../../models/enable.php',
        method:"GET",
        dataType:"json",
        data:{
        },
        success:function(data){
            getSurvey(e)
        },
        error:function(xhr){
            $("#content").html(`<h2>${JSON.parse(xhr.responseText)}</h2>`)
```

```javascript
        }
    })
}
function disable(e){
    e.preventDefault()
    $.ajax({
        url:'../../models/disable.php',
        method:"GET",
        dataType:"json",
        data:{
        },
        success:function(data){
            getSurvey(e)
        },
        error:function(xhr){
            $("#content").html(`<h2>${JSON.parse(xhr.responseText)}</h2>`)
        }
    })
}
function getUsers(e){
    e.preventDefault()
    $.ajax({
        url:'../../models/getUsers.php',
        method:"GET",
        dataType:"json",
        success:function(data){
            printUsers(data)
        },
        error:function(xhr){
            $("#content").html(JSON.parse(xhr.responseText))
        }
    })
}
function printUsers(data){
    $("#title").html("Users")
    var print=`<table class="table text-center"><tr><th>Name</th><th>E-
mail</th></tr>`
    for(let d of data){
        print+=`<tr><td>${d.name} ${d.lastName}</td><td>${d.email}</td></tr>`
    }
    print+=`<table>`

    $("#forms").html("")
    $("#content").html(print)
}
```

```
function getMessages(e){
    e.preventDefault()
    $.ajax({
        url:'../../models/getMessages.php',
        method:"GET",
        dataType:"json",
        success:function(data){
            printMessages(data)
        },
        error:function(xhr){
            $("#content").html(JSON.parse(xhr.responseText))
        }
    })
}
function printMessages(data){
    $("#title").html("Messages")
    var print=`<table class="table text-center"><tr><th>E-
mail</th><th>Subject</th><th>Text</th><th>Delete</th></tr>`
    for(let d of data){
        print+=`<tr><td>${d.email}</td><td>${d.subject}</td><td>${d.text}</td><th
><a href="#" class="deleteMessage" data-id="${d.idMessage}">Delete</a></th></tr>`
    }
    print+=`<table>`

    $("#content").html(print)
    $("#forms").html("")
    $(".deleteMessage").click(deleteMessage)
}
function deleteMessage(e){
    e.preventDefault()
    var id=this.dataset.id

    $.ajax({
        url:'../../models/deleteMessage.php',
        method:"POST",
        dataType:"json",
        data:{
            "id":id
        },
        success:function(data){
            getMessages(e)
        },
        error:function(xhr){
            $("#content").html(`<h2>${JSON.parse(xhr.responseText)}</h2>`)
        }
```

```javascript
    })
}
function message(){
    var email=$("#email").val()
    var subject=$("#subject").val()
    var message=$("#text").val()

    var regEmail=/^\w[.\d\w]*\@[a-z]{2,10}(\.[a-z]{2,3})+$/;
    var regNaslov=/^[\w\s]+$/;

    if(!regEmail.test(email)){
        $("#errorMessage").html("E-
mail formats: pera@gmail.com or petar.petrovic@ict.edu.rs");
        return false;
    }
    else{
        $("#errorMessage").html("")
    }
    if(!regNaslov.test(subject)){
        $("#errorMessage").html("You have to write subject");
        return false;
    }
    else{
        $("#errorMessage").html("")
    }
    message=message.split(" ")
    if(message.length<10){
        $("#errorMessage").html("Message mus have 10 words minimum");
        return false;
    }
    else{
        $("#errorMessage").html("")
    }
        $.ajax({
            url:'models/message.php',
            method:"POST",
            dataType:"json",
            data:{
                "email":email,
                "message":message,
                "subject":subject,
                "btnMessage":true
            },
            success:function(data){
                $("#errorMessage").html(data)
```

```javascript
                $("input[type='text']").val("")
                $("input[type='email']").val("")
                $("textarea").val("")


        },
        error:function(xhr){
            $("#errorMessage").html(JSON.parse(xhr.responseText))
        }
    })
}
function vote(){
    var idAnswer=$("input[name='answer']:checked").val()
    if(!idAnswer){
        $("#answerError").html("You have to choose answer")
    }
    else{
        $.ajax({
            url:'models/vote.php',
            method:"POST",
            dataType:"json",
            data:{
                "id":idAnswer,
            },
            success:function(data){
                $("#answerError").html(data)
                $("#vote").attr("disabled",true)
                $("#vote").addClass("disabled")
            },
            error:function(xhr){
                $("#answerError").html(JSON.parse(xhr.responseText))
            }
        })
    }
}
function removeFromBasket(e){
    e.preventDefault()
    var id=this.dataset.id
    $.ajax({
        url:'models/removeFromBasket.php',
        method:"POST",
        dataType:"json",
        data:{
            "id":id,
        },
        success:function(data){
```

```
                location.reload()
        },
        error:function(xhr){
            $("#errorBasket").html(JSON.parse(xhr.responseText))
        }
    })
}
function basketAdd(){
    var productId=$("#productId").val()
    var priceId=$("#price").val()
    var quantity=$("#quantity").val()
    var size=$("#size").val()

    if(size==0){
        $("#errorAdd").html("You have to choose size");
    }
    else{

        $.ajax({
            url:'models/addCard.php',
            method:"POST",
            dataType:"json",
            data:{
                "idProduct":productId,
                "idPrice":priceId,
                "quantity":quantity,
                "size":size
            },
            success:function(data){
                $("#errorAdd").html(data)
            },
            error:function(xhr){
                $("#errorAdd").html(JSON.parse(xhr.responseText))
            }
        })
    }
}
function order(){
    var address=$("#address").val()

    var regAdress=/^[A-Z][a-z]+(\s[A-z]+)*\s[\d]+$/


    if(!regAdress.test(address)){
```

```javascript
            $("#errorBasket").html("Address has minimum one word with capital letter
and number. eg. Princess Road 55")
            return false
        }
        else{
            $("#errorBasket").html("")
        }

        $.ajax({
            url:'models/order.php',
            method:"POST",
            dataType:"json",
            data:{
                "address":address
            },
            success:function(data){
                $("#message").html(data)
                $("#tabela").html('')
                $("#total").html('')
            },
            error:function(xhr){
                $("#errorBasket").html(JSON.parse(xhr.responseText))
            }
        })

}
function register(){
    var fName=$("#firstName").val()
    var lName=$("#lastName").val()
    var email=$("#emailReg").val()
    var phone=$("#phone").val()
    var password=$("#passwordReg").val()


    var regName=/^[A-ZŠĐŽČĆ][a-zšđžčć]{2,19}$/
    var regPhone=/^06\d{1}\/\d{7}$/
    var regEmail=/^\w[.\d\w]*\@[a-z]{2,10}(\.[a-z]{2,3})+$/;
    var regPass=/^.{8,50}$/;

    if(!regName.test(fName)){
        $("#errorsRegister").html("First name has capital letter, 3 letter min, 2
0 max.")
        return false
    }
```

```javascript
    else{
        $("#errorsRegister").html("")
    }

    if(!regName.test(lName)){
        $("#errorsRegister").html("Last name has capital letter, 3 letter min, 20
 max.")
        return false
    }
    else{
        $("#errorsRegister").html("")
    }


    if(!regPhone.test(phone)){
        $("#errorsRegister").html("Phone format: 060/1234567.")
        return false
    }
    else{
        $("#errorsRegister").html("")
    }


    if(!regEmail.test(email)){
        $("#errorsRegister").html("E-
mail formats: pera@gmail.com or petar.petrovic@ict.edu.rs")
        return false
    }
    else{
        $("#errorsRegister").html("")
    }
    if(!regPass.test(password)){
        $("#errorsRegister").html("Password must be at least 8 characters long")
        return false
    }
    else{
        $("#errorsRegister").html("")
    }


    $.ajax({
        url:'models/login.php',
        method:"POST",
```

```
        dataType:"json",
        data:{
            "btnReg":true,
            "firstName":fName,
            "lastName":lName,
            "email":email,
            "password":password,
            "phone":phone
        },
        success:function(data){
            if(data=="userName"){
                $("#errorsRegister").html("E-mail is already in use")
            }
            else{
                $("#errorsRegister").html(data)
            }
        },
        error:function(xhr){
            $("#errorsRegister").html(JSON.parse(xhr.responseText))
        }
    })
}
function login(){
    var email=$("#email").val()
    var password=$("#password").val()


    var regEmail=/^\w[.\d\w]*\@[a-z]{2,10}(\.[a-z]{2,3})+$/;
    var regPass=/^.{8,50}$/;


    if(!regEmail.test(email)){
        $("#errorsLogin").html("E-
mail formats: pera@gmail.com or petar.petrovic@ict.edu.rs")
        return false
    }
    else{
        $("#errorsLogin").html("")
    }
    if(!regPass.test(password)){
        $("#errorsLogin").html("Password must be at least 8 characters long")
        return false
    }
    else{
```

```javascript
        $("#errorsLogin").html("")
    }

    $.ajax({
        url:'models/login.php',
        method:"POST",
        dataType:"json",
        data:{
            "email":email,
            "password":password,
            "btnLog":true
        },
        success:function(data){
            if(data=="ok"){
                location.href="index.php"
            }
            else{
                $("#errorsLogin").html(data)
            }
        },
        error:function(xhr){
            $("#errorsLogin").html(JSON.parse(xhr.responseText))
        }
    })
}
```