VISOKA ŠKOLA STRUKOVNIH STUDIJA ZA INFORMACIONE I KOMUNIKACIONE TEHNOLOGIJE INTERNET TEHNOLOGIJE

DOKUMENTACIJA

https://palmaagencija.000webhostapp.com/index.php

Predmet: Web programiranje PHP1 Student: Ivana Panic 176/16

Beograd, mart 2021

Sadržaj

Uvod	6
Korišćeni programski jezici i tehnologije: HTML, CSS, XML, JavaScript, Jquery,PHP	6
Opis funkcionalnosti	6
Template	7
Organizacija	7
Organizaciona šema	7
Šema baze	7
Mapa sajta	8
Stranice	9
Početna	9
Putovanja	10
Putovanje	11
Putopisi	12
Putopis	13
Kontakt	14
Registracija	15
Logovanje	15
Aktivacija	16
Anketa	16
Admin Putovanja	17
Admin Putopisi	19
Ažuriranje putopisa	20
Admin Dodaj	21
Korisnici	22
Poruke	22
Error	23
Autor	23
Kodovi	24
Root	24
Index.php	24
Putovanje.php	24

	putovanjaAdmin.php	25
	Putovanja.php	25
	Putopisi.php	26
	Putopis.php	26
	listaZelja.php	27
	Kontakt.php	27
	dodajAdmin.php	28
	azurirajPutopis.php	28
	Azuriraj.php	29
	Autor.php	29
	Aktivacija.php	30
	adminPutopis.php	30
	adminPoruke.php	31
	adminKorisnici.php	31
	Admin.php	32
/	ew/pages	33
	dodajAdmin.php	33
	Pocetna.php	35
	Admin.php	38
	Aktivacija.php	38
	adminPutopisi.php	39
	adminPoruke.php	40
	Putovanje.php	41
	putovanjaAdmin.php	43
	Putopis.php	45
	prikazAnketa.php	47
	Putopisi.php	49
	Putovanja.php	50
	listaZeljaPrikaz.php	52
	Korisnici.php	53
	Kontakt.php	54
	Error.php	54

azuriraj Putopis. php	55
Azuriraj.php	56
Admin.php	57
View/fixed	58
Footer.php	58
Head.php	59
Header.php	60
Models	63
Aktivacija.php	63
updatePutopis.php	64
sviPutopisi.php	65
Putovanja.php	65
svaPutovanja.php	66
Putovanja.php	67
Putopisi.php	67
prikaziListu.php	68
Prevoz.php	69
Poruke.php	69
posalji Poruku. php	70
omoguciAnketu.php	72
Odjava.php	73
jedan Putopis.php	73
obrisiPutopis.php	74
obrisiPutovanje.php	75
obrisizListe.php	76
obradaRegistracija.php	77
Meni.php	79
obradaListaZelja.php	80
logovanjeObrada.php	82
listaZelja.php	84
Korisnici.php	
Konekcija.php	85

j€	ednoPutovanje.php	86
G	Glasaj.php	87
d	lohvatiPutopis.php	88
d	lohvatiProzivod.php	89
d	lodajPutovanje.php	90
d	lodaj Putopis. php	92
a	zurirajPutovanje.php	93
a	nketaRez.php	94
Α	Anketa.php	95
Mai	in.js	97
Styl	le.css	112

Uvod

Korišćeni programski jezici i tehnologije: HTML, CSS, XML, JavaScript, Jquery, PHP

Opis funkcionalnosti

- 1. Dinamičko ispisivanje menija iz baze na svim stranama.
- 2. Dinamičko ispisivanje footer-a na svim stranama.
- 3. Ispisivanje 3 putovanja sa najskorijim polaskom na početnoj strani.
- 4. Ispisivanje 3 najnovija putopisa na početnoj strani.
- Prikaz ankete na početnoj strani. Samo ulogovani korisnici mogu glasati (samo jednom).
 Ukoliko je anketa neaktivna ili je korisnik već glasao ispisuje mu se odgovarajuća poruka.
- 6. Ispisivanje putovanja na stranici putovanja (sa straničenjem). Ispisuju se datum polaska, datum povratka(računa broj dana), slika, naslov, cena i link za pregled putovanja.
- 7. Ispis pojedinačnog putovanja(slika, naslov tekst i ostale informacije). Mogućnost dodavanja u listu želja(ako je korisnik ulogovan). Ako se određeno putovanje već nalazi u listi želja, srce je crveno, ako klikne opet, putovanje se briže iz liste želja.
- 8. Ispisivanje svih putopisa(naslov, slika, deo teksta i link za nastavak).
- 9. Ispisivanje pojedinačnog putopisa(slika, tekst i naslov). Ako putopis ima 10 pasusa (10 iskustava o destinaciji), ispis teksta je u vidu liste.
- 10. Kontakt strana za slanje poruke administratoru. Vrši se klijentska i serverska validacija podataka(ispisivanje poruke o greškama pri popunjavanju i uspešnosti).
- 11. Logovanje i registracija korisnika(ispisivanje poruke o greškama pri popunjavanju i uspešnosti). Slanje mejla za aktivaciju naloga. Klijentska i serverska validacija
- 12. Prikaz liste želja(za ulogovane korisnike) uz mogućnost brisanja.
- 13. Admin panel-prikaz rezultata ankete (u procentima) i mogućnost promene statusa ankete (aktivna/neaktivna)
- 14. Admin panel-prikaz svih putovanja sa linkovima za ažuriranje i brisanje. Klikom na link za ažuriranje otvara se posebna strana sa popunjenom formom za odabrano putovanje.
- 15. Admin panel-prikaz svih putopisa sa linkovima za brisanje i ažuriranje. Klikom na link za ažuriranje otvara se posebna strana sa popunjenom formom za odrabi putopis.
- 16. Admin panel-dodaj strana za dodavanje putopisa i putovanja.
- 17. Admin panel-prikaz svih ulogovanih korisnika.
- 18. Admin panel-prikaz svih poruka.

Template


Nije korišćen template, kod je samostalno pisan, ideja je preuzeta sa komercijalnih sajtova i template-a

Organizacija

Organizaciona šema

Svakoj stranici može se pristupiti sa svake stranice.


Šema baze



Mapa sajta

Stranice






Na ovoj stranici prikazani su meni, najskorija putovanja, najnoviji putopisi, anketa i footer

Kada se korisnik uloguje, u gornjem desnom uglu se prikazuju ikonice za listu želja I admin panel(ukoliko se ulogovao admin)

🏖 Admin panel 💛 Lista želja 🕒 Odjavi se



Na ovoj strani prikazani su meni, ispis 5 putovanja (straničenje) I footer.

Putovanje





Rio de Žaneiro

Odmor iz snova među kariokama, samba i fudbal na ulicama, uzbudljiv noćni život uz kaipirinje... Cidade de Deus

Doživite nezaboravna iskustva putovanja u Brazil kroz 9 dana avanture i provoda na najlepšim plažama sveta Kopakabani i Ipanemi! Ovo je grad koji će vas impresionirat!! Za sve ljubitelje pravog hedonizma

Opuštanje u najposećenijem gradu južne hemisfere

Atmosfera koju u gradu prave njegovi stanovnici, karioke, ne može se susresti ni na jednom drugom meridijanu

🛡 Dodaj u listu želja

<u>Informacije o putovanju</u>

 Cena: 1800 EUR
 Datum polaska: 2021-03-12
 Datum povratka: 2021-03-20
 Broj dana: 8
 Nacin prevoza: Avion



Na ovoj strani prikazani su meni, izabrano putovanje sa opisom I linkom za dodavanje u listu želja I footer.

Izled linka kada je putovanje u listi želja

♥ Nalazi se u Vašoj listi želja

Početna

Putovanja

Kontakt

Putopisi



Top 10 iskustava u Dubaiju

Dubai City Tour Pustinjski safari - vožnja džipovima po dinama boje zlata i uživanje u zalasku sunca. Imaćete priliku da posetite beduinsko selo u kom se ... Nastavite sa čitanjem



Na krajnjem jugoistoku Turske – U carstvu pistaća, badema, turske kafe i crnog čaja

Prvi susret sa drevnom Mesopotamijom, nakon leta iz Istanbula, deslo se u jednom od najbajkovitijih gradova u Turskoj – Mardinu, Starom Mardinu na brdu sa

Nastavite sa čitanjem



Vodič kroz Rio de Žaneiro, grad koji najlepše pleše

Sa druge strane okeana, 4 sata iza nas, krije se grad nad kojim bdi čuvena statua Hrista Spasitelja. I verovatno je on prva stvar na koju pomislite kada ne...

Nastavite sa čitanjem



Top 10 iskustava u Egiptu

Izleta do Kaira - obilazak znamenitosti Kaira: nacionalni muzej, poseta platou Giza sa čuvenim piramidama, Sfingom i Dolinskim hramom Kefrena... Izlet do ...

Nastavite sa čitaniem



Peru - srce Južne Amerike

Smešten od Pacifika do vrhova Anda, Peru s ponosom nosi titulu srca Južne Amerike, jer upravo je ova zemlja bila polazna tačka španskim konkistadorima pri ...

Nastavite sa čitanjem



Top 10 iskustava na Zanzibaru

Putopisi

Stone Town - grad koji se nalazi na UNESCO-voj listi Svetske baštine od 2000.godine i u prevodu sa svahilija znači "Stari grad". Jedinstvena prilika da nos

Nastavite sa čitanjem



Krstarenje kroz 5.000 godina dugu istoriju

Ukoliko ste ljubitelj egipatske kulture i uživanja na Crvenom moru, onda je krstarenje rekom Nil u kombinaciji sa odmorom u Hurgadi pravo putovanje za Vas...

Nastavite sa čitanjem



Kontakt

Adresa: 27. marta Telefon: 011500500

E-mail: palma@gmail.com

f 💿 🛩 🔊

Sitemap Dokumentacija Autor

Na ovoj strani prikazani su meni, putopisi(sa delom teksta I linkom za nastavak ćitanja) I footer.

Putopis



Top 10 iskustava u Dubaiju




- 1. Dubai City Tour
- 2. Pustinjski safari vožnja džipovima po dinama boje zlata i uživanje u zalasku sunca. Imaćete priliku da posetite beduinsko selo u kom se možete oprobati u jahanju kamila, uživati u trbušnom plesu i vatrenom show-u.
- 3. Burj Kalifa ostaćete očarani lepotom i vision najviše zgrade na svetu. Panoramski pogled na grad koji se pruža sa jednog od vidikovaca nikoga ne ostavlja ravnodušnim.
- 4. Burj Al Arab poznat po svom izgledu jedra, predstavlja najluksuzniji i najraskošniji hotel na svetu.
- 5. Dhow Cruise krstarenje kroz čuvenu Dubai Marinu u opuštenoj atmosferi i svetlima modernih nebodera.
- 6. Miracle Garden najveći prirodni cvetni vrt na svetu sa oko 50 miliona cvetova. Jedna od najoriginalnijih atrakcija u Dubaiju.
- 7. Global Village upoznajte se sa kulturama 90 zemalja sveta na jednom mestu.
- 8. Tura helikopter spektakularno upoznavanje grada iz ptičje perspektive.
- 9. Plivanje sa delfinima
- 10. Aquaventure aqua park najuzbudljiviji i najveći aqua park na Bliskom istoku-




Na ovoj slici prikazani su meni, ispis jednog putopisa I footer.

Kontakt



Na ovoj strani prikazani su meni, kontakt forma za slanje poruke adminu I footer. Popunjavanjem forme ispisuje se odgovarajuća poruka. Vrši se klijentska I serverska validacija podataka.

Registracija



Na ovoj slici prikazana je forma za registraciju. Njoj se može pristupiti sa bilo koje strane. Prilikom registracije vrši se klijentska I serverska validacija podataka I ispisuje odgovarajuća poruka. Nakon uspešne registracije, šalje se poruka za aktivaciju naloga.


Logovanje



Na ovoj slici prikazana je forma za logovanje. Ispisuje se odgovarajuća poruka ukoliko ima greške




Na ovim stranama prikazana je poruka za aktivaciju naloga.




Na ovoj stranici prikazani su rezulrati ankete i tasteri za aktivaciju/deaktivaciju ankete.

Admin Putovanja



Na ovoj strani prikazana su sva putovanja sa linkovima za ažuriranje i brisanje.

Ažuriranje putovanja



Na ovoj slici prikazana je popunjena forma za odabrano putovanje.

Admin Putopisi

Početna Anketa Putovanja Putopisi Dodaj Korisnici Poruke

Putopisi



Top 10 iskustava u Dubaiju



Na krajnjem jugoistoku Turske – U carstvu Peru-srce Južne Amerike pistaća, badema, turske kafe i crnog čaja



Top 10 iskustava u Egiptu



Ažuriraj Obriši



Top 10 iskustava na Zanzibaru



Krstarenje kroz 5.000 godina dugu istoriju Ažuriraj Obriši



Vodič kroz Rio de Žaneiro, grad koji najlepše pleše

Palma travel

Ažuriraj Obriši



Adresa: 27. marta Telefon: 011500500

E-mail: palma@gmail.com




Na ovoj slici prikazani su svi putopisi sa linkovima za brisanje i ažuriranje.

Ažuriranje putopisa



Na ovoj slici prikazana je forma za ažuriranje putopisa popunjena podacima za odabran putopis.

Admin Dodaj



Na ovoj slici prikazane su forme za dodavanje putovanja i putopisa.

Korisnici

Početna	Anketa	Putovanja	Putopisi	Dodaj	Korisnic	i Poruke	
			Korisnici				
	E-mail		Ime		P	rezime	
ivo	ana@gmail.com		Ivana			Panic	_
nem	nanja@gmail.com		Nemanja		Jc	ovanovic	_
jov	ana@gmail.com		Jovana			Panic	
Palm	na travel	Kon	takt			Društvene mreže	

Na ovoj slici prikazani su svi korisnici.

Poruke

nketa Putovanja	Putopisi	Dodaj	Korisnici Por	uke
	<u>Poruke</u>			
E-mail	Telefon	Tema	Poruka	
jelena@gmail.com	0659391941	Tema	poruka poruka p poruka poruka p poruka poruka p	oruka oruka
			poruka	
nemanja@gmail.com	0659391941	dsa	poruka poruka p poruka poruka p	oruka oruka
	E-mail jelena@gmail.com	Poruke E-mail Telefon jelena@gmail.com 0659391941	Poruke E-mail Telefon Tema jelena@gmail.com 0659391941 Tema	Poruke E-mail Telefon Tema Poruka Poruka poruka pi

Na ovoj slici prikazane su sve poruke poslate preko kontakt forme.

Error



Greška 404 Nemate pristup stranici!



Ako koriskin koji nije ulogovan pokuša da pristupi stranici kojoj nema pristup, prikazuje mu se strana greška.

Autor



<u>Autor</u>



Zovem se Ivana Panic,broj mog indeksa je 176/16. Rodjena som u Beogradu i imam 23 godine. Zovrsila som srednju Zubotehnicku skolu i posle toga som se odlucila za Visoku ict skolu. U slobodno vreme volim da slusam muziku,putujem i druzim se so prijateljima. Programiranje je pocelo da me interesuje kada som upisala fokultet.



Kodovi

Root

Index.php

```
<?php

include "view/fixed/head.php";

include "view/fixed/header.php";

include "view/pages/pocetna.php";

include "view/fixed/footer.php";

?>
```

Putovanje.php

```
  include "view/fixed/head.php";

  include "view/fixed/header.php";

  include "view/pages/putovanje.php";

  include "view/fixed/footer.php";

  ?>
```

putovanjaAdmin.php

Putovanja.php

```
include "view/fixed/head.php";

include "view/fixed/header.php";

include "view/pages/putovanja.php";

include "view/fixed/footer.php";

?>
```

Putopisi.php

```
<?php

include "view/fixed/head.php";

include "view/fixed/header.php";

include "view/pages/putopisi.php";

include "view/fixed/footer.php";

?>
```

Putopis.php

```
include "view/fixed/head.php";

include "view/fixed/header.php";

include "view/pages/putopis.php";

include "view/fixed/footer.php";

?>
```

listaZelja.php

```
include "view/fixed/head.php";
include "view/fixed/header.php";
if(isset($_SESSION['korisnik'])){
    include "view/pages/listaZeljaPrikaz.php";
}
else{
    include "view/pages/error.php";
}
include "view/fixed/footer.php";
}
```

Kontakt.php

```
include "view/fixed/head.php";
include "view/fixed/header.php";
include "view/pages/kontakt.php";
include "view/fixed/footer.php";

?>
```

dodajAdmin.php

```
    require_once "view/fixed/head.php";
    include "view/pages/admin.php";

    if(isset($_SESSION['korisnik'])){
        $korisnik=$_SESSION['korisnik'];
        $uloga=$korisnik['idUloge'];
        if($uloga==1){
            include "view/pages/dodajAdmin.php";
        }
        else{
            include "view/pages/error.php";
        }
    }
    else{
        include "view/pages/error.php";
    }
    include "view/pages/error.php";
}
    include "view/fixed/footer.php";
}
```

azurirajPutopis.php

Azuriraj.php

```
require_once "view/fixed/head.php";

include "view/pages/admin.php";

if(isset($_SESSION['korisnik'])){
    $korisnik=$_SESSION['korisnik'];
    $uloga=$korisnik['idUloge'];
    if($uloga==1){
        include "view/pages/azuriraj.php";
    }
    else{
        include "view/pages/error.php";
    }
}
else{
    include "view/pages/error.php";
}
include "view/pages/error.php";
}

include "view/fixed/footer.php";
}
```

Autor.php

```
include "view/fixed/head.php";

include "view/fixed/header.php";

include "view/pages/autor.php";

include "view/fixed/footer.php";

?>
```

Aktivacija.php

```
include "view/fixed/head.php";

include "view/fixed/header.php";

include "view/pages/aktivacija.php";

include "view/fixed/footer.php";

?>
```

adminPutopis.php

adminPoruke.php

```
    require_once "view/fixed/head.php";
    include "view/pages/admin.php";

    if(isset($_SESSION['korisnik'])){
        $korisnik=$_SESSION['korisnik'];
        $uloga=$korisnik['idUloge'];
        if($uloga==1){
            include "view/pages/adminPoruke.php";
        }
        else{
            include "view/pages/error.php";
        }
    }
    else{
        include "view/pages/error.php";
    }
    include "view/pages/error.php";
}

include "view/fixed/footer.php";
}
```

adminKorisnici.php

```
<?php
    require_once "view/fixed/head.php";
    include "view/pages/admin.php";

if(isset($_SESSION['korisnik'])){
    $korisnik=$_SESSION['korisnik'];
    $uloga=$korisnik['idUloge'];
    if($uloga==1){
        include "view/pages/korisnici.php";
    }
    else{
        include "view/pages/error.php";
    }
}
else{
    include "view/pages/error.php";
}
include "view/fixed/footer.php";
}
include "view/fixed/footer.php";
}</pre>
```

Admin.php

dodajAdmin.php

```
<?php
   require "models/prevoz.php";
   <div id="drzacAdmin">
       <h1>Dodaj</h1>
<div class="formaAdmin">
       <div class="forma">
               <h2>Dodaj putovanje</h2>
           <form action="" enctype="multipart/form-data">
               <input type="text" id="naslov" placeholder="Naslov">
               <textarea id="tekst" placeholder="0 putovanju"></textarea>
               <input type="text" id="cena" placeholder="Cena">
               <br>
               Datum polaska: <input type="date" id="polazak">
               Datum povratka: <input type="date" id="povratak">
               <br>
               Nacin prevoza: <select id="prevoz">
                   <?php
                       foreach($prevoz as $p):
                       <option value="<?=$p['idPrevoz']?>"><?=$p['nazivPrevoz']?</pre>
></option>
                   <?php
                       endforeach;
               </select>
               <input type="file" id="slika">
               <input type="button" id="dodajPutovanje" value="Dodaj putovanje">
               </form>
       </div>
       <div class="forma" enctype="multipart/form-data">
               <h2>Dodaj putopis</h2>
           <form action="">
               <input type="text" id="naslovPutopis" placeholder="Naslov">
```

```
<?php
    include "models/putovanja.php";
    include "models/putopisi.php";
    include "models/anketa.php";
<div class="slika pocetna">
</div>
    <div id="putovanja">
        <div class="naslov">
            <h1>Predstojeća putovanja</h1>
        </div>
        <?php
            foreach($putovanje as $p):
            <div class="putovanje">
                <div>
                    Polazak
                    <span><?=$p['datumPolaska']?></span>
                </div>
                <div>
                    Povratak
                    <span><?=$p['datumPovratka']?></span>
                </div>
                <div>
                    Dana
                    <span><?=(strtotime($p['datumPovratka'])-</pre>
strtotime($p['datumPolaska']))/60/60/24?></span>
                </div>
                <div>
                    <img src="assets/images/<?=$p['slika']?>" alt="">
                </div>
                <div>
                    <h3><?=$p['naziv']?></h3>
                </div>
                <div>
```

```
Cena
                    <span><?=$p['cena']?> EUR</span>
                    <div class="link">
                        <a href="putovanje.php?id=<?=$p['idPutovanja']?>">Pogleda
j</a>
                    </div>
                </div>
            </div>
        <?php
            endforeach;
    </div>
    <div id="putopisi">
        <h2>Najnoviji putopisi</h2>
        <div id="drzacPutopisi">
        <?php
            foreach($putopis as $pu):
            <div class="putopis">
                    <img src="assets/images/<?=$pu['slika']?>" alt="">
                </div>
                <h3><?=$pu['naslov']?></h3>
                <?=$pu['tekst']?>...
                <a href="putopis.php?id=<?=$pu['idPutopis']?>">Nastavite sa čitan
jem</a>
            </div>
        <?php
            endforeach;
        </div>
    </div>
    <div id="anketa">
        <h2>Anketa</h2>
    <?php
        if($glasao):
```

```
Vec ste popunili ovu anketu.
   <?php
           if($rez->rowCount()==1):
       <h3><?=$anketa['pitanje']?></h3>
       <br>
       <form action="">
           <input type="hidden" id="anketaId" value="<?=$anketa['idAnkete']?>">
    <?php
       foreach($odgovori as $odg):
       <input type="radio" value="<?=$odg['idOdgovora']?>" name="anketa"><?=$odg</pre>
['tekstOdgovora']?>
   <?php
       endforeach;
   <br>
       <input type="button" id="glasajAnketa" value="Pošalji">
       </form>
       <?php
       else:
       <h3>Trenutno nema ankete.</h3>
    <?php
       endif;
       endif;
    </div>
</main>
```

Admin.php

Aktivacija.php

```
<?php
    require "models/aktivacija.php";
?>
<main>
<div class="strana duzina">
<h1><?=$data?></h1>
</div>
</main>
```

adminPutopisi.php

```
<?php
    include "models/sviPutopisi.php";
    <div id="drzacAdmin">
        <h1>Putopisi</h1>
        <div id="putopisi">
        <div id="drzacPutopisi">
        <?php
            foreach($putopis as $pu):
            <div class="putopis">
                <div>
                    <img src="assets/images/<?=$pu['slika']?>" alt="">
                </div>
                <h3><?=$pu['naslov']?></h3>
                <a href="azurirajPutopis.php?id=<?=$pu['idPutopis']?>">Ažuriraj <</pre>
/a>
                <a href="#" data-
id="<?=$pu['idPutopis']?>" class="obrisiPutopis">Obriši </a>
            </div>
        <?php
            endforeach;
        </div>
    </div>
    </div>
</main>
```

adminPoruke.php

```
<?php
  include "models/poruke.php";
?>
  <div id="drzacAdmin">
     <h1>Poruke</h1>
     Ime i prezime
           E-mail
           Telefon
           Tema
           Poruka
        <?php
           foreach($poruke as $p):
           <?=$p['ime']." ".$p['prezime']?>
              <?=$p['email']?>
              <?=$p['telefon']?>
              <?=$p['tema']?>
              <?=$p['poruka']?>
           <?php
           endforeach;
     </div>
</main>
```

```
<?php
    include "models/jednoPutovanje.php";
    require_once "models/listaZelja.php";
    <div id="putovanje">
    <?php
        if(isset($putovanje)):
    <div class='divPutovanje'>
        <img src="assets/images/<?=$putovanje['slika']?>" alt="">
    </div>
    <div class='divPutovanje'>
        <h1><?=$putovanje['naziv']?></h1>
        <?php
            $tekst=explode('.',$putovanje['opis']);
            foreach($tekst as $t):
            <?=$t?>
        <?php
            endforeach;
        <a href="#" class="listaZelja
            <?php
                if($listaZelja):
                crveno
            <?php
                endif;
            ?>" data-id="<?=$putovanje['idPutovanja']?>"><i class="far fa-</pre>
heart"></i>
            <?php
                if($listaZelja):
```

```
Nalazi se u Vašoj listi želja
           <?php
               Dodaj u listu želja
           <?php
               endif;
           </a>
           </div>
           <div class="naslov">
               <h2>Informacije o putovanju</h2>
           </div>
           <div id="putovanjeDodatak">
                  <span>Cena:</span> <?=$putovanje['cena']?> EUR
                  <span>Datum polaska:</span> <?=$putovanje['datumPolaska']?
>
                  ><span>Datum povratka:</span> <?=$putovanje['datumPovratka'
]?>
                  <span>Broj dana:</span> <?=(strtotime($putovanje['datumPov
ratka'])-strtotime($putovanje['datumPolaska']))/60/60/24?>
                  <span>Nacin prevoza:</span> <?=$putovanje['nazivPrevoz']?>
</div>
           <?php
       else:
           <h1>Ne postoji izabrano putovanje</h1>
       <?php
           endif;
   </div>
</main>
```

```
<?php
    include "models/putovanjaAdmin.php";
    <div id="drzacAdmin">
        <h1>Putovanja</h1>
        <div>
            <?php
                foreach($svaPutovanja as $s):
               <div class="putovanje">
               <div>
                   Polazak
                    <span><?=$s['datumPolaska']?></span>
               </div>
               <div>
                    Povratak
                    <span><?=$s['datumPovratka']?></span>
               <div>
                    Dana
                    <span><?=(strtotime($s['datumPovratka'])-</pre>
strtotime($s['datumPolaska']))/60/60/24?></span>
               </div>
               <div>
                    <img src="assets/images/<?=$s['slika']?>" alt="">
               </div>
                <div>
                    <h3><?=$s['naziv']?></h3>
               </div>
                <div>
                   Cena
                   <span><?=$s['cena']?> EUR</span>
                    <div class="link">
                       <a href="azuriraj.php?id=<?=$s['idPutovanja']?>">Ažuriraj
</a>
                       <a href="#" data-
id="<?=$s['idPutovanja']?>" class="obrisiPutovanje">Obriši</a>
                    </div>
               </div>
               </div>
```

Putopis.php

```
<?php
   include "models/jedanPutopis.php";
   <div id="jedanPutopis">
    <?php
       if(isset($putopis)):
       <h2><?=$putopis['naslov']?></h2>
       <div>
           <img src="assets/images/<?=$putopis['slika']?>" alt="">
       </div>
       <?php
           $red=explode("\r\n",$putopis['tekst']);
           if(count($red)==10):
           <?php
           foreach($red as $r):
           <!=$r?>
       <?php
           endforeach;
       <?php
           else:
               foreach($red as $r):
               <?=$r?>
       <?php
               endforeach;
           endif;
       <?php
           else:
```

prikazAnketa.php

```
<?php
    include "models/anketaRez.php";
    include "models/anketa.php";
    <div id="drzacAdmin">
        <h1>Admin panel</h1>
        <div id="rezAnketa">
            <h2>Rezultati ankete</h2>
            <?php
                $ukupno=0;
                foreach($rezultat as $r){
                    $ukupno+= $r['ukupno'];
        <?php
            foreach($rezultat as $r):
            <?=$r['tekstOdgovora']." ".$r['ukupno']/$ukupno*100?>%
        <?php
            endforeach;
        </div>
        <form action="">
            <input type="button"</pre>
                <?php
                    if($rez->rowCount()!=1):
                    disabled="true"
                <?php
                    endif;
             value="Onemogući anketu" id="onemogući">
            <input type="button"</pre>
            <?php
                    if($rez->rowCount()==1):
```

```
<?php
    include "models/sviPutopisi.php";
    <div class="strana">
       <h1>Putopisi</h1>
    </div>
    <div id="putopisi">
        <div id="drzacPutopisi">
        <?php
            foreach($putopis as $pu):
            <div class="putopis">
                <div>
                    <img src="assets/images/<?=$pu['slika']?>" alt="">
                </div>
                <h3><?=$pu['naslov']?></h3>
                <?=$pu['tekst']?>...
                <a href="putopis.php?id=<?=$pu['idPutopis']?>">Nastavite sa čitan
jem</a>
            </div>
        <?php
            endforeach;
        </div>
    </div>
</main>
```

```
<?php
    include "models/svaPutovanja.php";
    <div class="strana">
        <h1>Putovanja</h1>
    </div>
    <div id="putovanja">
        <?php
            foreach($putovanje as $p):
            <div class="putovanje">
               <div>
                    Polazak
                    <span><?=$p['datumPolaska']?></span>
               </div>
               <div>
                   Povratak
                    <span><?=$p['datumPovratka']?></span>
                </div>
               <div>
                    Dana
                   <span><?=(strtotime($p['datumPovratka'])-</pre>
strtotime($p['datumPolaska']))/60/60/24?></span>
                </div>
                <div>
                    <img src="assets/images/<?=$p['slika']?>" alt="">
               </div>
                <div>
                    <h3><?=$p['naziv']?></h3>
               </div>
               <div>
                   Cena
                   <span><?=$p['cena']?> EUR</span>
                   <div class="link">
                       <a href="putovanje.php?id=<?=$p['idPutovanja']?>">Pogleda
j</a>
```

```
</div>
                </div>
            </div>
        <?php
            endforeach;
    </div>
    <?php
        $trenutna=(isset($_GET['strana'])? $_GET['strana'] : 1);
        $prethodna=$trenutna-1;
        $sledeca=$trenutna+1;
            <div id="stranicenje">
                <?php
                     if($trenutna!=1):
                <a href="<?=$_SERVER['PHP_SELF']."?strana=".$prethodna?>">Prethod
na</a>
                <?php
                    endif;
                <?php
                     for($i=0;$i<$brojStrana;$i++):</pre>
                         $broj=$i+1
                     <a href="<?=$_SERVER['PHP_SELF']."?strana=".$broj?>"><?=$i+1?</pre>
></a>
                <?php
                     endfor;
                <?php
                     if($trenutna!=$brojStrana):
                <a href="<?=$_SERVER['PHP_SELF']."?strana=".$sledeca?>">Sledeca
a>
                <?php
                     endif;
            </div>
</main>
```

listaZeljaPrikaz.php

```
<?php
   include "models/prikaziListu.php";
<div class="strana duzina">
   <h1>Lista želja</h1>
   <?php
       if($greska):
   <h2><?=$greska?></h2>
   <?php
       elseif($prazno):
   <h2>Lista zelja je prazna</h2>
   <?php
       else:
   <?php
       foreach($rez as $r):
       <?=$r['naziv']?>
          <img src="assets/images/<?=$r['slika']?>" alt="<?=$r['naziv']?>">
<a href="#" class="listaZeljaBrisi" data-
id="<?=$r['idPutovanja']?>"><i class="far fa-trash-alt"></i></a>
       <?php
       endforeach;
   <?php
       endif;
</div>
</main>
```

Korisnici.php

```
<?php
   include "models/korisnici.php";
?>
  <div id="drzacAdmin">
      <h1>Korisnici</h1>
         E-mail
            Ime
            Prezime
         <?php
            foreach($korisnici as $k):
               <?=$k['email']?>
               <?=$k['ime']?>
               <?=$k['prezime']?>
         <?php
            endforeach;
      </div>
```

Kontakt.php

Error.php

azurirajPutopis.php

```
<?php
    require "models/dohvatiPutopis.php";
   <div id="drzacAdmin">
       <h1>Ažuriraj</h1>
       <div class="forma" enctype="multipart/form-data">
               <h2>Dodaj putopis</h2>
           <form action="">
               <input type="text" id="naslovPutopisUpdate" value="<?=$putopis['n</pre>
aslov']?>" placeholder="Naslov">
               <textarea id="tekstPutopisUpdate" placeholder="Tekst"><?=$putopi
s['tekst']?></textarea>
               <input type="button" id="updatePutopis" value="Ažuriraj putopis">
               <input type="hidden" id="id" value="<?=$putopis['idPutopis']?>">
               </form>
       </div>
    </div>
</main>
```

Azuriraj.php

```
<?php
    require "models/prevoz.php";
    require "models/dohavatiProzivod.php";
    <div id="drzacAdmin">
        <h1>Ažuriraj</h1>
        <div class="forma">
        <form action="" enctype="multipart/form-data">
                 <input type="text" id="naslovUpdate" value="<?=$putovanje['naziv'</pre>
]?>" placeholder="Naslov">
                 <input type="hidden" id="id" value="<?=$putovanje['idPutovanja']?</pre>
                 <textarea id="tekstUpdate" placeholder="0 putovanju"><?=$putovan
je['opis']?></textarea>
                 <input type="text" id="cenaUpdate" placeholder="Cena" value="<?=$</pre>
putovanje['cena']?>">
                <br>
                Datum polaska: <input type="date" id="polazakUpdate" value="<?=$p</pre>
utovanje['datumPolaska']?>">
                <br>
                Datum povratka: <input type="date" id="povratakUpdate" value="<?=</pre>
$putovanje['datumPovratka']?>">
                <br>
                Nacin prevoza: <select id="prevozUpdate">
                     <?php
                         foreach($prevoz as $p):
                         <option
                         <?php
                             if($putovanje['idPrevoz']==$p['idPrevoz']):
                             selected="true"
                         <?php
                             endif;
                         value="<?=$p['idPrevoz']?>"><?=$p['nazivPrevoz']?></optio</pre>
                     <?php
                         endforeach;
                     ?>
                 </select>
```

Admin.php

```
<div class="strana autor">
        <h1>Autor</h1>
        <div id="tekstAutor">
            <div>
                <img src="assets/images/autor.jpg" alt="Slika autora">
            </div>
            <div>
                Zovem se Ivana Panic, broj mog indeksa je 176/16. Rodjena sam u
 Beogradu i imam 23 godine. Zavrsila sam srednju Zubotehnicku skolu i posle toga
sam se odlucila za Visoku ict skolu. U slobodno vreme volim da slusam muziku, putu
jem i druzim se sa prijateljima. Programiranje je pocelo da me interesuje kada sa
m upisala fakultet.
            </div>
        </div>
    </div>
</main>
```

View/fixed

Footer.php

```
<footer>
        <div class="blok">
            <a href="index.php">
                <img src="assets/images/logo.png" alt="Logo slika">
        </div>
        <div class="blok">
            <h4>Kontakt</h4>
            Adresa: 27. marta
            Telefon: 011500500
            E-mail: palma@gmail.com
        </div>
        <div class="blok mreze">
            <h4>Društvene mreže</h4>
            <a href="https://www.facebook.com/" target="_blank"><i class="fab fa-</pre>
facebook-f"></i></a>
            <a href="https://www.instagram.com/" target="_blank"><i class="fab fa</pre>
-instagram"></i></a>
            <a href="https://www.twitter.com/" target="_blank"><i class="fab fa-</pre>
twitter"></i></a>
            <a href="vesti.xml" target="_blank"><i class="fas fa-</pre>
rss"></i><br></a>
            <a href="sitemap.xml" target="_blank">Sitemap</a>
            <a href="dokumentacija.pdf" target="_blank">Dokumentacija</a>
            <a href="autor.php">Autor</a>
        </div>
    </footer>
    <script src="https://code.jquery.com/jquery-3.5.1.min.js" integrity="sha256-</pre>
9/aliU8dGd2tb6OSsuzixeV4y/faTqgFtohetphbbj0=" crossorigin="anonymous"></script>
    <script src="assets/js/main.js" type="text/javascript"></script>
</body>
</html>
```

Head.php

Header.php

```
<?php
    require_once "models/meni.php";
<header>
    <div id="kontakt">
        <div class="kontakt">
            <i class="fas fa-phone"></i></i>
            <span>011500500
            <i class="fas fa-envelope"></i></i>
            <span>palma@gmail.com</span>
        </div>
        <div class="kontakt">
        <?php
            if(isset($_SESSION['korisnik'])):
                $korisnik=$_SESSION['korisnik'];
                $uloga=$korisnik['idUloge'];
                if($uloga==1):
                <a href="admin.php"><i class="fas fa-users-</pre>
cog"></i> Admin panel
                <?php
                     endif;
            <a href="listaZelja.php" id="listaZelja"><i class="far fa-</pre>
heart"></i> Lista želja</a>
            <a href="#" id="odjava"><i class="fas fa-sign-out-</pre>
alt"></i> Odjavi se</a>
        <?php
            else:
            <a href="#" id="nalog"><i class="fas fa-user"></i> Nalog</a>
        <?php
            endif;
        </div>
    </div>
    <nav>
        <div id="logo">
            <a href="index.php">
                <img src="assets/images/logo.png" alt="Logo slika">
            </a>
        </div>
```

```
<u1>
       <?php
          foreach($meni as $m):
          <1i>>
              <a href="<?=$m['link']?>"><?=$m['naziv']?></a>
          <?php
          endforeach;
      </nav>
</header>
<div id="modal">
   <div id="linkoviModal">
      <a href="#" id="logovanje" class="aktivno">Uloguj se</a>
      <a href="#" id="registracija" >Registruj se</a>
       <a href="#" id="close"><i class="fas fa-times"></i></a>
      <div id="logovanjeForma">
          <h2>Uloguj se</h2>
          <form action="">
              E-mail:
              <input type="text" id="emailLog">
              Lozinka:
              <input type="password" id="lozinkaLog">
              <br>
              <input type="button" value="Uloguj se" id="btnLog">
          </form>
          </div>
       <div id="registracijaForma">
          <h2>Registruj se</h2>
          <form action="">
              Ime:
              <input type="text" id="ime">
              Prezime:
              <input type="text" id="prezime">
              E-mail:
              <input type="text" id="email">
              Lozinka:
              <input type="password" id="lozinka">
              Ponovi lozinku:
              <input type="password" id="lozinkaPonovi">
```

Models

Aktivacija.php

```
<?php
   require_once "konekcija.php";
   if(isset($_GET['kod'])){
       $kod=$_GET['kod'];
   $upit="SELECT * FROM korisnici WHERE aktivacionikod=:kod";
   $priprema=$konekcija->prepare($upit);
   $priprema->bindParam(":kod",$kod);
   try{
        $priprema->execute();
        if($priprema->rowCount()==1){
            $korisnik=$priprema->fetch();
            $ime=$korisnik['ime'];
            $aktivan=1;
            $upit2="UPDATE korisnici SET aktivan=:akt WHERE aktivacioniKod=:kod";
            $priprema2=$konekcija->prepare($upit2);
            $priprema2->bindParam(":akt",$aktivan);
            $priprema2->bindParam(":kod",$kod);
            try{
                $priprema2->execute();
                $data="Aktivirali ste nalog!";
            catch(PDOException $e){
                $data="Greska sa serverom";;
       else{
            $data="Pogresan kod";
   catch(PDOException $e){
       $data="Greska sa serverom";
    }
       $data="Nemate pristup stranici";
```

```
<?php
    require_once "konekcija.php";
   $code=200;
   $data="";
    if(isset($_POST['dugme'])){
        $naslov=$_POST['naslov'];
        $tekst=$_POST['tekst'];
        $id=$_POST['id'];
        $upit="UPDATE `putopis` SET naslov=:naslov,tekst=:tekst WHERE idPutopis=:
id";
        $priprema=$konekcija->prepare($upit);
        $priprema->bindParam(":tekst",$tekst);
        $priprema->bindParam(":naslov",$naslov);
        $priprema->bindParam(":id",$id);
        try{
            $priprema->execute();
            $data="Uspesno ste azurirali proizvod";
            $kod=200;
        catch(PDOException $e){
            $data="Greska sa serverom";
            $kod=500;
   else{
        $data="Nemate prisup";
        $kod=404;
    echo json_encode($data);
   http_response_code($kod);
```

sviPutopisi.php

Putovanja.php

```
    require_once "konekcija.php";

    $upit="SELECT * from putovanje p INNER JOIN putovanjecena pc on p.idPutovanja
=pc.idPutovanje";
    try{
        $svaPutovanja=$konekcija->query($upit)->fetchAll();
    }
    catch(PDOException $e){
        $rez="Greska sa serverom";
    }
}
```

```
<?php
    require_once "konekcija.php";
   $strana=1;
   $limit=5;
    $offset=0;
   $dohvatiPutovanja="SELECT * from putovanje p INNER JOIN putovanjecena pc on p
.idPutovanja=pc.idPutovanje WHERE pc.datumPolaska>CURRENT_DATE";
    try{
        $sve=$konekcija->query($dohvatiPutovanja);
        $ukupno=$sve->rowCount();
        if(isset($_GET['strana'])){
            $offset=($_GET['strana']-1)*$limit;
        $brojStrana=ceil($ukupno/$limit);
        $dohvati="SELECT * from putovanje p INNER JOIN putovanjecena pc on p.idPu
tovanja=pc.idPutovanje WHERE pc.datumPolaska>CURRENT_DATE LIMIT :limitVrednost OF
FSET :offsetVrednost";
        $priprema=$konekcija->prepare($dohvati);
        $priprema->bindParam(":limitVrednost",$limit,PDO::PARAM_INT);
        $priprema->bindParam(":offsetVrednost",$offset,PDO::PARAM INT);
        try{
            $priprema->execute();
            $putovanje=$priprema->fetchAll();
        catch(PDOException $e){
            echo "DOSLO JE DO GRESKE";
    catch(PDOException $e){
        echo "DOSLO JE DO GRESKE";
```

Putovanja.php

Putopisi.php

prikaziListu.php

```
<?php
    require_once "konekcija.php";
   $greska=false;
   $prazno=false;
    if(isset($_SESSION['korisnik'])){
        $korisnik=$_SESSION['korisnik'];
        $id=$korisnik['idKorisnika'];
        $lista="SELECT * FROM listazelja l INNER JOIN putovanje p on l.idPutovanj
a=p.idPutovanja WHERE l.idKorisnika=:id";
        $priprema=$konekcija->prepare($lista);
        $priprema->bindParam(":id",$id);
        try{
            $priprema->execute();
            if($priprema->rowCount()!=0){
                $rez=$priprema->fetchAll();
            else{
                $prazno=true;
        catch(PDOException $e){
            $greska="Greska sa serverom";
```

Prevoz.php

Poruke.php

```
require_once "konekcija.php";

$data="";
$upit="SELECT * FROM poruke";

try{
    $poruke=$konekcija->query($upit)->fetchAll();
}
catch(PDOException $e){
    $poruke="Greska sa serverom";
}

?>
```

```
<?php
   require_once "konekcija.php";
   $kod=200;
    if(isset($_POST["dugme"])){
       $data="TU";
       $ime=$_POST['ime'];
        $prezime=$_POST['prezime'];
        $email=$_POST['email'];
       $telefon=$_POST['telefon'];
        $tema=$_POST['tema'];
        $poruka=$_POST['poruka'];
       $regExIme="/^[A-Z][a-z]{2,29}$/";
        $regExPrezime="/^[A-Z][a-z]{2,39}$/";
       $regExEmail="/^\w[.\d\w]*\@[a-z]{2,10}(\.[a-z]{2,3})+$/";
       $regExTelefon="/^06\d{8}$/";
        $regExTema="/^[\w\s\d]+$/";
   $greska=0;
   if(!preg_match($regExIme,$ime)){
        $greska++;
       $data="Ime mora poceti velikim slovom i ima 30 karaktera najvise";
   if(!preg_match($regExPrezime,$prezime)){
        $greska++;
       $data="Prezime mora poceti velikim slovom i ima 40 karaktera najvise";
   if(!preg_match($regExEmail,$email)){
        $greska++;
       $data="E-mail format: ivana.panic.176.16@ict.edu.rs ili ivana@gmail.com";
   if(!preg_match($regExTelefon,$telefon)){
        $greska++;
        $data="Telefon mora biti u formatu 06****** (8 cifara) umesto zvezdica"
   if(!preg_match($regExTema,$tema)){
        $greska++;
        $data="Morate upisati temu";
   if(count($poruka)<10){</pre>
```

```
$greska++;
        $data="Poruka mora imati bar 10 reči";
    if($greska==0){
        $poruka=implode($poruka," ");
        $insert="INSERT INTO poruke VALUES(null,:ime,:prezime,:mail,:telefon, :te
ma,:poruka)";
        $priprema=$konekcija->prepare($insert);
        $priprema->bindParam(":ime",$ime);
        $priprema->bindParam(":prezime",$prezime);
        $priprema->bindParam(":mail",$email);
        $priprema->bindParam(":telefon",$telefon);
        $priprema->bindParam(":tema",$tema);
        $priprema->bindParam(":poruka",$poruka);
        try{
            $priprema->execute();
            $data="Uspesno ste poslali poruku";
            $kod=201;
        catch(PDOException $e){
            $data="Greska sa serverom";
            $kod=500;
    else{
        $kod=404;
        $data="Nemate pristup stranici";
echo json encode($data);
http_response_code($kod);
```

omoguciAnketu.php

```
<?php
    require_once "konekcija.php";
    $data="";
    $kod=200;
    if(isset($_POST['dugme'])){
        $upit="UPDATE anketa SET aktivna = 0";
    if(isset($_POST['dugme2'])){
        //omoguci
        $upit="UPDATE anketa SET aktivna = 1";
    try{
        $konekcija->query($upit);
    catch(PDOException $e){
        $kod=500;
        $data="Greska sa serverom";
echo json_encode($data);
http_response_code($kod);
```

Odjava.php

```
<?php
session_start();
session_destroy();

echo json_encode("OK");
http_response_code(200);

?>
```

jedanPutopis.php

```
<?php
    require "konekcija.php";
   $code=200;
   $data="";
    if(isset($_POST['dugme'])){
        $id=$_POST['id'];
        $delete="DELETE FROM putopis WHERE idPutopis=:id";
        $priprema=$konekcija->prepare($delete);
        $priprema->bindParam(":id",$id);
        try{
            $priprema->execute();
            $data="Uspesno obrisan";
        catch(PDOException $e){
            $code=500;
            $data="Greska sa serverom";
   else{
        $code=404;
        $data="Nemate pristup";
   echo json_encode($data);
   http_response_code($code);
```

obrisiPutovanje.php

```
<?php
   require "konekcija.php";
   $code=200;
   $data="";
   if(isset($_POST['dugme'])){
       $id=$_POST['id'];
       $delete="DELETE FROM putovanje WHERE idPutovanja=:id";
       $priprema=$konekcija->prepare($delete);
       $priprema->bindParam(":id",$id);
       try{
            $priprema->execute();
            $data="Uspesno obrisan";
       catch(PDOException $e){
           $code=500;
           $data="Greska sa serverom";
   else{
       $code=404;
       $data="Nemate pristup";
   echo json_encode($data);
   http_response_code($code);
```

```
<?php
session_start();
    require_once "konekcija.php";
    if(isset($_POST['dugmeLista'])){
        if(isset($_SESSION['korisnik'])){
            $idPutovanja=$_POST['idPutovanja'];
            $korisnik=$_SESSION['korisnik'];
            $id=$korisnik['idKorisnika'];
            $upit="DELETE FROM listazelja WHERE idPutovanja=:id AND idKorisnika=:
idKor";
            $priprema=$konekcija->prepare($upit);
            $priprema->bindParam(":id",$idPutovanja);
            $priprema->bindParam(":idKor",$id);
            try{
                $priprema->execute();
                $code=200;
                $data="Obrisali ste iz liste zelja";
            catch(PDOException $e){
                $code=500;
                $data="Greska sa serverom";
        else{
            $data="Nemate pristup";
            $code=404;
    else{
        $code=404;
        $data="Nemate pristup";
    echo json_encode($data);
    http_response_code($code);
```

```
<?php
    require_once "konekcija.php";
    $data="";
    if(isset($_POST['dugmeReg'])){
        $ime=$ POST['ime'];
        $prezime=$_POST['prezime'];
        $mail=$_POST['email'];
        $pass=$ POST['pass'];
        $passConf=$_POST['passConf'];
        $regIme="/^[A-Z][a-z]{2,29}$/";
        $regPrezime="/^[A-Z][a-z]{2,39}$/";
        pregEmail="/^w[.\d\w]*\@[a-z]{2,10}(\.[a-z]{2,3})+$/";
        $regPass="/^.{4,50}$/";
        $greske=[];
        if(!preg_match($regIme,$ime)){
            array_push($greske,"Ime mora poceti velikim slovom i ima najvise 30 s
lova");
        if(!preg_match($regPrezime,$prezime)){
            array_push($greske,"Prezime mora početi velikim slovom i ima najvise
30 slova");
        if(!preg_match($regEmail,$mail)){
            array_push($greske,"E-
mail format: ivana.panic.176.16@ict.edu.rs ili ivana@gmail.com");
        if(!preg_match($regPass,$pass) && strlen($pass)<8){</pre>
            array_push($greske,"Lozinka mora imati barem 8 karaktera");
        if($passConf!=$pass){
           array_push($greske,"Lozinke se ne poklapaju");
        $mailProvera="SELECT email FROM korisnici WHERE email=:mail";
        $priprema=$konekcija->prepare($mailProvera);
        $priprema->bindParam(":mail",$mail);
```

```
$priprema->execute();
            $rez=$priprema->fetch();
            if($priprema->rowCount()==1){
                $data="E-mail adresa je zauzeta";
                $code=200;
            else{
                if(count($greske)==0){
                    $insert="INSERT INTO korisnici VALUES(NULL,:ime,:prezime,:mai
1,:pass,:aktivan,:aktivacionikod,:datum,:iduloge)";
                    $pass=md5($pass);
                    $datum=date("Y-m-d H:i:s");
                    $uloga=2;
                    $aktivan=0;
                    $kod=md5(time().md5($mail));
                    /*mail($mail, "Registracija korisnika", "http://127.0.0.1/agenc
ija/aktivacija.php?kod=".$kod);*/
                    $priprema2=$konekcija->prepare($insert);
                    $priprema2->bindParam(":ime",$ime);
                    $priprema2->bindParam(":prezime",$prezime);
                    $priprema2->bindParam(":mail",$mail);
                    $priprema2->bindParam(":pass",$pass);
                    $priprema2->bindParam(":aktivan",$aktivan);
                    $priprema2->bindParam(":aktivacionikod",$kod);
                    $priprema2->bindParam(":datum",$datum);
                    $priprema2->bindParam(":iduloge",$uloga);
                    try{
                        $uspesno=$priprema2->execute();
                        $code=201;
                        $data="Uspesno ste se registrovali, proverite e-
mail kako biste aktivirali nalog";
                    catch(PDOException $e){
                        $code=500;
                        $data="Server error";
                    }
                else{
                    $data=$greske;
                    $code=422;
                }
```

Meni.php

```
<?php
session_start();
    require_once "konekcija.php";
    if(isset($_POST['dugmeLista'])){
        if(isset($_SESSION['korisnik'])){
            $idPutovanja=$ POST['idPutovanja'];
            $korisnik=$_SESSION['korisnik'];
            $id=$korisnik['idKorisnika'];
            $lista="SELECT * FROM listazelja WHERE idKorisnika=:id AND idPutovanj
a=:idp";
            $priprema=$konekcija->prepare($lista);
            $priprema->bindParam(":id",$id);
            $priprema->bindParam(":idp",$idPutovanja);
            try{
                $priprema->execute();
                if($priprema->rowCount()==1){
                    ///vec je u listi,brisem
                    $upit2="DELETE FROM listazelja WHERE idKorisnika=:id AND idPu
tovanja=:idPu";
                    $data="delete";
                else{
                    ///nije u listi,dodajem
                    $upit2="INSERT INTO listazelja VALUES (null,:id,:idPu)";
                    $data="insert";
                $priprema2=$konekcija->prepare($upit2);
                $priprema2->bindParam(":id",$id);
                $priprema2->bindParam(":idPu",$idPutovanja);
                try{
                    $priprema2->execute();
                    $code=200;
                catch(PDOException $e){
                    $data="Greska sa serverom";
                    $code=500;
            catch(PDOException $e){
                $data="Greska sa serverom";
                $code=500;
```

```
    else{
        $data="Morate se ulogovati";
        $code=200;
    }
}
else{
    $code=404;
    $data="Nemate pristup";
}

echo json_encode($data);
    http_response_code($code);

>>
```

logovanjeObrada.php

```
<?php
session_start();
    require_once "konekcija.php";
    $data="";
    if(isset($_POST['dugme'])){
        //$data="ok";
        $mail=$_POST['mail'];
        $pass=$_POST['pass'];
        pregeneral = "/^w[.\d\w]*\@[a-z]{2,10}(\.[a-z]{2,3})+$/";
        $regPass="/^.{8,50}$/";
        $greske=[];
        if(!preg_match($regEmail,$mail)){
            array_push($greske,"E-
mail format: ivana.panic.176.16@ict.edu.rs ili ivana@gmail.com");
        if(!preg_match($regPass,$pass) && strlen($pass)<8){</pre>
            array_push($greske,"Lozinka mora imati barem 8 karaktera");
        if(count($greske)==0){
            $aktivan=1;
            $daLiPostojiKorisnik="SELECT * FROM korisnici K WHERE email=:email AN
D aktivan=:aktivan";
            $priprema=$konekcija->prepare($daLiPostojiKorisnik);
            $priprema->bindParam(":email",$mail);
            $priprema->bindParam(":aktivan",$aktivan);
            try{
                $priprema->execute();
                if($priprema->rowCount()==1){
                    //$data="OK";
                    $upit="SELECT * FROM korisnici k INNER JOIN uloga u ON k.idUl
oge=u.idUloge WHERE email=:email AND pass=:pass";
                    $pass=md5($pass);
                    $priprema2=$konekcija->prepare($upit);
                    $priprema2->bindParam(":email",$mail);
                    $priprema2->bindParam(":pass",$pass);
                    try{
                        $priprema2->execute();
```

```
$code=200;
                        if($priprema2->rowCount()==1){
                            $korisnik=$priprema2->fetch();
                            $_SESSION['korisnik']=$korisnik;
                            $code=201;
                            $data=201;
                        else{
                            $data="Lozinka nije ispravna";
                    catch(PDOException $e){
                        $code=500;
                        $data="Greška sa serverom";
                    $code=200;
                else{
                    $code=200;
                    $data="Korisnik sa zadatom adresom nije pronadjen ili niste a
ktivirali nalog";
            catch(PDOException $e){
                $code=500;
                $data="Greška sa serverom";
        else{
            $data=$greske;
            $code=404;
        $code=200;
    else{
        $data="Nemate pristup.";
        $code=404;
echo json_encode($data);
http_response_code($code);
```

```
<?php
session_start();
    require_once "konekcija.php";
    $listaZelja=false;
    if(isset($_SESSION['korisnik'])){
        $idPutovanja=$_GET['id'];
        $korisnik=$_SESSION['korisnik'];
        $id=$korisnik['idKorisnika'];
        $lista="SELECT * FROM listazelja WHERE idKorisnika=:id AND idPutovanja=:i
dp";
        $priprema=$konekcija->prepare($lista);
        $priprema->bindParam(":id",$id);
        $priprema->bindParam(":idp",$idPutovanja);
        try{
            $priprema->execute();
            if($priprema->rowCount()==1){
                $listaZelja=true;
            }
        catch(PDOException $e){
            $data="Greska";
```

Korisnici.php

Konekcija.php

```
    require_once "parametri.php";

    try{
        $konekcija=new PDO("mysql:host=$host;dbname=$baza",$user,$pass,array(PDO:
:MYSQL_ATTR_INIT_COMMAND=>"SET NAMES 'utf8' COLLATE 'utf8_unicode_ci'"));
        $konekcija->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}

catch (PDOException $e)
{
    echo $e->getMessage();
}

?>
```

jednoPutovanje.php

```
<?php
    require_once "konekcija.php";
   $id=$_GET['id'];
   $dohvatiPutovanje="SELECT * FROM putovanje p INNER JOIN putovanjecena pc on p
.idPutovanja=pc.idPutovanje INNER JOIN prevoz pr ON pr.idPrevoz=p.idPrevoz WHERE
p.idPutovanja=:id";
   $priprema=$konekcija->prepare($dohvatiPutovanje);
   $priprema->bindParam(":id",$id);
   try{
        $priprema->execute();
        if($priprema->rowCount()==1){
            $putovanje=$priprema->fetch();
       else{
            echo "NEMA VEZE SA SERVEROM";
   catch(PDOException $e){
        echo "DOSLO JE DO GRESKE";
```

```
<?php
session_start();
    require_once "konekcija.php";
    $data="";
    if(isset($ POST['dugme'])){
        if(isset($_SESSION['korisnik'])){
            $idAnkete=$_POST['anketa'];
            $odgovor=$_POST['izbor'];
            $korisnik=$_SESSION['korisnik'];
            $idKorisnik=$korisnik['idKorisnika'];
            $upit="INSERT INTO odgovorianketa VALUES (NULL,:odg,:idAnketa,:idKori
snik)";
            $priprema=$konekcija->prepare($upit);
            $priprema->bindParam(":odg",$odgovor);
            $priprema->bindParam(":idAnketa",$idAnkete);
            $priprema->bindParam(":idKorisnik",$idKorisnik);
            try{
                $priprema->execute();
                $code=201;
                $data="Uspešno ste glasali";
            catch(PDOException $e){
                $code=500;
                $data="Greška sa serverom";
        else{
            $code=200;
            $data="Morate se ulogovati da biste glasali";
    else{
        $code=404;
        $data="Nemate pristup";
echo json_encode($data);
http_response_code($code);
```

dohvatiPutopis.php

```
<?php
    require_once "konekcija.php";

if(isset($_GET['id'])){
    $id=$_GET['id'];
    $upit="SELECT * FROM putopis WHERE idPutopis=:id";
    $priprema=$konekcija->prepare($upit);
    $priprema->bindParam(":id",$id);
    try{
        $priprema->execute();
        $putopis=$priprema->fetch();
    }
    catch(PDOExeption $e){
        echo "Greska sa serverom";
    }
}
else{
    echo "Nemate pristup";
}

?>
```

```
<?php
    require_once "konekcija.php";
    if(isset($_GET['id'])){
        $id=$_GET['id'];
        $upit="SELECT * FROM putovanje p INNER JOIN putovanjecena pc on p.idPutov
anja=pc.idPutovanje INNER JOIN prevoz pr ON pr.idPrevoz=p.idPrevoz WHERE p.idPuto
vanja=:id";
        $priprema=$konekcija->prepare($upit);
        $priprema->bindParam(":id",$id);
        try{
            $priprema->execute();
            $putovanje=$priprema->fetch();
        catch(PDOExcepion $e){
            echo "GRESKA SA SERVEROM";
    else{
        echo "NEMATE PRISTUP";
```

```
<?php
   require "konekcija.php";
   $code=200;
   $data="OK";
   if(isset($_POST['dugme'])){
        $slika=$_FILES['slika'];
       $naslov=$ POST['naslov'];
        $polazak=$_POST['polazak'];
        $povratak=$_POST['povratak'];
       $tekst=$ POST['tekst'];
       $cena=$_POST['cena'];
        $prevoz=$_POST['prevoz'];
       $tmpName=$slika['tmp name'];
       $size=$slika['size'];
       $tip=$slika['type'];
       $name=$slika['name'];
       $naziv=time().$name;///
        $putanja="../assets/images/$naziv";
       $rezultat=move_uploaded_file($tmpName,$putanja);
        $upit="INSERT INTO putovanje VALUES (null,:naziv,:opis,:slika,:prevoz)";
        $priprema=$konekcija->prepare($upit);
        $priprema->bindParam(":naziv",$naslov);
        $priprema->bindParam(":opis",$tekst);
       $priprema->bindParam(":slika",$naziv);
        $priprema->bindParam(":prevoz",$prevoz);
        try{
            $priprema->execute();
            $data="Uspesno ste dodali putovanje";
            $id=$konekcija->lastInsertId();
            $upit2="INSERT INTO putovanjecena VALUES (null,:id,:polazak,:povratak
,:cena)";
            $priprema2=$konekcija->prepare($upit2);
            $priprema2->bindParam(":id",$id);
            $priprema2->bindParam(":polazak",$polazak);
            $priprema2->bindParam(":povratak",$povratak);
```

```
<?php
    require "konekcija.php";
    $code=200;
    $data="OK";
    if(isset($ POST['dugme'])){
        $slika=$_FILES['slika'];
        $naslov=$_POST['naslov'];
        $tekst=$_POST['tekst'];
        $tmpName=$slika['tmp_name'];
        $size=$slika['size'];
        $tip=$slika['type'];
        $name=$slika['name'];
        $naziv=time().$name;///
        $putanja="../assets/images/$naziv";
        $rezultat=move_uploaded_file($tmpName,$putanja);
        $upit="INSERT INTO putopis VALUES (null, :naslov,:tekst,:slika)";
        $priprema=$konekcija->prepare($upit);
        $priprema->bindParam(":naslov",$naslov);
        $priprema->bindParam(":tekst",$tekst);
        $priprema->bindParam(":slika",$naziv);
        try{
            $priprema->execute();
            $data="Uspesno ste dodali putopis";
        catch(PDOException $e){
            $code=500;
            $data="Greska sa serverom";
    else{
        $code=404;
        $data="Nemate pristup";
echo json_encode($data);
http_response_code($code);
```

```
<?php
    require "konekcija.php";
    $code=200;
    $data="";
    if(isset($_POST['dugme'])){
        $naslov=$_POST['naslov'];
        $polazak=$_POST['polazak'];
        $povratak=$_POST['povratak'];
        $tekst=$ POST['tekst'];
        $cena=$ POST['cena'];
        $prevoz=$ POST['prevoz'];
        $id=$_POST['id'];
        $upit="UPDATE putovanje SET naziv=:naziv,opis=:opis,idPrevoz=:idPrevoz WH
ERE idPutovanja=:id";
        $priprema=$konekcija->prepare($upit);
        $priprema->bindParam(":naziv",$naslov);
        $priprema->bindParam(":opis",$tekst);
        $priprema->bindParam(":idPrevoz",$prevoz);
        $priprema->bindParam(":id",$id);
        try{
            $priprema->execute();
            $upit2="UPDATE putovanjecena SET datumPolaska=:polazak,datumPovratka=
:povratak,cena=:cena WHERE idPutovanje=:id";
            $priprema2=$konekcija->prepare($upit2);
            $priprema2->bindParam(":polazak",$polazak);
            $priprema2->bindParam(":povratak",$povratak);
            $priprema2->bindParam(":cena",$cena);
            $priprema2->bindParam(":id",$id);
            try{
                $priprema2->execute();
                $data="Uspesno ste azurirali putovanje";
            catch(PDOException $e){
                $code=500;
                $data="Greska sa serverom";
```

```
catch(PDOException $e){
        $code=500;
        $data="Greska sa serverom";
    }
}
else{
    $code=404;
    $data="Nemate pristup";
}
echo json_encode($data);
http_response_code($code);
}>
```

anketaRez.php

```
<?php
    require_once "konekcija.php";
    $upit="SELECT * FROM anketa WHERE aktivna=1";
    $idOdg=0;
    $glasao=false;
    try{
        $rez=$konekcija->query($upit);
        $anketa=$rez->fetch();
        $code=200;
        if($rez->rowCount()!=0){
            $idAnkete=$anketa['idAnkete'];
            $odgovori="SELECT * FROM odgovori WHERE idAnkete=:id";
            $priprema=$konekcija->prepare($odgovori);
            $priprema->bindParam(":id",$idAnkete);
            try{
                $priprema->execute();
                $odgovori=$priprema->fetchAll();
                if(isset($_SESSION['korisnik'])){
                    $korisnik=$_SESSION['korisnik'];
                    $idKorisnika=$korisnik['idKorisnika'];
                    $odgovor="SELECT * FROM odgovoriAnketa WHERE idKorisnika=:id
AND idAnkete=:idAnketa";
                    $priprema2=$konekcija->prepare($odgovor);
                    $priprema2->bindParam(":id",$idKorisnika);
                    $priprema2->bindParam(":idAnketa",$idAnkete);
                    try{
                        $priprema2->execute();
                        if($priprema2->rowCount()==1){
                            $glasao=true;
                        else{
                            $glasao=false;
                    catch(PDOException $e){
                        echo "Server error";
```

```
}
catch(PDOException $e){
    echo "Server error";
}
}

catch(PDOException $e){
    $code=500;
    echo "Server error";
}
```

Main.js

```
$(document).ready(function(){
    if(location.href.index0f("index.php")!=-1){
        $("#glasajAnketa").click(glasaj)
    if(location.href.indexOf("putovanje.php")!=-1){
        $(".listaZelja").click(dodajUlistuZelja)
    if(location.href.indexOf("listaZelja.php")!=-1){
        $(".listaZeljaBrisi").click(brisiIzListe)
    if(location.href.indexOf("kontakt.php")!=-1){
        $("#btnPoruka").click(posaljiPoruku)
    if(location.href.indexOf("admin.php")!=-1){
        $("#onemoguci").click(onemoguci)
        $("#omoguci").click(omoguci)
    if(location.href.indexOf("dodajAdmin.php")!=-1){
        $("#dodajPutovanje").click(dodajPutovanje)
        $("#dodajPutopis").click(dodajPutopis)
    if(location.href.indexOf("putovanjaAdmin.php")!=-1){
        $(".obrisiPutovanje").click(obrisiPutovanje)
    if(location.href.indexOf("adminPutopisi.php")!=-1){
        $(".obrisiPutopis").click(obrisiPutopis)
    if(location.href.indexOf("azuriraj.php")!=-1){
        $("#updatePutovanje").click(updatePutovanje)
    if(location.href.indexOf("azurirajPutopis.php")!=-1){
        $("#updatePutopis").click(updatePutopis)
})
function glasaj(){
    var cb=$('input[name="anketa"]:checked')
    var idAnkete=$("#anketaId").val()
```

```
if(cb.val()!=undefined){
        $.ajax({
            url:'models/glasaj.php',
            method:"POST",
            dataType:"json",
            data:{
                "izbor":cb.val(),
                "anketa":idAnkete,
                "dugme":true
            },
            success:function(data){
                $("#anketaTekst").html(data)
                $("#glasajAnketa").attr("disabled",true)
            },
            error:function(xhr){
                $("#anketaTekst").html(xhr.responseText)
        })
    else{
        $("#anketaTekst").html("Niste izabrali odgovor")
$("#nalog").click(function(e){
    e.preventDefault()
    $("#modal").show()
    $("#registracijaForma").hide()
    $("#logovanjeForma").show()
$("#registracija").click(function(e){
    e.preventDefault()
    $("#registracijaForma").show()
    $("#logovanjeForma").hide()
    $("#registracija").addClass("aktivno")
    $("#logovanje").removeClass("aktivno")
$("#logovanje").click(function(e){
    e.preventDefault()
    $("#registracijaForma").hide()
    $("#logovanjeForma").show()
    $("#registracija").removeClass("aktivno")
    $("#logovanje").addClass("aktivno")
```

```
$("#close").click(function(e){
    e.preventDefault()
    $("#modal").hide()
    $("#registracija").removeClass("aktivno")
    $("#logovanje").addClass("aktivno")
})
$("#btnLog").click(function(){
    var mail=document.getElementById("emailLog").value;
    var pass=document.getElementById("lozinkaLog").value;
    var regEmail=/^w[.\d\w]^*\@[a-z]{2,10}(\.[a-z]{2,3})+$/;
    var regPass=/^.{8,50}$/;
    if(!regEmail.test(mail)){
        document.getElementById("logovanjeStatus").innerHTML="E-
mail format: ivana.panic.176.16@ict.edu.rs ili ivana@gmail.com"
        return false
    else{
        document.getElementById("logovanjeStatus").innerHTML=""
    if(!regPass.test(pass)){
        document.getElementById("logovanjeStatus").innerHTML="Lozinka mora imati
bar 8 karaktera"
        return false
    }
    else{
        document.getElementById("logovanjeStatus").innerHTML=""
    $.ajax({
        url:'models/logovanjeObrada.php',
        method:"POST",
        dataType:"json",
        data:{
            "mail":mail,
            "pass":pass,
            "dugme":true
        },
        success:function(data){
           if(data==201){
```

```
location.reload()
            else{
                $("#logovanjeStatus").html(data)
        },
        error:function(xhr){
            $("#logovanjeStatus").html(JSON.parse(xhr.responseText))
    })
})
$("#odjava").click(function(e){
    e.preventDefault()
    $.ajax({
        url:'models/odjava.php',
        method:"POST",
        dataType:"json",
        success:function(data){
            location.reload()
        },
        error:function(xhr){
    })
})
$("#btnReg").click(function(e){
    e.preventDefault()
    //poruka za greske
    var ime=document.getElementById("ime").value;
    var prezime=document.getElementById("prezime").value;
    var mail=document.getElementById("email").value;
    var pass=document.getElementById("lozinka").value;
    var passConf=document.getElementById("lozinkaPonovi").value;
    var regIme=/^[A-Z][a-z]{2,29}$/;
    var regPrezime=/^[A-Z][a-z]{2,39}$/;
    var regEmail=/^w[.\d\w]^*\@[a-z]{2,10}(\.[a-z]{2,3})+$/;
    var regPass=/^.{8,50}$/;
   var greske=0;
```

```
if(!regIme.test(ime)){
        $("#porukaIme").html("Ime mora poceti velikom slovom i ima najvise 30 slo
va");
        greske++;
    else{
        $("#porukaIme").html("");
    if(!regPrezime.test(prezime)){
        $("#porukaPrezime").html("Prezime mora poceti velikim slovom i ima najvis
e 40 slova");
        greske++;
    else{
        $("#porukaPrezime").html("");
    if(!regEmail.test(mail)){
        $("#porukaEmail").html("E-
mail format: ivana.panic.176.16@ict.edu.rs ili ivana@gmail.com");
        greske++;
    else{
        $("#porukaEmail").html("");
    if(!regPass.test(pass)){
        $("#porukaLozinka").html("Lozinka mora imati najmanje 8 karaktera");
        greske++;
    else{
        $("#porukaLozinka").html("");
    if(passConf!=pass){
        $("#porukaLozinkaPonovi").html("Lozinke se ne poklapaju");
        greske++;
    else{
        $("#porukaLozinkaPonovi").html("");
    }
    if(greske==0){
        $.ajax({
            url: "models/obradaRegistracija.php",
            method:"post",
            dataType:"json",
```

```
data:{
                "ime":ime,
                "prezime":prezime,
                "email":mail,
                "pass":pass,
                "passConf":passConf,
                "dugmeReg":true
            },
            success:function(data){
                $("#poruka").html(data)
            },
            error:function(xhr){
                $("#poruka").html(xhr.responseText)
        })
})
function dodajUlistuZelja(e){
    e.preventDefault()
    var klik=this.dataset.id
    $.ajax({
        url:"models/obradaListaZelja.php",
        method:"post",
        dataType:"json",
        data:{
            "idPutovanja":klik,
            "dugmeLista":true
        success:function(data){
            if(data=="Morate se ulogovati"){
                $("#wlist").html(data)
            else{
                location.reload()
        },
        error:function(xhr){
            $("#poruka").html(xhr.responseText)
    })
function brisiIzListe(e){
```

```
e.preventDefault()
    var red=$(this)
    id=this.dataset.id
    $.ajax({
        url:"models/obrisiIzListe.php",
       method:"post",
        dataType:"json",
        data:{
            "idPutovanja":id,
            "dugmeLista":true
        },
        success:function(data){
            red.parent().parent().remove()
        },
        error:function(xhr){
            red.parent().parent().html(xhr.responseText)
    })
function posaljiPoruku(){
   var ime=$("#imePoruka").val()
   var prezime=$("#prezimePoruka").val()
   var email=$("#emailPoruka").val()
   var telefon=$("#telefonPoruka").val()
   var tema=$("#temaPoruka").val()
   var poruka=$("#porukaPoruka").val()
   var regExIme=/^[A-Z][a-z]{2,29}$/
   var regExPrezime=/^[A-Z][a-z]{2,39}$/
   var regExEmail=/^w[.\dw]*\@[a-z]{2,10}(\.[a-z]{2,3})+$/
   var regExTelefon=/^06\d{8}$/
   var regExTema=/^[\w\s\d]+$/
   var regExPoruka=poruka.split(" ")
    if(!regExIme.test(ime)){
        $("#porukaForma").html("Ime mora poceti velikim slovom i ima 30 karaktera
 najvise")
        return false
   else{
        $("#porukaForma").html("")
    if(!regExPrezime.test(prezime)){
```

```
$("#porukaForma").html("Prezime mora poceti velikim slovom i ima 40 karak
tera najvise")
        return false
    else{
        $("#porukaForma").html("")
    if(!regExEmail.test(email)){
        $("#porukaForma").html("E-
mail format: ivana.panic.176.16@ict.edu.rs ili ivana@gmail.com")
        return false
    else{
        $("#porukaForma").html("")
    if(!regExTelefon.test(telefon)){
        $("#porukaForma").html("Telefon mora biti u formatu 06****** (8 cifara)
 umesto zvezdica")
        return false
    else{
        $("#porukaForma").html("")
    if(!regExTema.test(tema)){
        $("#porukaForma").html("Morate upisati temu")
        return false
    else{
        $("#porukaForma").html("")
    if(regExPoruka.length<10){</pre>
        $("#porukaForma").html("Poruka mora imati bar 10 reci")
        return false
    else{
        $("#porukaForma").html("")
    $.ajax({
        url: "models/posaljiPoruku.php",
        method:"post",
        dataType:"json",
        data:{
            "ime":ime,
            "prezime":prezime,
```

```
"email":email,
            "telefon": telefon,
            "tema":tema,
            "poruka":regExPoruka,
            "dugme":true
        },
        success:function(data){
            $("#porukaForma").html(data)
        },
        error:function(xhr){
            $("#porukaForma").html(xhr.responseText)
    })
function omoguci(){
    $.ajax({
        url:"models/omoguciAnketu.php",
        method:"post",
        dataType:"json",
        data:{
            "dugme2":true
        },
        success:function(data){
            $("#porukaAnketa").html(data)
            location.reload()
        },
        error:function(xhr){
            $("#porukaAnketa").html(xhr.responseText)
    })
function onemoguci(){
    $.ajax({
        url:"models/omoguciAnketu.php",
        method:"post",
        dataType:"json",
        data:{
            "dugme":true
        },
        success:function(data){
            $("#porukaAnketa").html(data)
            location.reload()
```

```
},
        error:function(xhr){
            $("#porukaAnketa").html(xhr.responseText)
    })
function dodajPutovanje(){
    var slika=document.getElementById("slika").files[0]
    var naslov=document.getElementById("naslov").value
    var polazak=document.getElementById("polazak").value
    var povratak=document.getElementById("povratak").value
    var tekst=document.getElementById("tekst").value
    var cena=document.getElementById("cena").value
    var prevoz=document.getElementById("prevoz").value
    var podaciZaSlanje= new FormData();
    var datum=new Date()
    var polazakDan=polazak.split("-")[2]
    var polazakMesec=polazak.split("-")[1]
    podaciZaSlanje.append("slika",slika)
    podaciZaSlanje.append("naslov",naslov)
    podaciZaSlanje.append("polazak",polazak)
    podaciZaSlanje.append("povratak",povratak)
    podaciZaSlanje.append("tekst",tekst)
    podaciZaSlanje.append("cena",cena)
    podaciZaSlanje.append("prevoz",prevoz)
    podaciZaSlanje.append("dugme",true)
    if(slika==undefined || naslov=="" || tekst=="" || cena=="" || polazak=="" ||
povratak==""){
        $("#porukaInsertPutovanje").html("Sva polja moraju biti popunjena i morat
e izabrati sliku")
        return false
    else{
        $("#porukaInsertPutovanje").html("")
    if(polazakMesec<=datum.getMonth()+1){</pre>
        if(polazakDan<datum.getDate()){</pre>
```

```
$("#porukaInsertPutovanje").html("Datum polaska ne moze biti u proslo
sti")
            return false
        if(polazakDan>datum.getDate()){
            $("#porukaInsertPutovanje").html("")
    }
    else{
        $("#porukaInsertPutovanje").html("")
    if(povratak<=polazak){</pre>
        $("#porukaInsertPutovanje").html("Datum povratka ne moze biti pre datuma
polaska")
        return false
    else{
        $("#porukaInsertPutovanje").html("")
    $.ajax({
        url:"models/dodajPutovanje.php",
        method:"post",
        dataType:"json",
        processData:false,
        contentType:false,
        data:podaciZaSlanje,
        success:function(data){
            $("#porukaInsertPutovanje").html(data)
        },
        error:function(xhr){
            $("#porukaInsertPutovanje").html(xhr.responseText)
    })
function dodajPutopis(){
    var slika=document.getElementById("slikaPutopis").files[0]
    var naslov=document.getElementById("naslovPutopis").value
    var tekst=document.getElementById("tekstPutopis").value
    var podaciZaSlanje= new FormData();
    podaciZaSlanje.append("slika",slika)
    podaciZaSlanje.append("naslov",naslov)
    podaciZaSlanje.append("tekst",tekst)
```

```
podaciZaSlanje.append("dugme",true)
    if(slika==undefined || naslov=="" || tekst==""){
        $("#formaDodajPutopis").html("Sva polja moraju biti popunjena i morate iz
abrati sliku")
       return false
   else{
        $("#formaDodajPutopis").html("")
   $.ajax({
        url:"models/dodajPutopis.php",
        method:"post",
        dataType:"json",
        processData:false,
        contentType:false,
        data:podaciZaSlanje,
        success:function(data){
            $("#formaDodajPutopis").html(data)
        },
        error:function(xhr){
            $("#formaDodajPutopis").html(xhr.responseText)
    })
function obrisiPutovanje(e){
   e.preventDefault()
   var id=this.dataset.id
   $.ajax({
        url: "models/obrisiPutovanje.php",
        method:"post",
        dataType:"json",
        data:{
            "id":id,
            "dugme":true
        },
        success:function(data){
            location.reload()
        },
        error:function(xhr){
            $(this).parent().parent().html(xhr.responseText)
```

```
})
function obrisiPutopis(e){
    e.preventDefault()
    var id=this.dataset.id
    $.ajax({
        url:"models/obrisiPutopis.php",
        method:"post",
        dataType:"json",
        data:{
            "id":id,
            "dugme":true
        success:function(data){
            location.reload()
        error:function(xhr){
    })
function updatePutovanje(){
    var naslov=document.getElementById("naslovUpdate").value
    var polazak=document.getElementById("polazakUpdate").value
    var povratak=document.getElementById("povratakUpdate").value
    var tekst=document.getElementById("tekstUpdate").value
    var cena=document.getElementById("cenaUpdate").value
    var prevoz=document.getElementById("prevozUpdate").value
    var id=document.getElementById("id").value
    var datum=new Date()
    var polazakDan=polazak.split("-")[2]
    var polazakMesec=polazak.split("-")[1]
    if(naslov=="" || tekst=="" || cena=="" || polazak=="" || povratak==""){
        $("#porukaUpdatePutovanje").html("Sva polja moraju biti popunjena")
        return false
```

```
else{
        $("#porukaUpdatePutovanje").html("")
    }
    if(polazakMesec<=datum.getMonth()+1){</pre>
        if(polazakDan<datum.getDate()){</pre>
            $("#porukaUpdatePutovanje").html("Datum polaska ne moze biti u proslo
sti")
            return false
        if(polazakDan>datum.getDate()){
            $("#porukaUpdatePutovanje").html("")
    else{
        $("#porukaUpdatePutovanje").html("")
    if(povratak<=polazak){</pre>
        $("#porukaUpdatePutovanje").html("Datum povratka ne moze biti pre datuma
polaska")
        return false
    else{
        $("#porukaUpdatePutovanje").html("")
    $.ajax({
        url: "models/azurirajPutovanje.php",
        method:"post",
        dataType:"json",
        data:{
            "naslov":naslov,
            "polazak":polazak,
            "povratak":povratak,
            "tekst":tekst,
            "cena":cena,
            "prevoz":prevoz,
            "dugme":true,
            "id":id,
        },
        success:function(data){
            $("#porukaUpdatePutovanje").html(data)
        },
        error:function(xhr){
            $("#porukaUpdatePutovanje").html(xhr.responseText)
```

```
})
function updatePutopis(){
    var naslov=document.getElementById("naslovPutopisUpdate").value
    var tekst=document.getElementById("tekstPutopisUpdate").value
    var id=document.getElementById("id").value
    if(naslov=="" || tekst==""){
        $("#formaUpdatePutopis").html("Sva polja moraju biti popunjena i morate i
zabrati sliku")
        return false
    else{
        $("#formaUpdatePutopis").html("")
    $.ajax({
        url:"models/updatePutopis.php",
        method:"post",
        dataType:"json",
        data:{
            "id":id,
            "naslov":naslov,
            "tekst":tekst,
            "dugme":true
        },
        success:function(data){
            $("#formaUpdatePutopis").html(data)
        },
        error:function(xhr){
            $("#formaUpdatePutopis").html(xhr.responseText)
    })
```

Style.css

```
*{
    margin: 0px;
    padding: 0px;
    box-sizing: border-box;
body{
    line-height: 1.6;
    font-family: 'Quicksand', sans-serif;
header{
   width: 100%;
    padding: 5px 20px;
    background-color: #ffffff;
    position: fixed;
    box-shadow: 0 .125rem .25rem rgba(0,0,0,.075);
    top: 0px;
header a{
   text-decoration: none;
    color: #000;
#kontakt{
   width: 90%;
   margin: 0px auto;
    display: flex;
    justify-content: space-between;
header nav{
   width: 90%;
    padding: 15px 0px 0px;
   margin: 0px auto;
    display: flex;
    justify-content: space-between;
    align-items: center;
header nav #logo,header nav ul{
    margin-right: 20px;
header nav ul{
   display: flex;
    align-items: flex-end;
    justify-content: space-between;
    width: 60%;
```

```
header nav ul li{
    list-style-type: none;
header nav ul li a{
   text-decoration: none;
   padding: 10px;
   font-size: 20px;
    color: #000;
.slika{
   width: 100%;
   height: 500px;
    background-size: cover;
    background-repeat: no-repeat;
   background-image: url("../images/pocetna.jpeg");
    background-position: bottom;
    background-attachment: fixed;
header i{
   color: #73b72a;
    margin-left: 10px;
#putovanja{
    padding: 40px 0px;
    display: flex;
    flex-wrap: wrap;
    text-align: center;
.putovanje{
   padding: 10px;
   margin: 20px auto;
    width: 90%;
    border: 1px solid #73b72a;
    border-radius: 10px;
    display: flex;
    justify-content: space-between;
    align-items: center;
putovanje div{
    width: 20%;
div img{
    width: 100%;
.putovanje div img{
```

```
border-radius: 50%;
.naslov{
    width: 100%;
    text-align: center;
    margin: 20px;
.putovanje p{
    font-weight: bold;
    margin-bottom: 5px;
.putovanje a{
    padding: 10px;
    border-radius: 5px;
    text-decoration: none;
    background-color: #73b72a;
    color: #ffffff;
.putovanje .link{
    width: auto;
    margin: 15px auto;
    text-align: center;
#putopisi{
    text-align: center;
#drzacPutopisi{
    width: 90%;
    margin: 50px auto;
    text-align: center;
    display: flex;
    justify-content: space-between;
    flex-wrap: wrap;
.putopis{
    width: 32%;
    text-align: justify;
putopis img,.divPutovanje img{
    border-radius: 5px;
.putopis a{
    color: #5da510;
    text-decoration: none;
```

```
.strana{
    width: 100%;
    padding-top: 150px;
    text-align: center;
#putovanje{
   padding-top: 150px;
    width: 90%;
   margin: 0px auto;
    display: flex;
    justify-content: space-between;
    flex-wrap: wrap;
.divPutovanje{
    width: 45%;
    text-align: justify;
.divPutovanje p{
    margin-top: 15px;
#putovanjeDodatak{
   width: 100%;
    padding: 30px 0px;
    display: flex;
    justify-content: space-between;
#putovanjeDodatak span{
    font-weight: bold;
#jedanPutopis{
    padding-top: 150px;
   width: 90%;
   margin-left: 40px;
    text-align: justify;
#jedanPutopis img{
    border-radius: 10px;
#jedanPutopis p{
    margin-top: 10px;
#jedanPutopis div{
    width: 80%;
#jedanPutopis ol{
```

```
margin-left: 20px;
#jedanPutopis ol li{
    margin-top: 15px;
.divPutovanje a{
   text-decoration: none;
    font-size: 20px;
    color: #000;
.divPutovanje i{
    color: #73b72a;
footer{
   line-height: 2;
   margin-top: 50px;
   padding: 20px 0px;
   width: 100%;
   background-color: rgba(121, 199, 90, 0.829);
   display: flex;
    justify-content: space-around;
    text-align: justify;
footer p{
   font-size: 18px;
.blok i{
   font-size: 25px;
   margin: 0px 3px;
.mreze{
   text-align: center;
.mreze a{
   color: #000;
   text-decoration: none;
footer .blok{
    padding: 30px;
#anketa{
    text-align: center;
#anketa input[type="radio"]{
```

```
margin-left: 20px;
    width: 20px;
h1,h2{
    text-decoration: underline #73b72a;
#modal{
    display: none;
    position: fixed;
    left: 30%;
    right: 30%;
    top: 25px;
    background-color: #f3f3f3;
    bottom: 30px;
    border-radius: 10px;
    margin: 0px auto;
#linkoviModal{
    width: 100%;
    display: flex;
    justify-content: center;
    text-align: center;
    flex-wrap: wrap;
#linkoviModal a{
    width: 50%;
    padding: 15px;
    text-decoration: none;
    background-color: #c2c2c2;
    color: #000;
    border-radius: 5px;
#linkoviModal .aktivno{
    background-color: #f3f3f3;
#logovanjeForma,#registracijaForma{
    padding-top: 20px;
    width: 100%;
#linkoviModal #close{
    position: absolute;
    right: 5px;
    top: 0px;
    width: auto;
    padding: 5px;
```

```
background-color: transparent;
#registracijaForma{
    display: none;
input[type="text"],input[type="password"]{
    margin-bottom: 10px;
    text-align: center;
    border: 0px;
    border-radius: 5px;
    padding: 10px;
    width: 80%;
input[type="button"]{
    padding: 10px 15px;
    border: 0px;
    border-radius: 5px;
    background-color: rgba(121, 199, 90, 0.829);
    margin-top: 10px;
.duzina{
    min-height: 335px;
.fa-paper-plane{
    font-size: 45px;
    margin: 10px 0px;
    color: #5da510;
.forma{
    width: 50%;
    margin: 10px auto;
.forma input{
    border: 1px solid #5da510;
    width: 80%;
    text-align: left;
    font-family: 'Quicksand', sans-serif;
.forma #btnPoruka{
    text-align: center;
 textarea{
    width: 80%;
    border: 1px solid #5da510;
    border-radius: 5px;
```

```
height: 150px;
    resize: none;
    padding: 10px;
    font-family: 'Quicksand', sans-serif;
.forma #emailPoruka,.forma #telefonPoruka,.forma #imePoruka,.forma #prezimePoruka
    width: 40%;
.crveno i{
    color: #ff0040;
table{
   width: 90%;
    margin: 0px auto;
    border-collapse: collapse;
table td,table th{
   width: 20%;
    padding: 30px;
td img{
   width: 50%;
    border-radius: 50%;
table tr{
    border-bottom: 1px solid #5da510;
table a{
   text-decoration: none;
    color: #ff0040;
table i{
    font-size: 20px;
#stranicenje{
   width: 60%;
   margin: 0px auto;
    text-align: center;
#stranicenje a{
   text-decoration: none;
    background-color: #73b72a;
    border-radius: 5px;
    padding: 10px;
```

```
color: #ffffff;
header #admin ul{
   width: 100%;
#drzacAdmin{
    padding-top: 80px;
    text-align: center;
#rezAnketa{
    padding-top: 40px;
#rezAnketa h2{
   margin-bottom: 10px;
#drzacAdmin table tr:hover{
    background-color: #5da510;
    color: #fff;
#drzacAdmin input{
    border: 1px solid #5da510;
input[type='date']{
    width: 50%;
.forma input[type='button']{
    text-align: center;
#drzacAdmin input[type='file']{
    border: 1px solid #fff;
.formaAdmin{
    display: flex;
.autor{
   width: 80%;
    margin: 0px auto;
#tekstAutor{
    display: flex;
    justify-content: space-around;
#tekstAutor div{
    width: 30%;
    border-radius: 5px;
```

```
padding: 30px 10px;
  text-align: justify;
}
#tekstAutor div img{
  border-radius: 5px;
}
```