

The Hero Shot: Algorithm Optimization



Algorithm Validation



Resolution: 1600x1600px
(Exceeds 500x500px minimum)



Color Space: RGB verified
(CMYK rejected)



Background: Pure White
(No text, no watermarks, no merchant artwork)




Hosting Protocol: HTTPS via
eBay Picture Service (EPS)



Status:
Algorithm Best Match Optimized

The Dimension Blueprint: Item Specifics



Data to Visual Translation	
Height 1:	51.5 mm
Height 2:	55.6 mm
Width:	131.4 mm
Thickness:	17 mm
WVA Number:	23225

The Component Breakdown: Supplementary Parts

{

"Quantity Unit": "Axle Set (4 pads)",

"Wear Warning Contact": "Acoustic wear warning indicators (x2)",


"Supplementary Info 1":

"Anti-squeak plates",

"Supplementary Info 2":

"Brake caliper screws"

}



The K-Type Matrix: Vehicle Compatibility



K-Types / Fitment Data

TecDoc Standard: Compliant

Brake System Validation: Lucas / TRW

Verified K-Type Fitment:

- Opel Corsa C (F08, F68)
- Opel Meriva A (x03)
- Opel Combo C Tour

The Compliance Seal: GPSR & Safety Standards



Test Mark:

ECE-R90 Homologated ✓

Manufacturer ID:

A.B.S. (All Brake Systems B.V.)

GPSR Mandate:

Explicit safety pictograms and **manufacturer traceability** verified for EU Single Market entry.

Digital Services Act (DSA):

Business identity verified.

The Packaging & LUCID Act: Sustainability



Step 1: LUCID Registration

-> 13-digit ZSVR DE-Number
(e.g., DE1234567890987)


Step 2: Dual System Licensing

-> Contract with Landbell/Lizenzero
for cardboard/plastic weight

Step 3: Data Reporting

-> Volume parity between LUCID
portal and Dual System provider

The Identifier Tag: EAN/GTIN & MPN



The Alternative Angle: Friction Material

Friction Material:
Premium class
composites for
efficient braking.

Structural Integrity:
Strong metal backing
preventing flex and
manufacturing defects.



Thermal Dynamics:
Excellent heat
conductive properties;
withstands sharp
temperature drops.

The Energy & EU Directive Label: Regulatory Documents



Requirement:

EU energy efficiency labels and safety PDFs.

Hosting:

Uploaded via eBay Picture Service (EPS).

Mapping:

Document IDs mapped directly to listings via ChannelEngine for GPSR compliance.

The Trust & Performance Badge: **Seller Standards**

DACH Top Rated Threshold: $\leq 0.50\%$ **defect rate** (Maximum 3 unique buyers).

Logistics Advantage: **eBay Fulfillment by Orange Connex** integration.

Returns Workflow: QR-Code-only returns mandated for Germany (2026).

Fiscal Status: USt-IdNr (VAT) and Impressum verified via BZSt.

Consumer Trust: Authenticity Guarantee eligible.