

```
<!DOCTYPE html>
<html>
<head>
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Valentine ❤</title>
    <style>
        body {
            text-align: center;
            font-family: Arial, sans-serif;
            background: pink;
            padding-top: 100px;
        }

        h1 {
            font-size: 28px;
        }

        button {
            font-size: 20px;
            padding: 10px 20px;
            border: none;
            border-radius: 10px;
            margin: 10px;
            cursor: pointer;
        }

        #yesBtn {
            background-color: red;
            color: white;
        }

        #noBtn {
            background-color: white;
            color: black;
            position: absolute;
        }
    </style>
</head>
<body>

    <h1>Will you be my Valentine? ❤</h1>

    <button id="yesBtn" onclick="yesClicked()">YES 😍</button>
    <button id="noBtn">NO 😐</button>

    <script>
        const noBtn = document.getElementById("noBtn");

```

```
noBtn.addEventListener("mouseover", function () {
  const x = Math.random() * (window.innerWidth - 100);
  const y = Math.random() * (window.innerHeight - 100);
  noBtn.style.left = x + "px";
  noBtn.style.top = y + "px";
  noBtn.style.fontSize = (Math.random() * 10 + 10) + "px";
});

function yesClicked() {
  document.body.innerHTML = "<h1>I knew it 😊💖 Happy Valentine's!</h1>";
}
</script>

</body>
</html>
```