

Introduction:

The objective of this experiment is to understand the quantization concept and how to implement it in Matlab. When a signal is quantized, it is actually divided into a quanta (partitions). Quantization is opposite to sampling. It is done on y axis. On the x axis of the signal, are the co-ordinate values, and on the y axis, we have amplitudes. So digitizing the amplitudes is known as Quantization.

Quantization is a non-linear transformation which maps elements from a continuous set to a finite set. It is also the second step required by A/D conversion. And it is opposite to sampling. It is done on y axis. When you are quantizing a signal, you are actually dividing a signal into quanta (partitions). On the x axis of the signal, are the co-ordinate values, and on the y axis, we have amplitudes. So digitizing the amplitudes is known as Quantization.

There are two types of quantization.

- i. Mid-rise type uniform quantization
- ii. Mid-tread type uniform quantization

Performance Task for Lab Report: (ID = 18-39263-3)

****Generate a analog signal using the following equation,**

$$x_1(t) = A_1 \cos(2\pi(CDE*100)t)$$

(a) Select the value of the amplitudes as follows: let $A_1 = GD$ and $A_2 = AF$.

(b) Assuming that a 4-bit ADC channel accepts analog input ranging from 0 to 5 volts, determine

- i. The number of quantization levels.
- ii. The step size of the quantizer or resolution.
- iii. The quantization level when the analog voltage is 3.2 volts.
- iv. The binary code produce by the ADC.
- v. Implement it in MATLAB


Answer:

- (a) $A1 = GD = 39$
 $A2 = AF = 16$

Matlab Code:

```
fs=20000;  
fc=39;          * [CDE=392 this value but we can use only CD=39 value because  
A1=39;          taking three values increases the number of lines]  
A2=16;  
t=0:1/fs:0.1;  
x=A1*cos(2*pi*fc*t);  
m=4;  
L=(2^m)  
delta=(max(x)-min(x))/L  
xq=min(x)+(round((x-min(x))/delta))*delta;  
figure;  
plot(t,x,'r','Linewidth',1.5);  
hold on  
stairs(t,xq,'b','Linewidth',1.5)  
hold off  
title('Quantization of Signal')  
xlabel('Time')  
ylabel('Amplitude')  
legend('Original Signal','Quantized Signal')
```

Waveform:



(b)

- i. The number of quantization levels is 16
- ii. The step size of the quantizer or resolution is 12.
- iii. The quantization level is 12 when the analog voltage is 3.2 volts.
- iv. There are 16 levels. So, the binary code produced by the ADC is-

0000

0001

0010

0011

1000

0100

0111

0110

0101

1111

1110

1101

1100

1011

1010

1001

Conclusion: In this following experiment, the quantization of a signal is done using Matlab. The signal is not totally accurate due to the value of amplitudes and frequencies.