

DOKUMENTACIJA

SADRŽAJ

I	UVOD	
Koriš	ćeni programski jezici	3
Opis	funkcionalnosti	3
Temp	plate	4
Koriš	ćeni CSS	4
II	ORGANIZACIJA	
Robo	ts.txt	5
Мара	ı sajta	5
Orgar	nizacija sajta	6
III	KODOVI	
HTML		13
CSS.		24
JavaS	Script & jQueryJavaScript	33
		- XX

I UVOD

- 1. Korišćeni programski jezici
- HTML 5
- CSS 3 / SCSS
- Bootstrap
- JavaScript
- jQuery
- 2. Opis funkcionalnosti sajta
- Single page
- Header Navigacioni meni: ispisan dinamički putem JS-a
- Slider (slika sa naslovom)
- Planning to Adopt a Pet? (#afterSlider)
- Tekst i naslovi su ispisani dinamički putem **JS**-a. Klikom na link koji je izgleda kao dugme (Read more), dobijamo prikaz sakrivenog teksta, pritom se menja ime linka u 'Close' (putem **html()** metoda, jer a tag nema atribut value).
- Putem jQuery-ja je odrađen toggle() metod.
- Pets Available for Adoption (#pet-info-profiles)
- Zamišljeno je da svaki div sadrži sliku koja se prelaskom miša menja (mouseover/mouseout - JS). Klikom na dugme, prikazuje se sadržaj i u tom trenutku se menja atribut value tog dugmeta u 'Close'. Efekat koji se dobije kada se klikne na 'Close' jeste sakrivanje sadržaja i "vraćanje" atributa value na prvobitni atribut value. Takođe, trenutak kada kliknemo na dugme, prikazuje se scroll koji korisniku daje utisak da je tim klikom prouzrokovao, u ovom slučaju, prikaz sakrivenog sadržaja. Odrađeno preko jQuery-ja.
- Adoption Info (#adoption-info)
 - Forma (unutar diva #shelter-rescue-form)
- Klikom na dugme 'ADOPT', korisniku se ispod svakog polja ispisuje poruka crvenom bojom i pojavljuje bordura polja (klasa .error) koja takođe postaje crvena kako bi se korisniku skrenula pažnja na pogrešan unos. Pored poruke, dat je primer formata koji se zahteva za svako polje. Poruka koja se prikazuje je zapravo prazan span tag u HTML-u, kojem dinamički dodajemo i sklanjamo tekst, u zavisnosti od toga da li je dobro unešen. Odrađeno preko JavaScript-a.

• Get Involved (#getInvolved)

- Dinamičko ispisivanje 3 diva putem JavaScript-a.

Footer

- Upotrebljen je **jQuery plugin** za lightbox, klikom na link '<u>Jovana Paunović</u> <u>94/19</u>' u divu sa naslovom 'Author' prikazuje se slika autora.
- (sajt: https://noelboss.github.io/featherlight/)

3. Template

- Nije korišćen template iz drugih izvora, odrađen je samostalno.

4. Korišćeni CSS

- Korišćene su Bootstrap-ove klase, sopstveni CSS I eksterni CSS za potrebe Featherlight (jQuery plugin za lightbox).

II ORGANIZACIJA

1. Robots.txt

User-agent: *
Disallow:

2. Mapa sajta

```
□ ...

    sitemap.xml 

    ×

     <?xml version="1.0" encoding="UTF-8"?>
        <loc>https://furandfluff.netlify.app/index.html
         <lastmod>2020-12-11</lastmod>
         <changefreq>monthly</changefreq>
        <loc>https://furandfluff.netlify.app/index.html#pet-info-profiles</loc>
         <lastmod>2020-12-11</lastmod>
         <priority>0.80</priority>
        <loc>https://furandfluff.netlify.app/index.html#adoption-info</loc>
         <lastmod>2020-12-11</lastmod>
        <changefreq>monthly</changefreq>
        TERMINAL PROBLEMS OUTPUT DEBUG CONSOLE


√ 

□ 
Λ ×


                                               Tasks
                            ତ Watch Sass Ln 27, Col 10 Tab Size: 4 UTF-8 CRLF XML 🗣 Go Live 👂 🕻
```

3. Organizacija sajta


Home (index.html)




Klikom na link 'Read more', prikazuje se sakriveni sadržaj, menja se ime linka u 'Close' koji sada, klikom na njega radi kontraefekat – odnosno sakriva sadržaj.



Find a dog / cat (index.html#pet-info-profiles)






Prelaskom miša preko svake slike u svakom divu, slika se menja (mouseover/mouseout).




Klikom na dugme 'My story' (u jednom divu je to 'Our story'), prikazuje se sakriveni sadržaj i dugme menja svoj value u 'Close' (klikom na dugme sa ovim sada atributom value → efekat je sakrivanje sadržaja i vrednost atributa value je ponovo 'My story' / 'Our story').



Adoption info (index.html#adoption-info)







Klikom na dugme forme, korisniku se skrenula pažnja da je pogrešan unos (ništa nije uneto).




Pravilnim unosom, crveni tekst i uokvireno crveno polje nestaju.



Get Involved (index.html#getInvolved)



Klikom na link u footer-u '<u>Jovana Paunović 94/19</u>', prikazuje se jQuery plugin za lightbox slike (prikaz slike autora sajta).



III KODOVI

1. HTML

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8"/>
    <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
    <meta name="description" content="Adopting is a great way to give a dog or</pre>
 cat a second chance by providing a loving fur-
ever home. Find out what you need to know before adopting."/>
    <meta name="keywords" content="good, trained, adoption, info, dogs"/>
    <link rel="shortcut icon" href="favicon.png"/>
    <title>"FUR & FLUFF" - Guide for adopting dogs and cats</title>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
    <link rel="stylesheet" type="text/css" href="assets/css/bootstrap.min.css"</pre>
   <link rel="stylesheet" type="text/css" href="assets/css/style.min.css"/>
    <!--jQuery plugin => include CSS-->
    <link href="https://cdn.jsdelivr.net/npm/featherlight@1.7.14/release/feath</pre>
erlight.min.css" type="text/css" rel="stylesheet" />
</head>
<body>
    <header class='row'>
           <div id="logo"><a href="index.html"><img alt="Logo" src="assets/im"</pre>
g/logo.png"/></a></div>
            <div id="navigation" class='col-lg-6 col-sm-12'></div>
    </header>
<!--SLIDER-->
    <div id='slider'>
        <h1 id='maintitle'>
            Endless pawsabilities
        </h1>
    </div>
<!--AFTER SLIDER-->
<div class="title">
    <h1>Planning To Adopt a Pet?</h1>
</div>
<div id="afterSlider" class='container-fluid flex-column'>
            <!-- info-first-div -->
            <div id='afterSlider' class='row'>
                <div class='information bc-color col-md-10 col-sm-12'></div>
```

```
<!-- info-second-div -->
              <div class='information bc-color col-md-10 col-sm-12'></div>
   </div>
<!--pets available for adoption => pictures and profiles-->
<div class="title bc-color">
   <h1>Pets Available for Adoption</h1>
<div id="pet-info-profiles" class='bc-color'>
   <!--1. buster-->
   <div class="item">
       <div class="pet-img">
          <img id='rottweiler' src="assets/img/rottweiler1.jpg" alt="rottwei</pre>
       </div>
       <h4 class="pet-name">Buster</h4>
       <span class="title-info"> My info </span>
       <i class="fa fa-mars"></i>
              Rottweiler
              Spayed
              Shots Up to Date
              House-trained
              Purebred
              Not Good with Dogs
              Good with Kids
       Buster is a loving pup who just wants to be near his people.
              He likes sitting next to you on the couch watching tv or readi
ng a book. Also,
              he likes finding a free corner to sit and watch you cook in th
e kitchen.
              He's energetic and friendly and is searching for his perfect p
ermanent family!
          <input type="button" class="my-story" value="My story" />
   </div>
   <!--2. charlie-->
   <div class="item">
       <div class="pet-img">
          <img id='labrador' src="assets/img/labrador1.gif" alt='labrador' /</pre>
       </div>
       <h4 class="pet-name">Charlie</h4>
       <span class="title-info"> My info </span>
```

```
<i class="fa fa-mars"></i>
             Labrador
             Neutered
             Shots Up to Date
             House-trained
             Purebred
             Good with Dogs
             Good with Kids
      "I don't like seatbelts!", but anyway, Charlie is on his way t
o your heart!
             He likes sitting in the back seat to run errands. Also, he is
the most easy going guy.
             He is not hyper, not a barker, he is wonderful. He is crate tr
ained, leash trained,
             potty trained and fetch trained. How this angel ended up in a
shelter is beyond us.
             Leaving this little guy to die in a shelter was heart breaking
             We saw him and instantly fell in love. And you will too when y
ou meet him. So, how about that?
          <input type="button" class="my-story" value="My story" />
   </div>
   <div class="item">
      <div class="pet-img">
          <img id='pixiBob' src="assets/img/pixibob1.gif" alt="pixi bob"/>
      </div>
      <h4 class="pet-name">Luna</h4>
      <span class="title-info"> My info </span>
      <i class="fa fa-venus"></i>
             Pixi bob
             Spayed
             Shots Up to Date
             House-trained
             Needs Experienced Adopter
             Good with Cats
             Not Good with Dogs
      Sweetest cat rescued from Beverly Hills.
             She gave birth to 4 kittens.
             They all got adopted and now it's mama's time to get adopted.
             She is very healthy and active but a bit shy, so she needs som
eone
```

```
who has patience. It took her 6 months to let us pet her but o
nce
             you gain her trust she is a cuddler. Very loving & playful.
          <input type="button" class="my-story" value="My story" />
   </div>
   <!--4. starlet-->
   <div class="item">
      <div class="pet-img">
          <img id='persianCat' src="assets/img/persiancat1.gif" alt="persian</pre>
cat"/>
      </div>
      <h4 class="pet-name">Starlet</h4>
      <span class="title-info"> My info </span>
      <i class="fa fa-venus"></i>
             Persian cat
             Spayed
             Shots Up to Date
             Good with Cats
             Needs Experienced Adopter
             Not Good with Dogs
             Not Good with Kids
      Meet Starlet! This kitty has not had an easy life,
             but with your help, we hope to change all that. She was found
recently, and needs a new home.
             Starlet is social and sweet, and is learning
             that she can have a wonderful new life with people who care.
          <input type="button" class="my-story" value="My story" />
   </div>
   <!--5. cats => scout&sam-->
   <div class="item">
      <div class="pet-img">
          <img id='manksCats' src="assets/img/manksCats1.gif" alt="Manks"/>
      </div>
      <h4 class="pet-name">Scout & Sam</h4>
      <span class="title-info"> Our info </span>
      <i class="fa fa-venus-double"></i>
             Manks
             Spayed
             Shots Up to Date
             House-trained
             Good with Kids
             Good with Cats
```

```
Not Good with Dogs
       Scout and Sam are sisters from other misters. Born from differ
ent litters,
              but came to our rescue weeks apart and have grown up together
since they were just a few weeks old.
              Their bond is just as deep as true sisters are. Sam (the moo k
itty) is a cuddle bug and loves to nuzzle in your neck.
              Scout is the class clown and always looking to be the center o
f attention and life of the party.
              These two play, eat, cuddle and groom each other all the time
and Sam looks after her little
              sister like any big sister does. If you're looking to fill you
r home with lots of love,
              these two girls are better than one.
           <input type="button" id="our-story" value="Our story" />
   </div>
   <!--6. harry-->
   <div class="item">
       <div class="pet-img">
           <img id='borderColli' src="assets/img/bordercolli1.gif" alt="borde"</pre>
r colli"/>
       </div>
       <h4 class="pet-name">Harry</h4>
       <span class="title-info"> My info </span>
       <i class="fa fa-mars"></i>
              Border colli
              Neutered
              Shots Up to Date
              House-trained
              Needs Experienced Adopter
              Not Good with Cats
              Not Good with Kids
       This little nugget had a rough start in life. He came to us wi
th dreadlocks!
              Needs a special, savvy and understanding person to love him an
d respect his needs.
              He wags his tail all the time and plays with his toys for hour
s.
              He's pretty funny and entertaining. He has improved tremendous
ly from his training and is so much friendlier but still acts out.
              Loves long walks. Knows basic commands. Although, you still mu
st be careful handling him.
```

```
<input type="button" class="my-story" value="My story" />
  </div>
  <div class="item">
      <div class="pet-img">
         <img id='springerSpanel' src="assets/img/springer spanel.gif" alt=</pre>
"Springer spanel"/>
      </div>
      <h4 class="pet-name">Hula</h4>
      <span class="title-info"> My info </span>
      <i class="fa fa-venus"></i>
            English Springer spanel
            Spayed
            Shots Up to Date
            House-trained
            Needs Experienced Adopter
            Not Good with Dogs
            Good with Kids
      Hula is well trained,
                knows all commands, she's very protective and so loving.
                She needs a experienced owner who keeps her in check and
                loves her.
               Give Hula a chance to be your forever loved buddy! She was
abandoned
                and given up, and she has come through it all.
         <input type="button" class="my-story" value="My story" />
  </div>
  <!-- tobby 8-->
  <div class="item">
      <div class="pet-img">
         <img id='beagle' src="assets/img/beagle1.gif" alt="beagle"/>
      </div>
      <h4 class="pet-name">Tobby</h4>
      <span class="title-info"> My info </span>
      <i class="fa fa-mars"></i>
            Beagle
            Spayed
            Shots Up to Date
            House-trained
            Good with Dogs
            Not Good with Cats
```

```
Good with Kids
       Tobby loves affection, hikes and treats!
                   He's playful and loves hiking in the canyons.
                   His favorite dinner dish is sloppy joes.
                   After dinner, he's always excited to cuddle.
                   He walks well on a leash now and wears a front clip
                   harness to walk with. He is dog selective,
                   if introduced correctly, he can be good with another
                   dog of his own size.
                   He is incredibly loving, very smart indeed, he
                   figured out how to get more and more treats. But, yet he i
s charming, and adorable.
                   He loves to cuddle.
                   He has a HUGE prey drive so no cats.
                   Give us a call to meet this handsome fellow!
           <input type="button" class="my-story" value="My story" />
   </div>
   </div>
<!-- ADOPTION INFO -->
<div class='container'>
   <div class="title bc-color2 row">
       <h1 class='col-lg-12'>Adoption Info</h1>
   </div>
</div>
<div id="adoption-info" class="container">
   <div class='row'>
       <div id="breed-text" class='col-md-12'>
           <h4 class="adopt-title">How important is breed?</h4>
                   If you're just starting your search,
                   you may be asking yourself what kind of
                   dog or cat would be best for your lifestyle.
                   You may be diligently researching the characteristics
                   of each breed, making a list of which breeds would and
                   wouldn't be a fit.
               To you, we say: Relax! It's okay to
                   do your research, but don't feel like breed selection
                   is the ultimate key to finding your perfect match.
                   It really is about much more than what looks good on paper
                   it's about the individual dog or cat's personality and the
```

```
chemistry you feel together (yep, we have chemistry with
                    animals just like we do with other humans!). And don't
                    forget about those marvelous mutts! Not only do you get
                    a one-of-a-kind companion, but many veterinarians say
                    that mixed-
breed dogs tend to be healthier than purebred dogs,
                   who tend to be prone to certain genetic conditions,
                    depending on the breed.
                </div>
        <div id='howTo' class='col-md-12'>
            <h4 class="adopt-title">How to adopt a pet?</h4>
               If you've never adopted a pet before,
               you may be wondering,
               how does the process work?
               How long does it take?
               How much does it cost?
               The information below will
               help give you an overview of
               how it works to adopt a pet from
               Shelters and Rescues.
               Each is different, and it helps to understand
               what to expect, so you can have a
               better overall pet adoption experience.
            </div>
    </div>
</div>
<!--SHELTERS AND RESCUES-->
<div id="shelter-rescue-form" class="container-fluid bc-color">
    <div id="shelter-and-rescues-info" class='row'>
        <!--shelters-->
         <div id="shelters" class='col-md-9'>
            <h4>Adopting from a Shelter</h4>
               <1i>>
                       You find a pet you want to adopt on our
                        site who's at a shelter.
                    <
                        On the pet's page, that shelter's
                       Adoption Process might direct you to visit
                        the shelter facility during their adoption
                        hours, or to email them for an appointment.
                       You go to the shelter and see the pet. He's
                       adorable! You ask at the shelter desk and they
```

```
have a staff or volunteer take him out so you can
               meet with him. You fall in love.
           <1i>>
               You go to the shelter's front desk,
               give them your photo ID, pay the adoption
               fee (average range is $25 to $200), and
               get copies of the pet's vaccination records
               and sterilization certificate so you can get
                him licensed.
               You take your new pet home!
    </div>
<!--rescues-->
<div id="rescues" class='col-md-9'>
    <h4>Adopting from a Rescue</h4>
        <1i>>
               You find a pet you want to adopt on our
               site who's at a rescue.
           <
               You read that pet's Adoption Process.
               It says fill out their online application,
               and there's a link on that pet's page to
               that rescue's website and application.
               The next day, one of the rescue's volunteers
               calls you and you talk to them more about the pet.
               It seems like a good match, and agree to come meet
               the pet at their adoption event in a local pet store
               that weekend.
           <1i>>
               An event volunteer calls a home check volunteer,
               and you all arrange for a home visit.
               After the home visit, you get a call
               from a volunteer to let you know you will
               be the home adopting the pet! They email you
               copies of his vaccination and sterilization records.
               You arrange a delivery day for your new pet.
           <1i>>
               Your new pet is brought by his foster
               volunteer to your home! You sign their
               adoption contract and pay their adoption fee
```

```
(usually ranges from $100 to $300 but sometimes more).
                    </div>
    </div>
        <!--FORM-->
        <form action="#" method="get" class="col-xl-4 col-md-8" name='forma'>
            <h2 class="text-center text-dark" id='contact'>Contact</h2>
                <div class="row">
                    <!--first name-->
                  <div class="col">
                        <input type="text" id='IDfirstName' class="form-</pre>
control" placeholder="First name">
                    <span class='spanText'></span>
                    <!--last name-->
                  <div class="col">
                        <input type="text" id='IDlastName' class="form-</pre>
control" placeholder="Last name">
                    <span class='spanText'></span>
                    </div>
                    <!--email-->
                  <div class="col-xl-12">
                       <input type="email" id='IDemail' class="form-</pre>
control" placeholder="E-mail" name="enterEmail" required />
                  <span class='spanText'></span>
                    </div>
                </div>
                <!-- button -->
            <button type="button" class="btn btn-primary" id="adoptBTN" data-</pre>
toggle="modal">ADOPT</button>
              <!--END FORM-->
            </form>
</div>
<div id='getInvolved' class='container-fluid'>
    <div class='row'>
        <div class="title bc-color2">
            <h1><span class='number'>3</span> ways you can help</h1>
        </div>
    </div>
    <div id='threeWays' class='row'>
        <div class="way"></div>
        <div class="way"></div>
        <div class="way"></div>
    </div>
```

```
</div>
<!--footer-->
<footer>
    <!--author-->
    <div id='authorAndSocial'>
    <div id='author'>
        <h5>Author</h5>
            <div id='author-text'>
                <a href="#" id="linkTextAuthor" data-</pre>
featherlight="assets/img/author.jpg">Jovana Paunović 94/19</a>
            </div>
        </div>
        <!--socials-->
        <div id='socials'>
            <a href='https://www.instagram.com/' target="_blank">
                <i class="fa fa-instagram"></i></i>
            </a>
            <a href='https://www.facebook.com/' target="_blank">
                <i class="fa fa-facebook"></i></i>
            </a>
            <a href='https://twitter.com/home' target="_blank">
                <i class="fa fa-twitter"></i>
            </a>
            <a href='https://jovanapaunovic9419.netlify.app/' target='_blank'>
                    Portfolio
            </a>
        </div>
</div>
    <!--doc and sitemap-->
    <div id='other'>
        <a href='documentation.pdf' target='blank'>
            Documentation
        <a href='sitemap.xml' target='_blank'>
            Sitemap
        </a>
    </div>
    <!--copyright-->
    <div id='copyright'>
        <span>&copy; Copyright | Paunović Jovana 94/19</span>
    </div>
</footer>
        <!-- scripts -->
        <script src="https://cdnjs.cloudflare.com/ajax/libs/jquery/3.5.1/jquer</pre>
y.min.js" integrity="sha512-
bLT0Qm9VnAYZDflyKcBaQ2gg0hSYNQrJ8RilYldYQ1FxQYoCLtUjuuRuZo+fjqhx/qtq/1itJ0C2ej
DxltZVFg==" crossorigin="anonymous"></script>
```

2. CSS (SCSS)

```
@import url('https://fonts.googleapis.com/css2?family=Poppins&display=swap');
*{
    box-sizing: border-box;
    margin: 0px;
    padding: 0px;
body{
    font-family: 'Poppins', sans-serif;
    scroll-behavior: smooth;
//header
header{
    display: flex;
    flex-direction: row;
    justify-content: space-around;
    align-items: center;
    margin: 0px !important;
    padding: 0px !important;
    #logo{
        width: 100px;
        img{
            width: 100%;
    #navigation{
        display: flex;
        flex-direction: row;
            margin-top: 10px;
            display:flex;
            flex-direction: row;
            list-style-type: none;
            li{
                padding: 10px;
                    display: inline-block;
```

```
color: rgb(67, 83, 228);
                    text-decoration: none;
                    &:hover{
                        font-weight: bold;
#slider{
   width: 100%;
   height: 670px;
    background-image: url('../img/slider1.gif');
    background-attachment: cover;
    background-repeat: no-repeat;
    background-attachment: fixed;
    background-position: right;
    display: flex;
    justify-content: center;
    align-items: center;
    #maintitle{
        color: rgba(255, 255, 255, 0.4);
        letter-spacing: 6px;
        font-weight: bold;
        text-transform: uppercase;
        text-shadow: 0px 0px 40px #000;
.title{
   width: 100%;
    padding-bottom: 20px;
   padding-top: 20px;
   h1{
        text-align: center;
#profileLink{
    color: rgb(92, 108, 255);
    font-weight: bold;
#afterSlider{
   width: 100%;
    display: flex;
    flex-direction: row;
   justify-content: space-around;
```

```
align-items: center;
   margin-bottom: 30px;
    .information{
        display: flex;
       padding: 10px;
       margin-left: 10px;
        flex-direction: column;
        width: 400px;
        .main{
            font-weight: bold;
       .titleSecond{
           font-size: 25px;
           text-align: center;
           font-weight: bold;
           color: rgba(92, 108, 255, 0.8);
       #text1, #text2{
           display: none;
           color: #000;
           text-indent: 15px;
       .readMore{
       a{
               text-decoration: none;
               color:#000;
               background-color: rgba(92, 108, 255, 0.3);
               font-weight: bold;
               padding: 8px 10px;
               border: 2px rgba(92, 108, 255, 0.3);
               border-radius: 8px;
               &:hover{
                   color: rgb(67, 83, 228);
               }
           }
//profiles
.bc-color{
    background-color:rgba(206, 209, 252, 0.336);
#pet-info-profiles{
   display: flex;
   flex-direction: row;
   flex-wrap: wrap;
   justify-content: center;
   align-items: center !important;
```

```
width: 100%;
.item{
   display: flex;
   flex-direction: column;
   align-items: center;
   margin-left: 38px;
   margin-bottom: 40px;
   width: 340px;
   height: 800px;
   overflow-y: scroll;
   border: 2px solid rgba(189, 189, 189, 0.9);
   border-radius: 10px 10px;
    .pet-img{
       width: 240px;
       margin-top: 25px;
       img{
            border-radius: 10px 10px;
           width: 100%;
    .pet-name{
       font-weight: bold;
       text-align: center;
    .title-info{
       text-align: center;
       font-weight: bold;
       font-size: 18px;
    .info-list{
        list-style-type: none;
        padding-right: 10px;
       li{
            padding: 7px;
            .fa-mars{
                font-weight: bold;
                font-size: 20px;
                color: rgb(67, 83, 228);
                padding: 0px !important;
                margin: 0px !important;
            }
            .fa-venus, .fa-venus-double{
                padding: 0px !important;
                margin: 0px !important;
                font-weight: bold;
                font-size: 20px;
                color: rgb(235, 83, 167);
```

```
.breed{
                font-weight: bold;
        .text-pet-info{
            display: none;
            padding: 10px;
        .my-story, #our-story{
            color:#000;
            background-color: rgba(92, 108, 255, 0.3);
            font-weight: bold;
            padding: 8px 10px !important;
            margin-bottom: 40px !important;
            border: 2px rgba(92, 108, 255, 0.3);
            border-radius: 8px;
            &:hover{
                color: rgb(67, 83, 228);
//adoption info
#adoption-info{
   display: flex;
    justify-content: center;
   margin-bottom: 20px;
    .row{
        #breed-text{
            .adopt-title{
                    font-weight: bold;
                    color: rgba(67, 83, 228, 0.8);
       #howTo{
            .adopt-title{
                font-weight: bold;
                color: rgba(67, 83, 228, 0.8);
    }
//shelters and rescues
#shelter-rescue-form{
    padding-top: 40px;
   display: flex;
```

```
flex-direction: column;
 flex-wrap: wrap;
 justify-content: center;
 align-items: center;
 #shelter-and-rescues-info{
     width: 100%;
    display: flex;
     flex-direction: column;
     flex-wrap: wrap;
     #shelters{
         h4{
             padding-top: 10px;
             padding-bottom: 5px;
             color: rgba(67, 83, 228, 0.8);
             text-shadow: Opx Opx 1px #252525;
             font-weight: bold;
     #rescues{
         h4{
             padding-top: 10px !important;
             padding-bottom: 5px !important;
             color: rgba(67, 83, 228, 0.8);
             text-shadow: 0px 0px 1px #252525;
             font-weight: bold;
     p{
         text-indent: 15px;
     }
form {
   display: flex;
   align-items: center;
   flex-direction: column;
   justify-content: space-between;
   padding: 10px;
    .row{
        .col{
            input[type='text']{
                margin-bottom: 10px;
            input[type='email']{
                margin-bottom: 10px;
            }
           }
           button{
```

```
margin-top: 10px;
//za formu
.spanText{
    color: rgb(255, 0, 0);
    font-size: 11px;
.error{
    border: 2px solid rgb(255, 0, 0);
//get-involved
.number{
    color: rgb(92, 108, 255);
    font-weight: bold;
   border: 3px solid rgba(92, 108, 255, 0.8);
    padding: 0px 15px;
    border-radius: 50%;
#getInvolved{
    margin-bottom: 40px;
    #threeWays{
        display: flex;
        flex-direction: row;
        flex-wrap: wrap;
        justify-content: space-around;
        padding: 15px;
        .way{
            width: 400px;
            .titleWay{
                text-align: center;
                color: rgb(92, 108, 255);
                font-weight: bold;
                font-size: 17px;
//footer
footer{
        width: 100%;
        padding: 30px;
        background-color: #252525;
        display: flex;
        flex-direction: row;
```

```
align-items: center;
    justify-content: space-around;
    flex-wrap: wrap;
    h5{
        color: #fff;
    #author-text{
        #linkTextAuthor{
            text-decoration: none;
            &:hover{
                color: #fff;
   #other{
        display: flex;
        flex-wrap: wrap;
        a{
            text-decoration: none;
            margin-left: 10px;
            color: rgba(67, 83, 228, 0.8);
            &:hover{
            font-weight: bold
#copyright{
    span{
        color: #fff;
#socials{
   display: flex;
        a{
        color: #fff;
        text-decoration: none;
        padding: 5px;
        margin-top: 10px;
        &:hover{
            font-weight: bold;
            color: rgb(67, 83, 228);
        i{
            font-size: 20px;
```

```
//media query
@media (max-width: 456px){
    #navigation{
        ul{
            li{
                a{
                    font-size: 10px;
    #pet-info-profiles{
        .item{
            width: 300px;
            margin: 0px !important;
            margin-bottom: 20px !important;
            .pet-img{
                width: 230px;
    footer{
        #other{
            a{
                font-size: 13px;
        #copyright{
            span{
                font-size: 12px;
@media(max-width: 1000px){
    #slider{
        background-position: center top;
```

4. JS & jQuery

4.1 JavaScript

```
5.
6. //header, #navigation
7. var navigacija = document.getElementById('navigation');
8. var nizImeLinka = new Array('Home', 'Find a dog / cat', 'Adoption Info'
   , 'Get Involved');
9. var nizAdresaLinka = new Array('', '#pet-info-profiles', '#adoption-
   info', '#getInvolved');
10.for(var i = 0; i<nizImeLinka.length; i++){</pre>
       var lista = document.createElement('ul');
       lista.setAttribute('class', 'nav');
12.
13.
       var deloviListe = document.createElement('li');
14.
       var linkovi = `<a href="${nizAdresaLinka[i]}"> ${nizImeLinka[i]} 
15.
       deloviListe.innerHTML = linkovi;
16.
      lista.appendChild(deloviListe);
17.
       navigacija.insertBefore(lista, null);
18.}
19.// console.log(navigacija);
20.
21./* AFTER SLIDER */
22.var divInformacije = document.getElementsByClassName('information');
23. var infoNaslovi = ['Questions for New Adopters', 'COVID-19 Resources'];
24. var infoTekst = ['If you\'re thinking about adopting a pet, you are emb
   arking on a wonderful and rewarding relationship. Adopting a new pet co
   mes with a lot of change for both pet and pet parent, we've compiled a
   checklist to help make the transition as smooth as possible.', 'While C
   oronavirus/COVID-
   19 has many of us practicing social distancing or settling into shelter
   in place, there are still thousands of dogs and cats that need our hel
   p. Luckily, there are still plenty of ways you can support the them - a
   nd the groups that care for them.'];
25. var klikTekst1 = [' Do you have any other pets and how will they react
   to a new pet? Is your current residence suited to the pet you're consid
   ering? How will your social life or work obligations affect your abilit
   y to care for a pet?', 'Do you have a plan for your new pet during vaca
   tions and/or work travel? How do the people you live with feel about ha
   ving a pet in the house? Are you intolerant of hair, dirt and other rea
   lities of sharing your home with a pet, such as allergies? Do you or an
   y of your household/family members have health issues that may be affec
   ted by a pet? What breed, or species, of animal is the best fit with yo
   ur current lifestyle?'];
```

```
26.var klikTekst2 = ['COVID-
   19 has undoubtedly had a large impact on the animal welfare community.
   Adoption processes are changing, both shelter and rescue groups are ado
   pting as best they can, but one thing is still the same: homeless pets
   still need the help of people like you.', 'Is it okay to adopt a dog or
    cat during the COVID-
   19 pandemic? How do you reach out to ask around coronavirus? And, are t
   here ways to help pets in need right now without adopting or fostering?
   The pet adoption process has certainly changed a lot over the last few
   months, but it's still possible to adopt a new best friend, despite li
   mitations due to COVID-
   19. Many shelters and rescues are embracing technology to assist with t
   he adoption process. Adoptions can still be completed safely with socia
   l distancing in mind.'];
27.var readMore = ['Read more'];
28.for(var i=0; i<infoNaslovi.length; i++){</pre>
       if(i==0){
30.
          divInformacije[i].innerHTML = `<span class='titleSecond'>${info
   Naslovi[i]}</span>${infoTekst[i]}<div id='text1'><p
   >${klikTekst1[i]}${klikTekst1[i+1]}</div><div class='readMor</pre>
   e'><a id='readMore1'>${readMore[i]}</a></div><;;</pre>
          //console.log(divInformacije[i]);
31.
32.
      if(i==1){
33.
34.
          divInformacije[i].innerHTML = `<span class='titleSecond'>${info
   Naslovi[i]}</span>${infoTekst[i]}<div id='text2'><p</pre>
   >${klikTekst2[i-
   1]}${klikTekst2[i]}</div><div class='readMore'><a id='readMo
   re2'>${readMore[i-1]}</a></div>`;
35.
           //console.log(divInformacije[i]);
36.
37.}
39./*PETS AVAILABLE FOR ADOPTION*/
40.
41.//buster 1
42.var photoChange = document.querySelector('.pet-img #rottweiler');
43.photoChange.addEventListener("mouseover", function(){
44.
       photoChange.src = "assets/img/rottweiler2.gif";
45.});
46.photoChange.addEventListener("mouseout", function(){
       photoChange.src = "assets/img/rottweiler1.jpg";
48.});
49.
50.// charlie 2
51.var photoChange2 = document.querySelector('.pet-img #labrador');
52.photoChange2.addEventListener("mouseover", function(){
53. photoChange2.src = "assets/img/labrador2.gif";
```

```
54.});
55.photoChange2.addEventListener("mouseout", function(){
       photoChange2.src = "assets/img/labrador1.gif";
57.});
58.//luna 3
59.var photoChange3 = document.querySelector('.pet-img #pixiBob');
60.photoChange3.addEventListener("mouseover", function(){
61.
       photoChange3.src = "assets/img/pixibob2.gif";
62.});
63.photoChange3.addEventListener("mouseout", function(){
64.
       photoChange3.src = "assets/img/pixibob1.gif";
65.});
66.
67.//starlet 4
69.var photoChange4 = document.querySelector('.pet-img #persianCat');
70.photoChange4.addEventListener("mouseover", function(){
       photoChange4.src = "assets/img/persiancat2.gif";
71.
73.photoChange4.addEventListener("mouseout", function(){
       photoChange4.src = "assets/img/persiancat1.gif";
75.});
76.
77.//scout and sam
78.var photoChange5 = document.querySelector('.pet-img #manksCats');
79.photoChange5.addEventListener("mouseover", function(){
       photoChange5.src = "assets/img/manksCats2.jpeg";
80.
81.});
82. photoChange5.addEventListener("mouseout", function(){
       photoChange5.src = "assets/img/manksCats1.gif";
84.});
85.
86.//harry 6
87.var photoChange6 = document.querySelector('.pet-img #borderColli');
88.photoChange6.addEventListener("mouseover", function(){
89.
       photoChange6.src = "assets/img/bordercolli2.gif";
90.});
91.photoChange6.addEventListener("mouseout", function(){
92.
       photoChange6.src = "assets/img/bordercolli1.gif";
93.});
94.
95.//hula 7
96.var photoChange7 = document.querySelector('.pet-img #springerSpanel');
97.photoChange7.addEventListener("mouseover", function(){
       photoChange7.src = "assets/img/springer spanel2.gif";
99.});
         photoChange7.addEventListener("mouseout", function(){
100.
101.
             photoChange7.src = "assets/img/springer spanel.gif";
```

```
102.
         });
103.
         //tobby 8
104.
105.
106.
         var photoChange8 = document.querySelector('.pet-img #beagle');
107.
         photoChange8.addEventListener("mouseover", function(){
108.
             photoChange8.src = "assets/img/beagle2.gif";
109.
         });
110.
         photoChange8.addEventListener("mouseout", function(){
             photoChange8.src = "assets/img/beagle1.gif";
111.
112.
         });
113.
114.
         /* GET-INVOLVED */
115.
         var klasaWay = document.getElementsByClassName('way');
         var naslovi = ['Volunteering', 'Donations', 'Social PETworking on
116.
   Instagram, Facebook & Twitter'];
117.
         var tekstovi= ['Volunteering is a great way to help pets in need
   and meet other caring humans like you! There are a number of opportunit
   ies to lend a helping paw to shelters and rescue groups near you.',
         'Will homeless dogs and cats have a chance to find a home? For a
   homeless dog or cat, part of the problem is being seen, so that compass
   ionate people like you know that they need a home! Your tax-
   deductible contribution gives them a chance to be noticed, so please do
  nate today!',
119.
         'You can save a life right now by helping shelter pets get seen o
   n your favorite networking sites! Just use our site to search for a dog
    or a cat that needs a home. Choose a pet you want to help and click to
    get their info. Then, just click and share to help the pet get seen an
  d adopted!'
120.
         ];
121.
         for(var i=0; i<naslovi.length; i++){</pre>
122.
             if(i==0){
                 klasaWay[i].innerHTML = `<h4 class='titleWay'>${naslovi[i]}
  ]}</h4>${tekstovi[i]}`;
                 //console.log(klasaWay[i]);
124.
125.
126.
             else if(i==1){
127.
                 klasaWay[i].innerHTML = `<h4 class='titleWay'>${naslovi[i]}
  ]}</h4>${tekstovi[i]}`;
                 //console.log(klasaWay[i]);
128.
129.
130.
             else if(i==2){
131.
                 klasaWay[i].innerHTML = `<h4 class='titleWay'>${naslovi[i]}
  ]}</h4>${tekstovi[i]}`;
132.
                 //console.log(klasaWay[i]);
133.
134.
135.
```

```
136.
         //validacija forme
137.
         //ime regex
138.
         var ime = document.getElementById('IDfirstName');
139.
         var proveraIme = /^[A-Z][a-z]{2,10}$/;
140.
         //prezime regex
141.
         var prezime = document.getElementById('IDlastName');
         var proveraPrezime = /^[A-Z][a-z]{2,10}$/;
142.
143.
         //email
144.
         var email = document.getElementById('IDemail');
145.
         var proveraEmail = /^[\w\.\-]+\@([a-z0-9]+\.)+[a-z]{2,3}$/;
146.
         //dugme i span
147.
         var dugmeForma = document.getElementById('adoptBTN');
148.
         var spanInfo = document.getElementsByClassName('spanText');
         dugmeForma.addEventListener('click', function(){
149.
150.
                 //ime
151.
                 if(!proveraIme.test(ime.value)){
152.
                     ime.classList.add('error');
153.
                     spanInfo[0].innerHTML = 'This field must be at least
   3 characters. (Example: John)';
154.
                 }
155.
                 else{
156.
                     ime.classList.remove('error');
157.
                     spanInfo[0].innerHTML = '';
158.
159.
                 //prezime
160.
                 if(!proveraPrezime.test(prezime.value)){
161.
                     prezime.classList.add('error');
162.
                     spanInfo[1].innerHTML = 'This field must be at least
   3 characters. (Example: Sonmez)';
163.
                 }
164.
165.
                     prezime.classList.remove('error');
166.
                     spanInfo[1].innerHTML = '';
167.
                 }
                 //email
168.
                 if(!proveraEmail.test(email.value)){
169.
170.
                     email.classList.add('error');
171.
                     spanInfo[2].innerHTML = 'Example: john-
   sonmez_123.456@gmail.com';
172.
                 }
173.
                 else{
174.
                     email.classList.remove('error');
                     spanInfo[2].innerHTML = '';
175.
176.
                 }
177.
             }):
```

3.2 jQuery

```
$(document).ready(function(){
    $('#readMore1').click(function(){
        $('#text1').toggle();
        if($('#text1').is(':visible')){
            $('#readMore1').html('Close');
        } else {
            $('#readMore1').html('Read more');
    });
});
/*after slider */
$(document).ready(function(){
    $('#readMore2').click(function(){
        $('#text2').toggle();
        if($('#text2').is(':visible')){
            $('#readMore2').html('Close');
            else {
            $('#readMore2').html('Read more');
    });
});
/*profili*/
//scroll and toggle
//my-story
$('document').ready(function(){
    $('.my-story').click(function(){
        $(this).prev().toggle();
        if($('.text-pet-info').is(':visible')){
            $(this).val('Close');
            $('.item').scroll();
        }
        else{
            $(this).val('My story');
   });
});
//our-story button different
$(document).ready(function(){
    $('#our-story').click(function(){
```

```
$(this).prev().toggle();
if($('.text-pet-info').is(':visible')){
    $(this).val('Close');
    $('.item').scroll();
}
else{
    $(this).val('Our story');
}
});
```