

ASSIGNMENT

SUBMITTED BY:
Joyanta Kumar Sarker
Daffodil International University

Date: 13.12.2025

```
(kali@kali)-[~]
└─$ man ssh

(kali@kali)-[~]
└─$

(kali@kali)-[~]
└─$ ssh bandit@bandit.labs.overthewire.org -p 2220
The authenticity of host '[bandit.labs.overthewire.org]:2220 ([51.21.210.216]:2220)' can't be established.
ED25519 key fingerprint is: SHA256:C2iHUBV7ihvV1wUXRb4RrECLFXCSX(LhmAAM/urerLY
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '[bandit.labs.overthewire.org]:2220' (ED25519) to the list of known hosts.

[OVER]
[THE]
[WI]
[RE]

This is an OverTheWire game server.
More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit@bandit.labs.overthewire.org's password:
banPermission denied, please try again.
bandit@bandit.labs.overthewire.org's password:

[OVER]
[THE]
[WI]
[RE]

www. ver he ire.org

Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.
```

```
Session Actions Edit View Help
* pwntools (https://github.com/Gallopsled/pwntools)
* radare2 (http://www.radare.org/)

--[ More information ]--

For more information regarding individual wargames, visit
http://www.overthewire.org/wargames/

For support, questions or comments, contact us on discord or IRC.

Enjoy your stay!

bandit1@bandit:~$ ls -la
total 24
-rw-r--r-- 1 bandit2 bandit1 33 Oct 14 09:26 -
drwxr-xr-x 2 root root 4096 Oct 14 09:26 .
drwxr-xr-x 150 root root 4096 Oct 14 09:29 ..
-rw-r--r-- 1 root root 220 Mar 31 2024 .bash_logout
-rw-r--r-- 1 root root 3851 Oct 14 09:19 .bashrc
-rw-r--r-- 1 root root 807 Mar 31 2024 .profile
bandit1@bandit:~$ ls
-
bandit1@bandit:~$ file -
/dev/stdin: very short file (no magic)
bandit1@bandit:~$
bandit1@bandit:~$
bandit1@bandit:~$ cd -
-bash: cd: OLDPWD not set
bandit1@bandit:~$ cat ./-
263JGPfU6LtdEvgFWU1XP5yac29mFx
bandit1@bandit:~$
```

```
Session Actions Edit View Help
(kali@kali)-[~]
$ ssh bandit2@bandit.labs.overthewire.org -p 2220

[O] [V] [E] [R] [T] [H] [E] [W] [I] [R] [E]

This is an OverTheWire game server.
More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit2@bandit.labs.overthewire.org's password:

[O] [V] [E] [R] [T] [H] [E] [W] [I] [R] [E]

www. ver he ire.org

Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.

--[ Playing the games ]--

This machine might hold several wargames.
If you are playing "somegame", then:

* USERNAMES are somegame0, somegame1, ...
```

```
Session Actions Edit View Help
(kali@kali)-[~]
$ ssh bandit1@bandit.labs.overthewire.org -p 2220

[O] [V] [E] [R] [T] [H] [E] [W] [I] [R] [E]

This is an OverTheWire game server.
More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit1@bandit.labs.overthewire.org's password:

[O] [V] [E] [R] [T] [H] [E] [W] [I] [R] [E]

www. ver he ire.org

Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.


--[ Playing the games ]--

This machine might hold several wargames.
If you are playing "somegame", then:

* USERNAMES are somegame0, somegame1, ...
* Most LEVELS are stored in /somegame/.
* PASSWORDS for each level are stored in /etc/somegame_pass/.

Write-access to homedirectories is disabled. It is advised to create a
working directory with a hard-to-guess name in /tmp/. You can use the
command "mktemp -d" in order to generate a random and hard to guess
directory in /tmp/. Read-access to both /tmp/ is disabled and to /proc
restricted so that users cannot snoop on eachother. Files and directories
```



[illegible]

www ver he ire.org

For more information regarding individual wargames, visit <http://www.overthewire.org/wargames/>

For support, questions or comments, contact us on discord or IRC.

Enjoy your stay!


```

Connection to bandit.labs.overthewire.org closed.

(kali@kali)-[~]
└─$ ssh bandit5@bandit.labs.overthewire.org -p 2220

      [B][O][D][E][R]
    [G][A][M][E]

This is an OverTheWire game server.
More information on http://www.overthewire.org/wargames

backend: gibson-0
bandit5@bandit.labs.overthewire.org's password:

      [B][O][D][E][R]
    [G][A][M][E]

www. ver he ire.org

Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.

--[ Playing the games ]--

This machine might hold several wargames.
If you are playing "somegame", then:

* USERNAMES are somegame0, somegame1, ...
```

```

compiler flags might be interesting.

-m32                compile for 32bit
-fno-stack-protector  disable ProPolice
-Wl,-z,norelro       disable relro

In addition, the execstack tool can be used to flag the stack as
executable on ELF binaries.

Finally, network-access is limited for most levels by a local
firewall.

--[ Tools ]--

For your convenience we have installed a few useful tools which you can find
in the following locations:

* gef (https://github.com/hugsy/gef) in /opt/gef/
* pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
* gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
* pwntools (https://github.com/Gallopsled/pwntools)
* radare2 (http://www.radare.org/)

--[ More information ]--

For more information regarding individual wargames, visit
http://www.overthewire.org/wargames/

For support, questions or comments, contact us on discord or IRC.

Enjoy your stay!

bandit5@bandit:~$ ls
inhere
bandit5@bandit:~$ cd inhere/
bandit5@bandit:~/inhere$ ls
maybeh0ere00 maybeh0ere02 maybeh0ere04 maybeh0ere06 maybeh0ere08 maybeh0ere10 maybeh0ere12 maybeh0ere14 maybeh0ere16 maybeh0ere18
maybeh0ere01 maybeh0ere03 maybeh0ere05 maybeh0ere07 maybeh0ere09 maybeh0ere11 maybeh0ere13 maybeh0ere15 maybeh0ere17 maybeh0ere19
bandit5@bandit:~/inhere$ find . -type f -size 1033c ! -executable
./maybeh0ere07/.file2
bandit5@bandit:~/inhere$ cat ./maybeh0ere07/.file2
HWasnPhtq9AVKee0dmk45nxy20cvUa6EG

```



```
(kali@kali) ~$ ssh bandit6@bandit.labs.overthewire.org -p 2220
[O] [C] [T] [I] [C] [I] [T]
[ ] [ ] [ ] [ ] [ ] [ ] [ ]

This is an OverTheWire game server.
More information on http://www.overthewire.org/wargames

backend: gibbon-0
bandit6@bandit.labs.overthewire.org's password:

[O] [C] [T] [I] [C] [I] [T]
[ ] [ ] [ ] [ ] [ ] [ ] [ ]

www. ver he ire.org

Welcome to OverTheWire!

If you find any problems, please report them to the #wargames channel on
discord or IRC.

--[ Playing the games ]--

This machine might hold several wargames.
If you are playing "somegame", then:

* USERNAMES are somegame0, somegame1, ...
* Most LEVELS are stored in /somegame/.
* PASSWORDS for each level are stored in /etc/somegame_pass/.
```

```
Finally, network-access is limited for most levels by a local
firewall.

--[ Tools ]--

For your convenience we have installed a few useful tools which you can find
in the following locations:

* gef (https://github.com/hugsy/gef) in /opt/gef/
* pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
* gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
* pwntools (https://github.com/Gallopsled/pwntools)
* radare2 (http://www.radare.org/)

--[ More information ]--

For more information regarding individual wargames, visit
http://www.overthewire.org/wargames/

For support, questions or comments, contact us on discord or IRC.

Enjoy your stay!

bandit4@bandit:~$ ls
inhere
bandit4@bandit:~$ cd inhere/
bandit4@bandit:~/inhere$ ls
-file00 -file01 -file02 -file03 -file04 -file05 -file06 -file07 -file08 -file09
bandit4@bandit:~/inhere$ man xargs
bandit4@bandit:~/inhere$ find . -type f | xargs file
./-file02: data
./-file04: data
./-file08: data
./-file00: data
./-file07: ASCII text
./-file06: data
./-file01: data
./-file03: data
./-file05: data
./-file09: data
bandit4@bandit:~/inhere$ cat ./-file07
4oQYVPkxZO0E005pTW81FB8j81xxGUQw
bandit4@bandit:~/inhere$
```

```
find: '/run/user/11004': Permission denied
find: '/run/user/11023': Permission denied
find: '/run/user/11002': Permission denied
find: '/run/user/11012': Permission denied
find: '/run/sudo': Permission denied
find: '/run/screen/S-bandit23': Permission denied
find: '/run/screen/S-bandit21': Permission denied
find: '/run/screen/S-bandit18': Permission denied
find: '/run/screen/S-bandit19': Permission denied
find: '/run/screen/S-bandit16': Permission denied
find: '/run/screen/S-bandit20': Permission denied
find: '/run/multipath': Permission denied
find: '/run/cryptsetup': Permission denied
find: '/run/log/journal/ec2a9205573e9719662ab1a1baf96c71': Permission denied
find: '/run/lvm': Permission denied
find: '/run/systemd/propagate/fwupd.service': Permission denied
find: '/run/systemd/propagate/ModemManager.service': Permission denied
find: '/run/systemd/propagate/polkit.service': Permission denied
find: '/run/systemd/propagate/chrony.service': Permission denied
find: '/run/systemd/propagate/systemd-logind.service': Permission denied
find: '/run/systemd/propagate/irqbalance.service': Permission denied
find: '/run/systemd/propagate/systemd-networkd.service': Permission denied
find: '/run/systemd/propagate/systemd-resolved.service': Permission denied
find: '/run/systemd/propagate/systemd-udevd.service': Permission denied
find: '/run/systemd/inaccessible/dir': Permission denied
find: '/run/lock/lvm': Permission denied
find: '/etc/multipath': Permission denied
find: '/etc/stunnel': Permission denied
find: '/etc/credstore.encrypted': Permission denied
find: '/etc/sudoers.d': Permission denied
find: '/etc/xinetd.d': Permission denied
find: '/etc/polkit-1/rules.d': Permission denied
find: '/etc/credstore': Permission denied
find: '/etc/ssl/private': Permission denied
find: '/root': Permission denied
find: '/manpage/manpage3-pw': Permission denied
find: '/dev/mqueue': Permission denied
find: '/dev/shm': Permission denied
bandit6@bandit:~$ find / -type f -user bandit7 -group bandit6 -size 33c 2>/dev/null
/var/lib/dpkg/info/bandit7.password
bandit6@bandit:~$ cat /var/lib/dpkg/info/bandit7.password
morbNTDkSW6jIlUc0ymOdMaLnOlFVAaj
bandit6@bandit:~$
```

```
bandit7@bandit:~$ ls
data.txt
bandit7@bandit:~$ strings data.txt | grep "millionth"
millionth dfwvzFQ14mU0wFNbF0e9RoWskMLg7eEc
bandit7@bandit:~$
```



```
-ms2 compile for 32bit
-fno-stack-protector disable ProPolice
-Wl,-z,norelro disable relro

In addition, the execstack tool can be used to flag the stack as
executable on ELF binaries.

Finally, network-access is limited for most levels by a local
firewall.

--[ Tools ]--

For your convenience we have installed a few useful tools which you can find
in the following locations:

* gef (https://github.com/hugsy/gef) in /opt/gef/
* pwndbg (https://github.com/pwndbg/pwndbg) in /opt/pwndbg/
* gdbinit (https://github.com/gdbinit/Gdbinit) in /opt/gdbinit/
* pwntools (https://github.com/Gallopsled/pwntools)
* radare2 (http://www.radare.org/)

--[ More information ]--

For more information regarding individual wargames, visit
http://www.overthewire.org/wargames/

For support, questions or comments, contact us on discord or IRC.

Enjoy your stay!

bandit9@bandit:~$ ls
data.txt
bandit9@bandit:~$ cat data.txt
CW*oH+n#k+*++*+|-5m-***?***u**{**eE+1**(*E**6yc***9***iy\3**•BU*****b*****H**h•I3*****L^6^*p***Dm*@*u**)=c**P*J/*--*y*GX,l
*!*/Q**+U*OJ* if!#H*+*:*~:Z***

X*
;8A`***GV* 2)*LHQSV***cu***.u***tC5!*-•Nm*x* x*c*s*l*ey*|*8A*+***w*JReoS:***** **V-TK**6L4V*Ap*+***S*cm**S**
-**,W***p*W***g*pe*v*F*?Y*8}*c-****^8QF*('2.*****)*D8M* +e*2)) ***1*T9*Ug*Z****v*•iA
0*•B8*-z*1****?*****H*U* ***Sf*H*|8@5=V;)$X**QX**A**c\5D=-**\**8q1**Y*>B*+***V>[*@.H*•*'OT*4!D**•E**Wq*D*g$**r*NZE*F*•b3**L6***v*Zi*/*)***7***o**9l\*%*•
kK*Ba||mFE55m.A*jj*V%P*\@*F)***SF*H*|*8@5=V;)$X**QX**A**c\5D=-**\**8q1**Y*>B*+***V>[*@.H*•*'OT*4!D**•E**Wq*D*g$**r*NZE*F*•b3**L6***v*Zi*/*)***7***o**9l\*%*•
,{*/•0*5**z***+4*hr7***:H*|*6*v**"d**q;e*!vV*7r}Q***+o**[h6**
s***lx*P*•*•*•q*****P-•_•,L***}TN#,p***5*S*+[*D8C1b5A5*N*X**H-•*A**I*=C***o 3`• (•2b`6
```

```
bandit9@bandit:~$ cat data.txt | grep "="
grep: (standard input): binary file matches
bandit9@bandit:~$ strings data.txt | grep "="
FB`=
c\5D=
the
?/*l
Uc1
vG*2P
password
k ezG
E is
%r_
.? -Dm
06A-n
FGUW5iLLVJrxX9kMYMmLN4MgbpfMiqey
*^Y
L3jT
q<
QHE
+ NBF
bandit9@bandit:~$
```

