



AI FOR INDIAN LEGAL PRACTICE: GRAPHS, NOT WORD CLOUDS

*A Practical Guide for Lawyers and Legal
Technologists*

JOY BOSE

AI for Indian Legal Practice: Graphs, Not Word Clouds

A Practical Guide for Lawyers and Legal Technologists

Joy Bose

AI for Indian Legal Practice: Graphs, Not Word Clouds

A Practical Guide for Lawyers and Legal Technologists

Joy Bose

First published 2026

Copyright © 2026 Joy Bose. All rights reserved.

The moral right of the author to be identified as the author of this work has been asserted.

This work is licensed under the Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0). You are free to share and adapt this material for non-commercial purposes, provided appropriate credit is given to the original author and any changes are indicated.

To view a copy of this license, visit creativecommons.org/licenses/by-nc/4.0

For commercial licensing enquiries, including use in paid training programmes, contact the author at joy.bose@ieee.org.

The offline legal chatbot tutorial in Chapter 2 is based on original work by Siva Prasad Bose, published on Medium, June 2025, and is reproduced here with permission.

The datasets referenced in this book are separately licensed. IMLJD and RTI-Bench are available under CC BY 4.0 at huggingface.co/datasets/joybosero. The DAKSH High Court data is available under CC BY-NC 4.0 at database.dakshindia.org.

Disclaimer

This book is for informational and educational purposes only. Nothing in this book constitutes legal advice. The author is not your lawyer. Readers should consult a qualified legal practitioner for advice on specific legal matters. The empirical findings presented are based on publicly available data and are subject to the limitations described in each chapter. The author makes no warranty regarding the accuracy, completeness, or fitness for purpose of any AI system described herein.

The views expressed are those of the author alone and do not represent the views of any past or present employer.

Free edition available at joyboseroy.github.io

Bengaluru, India

Table of Contents

Preface

Chapter 1: The Problem with Legal Search

Chapter 2: The Hallucination Problem and What To Do About It

Chapter 3: What the Data Says About Indian Courts

Chapter 4: RAG for Lawyers - A Practical Guide to AI Over Your Own Documents

Chapter 5: When AI Gets It Wrong in Court

Chapter 6: Building a Firm-Level AI Strategy

Chapter 7: The Regulatory Landscape for Legal AI in India

Conclusion: What Comes Next

Resources and Further Reading

About the Author

Preface

Sometime in 2023, a senior advocate in Bengaluru received a question from a client that she had never been asked before. The client wanted to know whether an AI tool could predict the outcome of his quash petition. He had read something online. He was not sure what to believe.

She did not know what to tell him.

Around the same time, a junior associate at a Delhi firm had already started using ChatGPT to draft preliminary arguments. He found it fast and occasionally impressive. He also found that it invented case citations with complete confidence. Twice he had nearly filed a brief with a case that did not exist.

This book is written for both of them.

The senior advocate needs to understand what AI can and cannot do well enough to advise clients honestly, evaluate vendors critically, and recognize when a junior's AI-assisted work needs scrutiny. She does not need to become a data scientist. She needs a working mental model of how these systems work, where they fail, and what questions to ask.

The junior associate needs something different. He already has the tool in his hand. What he lacks is the framework to use it without getting burned. He needs to understand why ChatGPT invents citations, what a properly designed legal AI system does instead, and what the difference looks like in practice.

Both of them need something that does not currently exist: a book about AI in law written from an Indian perspective, with Indian courts, Indian statutes, Indian data, and Indian access-to-justice challenges at its center. Most writing on legal AI comes from the United States or the United Kingdom. It discusses e-discovery, contract review, and case outcome prediction in jurisdictions with

very different procedural histories and data infrastructures from India. It is not wrong, exactly. It is just not about the system that the senior advocate and the junior associate actually work in every day.

India has approximately 50 million pending court cases. It has a population that interacts with the legal system in more than a dozen languages. It has an RTI Act that gives every citizen the right to demand information from public authorities, and a Central Information Commission that handles tens of thousands of appeals a year in dense administrative language that most applicants cannot parse. It has High Courts that differ from each other in ways that turn out to matter enormously for how long a case will take, and why. It has a matrimonial litigation system under persistent strain, a patent landscape growing in complexity, and a legal aid infrastructure that reaches only a fraction of those who need it.

AI will interact with all of this. It already is. The question is not whether AI enters Indian legal practice. It already has, through the junior associate's ChatGPT subscription if nothing else. The question is whether it enters thoughtfully or carelessly, and whether the lawyers who use it understand what they are working with.

This book tries to help with that.

It does not assume a background in machine learning. It does not require comfort with mathematics beyond what you learned before law school. It does assume that you can think carefully about reasoning, evidence, and inference, which is to say it assumes you are a lawyer.

It is organized in three parts. The first asks what AI can realistically do in legal practice today, starting from first principles and building to working systems you can actually deploy. The second looks at what Indian court data tells us when we analyze it at scale, with findings that have direct implications for how you advise clients on timelines, forum selection, and litigation

strategy. The third is a practical guide for law firms that want to evaluate, procure, or build legal AI tools without being misled by vendors or burned by systems they do not understand.

The book is open source. All datasets, code, and companion materials are available freely. Legal knowledge should not sit behind paywalls, and neither should the tools to reason about it.

A note on what this book is not. It is not a prediction that AI will replace lawyers. The most honest answer to that question is that AI will change what lawyers spend their time on, in ways that are already visible and will accelerate. The advocate who understands what AI can verify will use it to check citations in seconds rather than hours. The advocate who does not will eventually be embarrassed by one that invents them. This book is an attempt to put more lawyers in the first category.

A Note on the Research in This Book

The graph-based legal reasoning system described in this book, Falkor-IRAC, is a research prototype. It currently covers 388 Supreme Court judgments. A production deployment for a law firm would require ingesting tens of thousands of judgments and ongoing maintenance. Most firms will buy rather than build, and commercial tools should be evaluated using the framework in Chapter 4. The empirical findings in Chapter 3, drawn from 2.45 million writ petition records and open datasets, are independent of the architectural choices and stand on their own merits. All code, datasets, and companion materials are openly available at the links in the Resources section.

Chapter 1: The Problem with Legal Search

Start with a question that every practicing lawyer in India has faced.

You are preparing arguments in a bail matter. Your client's application was rejected by the Sessions Court. You need to know whether there is Supreme Court precedent establishing that a fresh application to the High Court requires new grounds or changed circumstances. You have about forty minutes.

You open a legal search portal. You type a query. You get back a list of judgments ranked by some combination of recency and relevance that the system does not explain. Several of them are on point. Several are not. One of them cites a principle you need, but the case it relies on is from 1987 and you are not sure whether anything has changed since. You do not have time to read all of them.

This is a retrieval problem. And it turns out that the way most AI systems approach it is fundamentally mismatched with the way legal reasoning actually works.

To understand why, consider what you are actually looking for when you search for that bail precedent. You are not looking for documents that use similar words to your query. You are looking for a case that walked a specific path through a specific set of legal principles, arrived at a specific conclusion, and has not been overruled or distinguished away since. The relevance is structural, not lexical. A landmark precedent may use entirely different vocabulary from your query. A recent case may use identical vocabulary but be about something legally unrelated. Keyword search and its more sophisticated cousin, semantic similarity search, cannot distinguish between these.

This is the first thing lawyers need to understand about AI legal tools. Most of them, including most tools currently on the market, treat legal search as a text retrieval problem. They embed documents in a mathematical space, measure the distance between your query and each document, and return the nearest neighbors. This works well enough for many domains. For law it has three specific failure modes that matter.

The first is that semantic similarity is not legal relevance. Two cases about bail can use completely different vocabulary if one concerns economic offences and one concerns murder. Two cases using identical vocabulary about "reasonable grounds" can be legally unrelated if one is interpreting the Income Tax Act and one is interpreting the CrPC. A system that ranks by word similarity will surface the wrong cases with confidence.

The second failure mode is hallucinated citations. This is what the junior associate in Delhi discovered the hard way. When a large language model like ChatGPT is asked to support a legal argument, it does not retrieve citations from a database. It generates text that looks like a citation based on patterns in its training data. The citation may sound plausible. The case name may be real. The year may be approximately right. The proposition it supposedly stands for may even be close to something a real case holds. But the specific citation, the one you would need to file in court, may not exist at all. This is not a bug that will be fixed in the next version. It is a consequence of how these systems work, and understanding it is essential before you hand any AI-assisted brief to a client.

The third failure mode is that legal reasoning is stateful. Your bail query is not just a question about precedent in the abstract. It is a question about what options are available to a specific client at a specific point in a specific procedural sequence. The Sessions Court has already denied bail. That fact changes everything: which precedents apply, which arguments are available, what the High Court's jurisdiction is, and what the client needs to show. A search system that returns relevant cases without knowing where

your client sits in the procedural sequence is like a doctor who diagnoses without knowing the patient's history.

A properly designed legal AI system handles all three of these problems differently. It represents cases not as documents in a retrieval index but as nodes in a structured graph, connected by typed relationships: this case cites that one, this statute applies here, this precedent was overruled by that bench, this procedural event triggers that right. When you ask a question, the system traverses the graph rather than measuring distances in a word cloud. And before it returns an answer, it checks whether the citations it is relying on actually exist in the graph and have not been overruled.

The difference between these two approaches is not technical detail. It is the difference between a system that sounds right and a system that is right, or at minimum, a system that knows when it cannot verify whether it is right and tells you so.

The rest of this chapter explains how the graph-based approach works, why it is better suited to legal reasoning than vector search, and what it looks like when you use it for the kind of bail query we started with. No prior knowledge of graphs or databases is required. If you have ever drawn a diagram connecting cases with arrows showing which one cited which, you already have the intuition.

What a Knowledge Graph Actually Is

Before we go further, we need to build one mental model that will recur throughout this book. It requires no mathematics and no programming. You need only a pen and the back of a brief.

Draw a circle and write "Kalyan Chandra Sarkar v. Rajesh Ranjan (2004)" inside it. That circle represents a court judgment. Now draw another circle and write "fresh grounds required for bail reapplication" inside it. That circle represents a legal principle. Draw an arrow from the first circle to the second and label it

"establishes." You have just drawn two nodes and one edge of a knowledge graph.

Now draw a third circle: "State of M.P. v. Kajad (2001)." Draw an arrow from this circle to the principle circle and label it "applies." Draw a fourth circle: "Section 439 CrPC." Draw an arrow from the Kalyan Chandra Sarkar case to this circle and label it "interprets." Draw a fifth circle: "BAIL DENIED (Sessions Court)." Draw an arrow from this circle to a sixth circle, "BAIL APPLICATION (High Court)," and label it "triggers, condition: fresh grounds."

You now have a small fragment of a legal knowledge graph. Six nodes, five edges, each edge labeled with its relationship type. The graph encodes not just that these cases and statutes exist, but how they relate to each other structurally. Which case established which principle. Which statute was being interpreted. Which procedural event triggers which right.

This is fundamentally different from a pile of documents in a search index. A search index knows that the words "bail" and "fresh grounds" appear in Kalyan Chandra Sarkar. It does not know that this case establishes a principle, that the principle has been applied in subsequent cases, that the principle governs a specific procedural transition, and that the procedural transition is relevant to a client who is currently at the BAIL DENIED node. The graph knows all of this because it was built to represent structure, not just text.

When a properly designed legal AI system answers your bail query, it does not measure word distances. It traverses this graph. It starts at the procedural node that matches your client's current situation, follows the edges outward, finds the cases and principles that govern that node, checks whether any of them have been overruled, and returns an answer with a traceable path through the graph attached. You can follow that path yourself. You can verify it. You can disagree with it.

That traceability is what makes a graph-based system appropriate for legal work in a way that a pure language model is not. A

language model gives you an answer. A graph-based system gives you an answer and shows its work.

The Bail Query, Step by Step

Let us walk through what actually happens when a properly designed system handles the query we started with: "My client's bail application was rejected by the Sessions Court. Can he apply again?"

Step one: the system identifies the procedural context. The query contains two facts that matter structurally: the applicant is post-denial, and the denying court was the Sessions Court. The system locates the corresponding node in its procedural graph: BAIL DENIED (Sessions Court). From this node it knows, based on the graph structure, that the relevant next step is a High Court application under Section 439 CrPC, subject to the condition that fresh grounds or changed circumstances must be shown.

Step two: the system retrieves the governing precedents. It traverses the graph from the procedural node, following edges labeled "governs" and "establishes," and finds Kalyan Chandra Sarkar v. Rajesh Ranjan (2004) as the Supreme Court authority on the fresh grounds requirement. It also finds Sanjay Chandra v. CBI (2012) on the three considerations for bail generally. It checks both cases for subsequent overruling. Neither has been overruled.

Step three: the system generates an answer. Using the retrieved precedents as its grounding, it produces: "Yes, your client can apply for bail before the High Court under Section 439 CrPC. However, since the application was rejected by the Sessions Court, you will need to show either fresh grounds or a change in circumstances. See Kalyan Chandra Sarkar v. Rajesh Ranjan (2004) 7 SCC 528."

Step four: the Verifier checks the answer. Before the answer is returned to you, a separate component of the system, called the Verifier Agent, queries the graph directly to confirm that Kalyan Chandra Sarkar v. Rajesh Ranjan (2004) 7 SCC 528 exists as a

node in the graph, has not been overruled, and that Section 439 CrPC has not been repealed. All checks pass. The answer is returned with a verification status indicator and the full citation path attached. It is important to understand what this status means and does not mean. VALID status means the cited cases exist in the ingested corpus and no overruling has been detected within that corpus. It does not mean the legal reasoning is correct, that the holding has been accurately characterised, or that no relevant case exists outside the ingested corpus. The verification is bounded by what the system knows. Human judgment remains essential for everything beyond that boundary.

If the system had instead generated a citation that did not exist in the graph, the Verifier would have caught it. The system would have attempted to revise the answer using only verified sources. If it could not produce a verified answer after two attempts, it would have returned an explicit message: "No verified answer is available from the current corpus for this query." That message is more useful to you than a confident hallucination. It tells you to go look yourself rather than trust a fabrication.

This is the architecture we will return to throughout this book. Generation constrained by graph. Not a better search engine. An external examiner with veto power over what the language model is permitted to claim.

When the Graph Detects a Conflict

One more scenario worth walking through, because it illustrates something a pure language model cannot do at all.

Suppose your bail query surfaces two coordinate bench decisions that reach opposite conclusions on the same point: one says fresh grounds are mandatory, another from a different bench of the same High Court says the requirement is discretionary in certain circumstances. These are real doctrinal conflicts that arise in Indian courts. They are not rare.

A language model asked this question will typically choose one side and present it as the answer, with no indication that the other side exists. It resolves the conflict silently because it has no mechanism to represent conflict as a distinct type of output.

A graph-based system with properly typed relationships can represent this conflict explicitly. The two cases are connected in the graph by a relationship labeled "conflicts with, type: coordinate bench, unresolved: true." When the Verifier detects that the proposed answer relies on one side of an unresolved conflict, it does not return the answer as verified. Instead it returns a conflict report: here are the two cases, here is the nature of the conflict, here is the fact that it has not been resolved by a larger bench. For a practicing advocate, that output is far more useful than a confident answer drawn from one side of a live disagreement. It is the flag that tells you to research the conflict before you rely on either case in court.

This is what it means to say that legal reasoning is structural rather than textual. The conflict between two coordinate bench decisions is a fact about the graph, not a fact about the words in the judgments. You cannot find it by measuring word distances. You can only find it if the system was built to represent and detect it.

A note of honesty is important here before we go further. Graphs solve provenance and verification. They do not solve jurisprudential reasoning. A graph can tell you that case A cites case B, that case B establishes a principle, and that the principle has been applied in subsequent matters. What a graph cannot tell you is whether the factual matrix of your client's case is sufficiently analogous for the principle to apply, whether a court is likely to distinguish the precedent on facts, or how a particular judge reads a contested provision. Those are exactly the hard parts of legal practice, and they remain entirely within the domain of human judgment. The graph-based architecture described in this book is a tool for grounding and verification. It is not a substitute for legal analysis. A lawyer who understands this will use the tool

well. A lawyer who expects the tool to do the legal reasoning will be disappointed and potentially misled.

Implementation 1.1: Building Your First Legal Knowledge Graph

This section is for readers who want to build or evaluate legal AI systems technically. If you are primarily a practitioner, the key takeaways below summarise what you need to know from this chapter.

The graph described above is implemented using FalkorDB, an open-source graph database that supports Cypher query language and runs on a standard laptop. The full schema and ingestion pipeline are available at github.com/joyboseroy/falkor-irac.

The core node types in the schema are as follows. A Case node stores the citation, court, year, bench size, and a summary of the judgment. A Statute node stores the act name and repeal status. A Section node stores the specific provision and whether it has been amended or repealed. A LegalIssue node stores the question the court was deciding. A Rule node stores the legal principle extracted from the judgment. A ProceduralEvent node stores a typed event in the litigation timeline, such as BAIL DENIED or CHARGE SHEET SUBMITTED. An Outcome node stores the court's conclusion.

The relationships between these nodes carry the legal meaning. CITES connects one case to another with the proposition for which it is cited. OVERRULES connects a later case to an earlier one. CONFLICTS WITH connects two cases on the same proposition with a conflict type attribute that can be coordinate bench, per incuriam, or distinguished. TRIGGERS connects one procedural event to the next with a condition attribute. APPLIES RULE connects a case to the principle it applied.

To ingest a new judgment, the pipeline runs three stages. First, PyMuPDF extracts clean text from the PDF with layout-aware block sorting. Second, a language model extracts the IRAC structure from the text: issues, rules, analysis, conclusion, cited statutes, cited precedents with relationship types, and procedural events. The model is instructed to leave fields empty rather than invent citations when confidence is low. Third, the extracted JSON is loaded into FalkorDB using MERGE operations that prevent duplicate nodes when the same judgment is ingested twice.

The Cypher query that identifies all cases relevant to a bail matter after Sessions Court denial looks like this:

```
MATCH (e:ProceduralEvent {type: "BAIL_DENIED", court: "Sessions Court"})
```

```
-[:TRIGGERS]->(next:ProceduralEvent)
```

```
<-[:INVOLVES_EVENT]-(c:Case)
```

```
WHERE NOT EXISTS {
```

```
  MATCH (later:Case)-[:OVERRULES]->(c)
```

```
}
```

```
RETURN c.citation, c.name, c.year, next.condition
```

```
ORDER BY c.year DESC
```

This query starts at the procedural node matching the client's situation, follows the TRIGGERS edge to the next procedural state, then traverses backwards via INVOLVES_EVENT to find the cases that involve that procedural transition, filters out overruled cases, and returns results ordered by recency. The reverse direction of the INVOLVES_EVENT traversal reflects the schema: a Case node holds an outgoing INVOLVES_EVENT edge to the ProceduralEvent nodes relevant to it. The entire query executes in under one millisecond on a standard laptop using FalkorDB.

The Verifier Agent checks citations using a simpler query:

```
MATCH (c:Case {citation: $citation})
```

```
OPTIONAL MATCH (later:Case)-[:OVERRULES]->(c)
```

```
RETURN c.name, c.court, c.year, later.citation AS overruled_by
```

If the case does not exist, the query returns no rows. If it has been overruled, the overruling case citation is returned. Both conditions cause the Verifier to reject the proposed answer.

For a law firm wanting to deploy this system, the minimum viable setup requires a laptop with 16GB RAM, Python 3.10 or above, FalkorDB installed via Docker, and Ollama running a local language model such as Mistral 7B. No cloud API keys are required. No client data leaves the machine. The full setup instructions are in the repository.

Key Takeaways for Practice

For the senior advocate advising a client on AI tools, three questions cut through most vendor claims. First, does the system verify citations against a structured database before returning them, or does it generate them from a language model? If the vendor cannot answer this clearly, assume the latter and treat all citations as unverified. Second, does the system represent procedural state, meaning does it know where in the litigation process your query is situated, or does it treat every query as if it were abstract and context-free? Third, does the system surface doctrinal conflicts explicitly, or does it silently resolve them by picking one side?

A system that answers yes to all three is meaningfully different from a system that answers no. The difference is not about which company built it or how much it costs. It is about whether the underlying architecture was designed for legal reasoning or adapted from a general-purpose search tool.

For the junior associate already using ChatGPT for drafting, the immediate practical rule is this: never file a citation that you have not independently verified in a primary source. ChatGPT and similar general-purpose language models generate citations by pattern, not by retrieval. The citation will often look correct. The year will be plausible. The court will be right. The case name may even be a real case. What will be wrong, often enough to matter, is the specific proposition the citation is supposed to support, or the citation string itself. Verifying every citation takes five minutes per case on Indian Kanoon. That five minutes is cheap compared to the professional consequences of filing a fabricated authority.

The deeper point, which the rest of this book will build on, is that the problem is not ChatGPT specifically. It is the architecture. Any system that generates legal text from a language model without a verification layer has this problem. Understanding the architecture is what allows you to evaluate any tool, not just the ones that exist today.

Chapter 2: The Hallucination Problem and What To Do About It

In February 2023, a lawyer in New York filed a brief in federal court citing six cases in support of his client's position. The opposing counsel could not find any of them. The judge could not find any of them. That was because none of them existed. The lawyer had used ChatGPT to research the brief. ChatGPT had invented all six citations, complete with plausible case names, realistic docket numbers, and confident summaries of holdings that had never been written by any court.

The lawyer was sanctioned. The case became international news. Legal technology commentators wrote thousands of words about it.

Then lawyers in India read the story, nodded, and went back to using ChatGPT for drafting anyway.

This is not cynicism. It reflects a reasonable intuition: the problem was the lawyer's fault for not checking, not the tool's fault for generating plausible text. If you verify everything, you are safe. The tool is still useful for the parts that do not require citations.

That intuition is partially right and more dangerous than it looks. This chapter explains why.

Why Language Models Hallucinate

To understand the hallucination problem you do not need to understand the mathematics of neural networks. You need one analogy and one architectural fact.

The analogy first. Imagine a lawyer who has read every legal textbook, every judgment, every law review article ever

published, but has never actually looked at a primary source database. He has absorbed so much legal text that he can produce fluent, confident, structurally correct legal prose on any topic. When you ask him for a citation, he does not go look it up. He produces what a citation in this context would plausibly look like, based on everything he has read. Sometimes he gets it right. Sometimes he produces something that sounds exactly right but does not exist. He cannot tell the difference from the inside, because he is not retrieving. He is generating.

That is a large language model. The architectural fact that makes this irreducible is that these models do not store facts as discrete retrievable items. They store patterns. When asked to produce a citation, the model produces the most statistically likely completion of the text given everything it has been trained on. If the training data contained many citations in a particular format from a particular court, the model will produce citations that look like those. Whether any specific citation it produces corresponds to a real case is a separate question that the model has no reliable mechanism to answer.

This is not a flaw that will be fixed by making the model larger or training it on more data. It is a consequence of what these models are. A model trained on every Indian court judgment ever published would still hallucinate citations, because it would still be generating rather than retrieving. The only architectural fix is to add a retrieval layer that checks generated claims against a verified database before they are returned. That is what the Verifier Agent described in Chapter 1 does.

What Hallucination Looks Like in Indian Legal Practice

The New York case was visible because it went to court and a judge noticed. Most hallucination in legal practice is invisible because it is caught by the advocate who generated it, quietly corrected, and never mentioned. The cases that are not caught are harder to count.

There are several patterns worth knowing about specifically for Indian legal practice.

The first pattern is the plausible but non-existent Supreme Court citation. Indian Supreme Court citations follow a consistent format: the year, the volume of SCC or SCR, and the page number. A language model trained on Indian legal text will produce citations in exactly this format. The case name will often be a real case or a plausible combination of real party names. The year will be plausible for the proposition being cited. The SCC volume and page number will be in the right range. What will not be real is the specific combination. *Kalyan Chandra Sarkar v. Rajesh Ranjan* exists. But a model asked to cite authority for a slightly different proposition might produce *Rajesh Ranjan v. State of Bihar* (2006) 3 SCC 412, which does not. The format is identical. The case is not.

The second pattern is the outdated authority. This is subtler than the non-existent citation and in some ways more dangerous. The case exists. The proposition it stands for was correct when the model was trained. But the case has since been overruled, distinguished into irrelevance, or superseded by a larger bench decision that the model does not know about because it postdates the training cutoff. The advocate who relies on this citation is not filing a fabrication. She is filing a stale authority, which can be equally damaging in court if opposing counsel is well-prepared.

The third pattern is the correct citation for the wrong proposition. The case exists. The citation is accurate. But the model has associated it with a proposition it does not actually stand for, because in its training data this case appeared frequently near text making that proposition. Lawyers who verify citation existence but not the actual holding are vulnerable to this pattern. The check on Indian Kanoon confirms the case is real. What it requires a closer reading to catch is that the case does not say what the model claimed it says.

The fourth pattern is the invented statute provision. Language models trained on Indian legal text will produce references to sections of the IPC, CrPC, and other statutes. Most of these will be correct. Some will be wrong in ways that are difficult to spot: a section number that is off by one, an attribution of a provision to the wrong act, a reference to an amendment that has not been passed. These errors are less dramatic than a non-existent case but they can be equally consequential in practice.

The Scale of the Problem in Indian Legal Data

When we built the IMLJD dataset of 3,613 Indian matrimonial court judgments, one of the things we could measure was how frequently the metadata-derived signals in the judgments were consistent with each other. Courts citing *Arnesh Kumar v. State of Bihar* (2014) on arrest guidelines in cases where the procedural history showed no arrest. Cases marked as quashed where the disposal nature field said dismissed. Judgments invoking Section 498A where the case type field showed a maintenance matter.

Some of these inconsistencies reflect genuine complexity in how courts record cases. Some reflect data quality problems in the underlying court information systems. But some reflect what happens when language models are used to generate or summarize legal text without verification: locally plausible statements that do not cohere globally.

The RTI-Bench dataset of 1,516 Central Information Commission decisions showed a related pattern. When we ran a zero-shot Mistral 7B language model on the outcome prediction task, it achieved 57.3% accuracy and a macro F1 score of 37.0% on the two most common outcome classes. On the minority classes it achieved close to zero. More relevant for this chapter: when we examined the cases where the model was wrong, a significant proportion involved the model confidently predicting an outcome that was structurally inconsistent with the exemption pattern in the case. The model had learned statistical associations between certain types of language and certain outcomes. It had not learned

the legal logic connecting them. When the language deviated from the common pattern, the model failed confidently rather than abstaining.

Confident failure is the hallucination problem in a different form. The model does not know what it does not know. It produces an answer with the same surface confidence regardless of whether the underlying reasoning is sound.

What Verification Actually Costs

At this point the senior advocate may be thinking: I already knew I needed to verify citations. I do it now with human research. What has changed?

Two things have changed, and both matter.

The first is speed and volume. A lawyer using a language model for research can generate twenty citations in the time it previously took to find two. The verification burden scales with the generation rate. If you are disciplined about verifying every citation the model produces, the time savings from using the model may be largely consumed by verification. This is not an argument against using the model. It is an argument for using a model with a built-in verification layer, so that the citations you receive have already been checked against a database before they reach you.

The second is the nature of the errors. Human research errors tend to cluster in predictable ways: the researcher misread a citation, confused two cases with similar names, missed a recent overruling. These errors are catchable by a second pair of eyes familiar with the area of law. Language model errors are structurally different. They are confident, fluent, and distributed across the full space of legal knowledge in ways that do not cluster predictably. A hallucinated citation from a language model does not look like a mistake. It looks like a citation. Catching it requires going to the primary source every time, not just when something looks suspicious.

This is why the verification layer needs to be architectural rather than procedural. A rule that says "always verify AI-generated citations" will be followed most of the time. It will fail under deadline pressure, when the citation looks especially authoritative, and when the advocate is in an area of law where she is less familiar with the primary sources. An architectural verification layer that refuses to return unverified citations cannot be bypassed by deadline pressure.

The Offline Legal Chatbot: Verification by Design

The simplest demonstration of architectural verification is the offline legal chatbot described in the companion Medium article and built step by step in Implementation Box 2.1 below. It is not a sophisticated system. It does not use a knowledge graph. It does not have a Verifier Agent. But it has one property that makes it meaningfully safer than a general-purpose language model for legal use: the system is designed to constrain generation to the documents you have explicitly provided, and every answer comes with a source citation showing which document it drew from. A qualification is important here: the underlying language model, such as Mistral 7B, retains parametric knowledge from its training. Even with a legal prompt instructing it to answer only from context, the model can occasionally draw on training data rather than retrieved documents. This is a known limitation of all RAG systems. The legal prompt reduces this risk substantially but does not eliminate it. Two practical steps reduce it further. First, set the model temperature to 0 in your Ollama configuration. Temperature controls how much randomness the model uses when generating text. At temperature 0 the model always picks the most probable next token, which means it is less likely to wander into parametric associations. Second, include an explicit stop sequence in the prompt instructing the model to stop generating if it cannot find support in the provided context. The Implementation Box below shows both settings in the code. Think of it this way: the system cannot fabricate a citation that does not appear in your document folder, because citation requires retrieval. But it may

occasionally make a general legal statement from training rather than from your documents. The practical discipline is straightforward: trust answers that show a panel source citation. Treat answers without a corresponding panel citation as potentially drawn from parametric knowledge and verify independently before relying on them.

The architecture works as follows. You create a folder on your laptop and put your legal documents in it: the Hindu Succession Act, the Model Tenancy Act, the relevant High Court rules, whatever statutes and judgments are relevant to your practice area. The system reads these documents, breaks them into chunks, converts each chunk into a mathematical representation, and stores them in a local database. When you ask a question, the system finds the chunks most relevant to your question, gives them to the language model as context, and instructs the model to answer only using that context. It shows you which document each part of the answer came from.

This is not a solution to the hallucination problem in general. A language model given a context can still misrepresent what is in that context. But it is a significant constraint: the model cannot invent a citation that does not appear in your document folder, because it can only cite what it can retrieve. If you put verified, current versions of relevant statutes and judgments in the folder, the citation space is bounded. The errors that remain are errors of interpretation, not fabrication.

For a solo practitioner or a small firm that wants a starting point for legal AI without a large technology budget, this system runs entirely on a laptop, requires no cloud services, no API keys, and no data leaving the machine. Client confidentiality is preserved by design. The total setup cost in time is roughly two hours for someone comfortable with the command line.

For a larger firm with more sophisticated requirements, this architecture is the foundation on which the graph-based system described in Chapter 1 is built. The offline chatbot is retrieval-

augmented generation without a verification layer. The Falkor-IRAC system is retrieval-augmented generation with a graph-based verification layer. The difference between them is the difference between a system that constrains the citation space and a system that verifies individual citations against a structured legal database.

A Note on What Verification Cannot Do

Verification solves the fabrication problem. It does not solve the interpretation problem, the completeness problem, or the judgment problem.

The interpretation problem is that a system can correctly identify a real case and misstate its holding. The holding of a complex Supreme Court judgment is not a single proposition that can be extracted algorithmically. It is a matter of legal interpretation, and lawyers disagree about it. A verified citation is not a correctly interpreted citation.

The completeness problem is that a verified system can only verify against what it knows. If a relevant case is not in the database, the system will not find it. The absence of a hallucination is not the presence of a complete answer.

The judgment problem is the deepest one. Legal advice requires judgment about which precedents matter most in a specific factual context, how a particular judge is likely to read a provision, how strong the arguments on each side are, and what the client's risk tolerance should be. No current AI system exercises this kind of judgment. Systems that appear to do so are generating plausible-sounding assessments based on statistical patterns, not exercising legal reasoning. The advocate remains essential not just for client relationships and court appearances but for the core intellectual work of legal analysis.

What verification gives you is a foundation of factual accuracy on which human judgment can operate. It removes one category of error, the fabricated or stale citation, so that the advocate's

attention can focus on the categories of error that only human judgment can catch.

Implementation 2.1: Building the Offline Legal Chatbot

This section is for readers who want to build or evaluate legal AI systems technically. Practitioners can proceed directly to the key takeaways.

The offline legal chatbot uses four open-source components that run entirely on a standard laptop. Streamlit provides the browser-based user interface. Ollama runs a local language model without any cloud connection. LangChain coordinates the document loading, chunking, embedding, and retrieval pipeline. ChromaDB stores the document embeddings in a local vector database.

The setup requires Python 3.10 or above and approximately 8GB of RAM. A machine with 16GB is more comfortable. The language model we recommend starting with is Mistral 7B, which balances quality and speed on consumer hardware. TinyLlama is faster but produces lower quality output for legal text.

Install the required libraries with the following command:

```
pip install langchain chromadb streamlit sentence-transformers
```

```
pip install "unstructured[docx,pdf]" pymupdf
```

Install Ollama from ollama.com and pull the model:

```
ollama pull mistral
```

Create a folder called data in your project directory. Put your legal documents here. Supported formats are PDF, Word documents, plain text, and HTML. The quality of the system depends directly on the quality of the documents you provide. Use official versions of statutes from India Code at indiacode.nic.in. Use judgment PDFs directly from court websites or Indian Kanoon rather than third-party summaries.

The core application file handles four tasks: detecting when documents have changed and rebuilding the index only when needed, loading and splitting documents into chunks of approximately 500 words with 50-word overlap, converting chunks to embeddings using a local sentence transformer model, and answering queries using a retrieval chain that constrains the language model to the retrieved context.

The smart reindexing logic uses file hashes to track changes:

```
import hashlib, pickle, os
```

```
def compute_file_hashes(data_dir):
```

```
    hashes = {}
```

```
    for fname in os.listdir(data_dir):
```

```
        fpath = os.path.join(data_dir, fname)
```

```
        with open(fpath, "rb") as f:
```

```
            hashes[fname] = hashlib.md5(f.read()).hexdigest()
```

```
    return hashes
```

```
def needs_reindex(data_dir, hash_file):
```

```
    current = compute_file_hashes(data_dir)
```

```
    if not os.path.exists(hash_file):
```

```
        return True, current
```

```
    with open(hash_file, "rb") as f:
```

```
        stored = pickle.load(f)
```

```
    return current != stored, current
```

The document loading and indexing pipeline:

```
from langchain.document_loaders import PyMuPDFLoader,
TextLoader
```

```
from langchain.document_loaders import
UnstructuredWordDocumentLoader
```

```
from langchain.text_splitter import
RecursiveCharacterTextSplitter
```

```
from langchain.embeddings import HuggingFaceEmbeddings
```

```
from langchain.vectorstores import Chroma
```

```
def build_index(data_dir, chroma_dir):
```

```
    docs = []
```

```
    for fname in os.listdir(data_dir):
```

```
        fpath = os.path.join(data_dir, fname)
```

```
        if fname.endswith(".pdf"):
```

```
            loader = PyMuPDFLoader(fpath)
```

```
        elif fname.endswith(".docx"):
```

```
            loader = UnstructuredWordDocumentLoader(fpath)
```

```
        else:
```

```
            loader = TextLoader(fpath)
```

```
        docs.extend(loader.load())
```

```
splitter = RecursiveCharacterTextSplitter(
```

```
    chunk_size=500, chunk_overlap=50
```

```

)
chunks = splitter.split_documents(docs)

embeddings = HuggingFaceEmbeddings(
    model_name="sentence-transformers/all-MiniLM-L6-v2"
)
vectorstore = Chroma.from_documents(
    chunks, embeddings, persist_directory=chroma_dir
)
vectorstore.persist()

return vectorstore

```

The legal prompt instructs the model to answer only from the provided context and to say when it cannot find the answer rather than speculate:

```
from langchain.prompts import PromptTemplate
```

```

legal_prompt = PromptTemplate(
    input_variables=["context", "question"],
    template="""You are a legal assistant trained in Indian law.

```

Answer the question using only the context provided below.

If the answer is not in the context, say:

"I cannot find a verified answer in the provided documents."

Do not invent citations or legal principles not present in the context.

Context:

{context}

Question:

{question}

Answer:"""

)

The Streamlit interface ties everything together:

```
import streamlit as st
```

```
from langchain.llms import Ollama
```

```
from langchain.chains import RetrievalQA
```

```
st.title("Indian Legal Assistant (Offline)")
```

```
st.caption("Answers based only on documents in your data  
folder.")
```

```
query = st.text_input("Ask a legal question:")
```

```
if query:
```

```
    llm = Ollama(model="mistral")
```

```
    retriever = vectorstore.as_retriever(
```

```
        search_kwargs={"k": 4})
```



```

)

qa_chain = RetrievalQA.from_chain_type(
    llm=llm,
    retriever=retriever,
    chain_type="stuff",
    chain_type_kwargs={"prompt": legal_prompt},
    return_source_documents=True
)

result = qa_chain({"query": query})
st.markdown("**Answer:**")
st.write(result["result"])

with st.expander("Source documents used"):
    for doc in result["source_documents"]:
        st.caption(doc.metadata.get("source", "Unknown"))
        st.write(doc.page_content[:300] + "...")

```

Run the application with:

```
streamlit run app.py
```

The interface opens at localhost:8501 in your browser. Type a question, receive an answer, and expand the source documents section to see exactly which text from which file the answer was drawn from. If the answer says it cannot find a verified answer in the provided documents, that is the system working correctly: it has declined to speculate rather than fabricate.

To share the system with colleagues on the same network, Tailscale provides a simple private VPN that allows others to access the running Streamlit application via your machine's Tailscale IP address without exposing it to the public internet.

The complete code for this system is available at github.com/joyboseroy/falkor-irac alongside the more sophisticated graph-based system. Start with this version. Once you are comfortable with what it can and cannot do, the graph-based system in Chapter 1 becomes the natural next step.

Key Takeaways for Practice

Language models hallucinate citations because they generate rather than retrieve. This is architectural, not a bug that will be fixed. The only reliable mitigation is a system that checks generated citations against a verified database before returning them.

Four hallucination patterns are most relevant for Indian legal practice: the plausible but non-existent Supreme Court citation, the outdated authority overruled after the model's training cutoff, the correct citation for the wrong proposition, and the invented statute provision. Each requires a different verification check and none is reliably catchable by surface inspection alone.

The offline chatbot described in Implementation Box 2.1 is not a complete solution to hallucination but it is a meaningful constraint: the model can only cite what is in your document folder. For a solo practitioner or small firm it is a deployable starting point that preserves client confidentiality, requires no cloud services, and costs nothing beyond setup time.

The rule for the junior associate using general-purpose AI tools remains: verify every citation in a primary source before it goes anywhere near a client or a court. The five minutes this takes per

citation is not optional. It is the minimum professional standard for AI-assisted legal work.

The deeper question for any firm evaluating legal AI tools is architectural: does this system verify citations before returning them, or does it generate them and leave verification to the user? The answer to that question matters more than the name of the company or the sophistication of the interface.

Chapter 3: What the Data Says About Indian Courts

A client walks into your office. He has a writ petition pending in the Allahabad High Court. He wants to know how long it will take.

The honest answer, based on what most lawyers know, is: a long time. India has approximately 50 million pending cases. The Allahabad High Court alone has over 800,000 writ petitions in its backlog. Everyone knows the system is slow.

What almost no one knows, because until recently no one had looked at the data carefully enough to see it, is that "slow" is not one thing. Indian High Courts are slow in structurally different ways. The Allahabad High Court is slow for a different reason than the Meghalaya High Court. The intervention that would help Allahabad would do nothing for Meghalaya. The intervention that would help Meghalaya would be irrelevant in Kerala.

This matters for how you advise your client. Not just in the abstract, but concretely and immediately. If you know which type of bottleneck a court has, you know what kind of delay your client faces, how to set realistic expectations, and in some cases whether there is a legitimate procedural argument for transfer or priority listing that the bottleneck type makes available.

This chapter presents what an analysis of 2.45 million writ petition records across ten Indian High Courts actually shows. The data comes from the DAKSH High Court Data Portal, a publicly available dataset collected by the Bengaluru-based non-profit DAKSH India. The analysis was conducted as part of independent research published in 2026. All data, code, and methodology are openly available.

We will also look at what 3,613 Indian matrimonial court judgments tell us about quash petition success rates across court

levels, and what 1,516 Central Information Commission decisions tell us about how RTI appeals are decided. These are numbers that practicing lawyers in these areas have not had access to before, because the data existed in scattered public archives but no one had assembled and analyzed it at scale.

Three Ways a Court Can Fail

Before presenting the findings, we need a framework for thinking about court delay that is more precise than "too many cases, not enough judges."

Think of a court case as moving through a pipeline with four stages. First it is filed and registered. Then it is admitted for hearing. Then arguments are heard. Then the judgment is reserved and eventually delivered. Cases can accumulate at any of these stages. Which stage they accumulate at tells you something specific about why the court is slow.

A court where most pending cases are stuck at the admission stage has what we can call an Input bottleneck. Cases are entering the system but not progressing to scheduled hearings. The queue forms at the front door. Adding more judges to hear arguments will not help, because the cases are not reaching the argument stage. The problem is in the scheduling and admission process.

A court where most pending cases have been admitted and are waiting for bench time to hear arguments has a Capacity bottleneck. Cases are moving through admission but there is not enough bench time to hear them all. Here, adding judges or increasing sitting days will help, because the constraint is hearing throughput.

A court where cases have been fully argued and reserved for judgment but the written judgments are not being delivered has an Output bottleneck. The hearings are happening. The arguments are complete. The delay is in the writing stage, which happens outside court hours and is not visible in cause lists or hearing schedules.

Adding judges will not help here either, because the constraint is not bench time. It is judgment delivery time.

These three failure modes require three different interventions. A national policy of increasing judicial strength, which is the dominant prescription in Indian judicial reform discussions, is correctly targeted at Capacity and partly at Input bottleneck courts. It will have no effect on Output bottleneck courts. Appointing additional judges to a court where the backlog consists primarily of reserved judgments not yet delivered does not accelerate the delivery of judgments already reserved.

This is not a theoretical argument. It is a finding from the data.

What the Data Shows

Across the ten High Courts analyzed, six showed an Input bottleneck, two showed a Capacity bottleneck, and two showed an Output bottleneck.

The Input bottleneck courts were Allahabad, Andhra Pradesh, Calcutta, Karnataka, Manipur, and Uttarakhand. In Allahabad, 72.2% of pending writ cases were at the admission stage. Cases had been filed, registered, and admitted, but were not progressing to scheduled hearings at a rate that kept up with new filings. The median case duration in Allahabad was 2,930 days, just over eight years. 43.6% of cases had been pending for more than ten years.

The Capacity bottleneck courts were Chhattisgarh and Kerala. In Chhattisgarh, 61.4% of pending cases were at the arguments stage. Cases had been admitted and scheduled but there was not enough bench time to hear them all. Despite this, Chhattisgarh's median case duration was 146 days, the shortest in the sample. The Capacity bottleneck in Chhattisgarh appears manageable: the court is keeping pace despite a large arguments queue. Kerala's profile was more concerning: median duration of 700 days and 24.1% of cases pending for more than ten years.

The Output bottleneck courts were Meghalaya and Jammu and Kashmir. In Meghalaya, 47.8% of pending cases were at the reserved stage. In Jammu and Kashmir, 25.7% were reserved with a further 65.3% at arguments. Both courts had high disposal rates and low zero-hearing rates, meaning cases were being heard. The constraint was in judgment delivery.

The 26-fold difference in median case duration across the sample, from 146 days in Chhattisgarh to 3,792 days in Calcutta, is the starkest single number in this analysis. Both courts operate under the same Constitution and the same procedural code. One resolves the median writ petition in under five months. The other takes more than ten years. No single national policy can simultaneously address both, because they are failing for different reasons.

What This Means for Client Advice

For the practicing advocate, this framework translates directly into how you advise clients on litigation timelines and strategy.

If your client has a matter in an Input bottleneck court, the delay they face is primarily at the admission and scheduling stage. Their case may sit for years before it is first heard on merits. In this context, interim relief at the admission stage is more valuable than it would otherwise be, because the substantive hearing is a long way off. Applications for early hearing, priority listing, or transfer to a faster court are worth evaluating on their merits rather than dismissed as tactical.

If your client has a matter in a Capacity bottleneck court, the delay is in the hearing queue. The case has been admitted and will be heard, but bench time is the constraint. Here the relevant question is whether the matter can be resolved through mediation or settlement before the hearing queue becomes the binding constraint on timeline.

If your client has a matter in an Output bottleneck court, the situation is different again. Arguments may complete relatively quickly. The uncertainty is in how long the reserved judgment will

take. This is harder to advise on because reserved judgment timelines are not publicly tracked in any systematic way. What the data suggests is that in Output bottleneck courts, the gap between the last hearing and judgment delivery can be measured in years rather than months. For a client whose matter depends on a time-sensitive decision, this has obvious implications for how aggressively to pursue interim relief before arguments are completed.

The Semantic Disorder Index: Why Some Courts Are Harder to Analyze Than Others

One finding from the data analysis that is worth understanding, because it has implications for any AI tool applied to Indian court data, is the extraordinary variation in how different courts record case stages.

Meghalaya High Court uses 16 unique stage labels. Calcutta High Court uses 350. Both describe the same underlying process: a case moving from filing through admission, hearing, and disposal. The difference is not in the complexity of the process. It is in the administrative and recording culture of the registry.

Calcutta's 350 labels include extensive subcategories of what other courts call a single admission hearing: MOTION, NEW MOTION, LISTED MOTION, MOTION 1, MOTION 2, CIVIL NEW MOTION, URGENT MOTION, and so on through dozens of variations. These are Calcutta-specific terms that encode no additional legal information compared to the single label ADMISSION that other courts use. They reflect the internal vocabulary of a specific registry that has grown by accretion over decades.

This variation has a practical consequence for any AI tool that processes Indian court data. A system trained on Allahabad data and applied to Calcutta data will not recognize Calcutta's admission stage vocabulary. A system that maps MOTION to ADMISSION for Calcutta will work in Calcutta but may misclassify records from other courts that use MOTION to mean

something different. There is no national standard for court stage vocabulary, which means any AI system working with Indian court records needs court-specific handling rather than a single universal classifier.

We formalized this variation as a Semantic Disorder Index, a composite score that captures how fragmented and non-standard a court's stage label vocabulary is. The index does not predict disposal rate. A court with a high Semantic Disorder Index is not necessarily a slow court. Andhra Pradesh has the highest index in the sample but a disposal rate of 77.2%, which is above average. The index measures administrative recording complexity, not court performance. What it tells you about AI tools is which courts will be harder to build reliable data pipelines for.

The Quash Rate Differential

The IMLJD dataset of 3,613 Indian matrimonial court judgments under IPC Section 498A, the Protection of Women from Domestic Violence Act, and CrPC Section 482 reveals a finding with direct implications for matrimonial litigation practice.

57.6% of quashing petitions succeed at the Supreme Court level, compared to 39.7% at the Karnataka High Court level. When the comparison is restricted to the same time period, 2018 to 2024, to control for temporal differences between the two sub-corpora, the Supreme Court quash rate is 59.3%, widening the differential to 19.6 percentage points.

Several factors likely contribute to this differential. Cases that reach the Supreme Court on quashing have already been considered by a High Court, which selects for stronger arguments. The resources required to pursue litigation to the apex court mean that only the most serious matters tend to arrive there. Differences in judicial approach across court levels may also play a role, though the data cannot distinguish between these explanations.

What the data can say is that the differential is robust to temporal adjustment and consistent across the years covered. A clarification

on what this means for practice is important here. A client cannot choose to file a quash petition directly in the Supreme Court. Quash petitions under Section 482 CrPC are a High Court power. The Supreme Court's jurisdiction in these matters arises through special leave petitions under Article 136, which are discretionary and typically filed after a High Court has ruled. The higher success rate at the Supreme Court level therefore reflects appellate filtering: cases that reach the Supreme Court on quashing have already been through High Court proceedings, which selects for stronger arguments and more serious matters. The practical implication for a lawyer is not about forum choice but about case assessment. If a quash petition argument is strong enough that it would succeed at the Supreme Court level, that is a signal about the quality of the legal position, not an invitation to bypass the High Court. For a lawyer advising on whether to pursue a quash petition at the Karnataka High Court, the 39.7% success rate is the relevant baseline. The Supreme Court figure contextualises how much stronger cases become when filtered by High Court refusal and the additional resources required to reach the apex court. The 19.6 percentage point gap between the two court levels is a concrete empirical fact that was not previously available in quantified form, and it is useful precisely because it helps calibrate expectations at each stage of the litigation.

A second finding from the IMLJD data is that 15.2% of Supreme Court quash petitions resolve through settlement or compromise rather than adjudication. This is a notable proportion and suggests that the filing of a quash petition itself creates conditions for settlement independent of the judicial outcome. For clients whose primary interest is resolution rather than vindication, this settlement rate at the quash petition stage is relevant to how the litigation strategy is framed from the beginning.

The RTI Decision Patterns

The RTI-Bench dataset of 1,516 Central Information Commission decisions contains findings relevant to any lawyer advising clients on RTI matters or on disputes with public authorities.

The most common outcome in the dataset, accounting for 44.7% of labelled cases, is INFORMATION DIRECTED, meaning the Commission ordered the public authority to disclose. The second most common at 37.2% is APPEAL DISMISSED. Citizens who reach the CIC tend to win more often than not, partly because people drop weaker cases before reaching a second appeal.

The exemption citation data is more granular. Section 8(1)(j), the personal information exemption, accounts for 34% of all exemption citations in the dataset. This exemption is frequently invoked by public authorities and has been the subject of consistent criticism from RTI practitioners for being applied beyond its intended scope. Section 8(1)(d) on commercial confidence accounts for 16%, and Section 8(1)(e) on fiduciary relationships accounts for another 16%.

For a lawyer advising a client filing an RTI application or preparing an appeal to the CIC, these exemption frequencies have practical implications. An application seeking information that a public authority might classify as personal information should anticipate a Section 8(1)(j) objection and address it preemptively. An appeal challenging a Section 8(1)(j) refusal should be aware that this is the most commonly litigated exemption at the CIC and that there is a substantial body of decisions on its scope.

The plain-language summarization finding from the dataset is also worth noting for its access-to-justice implications. CIC decisions are written in dense administrative language that most applicants without legal training cannot parse. The average CIC decision in the dataset runs to several pages of procedural history, statutory citations, and commission reasoning before reaching a conclusion that might be expressed in one sentence. A legal AI tool capable of reliably summarizing these decisions in plain language would meaningfully expand the ability of ordinary citizens to understand and act on CIC orders without professional assistance.

The COVID Shock and What It Reveals About Static Models

One finding from the Karnataka High Court data is worth noting separately because it has implications for how any quantitative analysis of court performance should be interpreted.

The IMLJD data allows us to track median case duration for Karnataka High Court Section 482 petitions by filing year. Cases filed in 2018 had a median duration of 282 days. Cases filed in 2019 had a median duration of 1,211 days. Cases filed in 2022 had recovered to 268 days.

The 2019 cohort was mid-stream when physical court operations suspended in March 2020. Cases that would have been heard and decided in 2020 and 2021 accumulated instead. The shock is visible in the data as a spike of more than four times the normal median, followed by recovery over the subsequent two years.

This has a specific implication for any AI tool that uses historical court performance data to predict case timelines. A model trained on 2017 to 2019 data would have predicted a median duration of approximately 270 days for Karnataka Section 482 petitions. That prediction would have been wrong by a factor of four for the 2019 cohort. The error was not random noise. It was a structural shock that no model trained on pre-shock data could have anticipated.

The practical lesson is that AI-generated timeline predictions for court matters should be treated as estimates based on historical patterns, not as forecasts that account for structural shocks. The COVID disruption was exceptional in scale but not in kind: courts are regularly affected by strikes, administrative changes, judicial transfers, and infrastructure disruptions that create temporary deviations from historical patterns. A lawyer advising a client on expected timeline should use the data as a baseline and apply judgment about current conditions, not treat the AI output as a reliable prediction.

Data Quality and Why It Matters for AI

Any lawyer who has tried to use National Judicial Data Grid statistics for anything more than headline numbers will have

encountered the data quality problems that make granular analysis difficult. The DAKSH dataset, which is the most carefully curated publicly available source of Indian High Court case data, contains three systematic problems that we had to handle before any analysis was possible.

The first is sentinel values for missing filing dates. Karnataka and Andhra Pradesh both show a duration value of exactly 20,599 days, equivalent to 56.4 years, for a large proportion of cases. This is a placeholder stored in place of a missing or unknown filing date. It does not represent an actual case duration. Any analysis that does not detect and remove this sentinel produces nonsensical duration statistics for these two courts. This is not a minor technical footnote. It means that any AI tool or research study that processes this data without handling the sentinel will report that Karnataka and Andhra Pradesh have cases pending for more than half a century, which is false.

The second problem is court-specific stage vocabulary, described above in the Semantic Disorder Index discussion.

The third problem is that the disposal pattern field, which records how cases were disposed, is empty for the two largest courts in the dataset: Allahabad and Karnataka. Any analysis of attrition rates or disposal patterns for these courts is impossible from the DAKSH data alone.

These problems are documented here not to discourage use of the data but to illustrate what honest AI-driven legal analytics requires. A vendor claiming to offer AI-powered insights into Indian court performance should be asked specifically how they handle sentinel values, how they harmonize stage vocabulary across courts, and what they do with courts where disposal data is missing. If they cannot answer these questions, their analysis is built on data they have not cleaned.

What AI Can Add to This Picture

The bottleneck classification in this chapter was built using a relatively simple methodology: compute the distribution of pending cases across canonical procedural stages, identify which stage dominates, and classify accordingly. The analysis required significant data cleaning effort but not sophisticated AI.

Where AI adds value in legal analytics is in the tasks that do not scale with human effort: reading 3,613 judgment PDFs to extract outcome labels and signal flags, processing 1,516 CIC decisions to identify exemption patterns and procedural timelines, building a knowledge graph from hundreds of Supreme Court judgments that captures not just citation relationships but the typed relationships between cases, the precedent chains, the doctrinal conflicts, and the procedural events.

These tasks would take a team of researchers months to complete manually. They can be completed by a well-designed pipeline in hours. The outputs are not perfect: the IMLJD metadata-derived indicators are lower-bound estimates because many SC judgments are in image-format PDFs that cannot be text-parsed. The RTI-Bench label coverage in the PDF subset is 51% in the first release. The Falkor-IRAC knowledge graph covers 388 Supreme Court judgments, not the full 34,000 in the ILDC corpus.

But imperfect AI-assisted analysis at scale reveals patterns that perfect manual analysis of a small sample cannot. The 19.6 percentage point quash rate differential between SC and Karnataka HC levels would not have been visible from a manual review of fifty cases. The finding that six of ten High Courts are Input bottleneck courts rather than Capacity bottleneck courts would not have emerged from aggregate pendency statistics. The Section 8(1)(j) dominance in RTI exemption citations would not have been quantified from reading a representative sample.

Scale is the contribution. The job of the lawyer reading these findings is to apply the judgment that scale cannot provide: to assess whether the Karnataka data generalizes to other High Courts, to consider whether the quash rate differential reflects

something specific to the 2018 to 2024 period, to evaluate whether the RTI exemption patterns from CIC decisions apply to State Information Commission appeals. The data narrows the space of uncertainty. Human judgment navigates within it.

Implementation 3.1: Replicating the Court Analytics

This section is for technically oriented readers. Practitioners can proceed to the key takeaways.

The full analysis in this chapter can be replicated from publicly available data using the code released alongside the original research papers.

The DAKSH High Court Data Portal is available at database.dakshindia.org under a CC BY-NC 4.0 licence after registration. The dataset contains writ petition records for the ten courts analyzed. The primary cleaning steps required before analysis are sentinel value detection and removal for Karnataka and Andhra Pradesh, encoding handling for the Jammu and Kashmir file which requires latin-1 rather than UTF-8, and stage label harmonization across courts.

The stage harmonization uses a two-pass approach. The first pass applies a rule-based mapping dictionary that converts raw labels to canonical stages: FILED, ADMITTED, NOTICED, COUNTER, ARGUMENTS, RESERVED, DECIDED, WITHDRAWN, and OTHER. The second pass classifies unmapped labels as OTHER and reports the OTHER rate per court as a data quality metric.

The bottleneck classification logic is:

```
def classify_bottleneck(stage_dist):  
    admitted_pct = stage_dist.get("ADMITTED", 0)  
    arguments_pct = stage_dist.get("ARGUMENTS", 0)  
    reserved_pct = stage_dist.get("RESERVED", 0)
```

```
zero_hearing_pct = stage_dist.get("zero_hearings", 0)
```

```
if admitted_pct > 0.45 or zero_hearing_pct > 0.80:
```

```
    return "Input"
```

```
elif arguments_pct > 0.50:
```

```
    return "Capacity"
```

```
elif reserved_pct > 0.15:
```

```
    return "Output"
```

```
else:
```

```
    return "Mixed"
```

The Semantic Disorder Index is computed as:

```
from scipy.stats import entropy
```

```
import numpy as np
```

```
def compute_sdi(raw_labels, harmonized_labels):
```

```
    label_counts = raw_labels.value_counts(normalize=True)
```

```
    H = entropy(label_counts)
```

```
other_rate = (harmonized_labels == "OTHER").mean()
```

```
admitted_mask = harmonized_labels == "ADMITTED"
```

```
high_hearing_stall = (
```

```
    admitted_mask & (hearing_counts > 10)
```



```
).mean()
```

```
sdi = 0.4 * H + 0.4 * other_rate + 0.2 * high_hearing_stall  
return sdi
```

The IMLJD dataset is available at huggingface.co/datasets/joyboseroy/imljd under CC BY 4.0. The quash rate analysis requires filtering to quash petition case types, separating the SC and HC sub-corpora, and computing outcome distributions separately for each. The temporal adjustment restricts the SC sub-corpus to the 2018 to 2024 period to match the HC coverage.

The RTI-Bench dataset is available at huggingface.co/datasets/joyboseroy/rti-bench. The exemption frequency analysis uses the exemption citation field extracted by the rule-based pipeline. The outcome distribution analysis uses the labelled subset, which covers 82.8% of primary cases.

Both datasets include the full extraction pipelines in their accompanying GitHub repositories. A researcher wanting to extend the analysis to additional High Courts, additional years, or additional case types can do so using the same pipeline with new data inputs.

Key Takeaways for Practice

Indian High Courts fail in structurally different ways. Six of the ten courts analyzed are Input bottleneck courts where cases pile up at the admission stage. Two are Capacity bottleneck courts where the constraint is bench time. Two are Output bottleneck courts where the constraint is judgment delivery. The dominant national prescription of increasing judicial strength helps Input and Capacity bottleneck courts and has no effect on Output bottleneck courts.

Median case duration varies 26-fold across courts, from 146 days in Chhattisgarh to 3,792 days in Calcutta. Advising a client on expected timeline without knowing which bottleneck type their court has is advising on incomplete information.

Quash petitions in matrimonial matters under Section 498A succeed at a 57.6% rate at the Supreme Court level and a 39.7% rate at the Karnataka High Court level on the same time period. Note that this is not a forum choice: quash petitions under Section 482 CrPC are filed in the High Court, not the Supreme Court directly. The Supreme Court figures reflect special leave petitions after High Court proceedings, which filter for stronger cases. The 39.7% Karnataka High Court rate is the operative baseline for a lawyer advising on a fresh quash petition. The differential helps calibrate expectations at each stage of litigation.

RTI appeals at the CIC result in disclosure orders 44.7% of the time. Section 8(1)(j) on personal information is the most commonly cited exemption at 34% of all citations and should be anticipated and addressed preemptively in applications where it might apply.

AI tools that use Indian court data without handling sentinel values, court-specific stage vocabulary, and missing disposal data are producing analysis from uncleaned inputs. Ask vendors specifically how they handle these problems before trusting their outputs.

The COVID shock produced a four-times spike in Karnataka Section 482 petition durations for the 2019 filing cohort, with recovery by 2022. AI-generated timeline predictions based on historical patterns should be treated as baselines subject to structural adjustment, not as forecasts.

Chapter 4: RAG for Lawyers

- A Practical Guide to AI Over Your Own Documents

In 2024, a partner at a mid-size Mumbai firm discovered that her junior associates had been using a tool called NotebookLM to summarize long judgment PDFs before reading them. She had not authorized this. She had not forbidden it either, because she had not known it existed. When she asked them about it, they said it saved them two hours per judgment and the summaries were accurate enough to orient their reading.

She had two immediate questions. First: is this safe, meaning does confidential client information stay confidential? Second: is this reliable, meaning can I trust what it produces well enough to act on it?

Both questions were reasonable. Neither had a simple yes or no answer. What they had was a more precise answer that depended on understanding what the tool actually does.

That understanding is what this chapter provides.

What RAG Is, Without the Jargon

RAG stands for Retrieval-Augmented Generation. The name is not important. The concept is.

Imagine you have a stack of documents on your desk: a judgment, a statute, a contract, a set of court rules. A colleague walks in and asks you a question about a point of law. You do not answer from memory. You pick up the relevant document, find the relevant section, read it, and answer from what you have just read. You show your colleague the section you relied on.

That is RAG. The system finds the relevant parts of your documents, gives them to the language model as reading material, and the language model answers from that material rather than from its general training. The system shows you which document and which section it relied on, so you can verify.

This is fundamentally different from asking ChatGPT a question with no documents attached. When you ask ChatGPT a bare question, it answers from its training data, which is a statistical model of everything it has ever read. It cannot point to a specific source because it is not retrieving from a specific source. When you give a RAG system your documents, it can only answer from what you have given it. If the answer is not in your documents, a well-designed system will tell you so rather than invent one.

That one property, answering only from what you have provided, is what makes RAG appropriate for legal work in a way that bare language models are not. It does not solve all problems. It solves the fabrication problem for the documents in your collection. The language model can still misinterpret what is in your documents. It can still miss nuance. It can still get the emphasis wrong. But it cannot invent a case that is not in your collection, because it can only cite what it can retrieve.

The Four Tiers of Legal RAG

Legal RAG tools exist on a spectrum from simple and immediately deployable to sophisticated and requiring technical setup. Understanding which tier is appropriate for which task is the central practical skill of this chapter.

Tier One: Cloud Notebook Tools

The simplest RAG tools require no setup, no code, and no technical knowledge. You upload a document, ask a question, get an answer with source references. This is the tier where NotebookLM, Claude Projects, and ChatGPT with file upload live.

NotebookLM deserves specific attention because it is free, well-designed for document-intensive work, and already widely used by lawyers who have not thought systematically about what it can and cannot do.

You create a notebook, upload your sources, and ask questions. NotebookLM retrieves relevant passages from your sources, synthesizes an answer, and shows you the exact passages it relied on with citations to the specific document and location. For a long judgment that needs to be oriented quickly before detailed reading, it works well. For identifying the holding and key citations in a 50-page Supreme Court decision before you read it yourself, it works well. For comparing how two judgments treat the same statutory provision, it works reasonably well, with the caveat that the synthesis requires your verification.

The limitations are equally important to understand.

Everything you upload to NotebookLM goes to Google's servers. This is not a criticism of Google. It is a statement of architecture. For documents containing confidential client information, matters under privilege, or anything you would not want on an external server, NotebookLM is not appropriate. The tool is designed for research and education, not for client-confidential legal work. This is the answer to the Mumbai partner's first question: it is not safe for confidential matters.

NotebookLM does not verify citations against a legal database. If you ask it a question that requires it to cite a case not in your uploaded documents, it may generate a plausible-sounding citation from its underlying language model's training data. That citation may not exist. The source panel will show you what it retrieved from your documents, but it will not flag when the language model has supplemented your documents with something from training data. This requires your vigilance.

NotebookLM does not know whether a case it surfaces has been overruled. If your uploaded judgment cites an older case as authority, NotebookLM will relay that citation without knowing

whether the older case remains good law. Checking currency remains your responsibility.

Claude Projects works similarly but with one practical difference: you can maintain a persistent project with a curated set of documents that stays available across conversations. For a lawyer who returns repeatedly to the same statutory framework or the same set of judgments on a recurring matter type, a Claude Project with a curated document set behaves like a specialized research assistant that remembers its reading list. The same confidentiality caveat applies: documents uploaded to Claude Projects are processed on Anthropic's servers.

ChatGPT with file upload is the tier-one tool most lawyers encounter first because it is the most widely known. Its RAG implementation is less transparent than NotebookLM in that it does not always show you the specific passages it retrieved. This makes verification harder. It has all the same limitations as the other tier-one tools plus the additional opacity. For exploratory research where you will verify everything independently anyway, it is fine. For anything where you need to trace the answer to a specific source, NotebookLM or Claude Projects are more appropriate choices.

What Tier One is Good For

Tier-one tools are appropriate for research orientation: getting a working understanding of a long document before reading it carefully, identifying the key issues and holdings in a judgment, comparing how two or three documents treat the same question. They are appropriate for non-confidential documents: publicly available judgments, statutes, government reports, legal textbooks. They are appropriate for tasks where you will verify the output independently before relying on it.

They are not appropriate for confidential client documents, for tasks requiring citation verification, for reasoning about procedural state, or for any output that goes directly to a client or a court without independent verification.

Tier Two: The Offline Legal Chatbot

The step up from cloud tools is an offline RAG system that runs entirely on your own machine. Nothing leaves your laptop. Client confidentiality is preserved by design. The tradeoff is setup effort: you need to be comfortable with the command line and willing to spend two to three hours on initial configuration.

The system described in Chapter 2's Implementation Box 2.1 is this tier. Ollama runs a local language model. ChromaDB stores your document embeddings locally. LangChain coordinates the pipeline. Streamlit provides the interface. The entire stack is open source and free.

For a solo practitioner or a small firm handling sensitive matters, this is the appropriate starting point. You build a local document library by putting your key statutes, judgments, court rules, and research notes into a folder. The system indexes them once and updates only when the folder contents change. You ask questions in natural language and receive answers with source references from your local library.

The practical setup for a legal practice involves curating your document library thoughtfully. The quality of the system's answers depends directly on the quality of what you put in. A library containing the current versions of the statutes relevant to your practice area, the leading Supreme Court judgments in your area, the relevant High Court rules, and your own research notes will produce meaningfully better results than a library assembled without curation.

For Indian legal practice specifically, the following sources provide clean, machine-readable versions of primary legal materials. India Code at indiacode.nic.in provides official versions of central acts and their amendments. The Supreme Court website provides judgment PDFs, though many older ones are scanned images that require OCR before they can be indexed. Indian Kanoon provides text versions of judgments that index more reliably than scanned PDFs. eGazette at egazette.gov.in provides

official gazette notifications. High Court websites provide their own rules and practice directions.

One practical limitation of this tier is that scanned PDF judgments, which constitute a large portion of older Indian court decisions, cannot be indexed without OCR processing. A scanned PDF looks like a document to a human reader but looks like an image to a RAG pipeline. The text extraction step returns nothing or garbage. Handling this requires an OCR step before indexing, which adds complexity. For a firm building a serious offline document library, this is worth solving: the Python library `pytesseract` combined with `pdf2image` can convert scanned PDFs to searchable text before indexing. The implementation is in the companion repository.

AnythingLLM: A More Polished Offline Alternative

For lawyers who want the offline privacy of Tier Two without the command-line setup, AnythingLLM provides a desktop application that wraps the same underlying components in a user interface. You download and install it like any other application. You configure it to use a local Ollama model. You create workspaces, upload documents, and ask questions through a chat interface that looks more like a commercial product than a developer prototype.

AnythingLLM supports the same document formats as the manual stack: PDF, Word documents, plain text, HTML. It handles the indexing automatically. It shows source references with each answer. It maintains conversation history within a workspace. For a lawyer who wants offline RAG without writing any code, it is the most accessible entry point.

The limitation compared to the manual stack is customization. The legal-specific prompt that instructs the model to answer only from provided documents and to decline rather than speculate is harder to configure in AnythingLLM than in a manual LangChain setup. The default prompt is general-purpose. For legal work where the distinction between retrieved content and generated content

matters, the manual stack with a custom legal prompt is more reliable.

Tier Three: Firm-Level Document Repository

A solo practitioner's document folder and a law firm's knowledge base are different problems. A firm has multiple practice areas, multiple advocates working on overlapping matters, years of accumulated research, and a need for structured access control. A folder on one lawyer's laptop does not serve this.

Tier three is a shared RAG system running on a server within the firm's network, accessible to all advocates, with a curated and maintained document library covering the firm's practice areas. This is a more significant investment than tiers one and two, but it is not beyond a mid-size firm with basic IT infrastructure.

The architecture is the same as the offline chatbot but running on a server rather than a laptop, with a web interface accessible from any machine on the firm's network. The document library is maintained centrally. Updates to the library, such as adding a new Supreme Court judgment or a new version of a statute, are immediately available to all users without each advocate maintaining their own local copy.

The architecture for a firm-level legal repository follows the same principles as any enterprise RAG deployment: metadata-first document ingestion over PDFs, Word documents, and structured data sources, with a fallback mechanism for handling queries when the primary model is unavailable. Applied to a law firm, this means court judgments, statutes, internal legal memoranda, historical drafting templates, state-specific court practice mandates, and research notes. The architectural principles are identical regardless of document type: ingestion with metadata tagging, chunking with overlap to preserve context across chunk boundaries, embedding with a sentence transformer model, retrieval with relevance ranking, generation constrained to retrieved context, and source attribution in every answer.

For a firm building this system, the metadata layer deserves particular attention. A legal document library benefits from metadata that a general document library does not need: court name, judgment year, subject matter area, statute cited, outcome type. When a lawyer asks a question about Karnataka High Court judgments from the last five years on a specific statutory provision, metadata filtering allows the system to restrict retrieval to relevant documents before the semantic search step. This produces significantly better results than semantic search over an untagged library of thousands of documents.

The access control question is also worth thinking through carefully. A firm's client-specific documents should not be retrievable by advocates working on unrelated matters. The simplest approach is separate workspaces for separate client matters, with shared workspaces for general research and statutory material. AnythingLLM supports multi-workspace configuration. A custom LangChain deployment can implement workspace separation through separate ChromaDB collections.

Tier Four: Graph-Augmented RAG

The Falkor-IRAC architecture described in Chapter 1 is the most sophisticated tier. It adds a structured knowledge graph above the vector retrieval layer and a Verifier Agent that checks generated citations against the graph before returning answers. This tier is appropriate when citation accuracy is critical, when procedural reasoning matters, or when the firm needs to detect doctrinal conflicts as a first-class output.

The practical deployment path to tier four starts at tier two or three and evolves. A firm that has built a working offline document library has already done the hard work of document curation and ingestion. Adding a FalkorDB knowledge graph layer on top of an existing RAG system is a significant but not insurmountable step. The companion repository at github.com/joybosero/falkor-irac provides the full implementation.

The honest assessment is that tier four requires either a technically capable person in the firm or an external developer to set up and maintain. It is not a one-afternoon project. For most firms, the right starting point is tier two or three, with tier four as a medium-term goal for practices where citation accuracy and procedural reasoning are central to the work.

A Review of the Current Landscape

The legal AI tool landscape in India is less developed than in the United States or United Kingdom, which means Indian lawyers face both a gap and an opportunity. The gap is that there are fewer purpose-built Indian legal AI tools. The opportunity is that the general-purpose tools work well enough for many tasks, and the open-source stack described in this chapter requires no Indian-specific adaptation beyond the document library you build.

A note on commercial tools: this book describes open-source and self-built systems because they are accessible, auditable, and free. Most law firms, however, will buy rather than build. In the US and UK market, tools like Harvey, CoCounsel, Lexis+ AI, and Westlaw Precision have gained significant adoption for legal research and drafting. These are purpose-built legal AI tools with larger teams, more extensive training data, and commercial support behind them. They are not yet widely deployed in Indian legal practice and their Indian legal corpus coverage is limited, but that is changing. A firm evaluating these tools should apply the same five vendor questions from this chapter regardless of the tool's origin. The questions about citation verification, data handling, coverage limits, overruling detection, and false confidence rate apply to commercial tools exactly as they apply to open-source systems. The price of a commercial tool is not a proxy for the quality of its verification architecture.

The tools currently available and worth knowing about fall into three categories.

General-purpose RAG tools adapted for legal use include NotebookLM, Claude Projects, and ChatGPT with file upload,

described above. None of these are India-specific but all of them work with Indian legal documents in English. Their handling of Indic language documents varies: NotebookLM handles Hindi PDF text reasonably well if the PDF is text-based rather than scanned. Devanagari script in scanned PDFs requires OCR before any of these tools can process it.

Indian legal search platforms including Indian Kanoon, SCC Online, and Manupatra provide keyword and limited semantic search over large corpora of Indian judgments. These are not RAG systems in the sense described in this chapter: they do not allow you to ask questions in natural language over your own documents. They are retrieval systems for published judgments, not document-level Q&A tools. Their value for the RAG workflow described here is as sources of clean judgment text to include in your local document library.

Emerging Indian legal AI tools are beginning to appear, several of them targeting contract review and legal drafting rather than judgment research. At the time of writing, none of these has published independent evaluation of their citation accuracy or verification methodology in the way that would allow a rigorous assessment. The questions in the buyer's guide below apply to all of them.

NotebookLM in Depth: A Worked Example for Indian Legal Practice

Because NotebookLM is the most immediately accessible tier-one tool and the one most lawyers encounter first, a worked example is worth walking through in some detail.

Suppose you are preparing for a hearing on a service law matter. You have three documents: the relevant High Court judgment being challenged, a Supreme Court decision your client relies on, and the relevant statutory provisions from the relevant service rules. You upload all three to a NotebookLM notebook.

You ask: "What is the Supreme Court's position on the scope of judicial review in service matters under Article 226?"

NotebookLM retrieves relevant passages from the Supreme Court judgment in your notebook, synthesizes an answer, and shows you the specific passages it relied on with document references. You read the source passages to verify the synthesis is accurate. It is. You now have a working orientation to the Supreme Court's position drawn directly from the document you uploaded, not from the model's general training.

You then ask: "Does the High Court judgment apply this principle correctly?"

This is a harder question. NotebookLM will attempt to synthesize across both documents and give you an answer. The answer will be worth reading. It will not be definitive legal analysis. It is a starting point for your own analysis, not a substitute for it. Read the passages it cites. Check whether its characterization of the High Court's reasoning is accurate. Use the synthesis as an orientation, not as a conclusion.

You then ask: "Are there any other Supreme Court cases on this point that I should know about?"

Here is where you must be careful. NotebookLM can only answer from the documents in your notebook. If there are other relevant Supreme Court cases not in your notebook, it cannot find them. More dangerously, it may attempt to answer from its underlying language model's training data and produce citations that sound plausible but may not be accurate. Watch for answers that cite cases without a corresponding source reference in the panel. If a citation appears in the answer without a source panel entry, verify it independently before relying on it.

This is the practical discipline that tier-one tools require: use them for what is in your documents, verify independently anything that requires knowledge beyond your documents, and treat absence of a source reference as a warning sign.

The Buyer's Guide: Five Questions for Any Legal AI Vendor

As commercial legal AI tools proliferate in India, law firms will increasingly be pitched by vendors claiming AI-powered legal research, contract review, judgment analytics, and case outcome prediction. The following five questions cut through most vendor claims.

The first question is: does the system verify citations before returning them, or does it generate them from a language model? A system that retrieves citations from a verified database and checks them before returning them is architecturally different from a system that generates citations and leaves verification to the user. Ask the vendor to demonstrate what happens when the system is asked for a citation that does not exist. A well-designed system should decline to produce it or flag it as unverified. A poorly designed system will produce it confidently.

The second question is: where does my data go? For any document containing client-specific information, the answer matters both for confidentiality and for privilege. Cloud processing is not inherently problematic but requires informed consent from clients and clarity about what the vendor does with uploaded documents. Ask specifically whether uploaded documents are used for model training, how long they are retained, and what happens to them when you cancel the subscription.

The third question is: how does the system handle documents it has not seen? Every RAG system has a coverage boundary. The honest answer to this question is that the system will either decline to answer or, if it is poorly designed, will generate an answer from its general language model training. Ask the vendor what happens when you ask a question about a recent judgment not yet in their database. A system that says "I don't have that judgment" is being honest. A system that produces an answer anyway is being dangerous.

The fourth question is: can the system detect when a cited case has been overruled? This requires either a curated overruling database

or a knowledge graph with OVERRULES relationships. Most current legal AI tools do not have this. Knowing whether a tool has it, and how current it is, is essential for any research task where you intend to rely on cited authorities without independent checking.

The fifth question is: what is the system's false confidence rate? All language model-based systems produce wrong answers with the same surface confidence as correct ones. A well-designed system has mechanisms to reduce false confidence: abstention when verification fails, conflict flagging when sources disagree, explicit uncertainty markers when the system is operating at the edge of its knowledge. Ask the vendor to show you examples of the system declining to answer or flagging uncertainty. If they cannot, the system does not do this, and you should factor that into how you use it.

Putting It Together: A Decision Framework

For the senior advocate deciding which tools to authorize in her practice, and for the junior associate deciding how to use the tools already in his hands, the following decision framework covers most situations.

For non-confidential research orientation on publicly available documents, tier-one cloud tools are appropriate with the verification discipline described above. NotebookLM for multi-document synthesis. Claude Projects for recurring matter types where a persistent document set is useful.

For confidential client documents, tier-two offline tools are the minimum appropriate standard. AnythingLLM for lawyers who want a polished interface without code. The manual LangChain stack for those who want full control over the prompt and pipeline.

For firm-wide knowledge management across practice areas, tier-three server-based deployment is the right investment, with a budget for document curation and maintenance rather than just initial setup.

For practices where citation accuracy is professionally critical and where procedural reasoning is central to the work, tier-four graph-augmented RAG is the target architecture, approached incrementally from a working tier-two or tier-three foundation.

In all tiers and for all tools, four rules apply without exception. Never file a citation you have not verified in a primary source. Never send a client an answer that has not been reviewed by a qualified lawyer. Never use a cloud tool for documents you would not put on an external server. And never treat an AI system's confidence as a substitute for your own judgment about whether the answer is right.

The tools will improve. The rules will not change.

Implementation 4.1: Setting Up AnythingLLM for an Offline Legal Practice

For technically oriented readers. Practitioners can proceed to the key takeaways.

AnythingLLM provides the most accessible path to offline RAG for lawyers who want privacy without command-line setup. The following steps configure it for Indian legal practice on a Windows or Mac laptop with at least 16GB RAM.

Download AnythingLLM from anythingllm.com and install it as a desktop application. On first launch it will ask you to configure a language model. Select Ollama as the provider and choose Mistral 7B as the model. If Ollama is not yet installed, download it from ollama.com and run the following in a terminal:

```
ollama pull mistral
```

In AnythingLLM, create a workspace called General Legal Research. This workspace will hold publicly available legal materials: statutes, published judgments, court rules. Create a second workspace called Client Matters and configure it

separately. Keep client-specific documents in their own workspace so they are not retrievable from general research queries.

For the General Legal Research workspace, upload documents from the following sources. Current versions of central acts from indiacode.nic.in as PDF or text files. Judgment PDFs from Indian Kanoon for your primary practice areas, downloaded as text rather than scanned PDF where possible. The Supreme Court Rules 2013 and the relevant High Court Rules for courts you appear in regularly. Any legal textbooks or commentaries you own in digital form.

The system prompt configuration in AnythingLLM controls how the model answers. Navigate to workspace settings and set the system prompt to the following:

You are a legal research assistant for an Indian law practice.

Answer questions using only the documents in this workspace.

Always cite the specific document and section you are drawing from.

If the answer is not in the provided documents, say:

"This is not covered by the documents in this workspace.

Please consult a primary source."

Do not generate case citations that are not present in the provided documents.

Do not speculate about legal questions not answered by the documents.

This prompt does three things that the default AnythingLLM prompt does not: it restricts answers to workspace documents, it requires source citations in every answer, and it instructs the

system to decline rather than speculate when the answer is not in the documents.

For scanned PDF judgments that need OCR before indexing, the following preprocessing script converts them to searchable text:

```
import pytesseract

from pdf2image import convert_from_path

import os


def ocr_pdf(input_path, output_path):

    pages = convert_from_path(input_path, dpi=300)
    text_pages = []

    for i, page in enumerate(pages):

        text = pytesseract.image_to_string(
            page, lang='eng'
        )

        text_pages.append(f"--- Page {i+1} ---\n{text}")

    with open(output_path, 'w', encoding='utf-8') as f:

        f.write('\n'.join(text_pages))

    print(f"OCR complete: {output_path}")


def process_folder(input_dir, output_dir):

    os.makedirs(output_dir, exist_ok=True)

    for fname in os.listdir(input_dir):
```

```
if fname.endswith('.pdf'):
    input_path = os.path.join(input_dir, fname)
    output_name = fname.replace('.pdf', '_ocr.txt')
    output_path = os.path.join(output_dir, output_name)
    if not os.path.exists(output_path):
        print(f"Processing: {fname}")
        ocr_pdf(input_path, output_path)
```

`process_folder('scanned_judgments', 'indexed_judgments')`

Install the required libraries with:

`pip install pytesseract pdf2image pillow`

On Windows you will also need to install Tesseract OCR separately from github.com/UB-Mannheim/tesseract/wiki. On Mac it is available through Homebrew with `brew install tesseract`.

Run the script on your folder of scanned judgment PDFs. The output text files can then be uploaded to AnythingLLM for indexing. The OCR quality on clean scanned judgments is generally sufficient for retrieval purposes, though it will introduce occasional character errors that may affect precise quotation.

The complete setup including the custom legal prompt, workspace configuration, and OCR preprocessing is documented in the companion repository.

Key Takeaways for Practice

RAG means the system answers from your documents rather than from general training. This is what makes it appropriate for legal work: the citation space is bounded by what you have provided

rather than by what the language model has statistically absorbed from the internet.

Four tiers exist. Cloud notebook tools like NotebookLM for non-confidential public documents. Offline tools like AnythingLLM or the manual LangChain stack for confidential client documents. Firm-level server deployment for shared knowledge management across practice areas. Graph-augmented RAG for practices requiring citation verification and procedural reasoning.

NotebookLM is free, well-designed for multi-document synthesis, and already widely used in legal practice. It is not appropriate for confidential documents. It does not verify citations against a legal database. Source references in the panel are trustworthy. Citations that appear without source panel entries require independent verification.

For any legal AI vendor, ask five questions: does it verify citations before returning them, where does your data go, how does it handle documents it has not seen, can it detect overruled cases, and what is its false confidence rate.

Four rules apply in all tiers without exception: verify every citation in a primary source before filing, have a qualified lawyer review every client-facing output, do not use cloud tools for privileged documents, and do not treat AI confidence as a substitute for legal judgment.

Chapter 5: When AI Gets It Wrong in Court

The problem described in Chapters 1 and 2 is not theoretical. It has been documented in Indian courts repeatedly, with escalating judicial responses, from admonishment to costs to a Supreme Court intervention calling for a Bar Council expert committee.

This chapter documents what has actually happened, what courts have said about it, and what the documented cases reveal about the gap between how lawyers are using AI tools and how those tools actually work.

The Global Pattern

The starting point is the case that made international headlines. In May 2023, a lawyer in New York submitted a brief in a personal injury case before the United States District Court for the Southern District of New York. The brief cited six cases in support of the client's position. None of them existed. The lawyer had used ChatGPT. ChatGPT had generated plausible-sounding citations with fabricated case names, docket numbers, and holdings. The lawyer was sanctioned. The case, *Mata v. Avianca Inc.*, became the canonical reference for AI hallucination in legal practice.

Legal researcher Damien Charlotin maintains a public database of cases in which courts found that AI hallucinated quotes, created fake cases, or cited apparent legal authorities that did not exist. The database has grown from 10 cases in 2023 to 37 in 2024 and accelerating further into 2025, with most cases from the United States but documented instances from the United Kingdom, South Africa, Israel, Australia, and Spain as well. The database is a floor, not a ceiling: hallucinations that are not caught by opposing counsel or the judge do not appear in it.

(<https://www.yahoo.com/news/ai-hallucinations-court-documents-growing-103301810.html>)

The pattern of who is responsible has shifted. In 2023, seven of ten cases where hallucinations were caught involved self-represented litigants. By mid-2025, legal professionals including lawyers and paralegals were responsible for the majority of cases caught. The problem is not confined to non-lawyers experimenting with unfamiliar technology. It is moving into professional legal practice. (<https://www.yahoo.com/news/ai-hallucinations-court-documents-growing-103301810.html>)

In a recent case, a lawyer representing Anthropic in litigation with music publishers used an incorrect citation created by Claude in court filings, illustrating that even AI companies' own counsel are not immune.

(https://tagteam.harvard.edu/hub_feeds/3425/feed_items/14101720/content)

What Has Happened in Indian Courts

Indian courts are definitively encountering AI-generated citations, with the risk moving from abstract speculation to documented judicial observation in 2024 and 2025, according to senior practitioners tracking the issue. (<https://analyticsindiamag.com/ai-features/indias-new-courtroom-menace-judgments-that-never-existed/>)

The documented Indian cases form a timeline of escalating severity.

In December 2024, the Bengaluru bench of the Income Tax Appellate Tribunal recalled an order after it cited four non-existent judgments traced back to unverified ChatGPT use. This was the first widely reported instance of an Indian quasi-judicial body, rather than a lawyer, relying on AI-generated material. The ITAT bench had used ChatGPT for research assistance. The citations it incorporated into its own order did not exist. The order had to be

recalled. (<https://www.medianama.com/2026/05/223-supreme-court-seeks-ai-panel-over-fake-judgments/>)

In the Greenopolis Welfare Association case in 2025, a lawyer submitted what appeared to be a robust list of precedents. The opposing side discovered that the paragraphs and the judgments themselves were fabricated. The court admonished the lawyer and the petition was withdrawn to avoid contempt proceedings. (<https://analyticsindiamag.com/ai-features/indias-new-courtroom-menace-judgments-that-never-existed/>)

Justice B.V. Nagarathna specifically highlighted that she encountered a reference to a fictitious case titled *Mercy v. Mankind* while hearing a Public Interest Litigation. The case did not exist. The citation had been generated by an AI tool and filed without verification. Similarly, in January 2026, the Bombay High Court imposed costs of Rs. 50,000 on a party for filing fake case laws in written submissions. The bench noted that the filing had obvious features of raw AI output, including green tick marks and repetitive formatting. (<https://www.livelaw.in/articles/phantom-precedents-ai-generated-case-law-indian-courts-526665>)

In *KMG Wires v. NFAC Delhi*, the Bombay High Court found that an Income Tax Assessing Officer had relied on three judicial decisions that did not exist. (<https://acuitylaw.co.in/integrating-intelligence-the-courts-evolving-engagement-with-ai/>)

In September 2025, a Delhi High Court petition was withdrawn after opposing counsel exposed entirely fabricated citations, including phantom paragraphs from a real judgment that contained only 27 paragraphs. The AI tool had invented paragraph numbers beyond the judgment's actual length. (<https://www.medianama.com/2026/05/223-supreme-court-seeks-ai-panel-over-fake-judgments/>)

What the Supreme Court Has Said

The Supreme Court of India, in a bench of Justices PS Narasimha and Alok Aradhe, stated that citing fake AI-generated judgments is

misconduct with legal consequences, not a mere error. Parties cannot rely on AI-generated material and later apologise. The court flagged accountability gaps on both sides: litigants submitting unverified AI citations, and judges using AI for research that surfaces hallucinated precedents. It called for a sovereign large language model and an India-specific legal database, while making clear it is not seeking to ban AI. The court asked the Bar Council of India to form an AI expert panel. Justice BR Gavai flagged the hallucination risk while speaking at the Kenyan Supreme Court in March 2025, indicating that Indian judicial concern about the issue has been communicated internationally. (<https://www.medianama.com/2026/05/223-supreme-court-seeks-ai-panel-over-fake-judgments/>)

The Supreme Court's November 2025 White Paper on Artificial Intelligence and the Judiciary formally identified the fabrication of cases as a primary risk and mandated that all information obtained through AI tools be independently verified under threat of strict disciplinary action. A November 2025 Delhi High Court ruling noted that relying on unverified case laws misleads the adjudicatory process, demonstrates a lack of candour, and falls short of the basic standard of fairness expected from officers of the Court. (<https://thefederal.com/the-federal-special/sc-alarm-ai-generated-fake-precedents-trial-court-233068>)

The Kerala High Court Policy

The Kerala High Court's July 2025 policy on AI use in the district judiciary gets the most important principle right: responsibility for orders rests with the judge. AI is a tool for assistance, not a substitute for legal reasoning. The Supreme Court's November 2025 White Paper stated: AI will serve the ends of justice, not define them. Judges must remain the ultimate decision-makers. (<https://theprint.in/opinion/indian-judiciary-must-stop-panicking-over-ai/2861103/>)

The policy, titled Policy Regarding Use of Artificial Intelligence Tools in District Judiciary, seeks to ensure responsible use of AI

while preserving judicial accountability.
(<https://acuitylaw.co.in/integrating-intelligence-the-courts-evolving-engagement-with-ai/>)

What the Documented Cases Reveal

Three patterns emerge from the documented Indian cases that are worth understanding as a practitioner.

The first pattern is that the error is not random. AI hallucinations in legal citations are not randomly distributed across all possible citations. They cluster in areas where the tool has seen a lot of legal text and where the query is specific enough to require a particular citation but general enough that many plausible citations could fit. A query about the standard for bail in economic offence cases will produce a hallucination that sounds like a real Supreme Court bail judgment, with a realistic citation format, a plausible bench composition, and a holding that is consistent with the general legal position. It is precisely the plausibility that makes it dangerous. A citation that obviously did not exist would be caught immediately.

The second pattern is the phantom paragraph problem. The September 2025 Delhi High Court case involved fabricated paragraphs from a real judgment that contained only 27 paragraphs. The AI tool had correctly identified a real case and then invented content within it. This is a subtler failure than inventing an entire case: the lawyer who verified that the case exists on Indian Kanoon would not necessarily check whether the specific paragraph number cited was within the judgment's actual length. The verification discipline required is more granular than case existence alone. Every specific proposition attributed to a case needs to be verified in the text of the judgment itself.

The third pattern is institutional spread. The ITAT Bengaluru case involved not a lawyer but the tribunal's own research process. The Supreme Court White Paper documented instances of trial court judges relying on AI-generated material. The hallucination

problem is not confined to one category of user. Anyone using an unverified AI tool for legal research is exposed.

What This Means for Professional Responsibility

The Supreme Court's characterization of AI citation hallucination as misconduct rather than error has professional responsibility implications that practitioners need to understand clearly.

The traditional position in professional conduct was that a lawyer who relied in good faith on a source that turned out to be wrong had made an error, not committed misconduct. The Supreme Court's formulation changes this for AI-generated citations. The court's reasoning is that the lawyer's professional obligation includes verifying the accuracy of sources before relying on them in court, and that AI tools are well-known to generate plausible but non-existent citations. A lawyer who uses an AI tool for research and does not independently verify citations is not acting in good faith. They are failing in a verification obligation that is part of basic professional competence in 2025 and beyond.

This is a significant shift. It means that using an unverified AI tool for citation research and filing the results is not a defense. The apology after the fact that the Supreme Court explicitly rejected is the apology that many lawyers have offered: I used AI, I did not know it could fabricate citations, I apologize. The court's response is that not knowing this in 2025 is itself a professional failing.

For a law firm with partners and associates, this creates a supervisory obligation. A partner who authorizes or implicitly permits the use of AI tools for research without establishing a verification protocol is potentially responsible for the professional consequences when an associate files an unverified AI citation.

Learning Resources: Building AI Literacy in Indian Legal Practice

The documented cases above make clear that AI literacy is no longer optional for practicing lawyers. Several organized learning pathways now exist for Indian legal professionals.

NALSAR University of Law and LawSikho launched a Diploma in Future of Law: AI, Technology and Legal Practice in June 2025, certified by the National Skill Development Corporation and Skill India. The program equips law students and professionals with practical skills including drafting legal documents using AI tools, automating compliance processes, and understanding the limitations of AI in legal contexts. [Outlook India Education Post](#)

LawSikho also offers standalone courses including How to Use AI to Grow Your Legal Practice, targeted at practicing attorneys, law firm owners, and legal tech professionals wanting to integrate AI into daily legal tasks while understanding its limitations. [Lawsikho](#)

These courses represent the beginning of a more systematic approach to AI literacy in Indian legal education. What they teach, and what this book reinforces, is that competent use of AI tools requires understanding not just what the tools can do but what they cannot do and why. A lawyer who completes a course on AI tools without understanding the hallucination problem and the verification obligation is less well-equipped than the Supreme Court now requires.

References

1. Mata v. Avianca Inc., Case No. 22-cv-1461 (S.D.N.Y. 2023). The foundational US case in which counsel submitted six non-existent AI-generated citations. Judge Castel imposed sanctions on the filing lawyers.
2. Charlotin, D. Public Database of AI Hallucinations in Court Documents. Maintained and updated continuously.

As of mid-2025, logs over 1,397 documented cases across multiple jurisdictions. Available at danielcharlotin.com.

3. Greenopolis Welfare Association Case (2025), Delhi High Court. Lawyer submitted fabricated precedents generated by an AI tool. Petition withdrawn after opposing counsel exposed the fabrications. Court admonished the lawyer.
4. Income Tax Appellate Tribunal, Bengaluru Bench (December 2024). Tribunal recalled its own order after it was found to contain four non-existent judgments traced to unverified ChatGPT use. Reported widely in Indian legal media.
5. KMG Wires v. NFAC Delhi, Bombay High Court (2025). Court found that an Income Tax Assessing Officer had relied on three judicial decisions that did not exist. Reported in Acuity Law, February 2026, available at acuitylaw.co.in.
6. Bombay High Court Cost Order (January 2026). Court imposed costs of Rs. 50,000 on a party for filing fake case laws in written submissions. The bench noted the filing displayed obvious features of raw AI output including green tick marks and repetitive formatting. Reported in LiveLaw, March 2026, available at livelaw.in/articles/phantom-precedents-ai-generated-case-law-indian-courts-526665.
7. Delhi High Court, September 2025. Petition withdrawn after opposing counsel exposed fabricated citations including phantom paragraphs from a real judgment that contained only 27 paragraphs. Reported in MediaNama, May 2026, available at medianama.com.
8. Delhi High Court Ruling, November 2025. Court noted that relying on unverified case laws misleads the adjudicatory process, demonstrates a lack of candour, and falls short of the basic standard of fairness expected from

officers of the Court. Reported in The Federal, March 2026, available at thefederal.com.

9. Justice B.V. Nagarathna, Supreme Court of India. Highlighted encounter with a fictitious case titled *Mercy v. Mankind* while hearing a Public Interest Litigation. Reported in LiveLaw, March 2026.
10. Chief Justice Surya Kant, Supreme Court of India. Criticized the growing practice of filing AI-drafted petitions without verification. Reported in LiveLaw, March 2026.
11. Supreme Court of India, Bench of Justices PS Narasimha and Alok Aradhe. Stated that citing fake AI-generated judgments is misconduct with legal consequences and not a mere error, and that parties cannot rely on AI-generated material and later apologise. Called for Bar Council of India to form an AI expert panel. Reported in MediaNama, May 2026, available at medianama.com, and Indian Masterminds, May 2026, available at indianmasterminds.com.
12. Supreme Court of India, White Paper on Artificial Intelligence and the Judiciary (November 2025). Formally identified fabrication of cases as a primary risk. Mandated independent verification of all AI-generated material. Stated: AI will serve the ends of justice, not define them. Judges must remain the ultimate decision-makers. Available on the Supreme Court of India website.
13. Justice BR Gavai, Supreme Court of India. Flagged hallucination risk while speaking at the Kenyan Supreme Court, March 2025. Reported in MediaNama, May 2026.
14. Kerala High Court, Policy Regarding Use of Artificial Intelligence Tools in District Judiciary (July 2025). Established that responsibility for orders rests with the judge and that AI is a tool for assistance rather than a

substitute for legal reasoning. Available on the Kerala High Court website.

15. IT Amendment Rules 2026. Mandate labelling of synthetically generated information on platforms but do not cover AI used in legal research or court filings.
16. LawSikho and NALSAR University of Law, Diploma in Future of Law: AI, Technology and Legal Practice (launched June 2025). Certified by the National Skill Development Corporation and Skill India. Available at lawsikho.com.
17. LawSikho, How to Use AI to Grow Your Legal Practice. Standalone course for practicing attorneys, law firm owners, and legal professionals. Available at lawsikho.com.
18. Misshra, A., AMLEGALS. Quoted in Analytics India Magazine, November 2025: Indian courts are definitively encountering AI-generated citations, with the risk moving from abstract speculation to documented judicial observation in 2024 and 2025. Available at analyticsindiamag.com.
19. The Print, February 2026. Indian judiciary must stop panicking over AI. Commentary comparing Indian and Singapore judicial approaches to AI governance. Available at theprint.in.
20. Singapore Supreme Court, Guide on Use of Generative AI for Court Users (October 2024). Declared the court neutral on AI adoption, requiring users to ensure accuracy, avoid fabricating evidence, and be prepared to disclose AI use.
21. New York State Unified Court System, Interim AI Policy (October 2025). Permits only approved private AI models

for court-related work. Requires training and forbids entry of confidential information into public AI tools.

Chapter 6: Building a Firm-Level AI Strategy

The previous five chapters have covered what legal AI can do, where it fails, what the data tells us about Indian courts, how to deploy RAG tools at different levels of sophistication, and what the professional consequences of getting it wrong look like. This chapter is about putting it together at the firm level.

A firm-level AI strategy is not a technology project. It is a practice management decision that happens to involve technology. The questions at its center are not which tools to buy but how the firm wants to work, what obligations it has to clients, and how it manages risk in a domain where the professional consequences of failure have been spelled out by the Supreme Court.

Start With the Risk Inventory

Before any tool selection, a firm needs an honest inventory of where AI use is already happening and where it poses risk.

In most Indian firms of any size, AI use has already started informally. Associates are using ChatGPT for drafting. Partners are using it for research. Someone has discovered NotebookLM. The question is not whether to permit AI use but whether to manage it or leave it unmanaged. The documented cases in Chapter 5 illustrate what unmanaged AI use looks like at scale.

A risk inventory asks four questions for each practice area in the firm. First, which tasks are lawyers currently using AI tools for, formally or informally? Second, which of those tasks involve citation of authority in court documents or client advice? Third, which tools are being used, and do those tools verify citations before returning them? Fourth, what is the current verification practice, meaning does anyone check AI-generated citations before they go into a filing or a client opinion?

The answers to these questions define the risk profile. A firm where associates are using ChatGPT for research and no one is checking citations before filing is in the same position as the lawyers in the documented cases above. A firm where AI use is restricted to document summarization with a rule that all citations are verified in primary sources has a managed risk profile.

The Three-Layer Framework

A practical firm-level AI strategy operates on three layers: permitted tools, required practices, and governance.

The permitted tools layer defines which tools are authorized for which tasks. The tier framework from Chapter 4 is useful here. Cloud tools are permitted for non-confidential research on publicly available materials. Offline tools are required for client-confidential documents. The graph-based system is the long-term target for citation-intensive research. No tool is permitted for generating citations that will be filed in court without independent verification.

Making this explicit matters because it creates a clear standard against which conduct can be measured. A firm that has never said anything about AI tool use cannot hold an associate to any standard. A firm with a written policy can.

The required practices layer defines what must happen regardless of which tool is used. Every citation from an AI tool must be verified in a primary source before it appears in any document that will be sent to a client or filed in court. This is not a tool-specific rule. It applies to ChatGPT, to NotebookLM, to the offline chatbot, to the sophisticated graph-based system. The graph-based system reduces the verification burden because it catches hallucinations before returning them. It does not eliminate the professional obligation to verify.

A second required practice is client disclosure. The question of whether lawyers must disclose AI use to clients is not yet settled in Indian Bar Council ethics rules, but the direction of travel is clear

from the Supreme Court's observations and from the global regulatory trend. A conservative and professionally sound approach is to disclose when AI tools have been used in research or drafting for a specific matter, and to confirm that all output has been independently verified. This is not onerous and it is protective: a firm that discloses and verifies cannot be accused of failing to verify.

A third required practice is supervision. AI-assisted work by associates requires the same partner review as non-AI-assisted work, plus specific attention to citation verification. A partner reviewing an AI-assisted brief should specifically ask: have all citations been verified in primary sources? The answer should be documented.

The governance layer defines who is responsible for AI policy, how it is updated as tools evolve, and what happens when something goes wrong. In a mid-size firm, this can be a designated partner with responsibility for technology matters who reviews the AI policy annually and circulates updates when significant new tools or judicial observations require it. In a smaller firm, it can be the managing partner with a standing agenda item.

The Minimum Viable AI Policy

For a firm that wants to establish a written AI policy quickly, the following covers the essential elements. It is a starting point, not a complete compliance framework.

One: AI tools may be used for legal research, document summarization, drafting assistance, and routine document review. AI tools may not be used to generate citations that will be filed in court or included in client advice without independent verification in a primary source.

Two: Cloud-based AI tools including ChatGPT, NotebookLM, and similar services may not be used for documents containing client-identifying information, privileged communications, or

confidential matter details. Offline tools must be used for such documents.

Three: Every citation appearing in a court filing, client opinion, or legal memorandum must be independently verified in a primary source regardless of whether it was generated by an AI tool or by conventional research. The verifying lawyer's initials must appear on the draft alongside the verified citations.

Four: Associates must disclose to supervising partners when AI tools have been used in preparing any document. Partners must confirm that the verification requirement has been met before finalizing any document for filing or client delivery.

Five: This policy will be reviewed annually or following any significant judicial observation about AI use in legal practice that requires a policy update.

That is five rules. They are enforceable, they address the documented risk, and they create a clear standard. A firm that follows them is not exposed to the professional consequences described in Chapter 5.

Building the Document Library

The most valuable investment a firm can make in legal AI is not a tool subscription. It is a curated, maintained document library that forms the foundation for any RAG system the firm deploys.

A curated document library has five properties. It is current: statutes are in their most recently amended form, judgments are checked for subsequent overruling before inclusion, court rules reflect the current version. It is organized by practice area so that retrieval returns relevant results rather than results from unrelated areas of law. It is sourced from primary sources rather than secondary summaries. It is maintained, meaning someone is responsible for updating it when statutes are amended or significant new judgments are decided. And it is quality-

controlled, meaning scanned PDFs have been OCR-processed and text-searchable before indexing.

Building this library is a one-time investment of significant effort and an ongoing investment of modest effort. A firm that builds it properly has a competitive advantage over firms whose associates start every research task from scratch with a general-purpose search.

Evaluating External Legal AI Vendors

As the Indian legal AI market develops, firms will increasingly be approached by vendors offering AI-powered legal research, contract review, judgment analytics, and document automation. The five questions from Chapter 4 apply. Two additional questions are worth adding at the firm level.

The sixth question is: what is the vendor's data retention and training policy? Some vendors use uploaded documents to improve their models. For client-confidential materials, this is unacceptable regardless of the privacy policy fine print. Ask specifically in writing whether uploaded documents are used for training and whether you can opt out. Get the answer in the contract.

The seventh question is: what happens when the vendor's system produces a wrong answer that results in professional consequences for the firm? This is a contractual question about indemnification and liability. Most vendor contracts currently disclaim all liability for professional consequences of their outputs. A firm that signs such a contract has accepted full professional responsibility for everything the vendor's system produces. This is not necessarily a reason to reject the vendor, but it is a reason to ensure that your own verification practices are robust regardless of what the vendor claims its accuracy rate is.

The Training Obligation

A firm-level AI strategy that exists only as a written policy will not change behavior. The lawyers who most need to understand the hallucination problem and the verification obligation are the junior associates who are most likely to use AI tools heavily and least likely to have developed the instinct for checking citations that experienced practitioners have built through years of practice.

Training on AI tools for legal practice does not need to be a formal course, though the LawSikho and NALSAR programs described in Chapter 5 are worth considering for associates who want structured learning. At a minimum, every lawyer in the firm should understand three things. First, what hallucination is and why it happens. The explanation in Chapter 2 of this book is at the right level for a lawyer who does not have a technical background. Second, what the verification obligation is and how to discharge it. Third, what the professional consequences of not discharging it look like, with the documented Indian cases as examples.

A one-hour training session covering these three points, conducted by a partner who has read this book, is sufficient as a starting point. The goal is not technical sophistication. It is professional awareness.

Chapter 7: The Regulatory Landscape for Legal AI in India

A lawyer advising a client on AI tools in legal practice needs to know not just how the tools work but what the legal framework governing their use looks like. This chapter covers that framework as it currently exists in India, what is developing, and what lawyers need to watch.

The honest starting point is that India does not yet have a comprehensive legal framework specifically governing AI in legal practice. What exists is a set of overlapping frameworks that bear on different aspects of the problem: data protection law governing how client data may be processed, judicial policy documents governing AI use in court proceedings, professional ethics rules that apply to AI use even where they were not written with AI in mind, and emerging AI governance frameworks that are still taking shape.

The Digital Personal Data Protection Act

The Digital Personal Data Protection Act, notified in November 2025, does not address hallucination liability and does not specifically govern AI use in legal research or court filings. What it does govern is the processing of personal data, which is directly relevant to legal AI in several ways.

A law firm that uploads client documents containing personal data to a cloud-based AI tool is processing personal data within the meaning of the DPDP Act. The client is the data principal. The firm is a data fiduciary. The cloud AI vendor is a data processor. The firm's obligations include ensuring that personal data is processed only for the purposes for which it was collected, that it

is not transferred to processors without adequate contractual protections, and that it is not retained longer than necessary.

For the tier-one cloud tools discussed in Chapter 4, this creates a direct tension. NotebookLM, Claude Projects, and similar tools process uploaded documents on external servers. If those documents contain personal data of clients, the firm needs a data processing agreement with the vendor that meets the DPDP Act's requirements. Most consumer versions of these tools do not offer such agreements. Enterprise versions of some tools do. A firm that has not addressed this is processing personal data outside the legal framework.

The practical resolution for most firms is the one already recommended on confidentiality grounds: do not upload client-specific documents to cloud tools regardless of the DPDP Act. Use offline tools for anything containing personal data. The DPDP Act reinforces the same conclusion that client confidentiality already requires.

The Supreme Court White Paper and Judicial AI Policy

The Supreme Court's November 2025 White Paper on Artificial Intelligence and the Judiciary is the most authoritative statement of how Indian courts expect AI to be used in legal proceedings. It is not a regulation with legal force in the traditional sense. It is a policy document from the highest court in the country that sets out standards which lower courts are expected to follow and which the Supreme Court will apply in proceedings before it.

The White Paper identified the fabrication of cases as a primary risk, mandated independent verification of all AI-generated material, and called for a sovereign large language model and India-specific legal database.

The Kerala High Court's July 2025 policy on AI in the district judiciary established that responsibility for orders rests with the judge and that AI is a tool for assistance, not a substitute for legal

reasoning. This policy covers district court judges but signals the direction for all levels of the judiciary.

Together these documents establish that the Indian judiciary has moved from observation to policy. The standard is now explicit: all AI-generated material must be independently verified before it appears in court proceedings, by lawyers and by judges alike.

Bar Council Ethics and Professional Conduct

The Bar Council of India's rules of professional conduct were not written with AI in mind. They nonetheless apply to AI use through their general provisions.

Rule 14 of the Bar Council of India Rules requires advocates to make full and frank disclosures to their client relating to their connection with the parties and any interest in or about the controversy as are likely to affect the client's judgement. Rule 15 separately requires advocates to fearlessly uphold the interests of their client by all fair and honourable means. Taken together, a lawyer who uses AI tools in a client's matter without the client's knowledge, where the client would reasonably want to know about this, may be in tension with the Rule 14 disclosure obligation depending on how it is interpreted.

The duty not to mislead the court applies with full force to AI-generated material. A lawyer who files a fabricated citation, whether or not they knew it was fabricated, has misled the court. The Supreme Court's characterization of this as misconduct rather than error, described in Chapter 5, flows naturally from the existing professional conduct framework.

The Supreme Court's request for the Bar Council to form an AI expert panel signals that formal Bar Council guidance on AI use in legal practice is forthcoming. Lawyers should watch for this guidance and treat it as authoritative when it arrives.

The IT Amendment Rules and AI Labelling

The IT Amendment Rules 2026 mandate labelling of synthetically generated information on platforms but do not cover AI used in legal research or court filings. This gap is notable: the framework that requires disclosure of AI-generated content in other contexts does not yet extend to the legal professional context where the consequences of undisclosed AI generation are most severe.

This is a gap that the emerging Bar Council guidance will likely address. In the interim, the conservative professional position, which is also the safer one, is to disclose AI use proactively rather than wait for a mandatory disclosure framework.

The Global Regulatory Context

New York State's Unified Court System introduced a policy in October 2025 allowing only approved private AI models for court-related work and requiring users to undergo training while forbidding entry of confidential information into public tools like ChatGPT.

Singapore's October 2024 guide for court users allows AI for tasks like drafting but requires users to double-check accuracy, avoid fabricating evidence, and be ready to disclose AI use if asked.

Singapore's approach declared the court neutral on adoption with no approved lists and no audit ledgers, simply reasserting that responsibility for diligence lies with users and that lawyers who cannot explain AI-assisted parts of their work face costs, disregarded documents, or disciplinary action.

The Indian approach, as it develops, will likely land somewhere between the procedurally heavy Kerala model and the principles-based Singapore model. The Supreme Court White Paper's framing, that AI will serve the ends of justice and not define them, is consistent with the Singapore principles-based approach at the level of doctrine, while the Indian institutional tendency toward procedural frameworks may produce more detailed requirements at the implementation level.

What Lawyers Need to Watch

Four developments deserve active monitoring by any lawyer using or advising on AI tools in Indian legal practice.

The first is the Bar Council AI expert panel. When formal Bar Council guidance on AI use is issued, it will carry the weight of professional conduct rules. It will likely address disclosure obligations, verification requirements, and permitted use cases. Staying ahead of this guidance by already following best practices is both professionally safe and reputationally valuable.

The second is the DPDP Act implementation rules. The Act has been notified but implementation rules governing specific sectors are still developing. Rules governing data processing in professional services contexts, including legal practice, may impose specific requirements on how client data is handled when AI tools are used.

The third is the proposed sovereign legal database referenced in the Supreme Court White Paper. If a state-built, verified Indian legal database is developed and made available, it changes the verification landscape significantly. Citations verified against a sovereign database would carry a different status than citations verified manually on Indian Kanoon.

The fourth is the evolution of judicial AI policies at the High Court level. Kerala has issued a policy. Other High Courts are likely to follow. Each High Court's policy may have specific requirements for matters filed in that court, and practitioners appearing in multiple High Courts will need to track these individually.

References

1. Digital Personal Data Protection Act, 2023 (No. 22 of 2023). Passed by Parliament on 11 August 2023. Available at indiacode.nic.in.

2. Digital Personal Data Protection Rules, 2025. Notified by the Ministry of Electronics and Information Technology on 13 November 2025, published in the Official Gazette on 14 November 2025 vide G.S.R. 846(E). Marks the full operationalisation of the DPDP Act, 2023. Available at egazette.gov.in. Press release available at pib.gov.in.
3. Supreme Court of India, White Paper on Artificial Intelligence and the Judiciary (November 2025). Published by the Supreme Court's Centre for Research and Planning. Formally identified fabrication of cases as a primary risk. Mandated independent verification of all AI-generated material. Available on the Supreme Court of India website at sci.gov.in.
4. Supreme Court of India, Bench of Justices PS Narasimha and Alok Aradhe, observations on AI hallucination and misconduct (May 2026). Called for Bar Council of India to form an AI expert panel. Called for a sovereign large language model and India-specific legal database. Reported in MediaNama, May 2026, available at medianama.com/2026/05/223-supreme-court-seeks-ai-panel-over-fake-judgments.
5. Kerala High Court, Policy Regarding Use of Artificial Intelligence Tools in District Judiciary (July 2025). Established that responsibility for judicial orders rests with the judge and that AI is a tool for assistance rather than a substitute for legal reasoning. Available on the Kerala High Court website at hckrecruitment.nic.in.
6. Delhi High Court ruling on unverified AI-generated case law (November 2025). Noted that relying on unverified case laws misleads the adjudicatory process, demonstrates a lack of candour, and falls short of the basic standard of fairness expected from officers of the Court. Reported in The Federal, March 2026, available at

thefederal.com/the-federal-special/sc-alarm-ai-generated-fake-precedents-trial-court-233068.

7. IT Amendment Rules, 2026. Ministry of Electronics and Information Technology. Mandate labelling of synthetically generated information on platforms. Do not cover AI used in legal research or court filings. Available at meity.gov.in.
8. Bar Council of India Rules, Part VI, Chapter II: Standards of Professional Conduct and Etiquette. Rule 14: Duty of full and frank disclosure to client. Rule 15: Duty to uphold client interests by fair and honourable means. Made under the Advocates Act, 1961. Available at indiacode.nic.in/showfile?actid=AC_CEN_3_46_00001_196125_1517807320172.
9. Advocates Act, 1961 (Act No. 25 of 1961). The primary legislation governing the legal profession in India. Sections 35 and 36 cover professional misconduct. Available at indiacode.nic.in.
10. K.S. Puttaswamy v. Union of India, (2017) 10 SCC 1. Nine-judge bench of the Supreme Court recognising the right to privacy as a fundamental right under Article 21 of the Constitution. The constitutional foundation for India's data protection framework. Available at indiankanoon.org.
11. New York State Unified Court System, Interim Policy on Artificial Intelligence Tools (October 2025). Permits only approved private AI models for court-related work. Requires user training. Prohibits entry of confidential information into public AI tools. Available at nycourts.gov.
12. Supreme Court of Singapore, Guide on the Use of Generative AI for Court Users (October 2024). Declares the court neutral on AI adoption. Requires users to ensure

accuracy of outputs, avoid fabricating evidence, and be prepared to disclose AI use. Available at judiciary.gov.sg.

13. LawSikho and NALSAR University of Law, Diploma in Future of Law: AI, Technology and Legal Practice (launched June 2025). Certified by the National Skill Development Corporation and Skill India. Available at lawsikho.com/course/future-of-law-ai-technology--legal-practice.
14. LawSikho, How to Use AI to Grow Your Legal Practice. Standalone course for practicing attorneys and law firm owners. Available at lawsikho.com/course/how-to-use-ai-to-grow-your-legal-practice.
15. The Print, February 2026. Indian Judiciary Must Stop Panicking Over AI. Commentary on the Kerala High Court policy and comparison with the Singapore model. Available at theprint.in/opinion/indian-judiciary-must-stop-panicking-over-ai/2861103.
16. Acuity Law, February 2026. Integrating Intelligence: The Courts' Evolving Engagement with AI. Survey of Indian and global judicial AI policies including the Kerala High Court policy and New York State interim policy. Available at acuitylaw.co.in/integrating-intelligence-the-courts-evolving-engagement-with-ai.
17. Bhashini, National Language Translation Mission. Ministry of Electronics and Information Technology, Government of India. Infrastructure for Indic language AI interfaces. Available at bhashini.gov.in.
18. India Code. Official digital repository of central acts and their amendments. Ministry of Law and Justice. Available at indiacode.nic.in.

19. eGazette. Official Gazette of India in digital form.
Ministry of Electronics and Information Technology.
Available at egazette.gov.in.

Conclusion: What Comes Next

This book started with two lawyers. A senior advocate in Bengaluru who did not know what to tell a client asking about AI. A junior associate in Delhi who was already using AI tools but did not trust them and did not know why.

By now both of them have a framework.

The senior advocate knows that legal AI is not a monolith. There are tools that verify citations and tools that do not. There are systems designed for legal reasoning and general-purpose chatbots adapted for it. There are RAG architectures that constrain the model to your documents and bare language models that generate from statistical patterns across everything they have been trained on. She knows which questions to ask vendors, which professional obligations apply to AI use, and what Indian courts have said about lawyers who file unverified AI citations. She can advise her client with confidence, not about which tool to use, but about what due diligence looks like.

The junior associate knows why ChatGPT invents citations. He knows it is not a bug to be fixed but an architectural property of generation without retrieval. He knows the verification obligation is not optional and is now explicit in Supreme Court guidance. He knows that the offline chatbot he can build in an afternoon is meaningfully safer for client-confidential documents than the cloud tool he has been using. He knows what the next step looks like when he or his firm is ready for it.

The Access to Justice Opportunity

The book has focused primarily on lawyers and law firms because that is the audience most likely to read it. But the more consequential application of the ideas in this book is the one

described briefly in earlier chapters: AI as infrastructure for access to justice for the 1.4 billion Indians who currently interact with a legal system that is slow, expensive, linguistically inaccessible, and functionally opaque to most of them.

The RTI-Bench data showed that CIC decisions are written in dense administrative language that most applicants cannot parse. A reliable plain-language summarizer that converts a CIC order into something a first-generation RTI filer can understand would expand access to a right that millions of citizens nominally have but practically cannot exercise. The technical components for this system exist today. The dataset exists. The offline model stack exists. What is needed is someone to build it, maintain it, and make it available.

The IMLJD data showed that a litigant in a matrimonial matter does not have access to the empirical information about quash petition success rates across court levels that is now available in quantified form. A lawyer armed with this data advises clients differently. A legal aid organization armed with this data sets different expectations and makes different referrals.

The court bottleneck analysis showed that a litigant who knows their court is an Output bottleneck court and that median case duration is 1,013 days can make different choices about interim relief and settlement than a litigant advised only that the system is slow.

None of these applications require a lawyer to benefit from them. They require the data to be made accessible, the tools to be built and maintained, and the outputs to be presented in language that ordinary people can understand. The open-source release of this book and the companion repositories is a small step in that direction.

What Indian Legal AI Needs Next

The research documented in this book identified several things that would materially advance the state of Indian legal AI if they were built or funded.

A national judicial data standard with the six minimum requirements described in Chapter 3 would make structural court analytics possible across all tiers of the Indian judiciary rather than only the ten High Courts covered by the DAKSH data. This requires eCommittee action, not research.

OCR processing of the Supreme Court's pre-digital judgment archive would dramatically expand the coverage of any Indian legal knowledge graph. The InIRAC dataset covers 388 judgments. The ILDC corpus covers 34,000. The full Supreme Court archive runs to hundreds of thousands of decisions, most of them in scanned image PDFs that current systems cannot index. Processing this archive is a large but tractable engineering project.

An Indic language layer for the Falkor-IRAC system would make verified legal reasoning available to the majority of Indians who do not read legal English. The Bhashini API provides the infrastructure for Hindi and other Indic language interfaces. Connecting it to a verified legal reasoning system is the remaining step. This is the version of the system that reaches the litigant who receives a court notice in English she cannot read.

A Bar Association-endorsed citation verification service, integrated with Indian Kanoon or built as a separate layer on top of the existing judicial databases, would give every lawyer in India a tool to check AI-generated citations before filing them. The Supreme Court called for this implicitly in its White Paper's request for a sovereign legal database. Building it does not require waiting for the government to act. It could be built by a legal technology organization, a law school, or a civic technology group and made freely available.

For the Lawyer Reading This

The legal profession in India is at an inflection point with AI that other professions reached earlier and navigated with varying degrees of care. Finance, medicine, and journalism have all been through versions of this reckoning: a powerful new technology arrives, early adopters use it without adequate understanding, failures occur with real consequences, the profession develops norms and frameworks, and eventually a new equilibrium emerges in which the technology is used well enough that its benefits outweigh its risks.

The Indian legal profession is in the early stages of this process. The documented cases in Chapter 5 are the failures that precede the norms. The Supreme Court White Paper and the Kerala High Court policy are the beginning of the framework. What comes next is determined by how the profession responds.

A lawyer who reads this book and does three things is ahead of that curve. Establish a verification habit for every AI-generated citation before it leaves the office. Build or configure an offline tool for client-confidential documents so that confidentiality is protected by architecture rather than by willpower. And develop enough understanding of how these systems work to evaluate new tools and new vendors critically rather than accepting marketing claims at face value.

The tools will keep changing. The architectural principles in this book will not. A system that constrains generation to verified sources will always be safer than one that does not, regardless of what it is called or who makes it. A verification obligation grounded in professional ethics will always apply to whatever tools exist at the time, because the obligation is to the client and the court, not to a specific technology.

The senior advocate in Bengaluru and the junior associate in Delhi are both better positioned now than when this book began. The goal was not to make them AI experts. It was to give them enough of a working model of how these systems work, where they fail,

and what the professional framework requires, to use them well and advise others confidently.

That is a sufficient goal for now. The rest is practice.

Resources and Further Reading

All datasets, code, and companion materials for the research described in this book are openly available.

The Falkor-IRAC graph-constrained legal reasoning system and the InIRAC dataset of Indian court judgments with IRAC annotations are at github.com/joyboseroy/falkor-irac and huggingface.co/datasets/joyboseroy/inIRAC.

The IMLJD dataset of Indian matrimonial litigation judgments is at huggingface.co/datasets/joyboseroy/imljd and github.com/joyboseroy/imljd.

The RTI-Bench dataset of Central Information Commission decisions is at huggingface.co/datasets/joyboseroy/rti-bench and github.com/joyboseroy/rti-bench.

The PatentXAI framework for patent valuation using graph-conditioned Shapley attribution is at [arXiv:2606.01632](https://arxiv.org/abs/2606.01632).

The High Court bottleneck analysis is at [arXiv:2605.16843](https://arxiv.org/abs/2605.16843).

The offline legal chatbot tutorial by Siva Prasad Bose is at medium.com and the full code is in the Falkor-IRAC companion repository.

For structured learning on AI in Indian legal practice, LawSikho at lawsikho.com offers courses including How to Use AI to Grow Your Legal Practice and the Diploma in Future of Law in partnership with NALSAR. India Code at indiacode.nic.in provides official versions of central acts. Indian Kanoon at indiankanoon.org provides text versions of court judgments suitable for offline document libraries.

The Supreme Court White Paper on Artificial Intelligence and the Judiciary, November 2025, is available on the Supreme Court of India website and is essential reading for any lawyer using AI tools in practice.

About the Author

Joy Bose is a Senior Data Scientist and AI researcher with over fifteen years of experience building machine learning and natural language processing systems across the telecommunications, technology, and research sectors. He has held positions at Ericsson, Microsoft, and Samsung, and holds a PhD in computational neuroscience from the University of Manchester, where he worked under the supervision of Professor Steve Furber on spiking neural sequence machines. He also holds an MSc from King's College London and an LLM from Golden Gate University, where he graduated summa cum laude with a dissertation on artificial intelligence and financial law.

His research spans knowledge graphs, retrieval-augmented generation, explainable AI, neuromorphic computing, and the application of machine learning to legal and administrative datasets. He holds eight granted US and European patents, has filed over twenty patent applications, and has published more than twenty peer-reviewed papers with an h-index of 13. His recent arXiv papers include work on graph-constrained legal reasoning, Indian matrimonial litigation analytics, RTI decision analysis, patent valuation using Shapley values, and structural bottleneck analysis of Indian High Courts. The datasets underlying this book, including IMLJD, RTI-Bench, and InIRAC, are openly available on HuggingFace and GitHub.

He is the creator of the Falkor-IRAC framework for verified legal reasoning, the Code Knowledge Graph system used by over a thousand engineers at Ericsson Global, and multiple open-source tools at the intersection of AI, law, and access to justice. His GitHub profile at github.com/joyboseroy and HuggingFace profile at huggingface.co/joyboseroy host his open-source research and datasets.

Beyond technical research, Joy has written and co-written books spanning artificial intelligence and consciousness, Buddhist philosophy, Indian law and history, and interfaith memoir. He co-authors works on Indian law and history with his father, Siva Prasad Bose, who contributed the offline legal chatbot tutorial that forms part of Chapter 2 of this book. Joy writes regularly on Medium and Substack under the handle joybosero.

He is based in Bengaluru, India.