```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8"/>
<meta name="viewport" content="width=device-width,initial-scale=1"/>
<title>Joyce Vinoliya J — Portfolio</title>
<!-- Fonts (falls back gracefully if offline) -->
k href="https://fonts.googleapis.com/css2?family=Poppins:wght@400;600;800&
family=Playfair+Display:wght@700&display=swap" rel="stylesheet">
<style>
:root{
/* Brand palette (your picks) */
--brown:#895129; /* primary chocolate */
--brown-700:#6f3f1e;
--sandal:#EBD4A6; /* light sandal */
--bg:#F8EFD9; /* pale sandal */
--ink:#22150f; /* deep coffee text */
--muted:#6e574a:
/* Glass + effects */
--glass: rgba(255,255,255,.18);
--glass-border: rgba(255,255,255,.45);
--blur: 14px;
--radius: 20px;
--shadow-1: 0 16px 60px rgba(0,0,0,.18);
--shadow-2: 0 20px 80px rgba(137,81,41,.25);
}
*{box-sizing:border-box}
html,body{height:100%}
body{
margin:0;
color:var(--ink);
background:
radial-gradient(1200px 700px at 120% -20%, rgba(235,212,166,.55), transparent 60%),
radial-gradient(900px 600px at -15% 10%, rgba(137,81,41,.22), transparent 55%),
var(--bg);
font-family: Poppins, system-ui, -apple-system, Segoe UI, Roboto, Arial, sans-serif;
-webkit-font-smoothing:antialiased;
scroll-behavior:smooth;
}
a{color:inherit;text-decoration:none}
.container{max-width:1120px;margin:0 auto;padding:0 20px}
/* NAV */
position:sticky; top:0; z-index:50;
```

```
backdrop-filter: blur(var(--blur));
background:linear-gradient(0deg, rgba(248,239,217,.6), rgba(248,239,217,.4));
border-bottom:1px solid rgba(0,0,0,.06);
.nav-inner{display:flex;align-items:center;justify-content:space-between;padding:12px 0}
.brand{display:flex;gap:12px;align-items:center}
width:44px;height:44px;border-radius:14px;display:grid;place-items:center;
color:#fff;font-weight:800;letter-spacing:.5px;
background:linear-gradient(135deg, var(--brown-700), var(--brown));
box-shadow: var(--shadow-2);
}
.nav-links a{
display:inline-block; font-weight:700; margin-left:18px; position:relative;
.nav-links a::after{
content:""; position:absolute; left:0; bottom:-6px; height:3px; width:0%;
background:linear-gradient(90deg, var(--sandal), var(--brown));
border-radius:999px; transition:width .25s;
}
.nav-links a:hover::after{width:100%}
/* HERO (Glassmorphism card) */
header{padding:42px 0}
.hero{
display:grid; grid-template-columns:1.15fr .85fr; gap:28px; align-items:center;
padding:26px; border-radius:var(--radius);
background: linear-gradient(135deg, rgba(255,255,255,.55), rgba(255,255,255,.25));
border:1px solid var(--glass-border);
backdrop-filter: blur(var(--blur));
box-shadow: var(--shadow-1);
}
.title{
font-family: "Playfair Display", Poppins, serif;
font-size:44px; line-height:1.1; margin:0 0 8px; color:var(--brown-700);
}
.subtitle{font-weight:700; color:#3a271e; margin-bottom:6px}
.rotator{font-weight:600; color:var(--muted); min-height:24px}
.hero-actions{display:flex;flex-wrap:wrap;gap:12px;margin-top:14px}
padding:12px 16px; border-radius:14px; font-weight:800; cursor:pointer; border:none;
color:#2b1b12; background:linear-gradient(180deg, #fff, #fff6e9);
border:1px solid rgba(0,0,0,.08);
box-shadow: 0 10px 30px rgba(0,0,0,.10);
}
.btn.alt{
color:#fff; background:linear-gradient(135deg, var(--brown-700), var(--brown));
border:1px solid rgba(255,255,255,.25);
}
/* Profile placeholder (no photo) */
.pfp-wrap{display:flex;justify-content:center}
.pfp{
width:230px;height:260px;border-radius:26%/22%;
display:grid;place-items:center; text-align:center;
background:
radial-gradient(120px 80px at 30% 25%, rgba(255,255,255,.35), transparent 60%),
```

```
linear-gradient(135deg, var(--brown), var(--brown-700));
color:#fff; border:5px solid var(--sandal);
box-shadow: 0 24px 70px rgba(0,0,0,.35);
.pfp .tag{
font-weight:900; letter-spacing:.5px; font-size:18px; line-height:1.2;
/* Section standards */
section{padding:48px 0}
.section-title{
font-family: "Playfair Display", Poppins, serif; font-size: 30px; margin: 0 0 16px;
color:var(--brown-700);
}
.card{
background: linear-gradient(180deg, rgba(255,255,255,.72), rgba(255,255,255,.58));
border:1px solid var(--glass-border); border-radius:var(--radius);
backdrop-filter: blur(var(--blur)); padding:22px; box-shadow: var(--shadow-1);
}
/* About + Edu */
.about-grid{display:grid; grid-template-columns:1.2fr .8fr; gap:20px}
.about p{margin:0; color:#4b392f; line-height:1.7}
.edu .pill{
display:inline-block; background: var(--sandal); color: var(--ink);
padding:10px 12px; border-radius:12px; font-weight:800; margin:0 8px 8px 0;
/* Skills – premium circular rings */
.skills-grid{display:grid; grid-template-columns:repeat(auto-fit,minmax(240px,1fr)); gap:22px}
.skill{display:flex;flex-direction:column;align-items:center;gap:12px;padding:22px}
--size:200px; --track:#efe6d5; --fill: var(--brown);
width:var(--size); height:var(--size); border-radius:50%;
background:
radial-gradient(circle at 50% 50%, rgba(255,255,255,.95) 0 68px, transparent 68px 100%),
conic-gradient(var(--fill) calc(var(--value,0)*1%), var(--track) 0);
position:relative; box-shadow: 0 14px 40px rgba(0,0,0,.12);
}
.ring::before{ /* inner glass disc */
content:""; position:absolute; inset:18px; border-radius:50%;
background: linear-gradient(180deg, rgba(255,255,255,.7), rgba(255,255,255,.35));
border:1px solid rgba(255,255,255,.55); backdrop-filter: blur(10px);
}
.ring .val,
.ring .lbl{
position:absolute; left:50%; transform:translateX(-50%);
font-weight:900; text-align:center;
.ring .val{ top:75px; font-size:22px; color:var(--brown-700) }
.ring .lbl{ top:110px; font-weight:800; color:var(--muted) }
/* Timeline project (story style) */
.timeline{position:relative;margin-left:8px;padding-left:24px}
.timeline::before{
content:""; position:absolute; left:8px; top:0; bottom:0; width:4px;
background: linear-gradient(var(--brown), var(--sandal));
```

```
border-radius:999px; opacity:.8;
}
.t-item{position:relative;margin:0 0 18px 0}
.t-item::marker{content:""}
.dot{
position:absolute; left:-2px; top:4px; width:16px; height:16px; border-radius:50%;
background:linear-gradient(135deg,var(--brown),var(--sandal)); border:2px solid #fff; box-shadow:0 6px 18px
rgba(0,0,0,.18);
}
.t-card{
margin-left:22px; padding:14px 16px; border-radius:14px;
background: linear-gradient(180deg, rgba(255,255,255,.82), rgba(255,255,255,.6));
border:1px solid var(--glass-border);
box-shadow: 0 10px 28px rgba(0,0,0,.08);
}
.badge{display:inline-block;font-size:12px;font-weight:900;border-radius:999px;padding:6px
10px;background:var(--sandal);color:var(--ink)}
/* Contact */
.contact-grid{display:grid;grid-template-columns:1fr;gap:12px}
display:inline-flex;align-items:center;gap:10px;padding:12px 14px;border-radius:14px;
background:linear-gradient(180deg,#fff,#fff7eb);border:1px solid rgba(0,0,0,.08);font-weight:800
/* Footer */
footer{background:linear-gradient(135deg, var(--brown-700), var(--brown)); color:#fff}
footer .inner{max-width:1120px;margin:0 auto;padding:16px 20px;display:flex;justify-content:space-
between;gap:10px;flex-wrap:wrap}
/* Reveal animations */
.reveal{opacity:0; transform:translateY(18px); transition: all .6s ease}
.reveal.show{opacity:1; transform:none}
/* Responsive */
@media (max-width:920px){
.hero{grid-template-columns:1fr; text-align:center}
.about-grid{grid-template-columns:1fr}
.ring{--size:170px}
}
</style>
</head>
<body>
<!-- NAV -->
<nav class="nav">
<div class="container nav-inner">
<div class="brand">
<div class="logo">JV</div>
<strong>Joyce Vinoliya J</strong>
</div>
<div class="nav-links">
<a href="#about">About</a>
<a href="#skills">Skills</a>
<a href="#projects">Project</a>
<a href="#contact">Contact</a>
</div>
</div>
```

```
</nav>
<!-- HERO -->
<header>
<div class="container">
<div class="hero reveal">
<div>
<h1 class="title">An Elegant Portfolio Showcase</h1>
<div class="subtitle" id="tagline">B.Sc Computer Science Student | Future Software Engineer</div>
<div class="rotator" id="rotator"></div>
<div class="hero-actions">
<a class="btn alt" href="#projects">View Project</a>
<a class="btn" href="#contact">Contact Me</a>
</div>
</div>
<div class="pfp-wrap">
<!-- No photo; rich placeholder -->
<div class="pfp">
<div class="tag">JOYCE<br>VINOLIYA</div>
</div>
</div>
</div>
</div>
</header>
<main>
<!-- ABOUT -->
<section id="about">
<div class="container">
<div class="about-grid">
<div class="card reveal">
<h2 class="section-title">About Me</h2>
>
I'm passionate about web designing with a strong interest in UI/UX. Creativity drives my work, and I enjoy
transforming ideas into modern, user-friendly web experiences. My focus is on clarity, elegance, and
accessibility—crafting interfaces that look refined and feel effortless to use.
</div>
<div class="card reveal edu">
<h2 class="section-title">Education</h2>
<span class="pill">Jawaharlal Nehru College for Women</span>
<span class="pill">B.Sc Computer Science</span>
</div>
</div>
</div>
</section>
<!-- SKILLS -->
<section id="skills">
<div class="container">
<h2 class="section-title">Skills</h2>
<div class="card reveal">
<div class="skills-grid">
<div class="skill">
<div class="ring" style="--fill:#f1652b" data-target="90">
<div class="val">0%</div>
<div class="lbl">HTML</div>
```

```
</div>
</div>
<div class="skill">
<div class="ring" style="--fill:#264de4" data-target="85">
<div class="val">0%</div>
<div class="lbl">CSS</div>
</div>
</div>
<!-- Add more skills easily by copying a block -->
</div>
</div>
</section>
<!-- PROJECT (timeline story) -->
<section id="projects">
<div class="container">
<h2 class="section-title">Project</h2>
<div class="card reveal">
<div class="badge">Web</div>
<div class="timeline" style="margin-top:12px">
<div class="t-item">
<div class="dot"></div>
<div class="t-card">
<strong>Personal Portfolio Website</strong>
A responsive, glassy, and elegant portfolio to present my profile, skills, and contact details.
Built with HTML, CSS, and light JavaScript. Focused on clean UI, accessibility, and beautiful motion.
</div>
</div>
<!-- If you add more projects, paste new .t-item blocks -->
</div>
</div>
</div>
</section>
<!-- CONTACT -->
<section id="contact">
<div class="container">
<h2 class="section-title">Contact</h2>
<div class="card reveal">
<div class="contact-grid">
<a class="link" href="mailto:jjoycevino26@gmail.com">
                                                         jjoycevino26@gmail.com</a>
<!-- Optional future links:
<a class="link" href="#" target="_blank" rel="noopener">
                                                          GitHub</a>
<a class="link" href="#" target="_blank" rel="noopener">
                                                          LinkedIn</a>
-->
</div>
</div>
</div>
</section>
</main>
<footer>
<div class="inner">
```

```
<div>© 2025 Joyce Vinoliya J</div>
<div>Jawaharlal Nehru College for Women • B.Sc Computer Science</div>
</div>
</footer>
<script>
// Rotating taglines (your set)
const taglines = [
"B.Sc Computer Science Student | Future Software Engineer",
"Aspiring Web & App Developer",
"Computer Science Undergraduate | Tech Enthusiast",
"Student Programmer | Problem Solver"
(function rotate(){
const t2 = document.getElementById('rotator');
let i = 1; t2.textContent = taglines[i];
setInterval(()=>\{i = (i+1)\%taglines.length; t2.textContent = taglines[i]; \}, 2600);
})();
// Reveal on scroll
const io = new IntersectionObserver((entries)=>{
entries.forEach(e=>{
if(e.isIntersecting){ e.target.classList.add('show'); io.unobserve(e.target); }
});
}, {threshold:.25});
document.querySelectorAll('.reveal').forEach(el=>io.observe(el));
// Animate skill rings when Skills visible
const skillsIO = new IntersectionObserver((entries,obs)=>{
entries.forEach(en=>{
if(!en.isIntersecting) return;
document.guerySelectorAll('.ring').forEach(r=>{
const target = +r.getAttribute('data-target')||0;
let cur = 0;
const val = r.querySelector('.val');
function step(){
cur += Math.max(1, Math.round(target/40));
if(cur>target) cur = target;
r.style.setProperty('--value', cur);
r.style.background =
`radial-gradient(circle at 50% 50%, rgba(255,255,255,.95) 0 68px, transparent 68px 100%), `+
`conic-gradient(${getComputedStyle(r).getPropertyValue('--fill').trim()} calc(${cur} * 1%), #efe6d5 0)`;
val.textContent = cur + '%';
if(cur<target) requestAnimationFrame(step);</pre>
requestAnimationFrame(step);
});
obs.disconnect();
}, {threshold:.35});
skillsIO.observe(document.querySelector('#skills'));
</script>
</body>
</html>
```