




By default, home component should be loaded when base url is requested or “Home” link on the navbar is clicked:




Products component design should be loaded when base the request is <http://localhost:4000/products> or end user clicks on the “Products” link in the navbar.



When a product image is clicked end user will be redirected to a component design that will be loaded with details of the product displayed and the request url will look like <http://localhost:4000/products/view/{productid}>:



When the “Edit” button is clicked end user will be redirected to a component design which will display the product details that can be edited and then the request url looks like: <http://localhost:4000/products/edit/{productid}>




The screenshot shows a web browser at `localhost:4000/products/edit/2`. The page has a dark header with the title "PRODUCT MANAGEMENT SYSTEM" and navigation links for "Home", "PRODUCTS", and "ADD PRODUCT". The main content area displays the details of a product named "Garden Cart" with the following form fields:



- Id:
- Name:
- Desc:
- Code:
- Released On: (with a calendar icon)
- Price:
- Rating:
- Id:

Below the form is a black button labeled "EDIT".


Change values of the product and click the “Edit” button to update the product details in the backend. After that end user will be redirected to the products component which will show the product with update data.






This screenshot shows the same "Edit Product" form as the previous one, but with a confirmation dialog box overlaid. The dialog box is titled "localhost:4000 says" and contains the text "update product?". It has two buttons: "OK" and "Cancel". The form fields in the background are slightly dimmed.



If you click on the “Add Product” link in the navbar and the request is <http://localhost:4000/add>. Add some new product detail and click on “Add” button to add the product in the backend. End user will be redirected after successful addition, to the products component to view the added product.





Products component design should be loaded after deletion when the delete button is clicked:

