



Ceramica

SOMANY
Tiles | Bathware


ZAMEEN SE JUDEY



*Choice of the Superstar
Salman Khan*

GLOSSTRA
India's glossiest tiles

NOVACLAD



SOMANY

Somany Ceramics Limited : Noida: F-36, Sector-6; Ph.: 0120-4627900.

Ahmedabad: Office no. 7-14, 4th Floor, Aggarwal Mall, Opp. Sola Bhagwat Vidyapeeth, S.G. Road, Sola, Ph.: 079-66042500 to 599

Registered office: 2, Red Cross Place, Kolkata - 700001; Ph.(033) 22487406/5913

www.somanyceramics.com | e-mail marketing@somanyceramics.com

Toll Free No. **1800-103-0004** (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:
www.somanyceramics.com



Find us at:
www.facebook.com/SomanyCeramic



Find us at:
www.twitter.com/SomanyCeramic



GET IT ON
Google play

CERAMIC / CAT / AUGUST-2019

300x450mm - WALL TILES COLLECTION

UNIT - 2

Index

Welcome to the World of Somany Wall tiles that not only enhance your interiors, but also soothes your imagination. The customers tastes and preferences change at a very fast pace. Hence, we continue to innovate and bring fresh new designs to cater to the market.

So come indulge in the aura of these unique appealing designs.



GLOSSTRA

Digital Wall Tiles

Page No. 04 - 19

CERAMIC

Digital Wall Tiles

Page No. 20 - 47



NOVACLAD

Digital Wall Cladding Tiles

Page No. 48 - 49



300x450mm collection

**“Glosstra now
has new definition!”**

Presenting Glosstra “India’s Glossiest Tile”. These tiles are the chosen few amongst the most alluring designs and are most sought after by art connoisseurs. So, let's indulge in the soft charm & aura of these magnificent designs.



Glossy Finish



BARRIL HL 01

V1



BARRIL PINE

V1



BARRIL ROBBLE

V1



F-QUAD BEIGE
MATT



ELOY HL 01

V1



ELOY LIGHT

V1



ELOY DARK

V1



F-MARCI SLATE
MATT


Glossy Finish



DRANGEL HL 01 V1



FAUSTO HL 01 V1




FENDER BEIGE V1



FRACO HL 01 V1



GALLERO HL 01 V1



INDELLO HL 01 V1



DRANGEL CREMA V1



FAUSTO LIGHT V1




FENDER BROWNE V1



FRACO AZURE LIGHT V1



GALLERO MINT LIGHT V1




INDELLO LIGHT V1



DRANGEL BROWN V1



FAUSTO DARK V1



FENDER BEIGE V1



FRACO AZURE V1



GALLERO MINT V1



INDELLO DARK V1




F-BERTA DARK
MATT



F-FAUSTO DARK
MATT



F-INDELLO DARK
MATT



F-RECIO DARK
MATT



F-GALLERO MINT
MATT




F-INDELLO DARK
MATT

Glossy Finish



LIA EMPERADO HL 01 V1



MARCIA HL 01 V1



QUAD HL 01 V1



RECIO HL 01 V1



RUTH HL 01 V1



SCINTILA HL 01 V1



LIA EMPERADO LIGHT V1




MARCIA GREY V1



QUAD V1



RECIO LIGHT V1



RUTH LIGHT V1



SCINTILA LIGHT V1




LIA EMPERADO DARK V1



MARCIA SLATE V1



QUAD V1



RECIO DARK V1



RUTH DARK V1



SCINTILA DARK V1




F-LIA EMPERADO DARK
MATT



F-MARCA SLATE
MATT



F-QUAD BEIGE
MATT



F-RECIO DARK
MATT



F-INDELLO DARK
MATT



F-SCINTILA DARK
MATT



WALL TILES
 INTERIOR
 HIGH DEFINITION
 FULL POLISHED
 RANDOM PRINT

Glossy Finish



ANIMO HL 01 A

V1




ANIMO HL 01 B

V1



ANIMO HL C

V1




ANIMO

V1




F-GALLERO MINT
MATT




VOGEL HL 01 A

V1




VOGEL HL 01 B

V1




VOGEL LIGHT

V1



VOGEL DARK

V1



F-RECIO DARK
MATT

13

Glossy Finish



TRANQUIL HL 01 V1



MACETA HL 01 A V1



RICCO MINT HL-01 A V1



TRANQUIL V1




MACETA HL 01 B V1



RICCO MINT HL-01 B V1



TRANQUIL V1



MACETA V1



RICCO MINT V1



F-GALLERO MINT
MATT



F-GALLERO MINT
MATT



F-GALLERO MINT
MATT



LIGERO ARTIC HL-01 A V1



LIGERO ARTIC HL-01 B V1



DOZZA SNOW HL-01 A V1



DOZZA SNOW HL-01 B V1




ISSOLA NATURAL HL 01 A V1




ISSOLA NATURAL HL 01 B V1




LIGERO ARTIC V1



DOZZA SNOW V1



ISSOLA NATURAL V1



F-ORLEA DARK
MATT



F-OXFORD NEGRO
MATT



F-QUAD BEIGE
MATT


Glossy Finish



SUMMER BROWN HL 01-A V2



SUMMER BROWN HL 01-B V2



SUMMER BROWN LIGHT V1



SUMMER BROWN DARK V1



F-AZZARO BEIGE (A)
MATT




GOLF HL 01 V1



RISE BLUE HL 01 V1




GOLF V1




RISE BLUE LIGHT V1



F-JUBA BIANCO (A)
MATT



RISE BLUE DARK V1



F-WHITE (A)
MATT


Glossy Finish




INKA NEGRO HL 01




RAVEL HL 01




INKA BLANCO




RAVEL BLANCO




INKA NEGRO



RAVEL DARK



F-WHITE [A]
MATT



F-WHITE [A]
MATT

Ceramic

300x450mm collection

“Designs
to delight”

Welcome to the world of Somany. Where indulgence is created from the choicest High Definition designs, which are fresh & trendy. Presenting yet again an exemplary collection from the house of Somany.






WALL TILES INTERIOR HIGH DEFINITION FULL POLISHED RANDOM PRINT

Glossy Finish



ADLER HL-01



ASTORIO HL-01



ADLER LIGHT



ASTORIO LIGHT



ADLER DARK



ASTORIO DARK



F-FAUSTO DARK
MATT



F-JUBA BIANCO (A)
MATT


Glossy Finish




SOMANY




BERTA HL-02 V1



BERTA HL 01 V1



BOSTON COFFEE HL-01 V1



BOSTON BROWN HL-01 V1




CORTE HL-01 V1




DECOLY HL-01 V1



BERTA LIGHT V1




BERTA LIGHT V1




BOSTON ROSSO V1



BOSTON CREMA V1



CORTE LIGHT V1



DECOLY OLIVE LIGHT V1




BERTA DARK V1



BERTA DARK V1



BOSTON COFFEE V1



BOSTON BROWN V1



CORTE DARK V1



DECOLY OLIVE V1




F-BERTA DARK
MATT



F-BERTA DARK
MATT



F-ORLEA DARK
MATT



F-SPICE COFFEE (K)
MATT



F-SIERRA GREY DARK (A)
MATT



F-SPICE CREMA (K)
MATT

Glossy Finish




SOMANY



EVUNA HL-01 V1



LAVICA HL-01 V1



MORITZ HL-01 V1




OBIRA HL-01 V1




PIEMONTE HL-01 V2




DARCY HL 01 V1




EVUNA PINE V1




LAVICA LIGHT V2




MORITZ LIGHT V1



OBIRA CREMA V1



PIEMONTE LIGHT V2



DARCY WHITE V1



EVUNA CHERRY V1



LAVICA DARK V2



MORITZ DARK V1



OBIRA LOFT V1



PIEMONTE DARK V2



F-COLORADO BIANCO [A]
MATT



F-TEMPERA DARK [A]
MATT



F-NAOS GREY DARK [A]
MATT



F-SPRINKLE BROWN [K]
MATT



F-DRIFTWOOD
MATT




F-RIVER STONE GRIGIO
MATT



Cubox Gem HL / Cubox Gem

WALL TILES INTERIOR HIGH DEFINITION FULL POLISHED RANDOM PRINT

Glossy Finish




CUBOX GEM HL 01

V1



CUBOX GEM

V1



F-WHITE [A]
MATT



DRIFTWOOD PINE

V3



DRIFTWOOD

V3



F-TRAVERTINO BEIGE [K]
MATT

Glossy Finish



SOMANY



CANVAS HL 01-A V2



CALEDONIA HL V4



FLAIR HL 01-A V2




FLAIR HL 01-B V2



FLAIR LIGHT V1



FLAIR PINK V1



F-SPICE PINK [K]
MATT



CANVAS HL 01-B V2



CALEDONIA LIGHT V4




CALEDONIA DARK V4



FLAIR LIGHT V1



FLAIR PINK V1



F-SPICE PINK [K]
MATT




F-VERANO LIGHT [A]
MATT



F- PICCADILEY GREY DARK [A]
MATT



RANGER BEIGE LIGHT V1



RANGER BEIGE DARK V1



REIVA GREY V4



SAVIO BEIGE V1




SAVIO BROWNIE V1



SAVIO BROWNIE HL 01-A V2



SAVIO BROWNIE HL 01-B V2



F-NAOS GREY DARK [A]
MATT



F-SPICE COFFEE [K]
MATT



WALL TILES
 INTERIOR
 HIGH DEFINITION
 FULL POLISHED
 RANDOM PRINT


SOMANY

Glossy Finish



ORLEA HL 01

V3




ORLEA LIGHT

V3



ORLEA DARK

V3




F- SPICE COFFEE [K]
MATT




HL-01 CARARA

V4



CARARA

V4



CARARA

V4



F- STATUARIO GREY DARK [A]
MATT

Glossy Finish



SOMANY



EWER KITCHEN HL 01-A V2



HL-01 VIOLA V4



LAMBRO BROWN HL 01 V1



RIVERSTONE BLANCO HL V4



RIVERSTONE HL V4




ARDUO BROWN V4



EWER KITCHEN HL 01-B V2



VIOLA LIGHT V4



LAMBRO BROWN LIGHT V1



RIVERSTONE BLANCO V4



RIVERSTONE LIGHT V4



ARDUO GREY V4



EWER KITCHEN V1



VIOLA DARK V4




LAMBRO BROWN DARK V1



RIVERSTONE GIGLIO V4



RIVERSTONE DARK V4



F-NEO BIANCO [K]
MATT



F-VELENCIA DARK [A]
MATT



F-SPRINKLE BROWN [K]
MATT



F-SIERRA GREY DARK [A]
MATT




F-SPRINKLE BROWN [K]
MATT

Glossy Finish



SOMANY®




NEW WHITE V1



CORSA CREMA V1



ACERO CREMA V1



NEW CREMA V1



CORSA BROWN V1



ACERO MANGO YELLOW V1




F-SPICE CREMA [K]
MATT




F-SAFARI PINE [K]
MATT




F-SPICE CREMA [K]
MATT




ACERO SNOW WHITE V1



ACERO RED V1



F-NEO BIANCO [K]
MATT



ACERO SNOW WHITE V1



ACERO OPAL GREEN V1



F-RADIUM BIANCO [K]
MATT

Matt Finish




NARDIC HL 01-A

v2



NARDIC HL 01-B

v2



NARDIC CREMA

v3



NARDIC BEIGE

v3



F-PERLINO DARK [A]
MATT



HL-01 CASCADE V4



HL-01 CASCADE GREY V4



HL-01 DORADO VERDE V4



CASCADE CREMA V4



CASCADE GREY LIGHT V4



DORADO VERDE LIGHT V4



CASCADE BEIGE V4



CASCADE GREY V4



DORADO VERDE V4

F-PICCADILY BEIGE DARK [A]
MATTF-SIERRA GREY DARK [A]
MATTF-VERANO LIGHT [A]
MATT

OXFORD HL 01-A V1



OXFORD HL 01-B V1



OXFORD BIANCO V1




OXFORD NEGRO V1

F-STRIX GREY DARK [A]
MATT

PENDO BROWN HL 01-A V2



PENDO BROWN HL 01-B V2



PENDO BROWN LIGHT V1



PENDO BROWN DARK V1

F-FEBER DARK [A]
MATT

Matt Finish




SOMANY



HL-01 SALIX BRONZ V4



ABACA HL-01 V1



ABACA GREY HL-01 V1



BOISE HL-01 V1




ELECTICA HL-01 V1




ERACIL HL-01 V1




SALIX BRONZ LIGHT V4




ABACA CREMA V1




ABACA GREY LIGHT V1



BOISE CREMA V1



ELECTICA LIGHT V1



ERACIL LIGHT V1



SALIX BRONZ V4




ABACA BROWN V1



ABACA GREY V1



BOISE BROWN V1



ELECTICA DARK V1



ERACIL DARK V1



F-TEMPERA DARK [A]
MATT



F-INDELLO DARK
MATT



F-OXFORD NEGRO
MATT



F-BERTA DARK
MATT



F-SPRINKLE BROWN [K]
MATT



F-AZZARO BEIGE [A]
MATT



WALL TILES
INTERIOR
HIGH DEFINITION
MATT FINISH
RANDOM PRINT

SOMANY

Matt Finish




EUTORIO HL-01

V1



KANYON HL-01

V1



EUTORIO LIGHT

V1



KANYON PINE

V1



EUTORIO DARK

V1



KANYON OLIVE

V1



F-SPRINKLE BROWN [K]
MATT




F-TEMPERA DARK [A]
MATT



BASILEA CREMA V1



LEWA HL-01 V1




LINCON HL-01 V1



BASILEA GREY V1



LEWA PINE V1



LINCON LIGHT V1

F-NAOS GREY DARK [A]
MATT

LEWA OAK V1



LINCON DARK V1

F-AZZARO BEIGE [A]
MATTF-ETERNITY BROWN
MATT


MONOLITH HL-01 V1



MONOLITH LIGHT V1



MONOLITH DARK V1



ETERNITY CREMA V1



ETERNITY BROWN V1

F-SIERRA GREY DARK [A]
MATT



Country Stone Natural

Cladding Tiles Matt Finish

WALL TILES HIGH DEFINITION RANDOM PRINT

NOVACLAD



ADOBE NATURAL V1



ADOBE PERLA V1



BAVARIAN STONE NATURAL V1



FIELDSTONE NATURAL V1



LADRILLO BROWNE V1



FLAMEADO GREY V1



NEVADA ROSSO V1



VERMONT BEIGE V1



COUNTRY STONE NATURAL V1



BRICK STONE BEIGE V1




BRICK STONE COTTO V1

Design, Pattern & Shade Variation Guide

SOMANY®

Current development efforts have made ceramic tiles to resemble and look authentically identical to natural material (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between two.

Recognising this situation, it is necessary to be informed on the grade of design & pattern variation that is expected from these products. As a general reference, the design & Pattern guide below classifies a scale of ranges according to the degree of variation.



The classification is as follow:
V1 Minimal Variation **V2** Random Variation **V3** Slight Variation **V4** Substantial Variation



High Definition Image

While laying the tiles please follow the arrow on the back of the tiles.
For removing the wax from the surface of the tiles please use the soft cotton cloth for rubbing with any boric/talc powder

TECHNICAL SPECIFICATIONS FOR 300x300MM FLOOR TILES									
Characteristics	Requirements as per IS 15622 :2017 3<E≤6% Group BIIa		ISO 13006 3<E≤6% Group BIIa	Our Values		Test Method			
A) Dimension & Surface Quality	Un Rectified	Rectified	Un Rectified	Rectified	Un Rectified	Rectified			
I) Length & Width	±0.40%	±0.10%	±0.6%	±0.5%	±0.40%	±0.10%			
ii) Thickness	± 5.0%		± 5.0%		± 4.0%				
iii) Straightness of Side	±0.3%	±0.10%	±0.50%	±0.30%	±0.10%	IS 13630 Part 1/ ISO 10545-2			
iv) Rectangularity	±0.3%	±0.10%	±0.60%	±0.30%	±0.10%				
v) Surface Flatness									
a) Center curvature (%) (max.Deviation)	±0.50 %		±0.50 %		±0.4 %				
b) Edge curvature (%) { max.Deviation}	±0.50 %		±0.50 %		±0.4 %				
c) Corner warpage (%)(max.Deviation)	± 0.50 %		± 0.50 %		± 0.4 %				
vi) Surface Quality	>95 % free from visible defects	>95 % free from visible defects	>95 % free from visible defects						
B) Physical Properties									
I) Water Absorption	Av 3%< E ≤ 6% %, Individual 6.2% max	3 < E ≤ 6% %, Individual 6.5% max	3% < E < 6%	IS 13630 Part 2/ ISO 10545-3					
ii) Modulus of Rupture [N/mm ²]	Av 22, Individual 20 min	Av 22, Individual 20 min	>25	IS 13630 Part 6/ISO 10545-4					
iii) Breaking Strength in N ^{≤7.5mm thickness} ^{>7.5mm thickness}	Min 600 / Min 1000	Min 600 / Min 1000	Min 600 / Min 1000						
iv) Scratch Hardness of surface (Mohs)	Min 4	N.A.	Min-4 (For Matt) Min-3 (For Glossy)						
v) Surface Abrasion Resistance	Min II	Abrasion Class & Cycle passed	Min III						
vi) Coefficient of linear thermal expansion from embiant temperature to 100° C	Max. 9 X 10 ⁻⁶ K ⁻¹	Required	Max. 8 X 10 ⁻⁶ K ⁻¹	IS 13630 Part 4/ ISO 10545-8					
vii) Thermal Shock Resistance	10 cycle min	Test Method Available	10 cycle Passed	IS 13630 Part 5/ISO-10545-9					
Viii) crazing Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11					
ix) Impact Resistance as Co-efficient of Restitution			Declared Value ^r	NA					
x) Frost Resistance			Required if agreed	NA					
C) Chemical Resistance (glazed Tiles)									
I) Stain Resistance	Min Class-1	Min Class-3	Class 1	IS 13630 Part 8/ ISO 10545-13 & ISO 10545-14					
ii) Resistance to household chemicals	Min Class AA	Min Class GA	Class AA						
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Manufacturer to state classification	Min Class AA						

TECHNICAL SPECIFICATION for 300 x 450 mm (Kadi)				
Characteristics	(Group B III, IS 15622)	Group BIII, ISO 13006	Typical Our Values for Wall Tiles	Test Method
	Requirements as per IS 15622 :2017	Requirement as per ISO 13006, Annex-K, E>10		
A) Dimension & Surface Quality				EN98/IS 13630 Part 1/ISO 10545-2
I) Length & Width	±0.20%	+0.60%/-0.30%	±0.20%	
ii) Thickness	± 5.0 %	± 10.0%	± 4.0 %	
iii) Straightness of Side	± 0.15%	± 0.30%	± 0.15%	
iv) Rectangularity	± 0.20%	± 0.50%	± 0.15%	
v) Surface Flatness				
a) Center curvature (%) (max.Deviation)	± 0.3 %	+ 0.5%/-0.3%	± 0.22 %	
b) Edge curvature (%) (max.Deviation)	± 0.3 %	+ 0.5%/-0.3%	± 0.22 %	
c) Corner warpage (%) (max.Deviation)	± 0.3 %	± 0.5%	± 0.22 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
I) Water Absorption	E ≥ 10 % when it exceeds 20 % this shall be indicated by the manufacturer	E ≥ 10 % when it exceeds 20 % this shall be indicated by the manufacturer, Individual Minimum Value 9%	15±3 %	En99/ IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm ²]	Average- Min 12 for thickness <7.5mm, Average-Min 15 for thickness>7.5mm	Average- Min 12 for thickness <7.5mm, Average-Min 15 for thickness>7.5mm	Average 18	En100/ IS 13630 Part 6/ ISO 10545-4
iii) Breaking Strength in N	Min 200 for thickness ≤ 7.5mm, 600N for thickness > 7.5mm	Min 200 for thickness ≤ 7.5mm, 600N for thickness > 7.5mm	Min 300 for thickness <7.5mm, Min 600N for thickness >7.5 mm	En155 /IS 13630 Part 3/ISO 10545-10
iv) Moisture Expansion in mm/m	0.04	'Test Method Available	0.02	En103 /IS 13630 Part 4/ISO 10545-8
v) Scratch Hardness of surface (Mohs)	Min 3	'N.A	Min 3	En104 / IS 13630 Part 5/ISO 10545-9
vii) Coefficient of linear thermal expansion from embiant temperature to 100 0 C	9X10 ⁻⁶ K ⁻¹ , max	'Test Method Available	8X10 ⁻⁶ K ⁻¹ , max	En105 / IS 13630 Part 9/ISO 10545-11
viii) Thermal Shock Resistance	10 cycle min	'Test Method Available	Passed 10 cycle	IS 13630 Part 8 /ISO 10545-13 & ISO 10545-14
ix) crazing Resistance	4 cycle @ 7.5 bar min	Required	Passed 4 cycle	
C) Chemical Resistance (glazed Tiles)				
I) Stain Resistance	Min Class-1	Min Calss 3	Min Class-1	IS 13630 Part 8 /ISO 10545-13 & ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Min GB	Min Class AA	
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	'Test Method Available	Min Class AA	

PACKING DETAIL for 300x450 mm & 300x300mm (Kadi)				
Nominal Size	Thickness (mm)	Av. Wt. per carton (Kg)	No. of Tiles per carton	Coverage area per carton
300X450 mm Plain	7.5 ~ 8.0	11.0	6	0.810 Sq.Mt/8.722 Sq.Ft.
300X450 mm Structure	7.8 ~ 8.5	11.6	6	0.810 Sq.Mt/8.722 Sq.Ft.
300X450 mm Heavy Structure	8.3 ~ 9.5	12.0	6	0.810 Sq.Mt/8.722 Sq.Ft.
300X300 mm	7.2	13.50	10	0.900 Sq.Mt/9.687 Sq.Ft.

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see physical sample before placing the order.
Technical Specifications for Somany Wall & Floor Tiles are applicable only for standard quality tiles. Please inspect all tiles prior to installation, company will not entertain complaints, once the tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.