



300x750MM
DIGITAL WALL TILES

SOMANY
Tiles | Bathware

ZAMEEN SE JUDEY



SOMANY

Somany Ceramics Limited : Noida: F-36, Sector-6; Ph.: 0120-4627900.

Ahmedabad: Office no. 7-14, 4th Floor, Aggarwal Mall, Opp. Sola Bhagwat Vidyapeeth, S.G. Road, Sola, Ph.: 079-66042500 to 599

Registered office: 2, Red Cross Place, Kolkata - 700001; Ph.(033) 22487406/5913

www.somanyceramics.com | e-mail marketing@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:
www.somanyceramics.com



Find us at:
www.facebook.com/SomanyCeramic



Find us at:
www.twitter.com/SomanyCeramic



CERAMIC / CAT / OCTOBER 2019

UNIT-3

Ceramica

NEW
ARRIVAL



SOMANY®

INTRODUCING

300 × 750mm

DIGITAL WALL TILES

New Dimension OF DESIGN

Unlocking the endless possibilities with new dimensions, introducing for the first time in the Indian market 300 x 750mm dimensions with refreshingly new colours and patterns. With these new innovative range, we are chartering new horizons, with seamless new possibilities of imagination. Which will create a masterpiece of sophistication and elegance.



Calmor



V2 CALMOR LIGHT, Glossy
300x750mm



V2 CALMOR HL 01, Glossy
300x750mm



V2 CALMOR HL 02, Glossy
300x750mm



V2 CALMOR DARK, Glossy
300x750mm



F - AZZARO BEIGE, Matt
300x300mm

Camden



V4 CAMDEN LIGHT, Glossy
300x750mm



V1 CAMDEN HL 01, Glossy
300x750mm



V1 CAMDEN HL 02, Glossy
300x750mm




V4 CAMDEN DARK, Glossy
300x750mm



F - JUBE BAINCO, Matt
300x300mm

Canary



V1 CANARY LIGHT, Glossy
300x750mm



V1 CANARY HL 01, Glossy
300x750mm



V1 CANARY DARK, Glossy
300x750mm



F - CANARY DARK, Matt
300x300mm



V1 DERRY LIGHT, Glossy
300x750mm



V2 DERRY HL 01, Glossy
300x750mm



V2 DERRY HL 02, Glossy
300x750mm



V1 DERRY DARK, Glossy
300x750mm



F - PARAMO GREY DARK, Matt
300x300mm



Dollis



V4

DOLLIS LIGHT, Glossy
300x750mm



V1

DOLLIS HL 01, Glossy
300x750mm



V2

DOLLIS HL 02, Glossy
300x750mm



V4

DOLLIS DARK, Glossy
300x750mm



F - EQUITA COFFEE, Matt
300x300mm

Fortis



V4

FORTIS LIGHT, Glossy
300x750mm



V1

FORTIS HL 01, Glossy
300x750mm



V1

FORTIS HL 02, Glossy
300x750mm



V4

FORTIS DARK, Glossy
300x750mm



F - PERLINO DARK, Matt
300x300mm

Harold



V1

HAROLD LIGHT, Glossy
300x750mm



V1

HAROLD HL 01, Glossy
300x750mm




V1

HAROLD LIGHT, Glossy
300x750mm



F - TRIX BROWN DARK, Matt
300x300mm

Kenley



V4

KENLEY LIGHT, Glossy
300x750mm



V1

KENLEY HL 01, Glossy
300x750mm



V1

KENLEY HL 02, Glossy
300x750mm



V4

KENLEY DARK, Glossy
300x750mm



F - KENLEY DARK, Matt
300x300mm



Kenton



V4 KENTON LIGHT, Glossy
300x750mm



V4 KENTON HL 01, Glossy
300x750mm



V1 KENTON HL 02, Glossy
300x750mm



V4 KENTON DARK, Glossy
300x750mm



F - KENTON DARK, Matt
300x300mm

Lisson




V4 LISSON LIGHT, Glossy
300x750mm



V1 LISSON HL 01, Glossy
300x750mm



V1 LISSON HL 02, Glossy
300x750mm




V4 LISSON DARK, Glossy
300x750mm



F - CREMA MARFIL BEIGE, Matt
300x300mm


Malden



V4 MALDEN, Glossy
300x750mm



V1 MALDEN HL 01, Glossy
300x750mm



V2 MALDEN HL 02, Glossy
300x750mm



V4 MALDEN, Glossy
300x750mm



F - ATRIUM DARK, Matt
300x300mm


Manor



V1 MANOR LIGHT, Glossy
300x750mm



V1 MANOR HL 01, Glossy
300x750mm



V1 MANOR HL 02, Glossy
300x750mm



V1 MANOR DARK, Glossy
300x750mm



F - CAMIA DARK, Matt
300x300mm



Nimes




V1

NIMES LIGHT, Glossy
300x750mm



V1

NIMES HL 01, Glossy
300x750mm




V1

NIMES DARK, Glossy
300x750mm



F - SAGOMA AQUA DARK, Matt
300x300mm

Noak



V2

NOAK LIGHT, Glossy
300x750mm



V1

NOAK HL 01, Glossy
300x750mm



V2

NOAK LIGHT, Glossy
300x750mm



F - PORTICO DARK, Matt
300x300mm

Ruxley



V3

RUXLEY LIGHT, Glossy
300x750mm



V2

RUXLEY HL 01, Glossy
300x750mm



V3

RUXLEY DARK, Glossy
300x750mm



F - RUXLEY DARK, Matt
300x300mm

Palco Gold



V1

PALCO GOLD LIGHT, Glossy
300x750mm



V1

PALCO GOLD HL 01, Glossy
300x750mm



V1

PALCO GOLD HL 02, Glossy
300x750mm



V1

PALCO GOLD DARK, Glossy
300x750mm



F - PALCO GOLD DARK, Matt
300x300mm

Palco Grey



V1

PALCO GREY LIGHT, Glossy
300x750mm




V1

PALCO GREY HL 01, Glossy
300x750mm




V1

PALCO GREY HL 02, Glossy
300x750mm





V1

PALCO GREY DARK, Glossy
300x750mm



F - PALCO GREY DARK, Matt
300x300mm



BelmontV3 BELMONT LIGHT, Satin Matt
300x750mmV2 BELMONT HL 01, Satin Matt
300x750mmV2 BELMONT HL 02, Granilla Effect
300x750mmV3 BELMONT DARK, Satin Matt
300x750mmF - NAOS GREY DARK, Matt
300x300mm*Bickley*V4 BICKLEY LIGHT, Satin Matt
300x750mmV1 BICKLEY HL 01, Satin Matt
300x750mmV1 BICKLEY HL 02, Granilla Effect
300x750mmV4 BICKLEY DARK, Satin Matt
300x750mmF - TRIX BROWN DARK, Matt
300x300mm*Bolzano*V2 BOLZANO LIGHT, Satin Matt
300x750mmV2 BOLZANO HL 01, Granilla Effect
300x750mmV2 BOLZANO DARK, Satin Matt
300x750mmF - NEXO DARK, Matt
300x300mm*Cubitt*V2 CUBITT, Satin Matt
300x750mmV1 CUBITT HL 01, Satin Matt
300x750mmV4 CUBITT HL 02, Granilla Effect
300x750mmF - MODULO DARK, Matt
300x300mm

SOMANY



Ebro

V3

EBRO LIGHT, Satin Matt
300x750mm

V1

EBRO HL 01, Satin Matt
300x750mm

V1

EBRO HL 02, Granilla Effect
300x750mm

V3

EBRO DARK, Satin Matt
300x750mm**F - CLASSICO BEIGE**, Matt
300x300mm*Harrow*


V2

HARROW, Satin Matt
300x750mm

V2

HARROW HL 01, Satin Matt
300x750mm


V2

HARROW HL 02, Granilla Effect
300x750mm**F - CLASSICO BEIGE**, Matt
300x300mm*Melila*

V1

MELILA LIGHT, Satin Matt
300x750mm

V1

MELILA HL 01, Granilla Effect
300x750mm

V1

MELILA DARK, Satin Matt
300x750mm**F - MELILA DARK**, Matt
300x300mm

V2

MESSINA LIGHT, Satin Matt
300x750mm

V1

MESSINA HL 01, Satin Matt
300x750mm

V1

MESSINA HL 02, Granilla Effect
300x750mm

V2

MESSINA DARK, Satin Matt
300x750mm**F - FLORENTINE DARK**, Matt
300x300mm

SOMANY®



Rodar

V3

RODAR LIGHT, Satin Matt
300x750mm


V2

RODAR HL 01, Satin Matt
300x750mm

V1

RODAR HL 02, Granilla Effect
300x750mm


V3

RODAR DARK, Satin Matt
300x750mm**F - RODAR DARK**, Matt
300x300mm*Vigo*

V1

VIGO LIGHT, Satin Matt
300x750mm

V1

VIGO HL 01, Granilla Effect
300x750mm


V1

VIGO HL 02, Granilla Effect
300x750mm


V1

VIGO DARK, Satin Matt
300x750mm**F - CLASSICO BEIGE**, Matt
300x300mm*Viejo*

V3

VIEJO LIGHT, Satin Matt
300x750mm

V1

VIEJO HL 01, Satin Matt
300x750mm

V3


VIEJO DARK, Satin Matt
300x750mm**F - VIEJO DARK**, Matt
300x300mm




DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles to resemble and look authentically identical to natural material (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between two.


Recognising this situation, it is necessary to be informed on the grade of design & pattern variation that is expected from these products. As a general reference, the design & Pattern guide below classifies a scale of ranges according to the degree of variation.




V1 Uniform Appearance



V2 Slight Variation



V3 Moderate Variation



V4 Substantial Variation

The classification is as follow:

V1 Minimal Variation **V3** Random Variation **V2** Slight Variation **V4** Substantial Variation



High Definition Image

While laying the tiles please follow the arrow on the back of the tiles.

For removing the wax from the surface of the tiles please use the soft cotton cloth for rubbing with any boric/talc powder

PACKING DETAIL FOR 300x750MM WALL TILES & 300x300MM FLOOR TILES

Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
300x750mm	9.5	18.30	5	1.125sq.mtr./12.11sq.ft.
300x300mm	8.4	12.5	10	0.900sq.mtr./9.69sq.ft.

TECHNICAL SPECIFICATION FOR DIGITAL WALL TILES - 300x750MM

Characteristics	Requirement as per IS 15622: 2017 E ≥ 10, Group BIII	Requirements as per ISO 13006 E ≥ 10, Group BIII	Our Values	Test Method
A) Dimension & Surface Quality				
i) Length & Width	± 0.20%	± 0.50%	± 0.1%	
ii) Thickness	± 5.0%	± 10.0%	± 4.0%	
iii) Straightness of Side	± 0.15%	± 0.30%	± 0.1%	
iv) Rectangularity	± 0.20%	± 0.50%	± 0.2%	
v) Surface Flatness Max Deviation in %				
a) Center curvature related to diagonal	± 0.30%	+0.5% / -0.3%	± 0.22 %	
b) Edge curvature related to corresponding side	± 0.30%	+0.5% / -0.3%	± 0.22 %	
c) warpage related to diagonale	± 0.30%	± 0.5%	± 0.22 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects.	Min. 95 % of tiles will be free from visible defects.	Min. 95 % of tiles will be free from visible defects.	
B) Physical Properties				
i) Water Absorption	E ≥ 10 %. (when the value exceeds 20 % this shall be indicated by the manufacturer) Individual 9 percent, Min.	E ≥ 10 %. (when the value exceeds 20 % this shall be indicated by the manufacturer) Individual 9 percent, Min.	Avg. 10-20 %	IS 13630 Part 2/ISO 10545-3
ii) Modulus of Rupture [N/mm ²]	Min 15	Average Min 15	Average Min 15	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	Min 600	Not Less than 600	Min 600	
iv) Scratch Hardness of surface (Mohs)	Min 3		Min 3	IS 13630 Part 13
v) Coefficient of linear thermal expansion from ambient temperature to 100° C	9 X 10 ⁻⁶ K ⁻¹ max		8 X 10 ⁻⁶ K ⁻¹ max	IS 13630 Part 4/ISO 10545-8
vi) Thermal Shock Resistance	10 cycle min	10 cycle min	10 cycle min	IS 13630 Part 5/ISO 10545-9
vii) crazing Resistance	4 cycle @ 7.5bar min	Manufacturer to Declared	4 Cycle @ 7.5 bar Min	IS 13630 Part 9/ISO 10545-11
C) Chemical Properties				
i) Stain Resistance	Min Class 1	Required	Class-1	
ii) Resistance to household chemicals	Min Class AA	Required	Class AA	IS 13630 Part 8 /ISO 10545-13 & ISO 10545-14
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Required	Class AA	

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see physical sample before placing the order. Technical Specifications for Somany Wall & Floor Tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation, company will not entertain complaints, once the tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.