PRODUCT REQUIREMENTS DOCUMENT

AICTE Problem Statement 26262

Integrated AICTE Approval Workflow Automation, Compliance Monitoring and Alert Management System

Complete product vision • Detailed P0 / P1 / P2 feature specification • Human-governed regulatory workflow

Document field	Value
Version	1.0
Date	29 October 2026
Product direction	Complete production-oriented platform
Immediate delivery	Polished submission prototype with simulated interactions
Intended readers	Product, frontend, backend, design, evaluation and future implementation teams
Requirements source	Supplied AICTE Problem Statement 26262

Important: this PRD describes product behavior and scope, not the technology stack or detailed implementation architecture. Those belong in the separate Technical Requirements Document (TRD).

Requirement labels used throughout

Label	Meaning
[M] Mandated	Explicitly required or clearly implied by the supplied problem statement.
[D] Proposed design	A product decision proposed to make the system usable and implementable; validate where necessary.
[A] Assumption	A working assumption where the source does not provide a definitive rule.
[V] Validate	Must be confirmed with applicable AICTE/APH rules or authorized stakeholders before production.

Contents

- 1. Executive summary and product vision
- 2. Source authority and requirement interpretation
- 3. Goals, non-goals and principles
- 4. Delivery model: P0, P1 and P2
- 5. Users, roles and user stories
- 6. Detailed feature specifications
- 7. User journeys
- 8. Product lifecycle and status model
- 9. Dashboard and reporting expectations
- 10. Notifications, deadlines and escalation
- 11. Security, permissions and human oversight
- 12. Non-functional requirements
- 13. Data and information requirements
- 14. Prototype demonstration requirements
- 15. Acceptance criteria and release gates
- 16. Assumptions, dependencies and open questions
- 17. Risks and mitigations
- 18. Team execution guidance
- 19. Glossary

1. Executive Summary and Product Vision

The proposed platform coordinates AICTE approval applications, configurable processing routes, EVC activities, time-bound undertakings, compliance evidence, document validity, notifications, escalation, reporting and audit history. It gives each authorized stakeholder a clear view of what has happened, what is pending, who owns the next action and when that action is due.

The product automates administrative coordination and visibility. It does not replace statutory scrutiny, inspections, evidence verification or decisions made by competent human authorities.

1.1 Product vision

Create a secure, role-aware and configurable workflow platform that improves transparency, timeliness and accountability across approval processing and institutional compliance.

1.2 What success looks like

- Stakeholders can find the current application stage, status, owner, outstanding action and relevant history.
- Eligible applications progress through configured administrative stages only when required prerequisites are satisfied.
- Authorized users can return applications for clarification with recorded reasons and preserve the full history.
- EVC scheduling and completion, compliance obligations and document expiry are visible and actionable.
- Notifications and escalations are generated according to validated, configurable policies.
- Critical actions are traceable to a user or system process and timestamp.
- Production decisions remain with authorized human officials.
- The submission prototype demonstrates these ideas honestly using synthetic data and simulated interactions.

1.3 Product in one sentence

A role-specific approval and compliance workspace that coordinates workflow, deadlines, evidence and accountability without automating away regulatory judgment.

2. Source Authority and Requirement Interpretation

The supplied Problem Statement 26262 is the authoritative source for the product requirements in this document. The PRD expands that source into a product specification, but it does not claim to replace the applicable Approval Process Handbook (APH), regulations, official circulars or operational instructions.

Classification	How to interpret it	Examples
[M] Mandated	Required by or clearly implied by the problem statement.	Workflow routing, authorized returns, dashboards, EVC tracking, undertakings, document expiry, alerts, audit trail, role-based access.
[D] Proposed design	A recommended product behavior or experience that helps satisfy the mandate.	A unified notification inbox, role-specific home pages, separate stage/status fields, a visual timeline.
[A] Assumption	A temporary planning premise used to move design forward.	The demo uses synthetic data; no live AICTE integration is assumed.
[V] Validate	A matter that must be confirmed before operational use.	Exact route definitions, statutory deadlines, return permissions, official roles and required evidence.

2.1 Interpretation rules

- Do not invent a mandatory stage, deadline, document requirement or permission when the source does not specify it.

- Where regulatory details vary, represent them as validated configuration rather than hardcoded universal rules.
- Examples in this PRD illustrate product behavior; they are not assertions that every application follows the same route.
- Features simulated in P0 must not be described as implemented production capabilities.
- Production integration is conditional on approved access, documented interfaces and stakeholder authorization.

3. Goals, Non-Goals and Product Principles

3.1 Goals

- G-01: Make application status, stage, ownership and next action visible.
- G-02: Reduce manual coordination through eligible routing, reminders and escalation.
- G-03: Improve EVC scheduling and completion visibility.
- G-04: Track time-bound undertakings from obligation through evidence review and closure.
- G-05: Identify documents approaching expiry and track renewal verification.
- G-06: Expose pendency, ageing, workload and bottlenecks to authorized managers.
- G-07: Preserve an auditable history of critical actions.
- G-08: Protect statutory authority and confidentiality.

3.2 Non-goals

- The platform is not a replacement for AICTE regulations, the APH or competent authorities.
- It will not independently approve or reject applications.
- It will not autonomously decide that an institution is compliant based only on a document upload.
- It will not replace physical inspections or authorized expert evaluation.
- It will not bypass prescribed scrutiny, verification, review or approval stages.
- It will not assume live integrations or access to restricted systems without authorization.
- Generative AI is not a prerequisite for the core workflow automation.

3.3 Product principles

- Human authority first: automation coordinates tasks; authorized people make regulated decisions.
- Configuration over hardcoding: routes and time policies can change through approved governance.
- One consistent operational picture: status, ownership, dates and history must agree.
- Traceability by default: important actions have an actor, timestamp and outcome.
- Action-oriented UX: users should understand what needs attention and why.
- Honest demonstration: simulated data, interactions and notifications are clearly identified.

4. Delivery Model: P0, P1 and P2

The full product vision is production-oriented, but the immediate submission must be achievable by a four-person team working in parallel. P0 is a coherent demonstration, P1 proves core behavior with real persistence and controls, and P2 extends the system to validated production operation.

Level	Purpose	Behavior expected	Data and integration	Release gate
P0 — Submission prototype	Explain the product and demonstrate principal journeys.	Polished screens; role switching; simulated workflow, EVC, evidence and expiry interactions.	Synthetic data; local state or mock APIs; no live AICTE integration assumed.	The main demo journeys work consistently and are clearly labeled as simulated.
P1 — Functional MVP	Prove the core product actually works.	Persisted records; backend permissions; validated transitions; evidence review; deadline processing; audit events.	Controlled test environment; synthetic or approved test data; real internal APIs.	Critical workflows and permission/deadline rules pass tests.
P2 — Production platform	Support authorized operational use.	Validated routes and policies; robust notifications; integration, security, monitoring, recovery and operational support.	Authorized real data and approved integrations where feasible.	Regulatory, security, operational and stakeholder acceptance completed.

4.1 Scope boundary by level

P0 — What must be visible tomorrow

- Role-aware shell and dashboards for institution representatives, processing officers/supervisors and a relevant EVC/compliance view.
- Application register and a useful application detail page with a visual timeline.
- One coherent return-for-clarification and resubmission demonstration.
- EVC queue with a scheduling or status interaction.
- Compliance obligation with evidence submission and review-state interaction.
- Document register with an approaching-expiry or expired example.
- Notification inbox or alert panel that links to relevant records.
- Activity/audit history and internally consistent synthetic metrics.

P1 — What becomes genuinely functional

- Authenticated access and server-enforced role and record-scope permissions.
- Persistent application, assignment, workflow, EVC, obligation, evidence, document and notification records.
- Configured routes, prerequisite validation and safe state transitions.
- Real return/resubmission history, evidence review and document status calculation.
- Scheduled deadline checks, persisted reminders, basic escalation and actual audit events.
- Search/filter/reporting over persisted data and automated tests for critical business rules.

P2 — What completes the production product

- Validated APH-specific workflows, authority mapping, deadlines and policy governance.
- Workflow configuration versioning and controlled publication/change management.
- Approved identity and external-system integrations where feasible.
- Production notification channels, delivery tracking, retry handling and operational visibility.
- Advanced EVC coordination, workload analytics and configurable multi-level escalation.
- Security hardening, privacy governance, data migration/reconciliation, backup, recovery, monitoring, support and training.

4.2 Explicit exclusions from tomorrow's prototype

- Live integration with AICTE or institutional systems.

- Real delivery of email/SMS alerts unless separately implemented and authorized.
- Production-grade authentication, security review, disaster recovery or operational monitoring.
- Every possible approval route and every APH-specific rule.
- Advanced AI, automatic statutory judgments, complex analytics and complete administration tooling.

5. Users, Roles and User Stories

5.1 Personas

Persona	Primary need
U-01 Institution representative	Track own applications, respond to clarification requests, submit compliance evidence and renew documents.
U-02 Processing/scrutiny officer	Review assigned applications, record permitted findings, return for clarification and complete assigned tasks.
U-03 EVC coordinator or authorized committee member	View visit queue, coordinate scheduling and record permitted visit-related updates.
U-04 SAC/SHC or other authorized reviewer	Review assigned cases and evidence and record only permitted review or recommendation outcomes.
U-05 Supervisor	Monitor authorized workload, ageing, overdue actions, escalations and bottlenecks.
U-06 Compliance reviewer	Review undertaking evidence, request clarification and record verification outcomes.
U-07 System/workflow administrator	Manage user access and authorized workflow, reminder and escalation configuration.
U-08 Auditor/oversight user	Read authorized records and action history for accountability.

5.2 Role and access principles

- Permissions are based on role, assignment, organizational scope and record-level access where applicable.
- An institution representative sees only their institution's authorized records.
- Officers and committee users see the work and records permitted by their assignment and authority.
- Supervisors see the approved reporting scope and may take only separately authorized actions.
- Administrative access does not automatically grant statutory approval or verification authority.
- Auditors receive controlled read access appropriate to their mandate.
- Role switching in P0 is a demonstration convenience, not a production identity model.

5.3 Core user stories

ID	User story
US-01	As an institution representative, I want to see each application's current status and next action so I know what is pending.
US-02	As an institution representative, I want clarification requests to include reasons and required actions so I can respond correctly.
US-03	As a processing officer, I want an assigned queue sorted or filtered by due date and ageing so I can prioritize work.
US-04	As an authorized officer, I want to return an application with a recorded reason so deficiencies are traceable.
US-05	As an authorized stakeholder, I want eligible applications to progress when configured prerequisites are satisfied so administrative follow-up is reduced.
US-06	As an EVC coordinator, I want to see and update visit scheduling and status so EVC work can be coordinated.
US-07	As a compliance reviewer, I want to review evidence against a specific obligation so verification is traceable.
US-08	As an institution representative, I want expiry warnings so I can initiate renewal in time.
US-09	As a supervisor, I want to identify overdue items and bottlenecks so I can intervene within my authority.
US-10	As an administrator, I want to configure approved routes and policies so the system reflects validated rules.
US-11	As an auditor, I want to inspect who performed a critical action and when so accountability can be established.
US-12	As an authorized user, I want an alert to link to the relevant record so I can act without searching manually.

6. Detailed Feature Specifications

Every feature below describes the intended product behavior at P0, P1 and P2. P0 is allowed to simulate actions; P1 requires genuine persistence and business-rule enforcement; P2 requires production validation and operational readiness.

6.1 Role-aware home and access experience

FEAT-01 — Role-aware navigation and dashboard

Requirement status: [D] Supports mandated role-based access and stakeholder visibility.

What this feature does
The product provides a consistent workspace whose navigation, summary information and available actions reflect the user's role and authorized scope. The dashboard should help each user answer: what needs my attention, what is overdue, and where do I go next?

Who benefits and why
Institution users focus on their own applications and obligations. Officers focus on assigned queues. Supervisors focus on authorized workload. Administrators focus on configuration and system operations.

P0 — Submission prototype

Provide a polished role selector for demonstration, clearly labeled as demo-only. Each role opens a distinct dashboard or role-specific view. Use synthetic data and consistent counts.

P1 — Functional MVP

Use authenticated identities and server-enforced permissions. Load the dashboard from persisted records. Prevent access to unauthorized records and actions.

P2 — Production platform

Support approved identity integration, organizational scopes, permission review, accessible navigation and operational monitoring.

Acceptance criteria

- Each demo role has relevant navigation and useful content.
- Dashboard counts match the synthetic dataset or are explicitly labeled illustrative.
- In P1/P2, unauthorized records and actions are blocked by the backend.
- Role switching in the prototype is not represented as production authentication.

6.2 Application register and details

FEAT-02 — Application register and search

Requirement status: [M] Provides application status and pendency visibility.

What this feature does
The register is the primary work list for application records. It displays identifiers, institution, region where authorized, current stage, status, assigned owner, relevant dates, due date and a clear indication of pending action. Users can search and filter within their permitted scope.

Who benefits and why
Users can quickly locate a case and understand its state without manually asking other teams.

P0 — Submission prototype

Display a searchable/filterable table with realistic examples. Opening a row navigates to a detail page.

P1 — Functional MVP

Persist records and apply server-side authorization, pagination, filtering and sorting. Keep displayed values consistent with the detail view.

P2 — Production platform

Support the validated application categories, larger datasets, reporting filters and approved data integrations.

Acceptance criteria

- Search and filters return matching records.
- Each row shows a stable identifier, stage, status and relevant ownership/date information.
- Users cannot retrieve another institution's protected record by altering a URL or identifier.
- Empty and no-results states explain what the user can do next.

FEAT-03 — Application detail and workflow timeline

Requirement status: [M] Makes current stage and prior actions visible.

What this feature does
The detail view brings together application summary, current stage/status, assigned owner, outstanding actions, required clarification, due dates and a chronological workflow timeline. The stage and operational status are distinct concepts.

Who benefits and why
Institution representatives understand progress; officers can review context; supervisors can trace delays.

P0 — Submission prototype

Show a timeline with completed, current and pending stages. Include at least one return reason and subsequent response in the demo scenario.

P1 — Functional MVP

Build the timeline from persisted workflow events. Prevent the UI from showing a stage as complete without a recorded event.

P2 — Production platform

Support complete validated routes, historical workflow versions and approved record retention.

Acceptance criteria

- Timeline events are chronological and linked to the correct application.
- A return reason is visible to the appropriate parties.
- The UI distinguishes current stage, operational status and decision outcome.
- A scheduled action is not displayed as completed without an authorized completion event.

6.3 Application workflow and routing

FEAT-04 — Configured workflow routes and stage prerequisites

Requirement status: [M] Supports applicable routes such as scrutiny, EVC and SAC/SHC combinations.

What this feature does
Each application follows an applicable configured route. A route defines stages, prerequisite conditions and permitted transitions. The platform must accommodate different routes instead of assuming one universal process.

Who benefits and why
Processing teams reduce coordination effort while retaining the correct route and required controls.

P0 — Submission prototype

Demonstrate one illustrative route and show its current, completed and pending stages. Label it illustrative rather than universal.

P1 — Functional MVP

Persist route assignments and validate prerequisites before transitions. Reject invalid or incomplete configurations.

P2 — Production platform

Support validated APH-specific route definitions, controlled configuration publication and versioning so changes do not silently rewrite history.

Acceptance criteria

- The route is visible for an application.
- A transition is blocked when required prerequisites are incomplete.
- Different applications can follow different configured routes.
- Production routes and prerequisites are validated with authorized stakeholders.

FEAT-05 — Automatic administrative progression

Requirement status: [M] Requires automatic routing when authorized prerequisites are satisfied.

What this feature does
When the configured completion conditions are met, the platform may move an application to its next eligible administrative stage, update the queue and notify relevant stakeholders. It must not decide statutory approval or rejection.

Who benefits and why
Reduces manual handoffs and missed administrative steps.

P0 — Submission prototype

A user completes a simulated scrutiny task; the demo shows the next stage becoming current and the history updating.

P1 — Functional MVP

Run server-side prerequisite checks, perform a consistent state change, record an event and generate the relevant notification record.

P2 — Production platform

Support reliable background processing, monitoring, retry-safe transitions and approved exceptions.

Acceptance criteria

- Progression occurs only when configured conditions are satisfied.
- The event is identifiable as system-generated where applicable.
- Failed transitions do not partially update state.
- No automatic statutory approval or rejection is performed.

FEAT-06 — Return for clarification and resubmission

Requirement status: [M] Authorized returns/reverts must record reasons.

What this feature does
An authorized user can return an application for a deficiency or clarification. The institution can view the reason and respond through the permitted process. The prior history remains available.

Who benefits and why
Makes requests actionable and avoids losing the context of why a case was returned.

P0 — Submission prototype

Provide a return modal requiring a reason, a visible clarification state and a simulated institution resubmission action.

P1 — Functional MVP

Persist return reason, actor, timestamp, response and subsequent state. Validate permissions and allowed state transitions.

P2 — Production platform

Support validated return categories, policy-driven response timelines and complete historical traceability.

Acceptance criteria

- A return cannot be submitted without required information.
- The reason is visible to authorized recipients.
- Resubmission does not erase the original return event.
- Only authorized roles can execute the return action.

FEAT-07 — Assignment and reassignment

Requirement status: [D] Proposed means to make ownership explicit.

What this feature does
Work can be assigned or reassigned to eligible officers, coordinators or reviewers within authorized scopes. Assignment is separate from statutory authority and does not itself confer decision-making power.

Who benefits and why
Clarifies who is responsible for the next action and supports workload management.

P0 — Submission prototype

Allow a demo assignment change and update the visible owner and queue.

P1 — Functional MVP

Persist assignment and reassignment history, enforce eligibility, and create relevant notification records.

P2 — Production platform

Support approved organizational structures, workload reporting and assignment governance.

Acceptance criteria

- Current owner is visible where permitted.
- Assignment changes appear in the relevant queue.
- Previous and new assignment are traceable.
- An assignment does not grant permissions beyond the recipient's role.

6.4 Dashboard, pendency and reporting

FEAT-08 — Operational dashboard and pendency indicators

Requirement status: [M] Requires live status visibility and ageing/pendency views.

What this feature does
Dashboards summarize total applications, pending actions, overdue items, stage distribution, EVC work, compliance deadlines and document expiry. The figures should be traceable to records and scoped to the viewer's permissions.

Who benefits and why
Officials and managers can see where work is accumulating and users can prioritize actions.

P0 — Submission prototype

Show a focused set of cards, a stage/status breakdown, overdue list and recent activity. Keep numbers consistent with synthetic records.

P1 — Functional MVP

Calculate metrics from persisted records and apply the same filters/permissions to both metrics and underlying lists.

P2 — Production platform

Support validated region, institution, stage, officer and committee dimensions; handle larger workloads and approved reporting needs.

Acceptance criteria

- Metric cards reconcile with displayed demo data.
- Overdue is derived from a defined due-date rule.
- The user can open the records behind a summary where authorized.
- Unavailable data is not misleadingly shown as zero.

FEAT-09 — Ageing, workload and bottleneck reporting

Requirement status: [M] Requires visibility by region, stage, institution, officer/committee and timelines.

What this feature does
Authorized supervisors can filter and compare pending work, age, overdue items and stage distribution across approved organizational dimensions. Reports should help identify concentration of work, not automatically assign blame.

Who benefits and why
Supports operational intervention and resource planning.

P0 — Submission prototype

Provide simple filters and a table or chart that demonstrates pending items by stage and ageing band.

P1 — Functional MVP

Calculate reports from persisted records and define ageing consistently, including treatment of paused or returned cases where policy requires it.

P2 — Production platform

Support validated organizational hierarchies, export permissions, historical trends and larger reporting periods.

Acceptance criteria

- Filters and reporting periods are visible.
- Summary totals reconcile with source records.
- The report shows the scope and definition of its metrics.
- Access is limited to the user's approved organizational scope.

6.5 EVC management

FEAT-10 — EVC queue and scheduling

Requirement status: [M] Explicitly requires EVC queue/scheduling/completion tracking.

What this feature does
The EVC workspace lists applications needing EVC-related action and shows the schedule, assigned team/coordinator, visit status and outstanding actions. Authorized users can schedule or update visit information.

Who benefits and why
Reduces fragmented coordination and makes upcoming and overdue visits visible.

P0 — Submission prototype

Show a queue with scheduled, upcoming and pending items. Allow a scheduling or status change that updates the screen.

P1 — Functional MVP

Persist schedule and status changes, validate fields and permissions, preserve rescheduling history and generate relevant alerts.

P2 — Production platform

Support validated team assignment, availability constraints, conflict detection and approved scheduling rules where data is available.

Acceptance criteria

- Queue entries show application, status, relevant dates and owner/team.
- Scheduling changes are reflected consistently across queue and detail views.
- A scheduled visit is not marked complete without a completion event.
- Relevant changes are recorded and notifications follow configured rules.

FEAT-11 — EVC completion and follow-up

Requirement status: [M] Requires completion tracking and deadline reminders/escalation.

What this feature does
The system tracks whether the EVC activity is pending, scheduled, completed or awaiting an authorized follow-up, according to the approved lifecycle. The next eligible action should be clear.

Who benefits and why
Helps prevent EVC items from becoming invisible after scheduling.

P0 — Submission prototype

Demonstrate a scheduled visit moving to a completed or follow-up state using synthetic data.

P1 — Functional MVP

Persist authorized completion/status updates and calculate pending or overdue follow-up based on configured deadlines.

P2 — Production platform

Support approved visit outcomes, findings handoff, exception management and operational monitoring.

Acceptance criteria

- Status reflects the recorded event.
- Follow-up actions are visible to the responsible role.
- Deadlines use configured policies rather than invented universal values.
- Only authorized users can record restricted visit outcomes.

6.6 Undertakings and compliance

FEAT-12 — Time-bound undertaking register

Requirement status: [M] Requires tracking undertakings and time-bound obligations.

What this feature does
Each obligation is linked to the relevant institution and, where appropriate, application. It records the obligation description, due date, responsible reviewer, current status and required next action.

Who benefits and why
Institutions and reviewers can track what must be completed and by when.

P0 — Submission prototype

Show a compliance list with due dates, status, reviewer and an upcoming/overdue indicator.

P1 — Functional MVP

Persist obligations, validate dates and calculate status from configured deadline rules.

P2 — Production platform

Support the approved obligation categories, recurring obligations if applicable, reporting and policy-driven lifecycle management.

Acceptance criteria

- Each obligation has a stable identifier and relevant owner/link.
- Upcoming and overdue statuses follow documented rules.
- Users can find obligations by status and due date.
- An obligation is not marked fulfilled simply because evidence has been uploaded.

FEAT-13 — Evidence submission and review

Requirement status: [M] Requires evidence submission and verification.

What this feature does
Institutions submit evidence against a specific obligation. An authorized reviewer reviews it, records a permitted outcome or requests clarification, and leaves a traceable history. Submission and verification are separate states.

Who benefits and why
Creates a clear path from an obligation to evidence and a human review outcome.

P0 — Submission prototype

Simulate submitting evidence, showing it as awaiting review, then demonstrate a reviewer outcome or clarification request.

P1 — Functional MVP

Persist evidence metadata or authorized file references, review status, reviewer, timestamps and reasons. Enforce file and access rules.

P2 — Production platform

Support approved secure file storage, malware/file validation where required, retention rules, reviewer workload and detailed compliance reports.

Acceptance criteria

- Evidence is linked to the correct obligation.
- The UI distinguishes submitted from verified.
- Review actions require permission and preserve the reason/outcome.
- A clarification request is traceable and can be responded to.

FEAT-14 — Compliance deadline reminders and escalation

Requirement status: [M] Requires notifications and escalation for time-bound compliance.

What this feature does
The system identifies upcoming and overdue obligations and notifies the responsible users according to a configurable policy. Escalation is a separate recorded event and does not decide compliance automatically.

Who benefits and why
Reduces missed deadlines and makes overdue obligations visible to the right stakeholders.

P0 — Submission prototype

Show upcoming and overdue sample obligations and a linked alert; simulate escalation visually if needed.

P1 — Functional MVP

Run deadline checks independently of the browser, create persistent alerts and process configured escalation rules.

P2 — Production platform

Support policy governance, delivery monitoring, retries and reporting on unresolved obligations.

Acceptance criteria

- A deadline is derived from a stored date and policy.
- An alert links to the underlying obligation.
- Notification failure does not change the obligation's status.
- Escalations are recorded and do not automatically determine statutory outcomes.

6.7 Document validity

FEAT-15 — Document register and validity status

Requirement status: [M] Requires lease and other document validity/expiry tracking.

What this feature does
The document register records relevant document type, institution, validity dates, current status and renewal/verification state. It should distinguish valid, approaching expiry, expired, awaiting renewal and awaiting verification where applicable.

Who benefits and why
Institutions can plan renewals and reviewers can see document issues without manually inspecting every file.

P0 — Submission prototype

Show sample documents including a soon-to-expire lease and an expired item; allow users to open the detail view.

P1 — Functional MVP

Persist document metadata and calculate validity from stored dates and configured warning periods.

P2 — Production platform

Support approved document categories, secure storage, retention, renewal history and authorized integrations where feasible.

Acceptance criteria

- Each document links to its institution or relevant record.
- Expiry state matches the stored dates and configured policy.
- Unknown validity dates are not assumed to be valid indefinitely.
- Users cannot access protected files outside their permissions.

FEAT-16 — Renewal evidence and document verification

Requirement status: [M] Implied by renewal and verification tracking.

What this feature does
A user submits updated document evidence and an authorized reviewer records the verification outcome. The previous record remains traceable according to policy.

Who benefits and why
Prevents a file upload from being confused with an accepted renewal.

P0 — Submission prototype

Demonstrate renewal evidence submitted and awaiting verification.

P1 — Functional MVP

Persist renewal evidence, review outcome, reviewer and timestamps; update current validity only under the configured rules.

P2 — Production platform

Support version history, policy-driven verification and approved retention/archival behavior.

Acceptance criteria

- Uploading a new file does not automatically mark it verified.
- The renewal is linked to the correct document record.
- Verification is restricted to authorized roles.
- The prior record remains traceable according to retention rules.

6.8 Notifications, escalation and audit

FEAT-17 — Notification inbox and event alerts

Requirement status: [M] Requires configurable notifications and alerts.

What this feature does
Users receive relevant alerts about workflow changes, clarification requests, EVC scheduling, upcoming deadlines, overdue actions and document expiry. Each alert identifies the record and expected action where appropriate.

Who benefits and why
Reduces the need to manually check multiple screens and makes action ownership clearer.

P0 — Submission prototype

Show an inbox or alert panel with clickable sample notifications leading to related records.

P1 — Functional MVP

Persist notifications, recipient, creation time and read state. Generate alerts from real internal events and policies.

P2 — Production platform

Add approved external delivery channels, delivery receipts, retry handling, monitoring and user preferences where authorized.

Acceptance criteria

- An alert identifies the event and related record.
- The alert opens the relevant record or action.
- P0 clearly labels simulated delivery.
- P1/P2 track delivery outcomes where the channel supports it.

FEAT-18 — Configurable reminders and escalation policy

Requirement status: [M] Requires configurable notifications and escalation.

What this feature does
Authorized administrators configure reminder timing, eligible event types, recipients and escalation conditions within the approved governance model. Exact intervals are not invented by this PRD.

Who benefits and why
Lets the platform adapt to validated operational requirements without hardcoding policy assumptions.

P0 — Submission prototype

Show a read-only configuration preview or simple simulated policy settings if time permits.

P1 — Functional MVP

Persist approved policy settings, validate changes and process reminders/escalations through background work.

P2 — Production platform

Support configuration versions, controlled publication, change audit, operational monitoring and validated policy changes.

Acceptance criteria

- Only authorized users can change policies.
- Policy changes are auditable.
- Duplicate reminders are controlled.
- No default interval is represented as official unless validated.

FEAT-19 — Audit trail and activity history

Requirement status: [M] Requires audit trail and accountability.

What this feature does
The platform records significant user and system actions, including workflow transitions, returns, assignment changes, evidence review, document verification, policy changes and escalation events. The history distinguishes human and automated actions.

Who benefits and why
Provides accountability and helps authorized users understand how a record reached its current state.

P0 — Submission prototype

Show a chronological sample activity log with actor, time, action and reason where applicable.

P1 — Functional MVP

Generate audit events from actual operations and restrict ordinary users from editing or deleting them through application functions.

P2 — Production platform

Apply approved retention, controlled audit access, monitoring and appropriate integrity protections.

Acceptance criteria

- Critical events include actor/system identity, timestamp, action and target record.
- Reasons are recorded where required.
- The UI distinguishes automated and human actions.
- Ordinary users cannot rewrite audit history through normal APIs.

FEAT-20 — Operational reports and exports

Requirement status: [M] Requires reporting; [D] export is a proposed capability.

What this feature does
Authorized users can review application pendency, EVC status, compliance obligations, document validity and escalation activity. Export may be offered where permitted.

Who benefits and why
Supports supervision, operational planning and traceable review of workload.

P0 — Submission prototype

Provide a basic report or table with a few filters and consistent counts.

P1 — Functional MVP

Generate reports from persisted records and enforce permissions on report queries and exports.

P2 — Production platform

Support validated dimensions, historical reporting, approved export formats and larger datasets.

Acceptance criteria

- Report filters and scope are clear.
- Counts reconcile with source records.
- Export, if available, respects the same access restrictions as the screen.
- The report distinguishes current status from historical activity.

6.9 Administration, configuration and integrations

FEAT-21 — User, role and organizational administration

Requirement status: [M/D] Supports mandated role-based access; administration UI is a proposed design.

What this feature does
Authorized administrators manage user status, role assignments and permitted organizational scope. Administrative permissions remain separate from statutory authority.

Who benefits and why
Enables controlled onboarding and access changes.

P0 — Submission prototype

Show a basic administration preview only if time permits; role switching in the demo is not a real user-management implementation.

P1 — Functional MVP

Persist user and role assignments, enforce them on the backend and audit changes.

P2 — Production platform

Integrate with approved identity sources where feasible and support access review and lifecycle controls.

Acceptance criteria

- Disabled users cannot perform protected actions.
- Role changes affect authorization checks.
- Administrative changes are auditable.
- Administrative role alone does not grant approval authority.

FEAT-22 — Workflow and policy configuration governance

Requirement status: [M/D] Configuration is proposed to support varying APH routes and deadlines.

What this feature does
Authorized stakeholders manage validated workflow definitions, prerequisites, reminder intervals and escalation policies. Configuration changes must be controlled and understandable.

Who benefits and why
Allows policy evolution without rebuilding unrelated features, while reducing the risk of unauthorized rule changes.

P0 — Submission prototype

Display illustrative route/policy information; editing may be simulated or omitted if it threatens core demo completeness.

P1 — Functional MVP

Support persisted configuration, validation and a controlled publication process appropriate to the MVP.

P2 — Production platform

Support versioning, effective dates, approvals where required, rollback and traceable changes.

Acceptance criteria

- Invalid configuration is rejected or clearly flagged.
- Only authorized users can publish changes.
- Changes do not silently erase historical context.
- Actual production rules are validated against authoritative sources.

FEAT-23 — Authorized external integrations

Requirement status: [M] Integration with existing authorized systems where feasible.

What this feature does
The production platform should exchange approved data with existing systems where interfaces, permissions and business justification exist. Core workflow behavior should not depend on a speculative integration being available.

Who benefits and why
Avoids duplicate data entry and supports an eventual connected operational environment.

P0 — Submission prototype

No live integration is required for P0; demonstrate internal flows using synthetic records.

P1 — Functional MVP

Define stable internal data contracts so later integrations can be added without redesigning core workflows.

P2 — Production platform

Implement approved integrations with documented data contracts, authorization, reconciliation, monitoring and failure handling.

Acceptance criteria

- No unofficial or unauthorized connection is assumed.
- Integration failure is visible and does not silently corrupt records.
- Imported data can be reconciled with its source.
- Core demo workflows work without external access.

7. End-to-End User Journeys

7.1 Application clarification and resubmission

- 1. An application appears in the appropriate configured workflow and authorized queue.
- 2. An authorized officer reviews the application and identifies a deficiency or need for clarification.
- 3. The officer returns it with a required reason.
- 4. The institution receives a visible clarification request and responds through the permitted process.
- 5. The system records the response and validates the next eligible state.
- 6. The application returns to the authorized queue; previous events remain visible.
- 7. Subsequent progression occurs only when configured prerequisites and human actions are satisfied.

P0: simulate the complete journey on a coherent synthetic application. P1: persist each event and enforce permissions. P2: use validated routes, policy and approved integrations.

7.2 EVC coordination

- An eligible application enters the EVC queue.
- An authorized user schedules or updates the activity.
- Relevant stakeholders see the schedule and pending actions.
- Configured reminders are generated as the visit or follow-up deadline approaches.
- Authorized users record completion or permitted follow-up outcomes.
- The application history reflects the recorded events and the next eligible action is exposed.

7.3 Undertaking evidence and verification

- An obligation is linked to an institution and given a validated due date.
- The system displays its status and monitors the deadline.
- The institution submits evidence against that exact obligation.
- The evidence enters a review state and is visible to the authorized reviewer.
- The reviewer verifies it or requests clarification with a recorded reason.
- The system preserves the submission and review history; upload alone does not equal compliance.

7.4 Document renewal

- A document record has a validity date and applicable warning policy.
- The system identifies approaching expiry or expiry.
- Relevant users receive a reminder and can open the document record.
- Renewal evidence is submitted through an authorized process.
- An authorized reviewer records verification.
- The current validity view updates according to the approved rules while history remains traceable.

7.5 Supervisor reviews a bottleneck

- The supervisor filters authorized records by stage, region, institution, owner or ageing.
- The dashboard identifies the records behind a summary.
- The supervisor reviews overdue items and assignment information.

- The supervisor takes only permitted actions, such as escalation or reassignment if authorized.
- The resulting action is recorded and reflected in the operational view.

8. Product Lifecycle and Status Model

The product should not compress every aspect of an application into a single ambiguous status. Separate the workflow stage, operational status, assignment, deadline state, decision outcome, compliance state and document validity.

Dimension	Example values	Important distinction
Workflow stage	Submission, Scrutiny, EVC, SAC/SHC or other configured stage	The current step in a configured route; not a universal fixed sequence.
Operational status	Draft, Submitted, In progress, Awaiting institution, Awaiting internal action, Scheduled, Under review, Completed, Closed	What is currently happening to the record.
Assignment	Unassigned, assigned to user/team, reassigned	Who owns the next action; assignment does not confer statutory authority.
Deadline state	No deadline, Upcoming, Due soon, Due today, Overdue, Resolved	Calculated from a stored deadline and applicable policy.
Decision outcome	Recorded outcome permitted by the process	Must be recorded by the competent authorized human; not inferred from workflow completion.
Compliance state	Pending, Evidence submitted, Awaiting review, Clarification required, Verified/closed where permitted	Submission and verification are separate states.
Document state	Valid, Approaching expiry, Expired, Renewal submitted, Awaiting verification	Calculated from dates and review status; unknown dates must not imply validity.

8.1 Transition requirements

Every production transition should have a defined source state, target state, required permission, prerequisite conditions, required fields/reasons, whether it is manual or automatic, notification effects and audit requirements. Exceptional transitions must be explicit and traceable.

8.2 Date handling

Due dates, expiry dates and timestamps must be displayed consistently using an agreed time-zone policy. The product must distinguish a missing due date from a valid future deadline and must not mark a record overdue without a valid date and applicable rule.

9. Dashboard and Reporting Expectations

9.1 Dashboard information

- Application totals and status/stage distribution.
- Pending and overdue work requiring attention.
- EVC queue, upcoming visits and unresolved follow-up.
- Compliance obligations approaching deadline or awaiting review.
- Documents approaching expiry or already expired.
- Recent activity and relevant notifications.
- Filters appropriate to the user's permissions and organizational scope.

9.2 Dashboard behavior

- Metrics should link to the records that contribute to them where the user is authorized.
- Counts must reconcile with the underlying dataset and current filters.
- Empty, unavailable and zero-result states must be distinguishable.
- Ageing calculations must have a documented meaning.
- Reports should state their scope, filters and reporting period.
- Exports, if available, must respect screen-level permissions.

9.3 Prototype presentation

For P0, a small coherent dataset is preferable to many contradictory sample records. Use enough records to demonstrate different statuses and deadlines, but ensure all dashboard counts, queues, timelines, alerts and document states agree with those records.

10. Notifications, Deadlines and Escalation

10.1 Required notification events

- Application returned for clarification or updated after resubmission.
- Application or task assigned or reassigned where configured.
- Eligible workflow stage completed or next action becomes available.
- EVC scheduled, changed, approaching deadline or overdue.
- Compliance obligation approaching deadline, overdue, evidence submitted or review outcome recorded.
- Document approaching expiry, expired, renewal submitted or verification completed.
- Escalation triggered or notification delivery failed, where applicable.

10.2 Policy-driven timing

The problem statement calls for configurable reminders and escalation but does not provide every interval or recipient. These must be configurable and validated. No example interval in this PRD should be treated as an official deadline.

10.3 Production behavior

- Deadline processing runs independently of a user's browser session.
- Recipients are resolved using role, assignment and approved policy.
- Notification creation and delivery attempt are recorded separately where applicable.
- Duplicate reminders are controlled by a defined policy.
- Delivery failures are observable and may be retried under an approved policy.
- An alert failure does not change the underlying application or compliance state.
- Escalation is a recorded administrative event, not an automatic statutory decision.

11. Security, Permissions and Human Oversight

11.1 Core safeguards

- Protected actions are authorized on the server in production.
- Users can access only records and documents within their approved scope.

- Document storage and access use an approved secure mechanism.
- Credentials and secrets are not exposed in the interface or source repository.
- Critical actions record actor/system identity, timestamp, target record and outcome.
- Ordinary users cannot edit or erase audit history through normal application functions.
- Retention, archival and deletion behavior follows approved policy.
- Any future AI assistance is clearly identified and cannot finalize statutory decisions.

11.2 Explicit human decision boundary

The platform may automate routing, prerequisite checks, deadline calculation, reminders, queue updates and reporting. It must not autonomously approve or reject an application, replace an inspection, or conclude that evidence satisfies a statutory obligation without the required authorized human verification.

11.3 Overrides

If a production process permits an override, it must be limited to authorized users, require a reason where appropriate, record an audit event and respect any non-overridable statutory requirements. The precise override policy is a validation dependency.

12. Non-Functional Requirements

Requirement	Product expectation	Acceptance evidence
NFR-01 Security [M]	Enforce authorization on protected operations and prevent unauthorized record/document access.	Tests demonstrate that unauthorized reads and writes are rejected.
NFR-02 Secure transport and secrets [D]	Use approved secure transport in production and protect credentials and secrets.	Deployment guidance documents secret handling and production transport controls.
NFR-03 Performance [D]	Proposed initial target: 95% of ordinary dashboard/read requests within two seconds under an agreed test workload, excluding large files and external delays.	A repeatable test records workload, environment and response-time distribution; target is confirmed before production.
NFR-04 Bounded retrieval [D]	Large lists use pagination or equivalent bounded retrieval.	The interface does not load the entire production dataset at once.
NFR-05 Background processing [D]	Deadline checks and notifications do not depend on a browser tab being open.	Scheduled jobs record success/failure and can be monitored.
NFR-06 Data integrity [D]	Workflow state, history and related events remain consistent.	Failed transitions do not leave partial or contradictory state.
NFR-07 Error handling [D]	Errors are actionable for users and diagnosable by authorized operators without exposing sensitive information.	Failure states are visible and logs avoid secrets/protected content.
NFR-08 Backup and recovery [D]	Production defines backup frequency, recovery objectives and restore procedures.	Restore procedures are documented and tested before release.
NFR-09 Auditability [M/D]	Critical human and system actions are traceable and audit access is controlled.	Tests verify actor, timestamp, action and target for defined critical events.
NFR-10 Usability [D]	Each role can find relevant work without unnecessary navigation or unrelated privileges.	Representative tasks can be completed in role-specific views.
NFR-11 Accessibility [D]	Follow the accessibility standard selected for the deployment context.	Keyboard use, labels, focus, contrast and status communication are reviewed.
NFR-12 Maintainability [D]	Rules likely to change are configurable and documented.	Policy changes do not require unrelated code changes, subject to governance.
NFR-13 Automated testing [D]	Critical workflow, permission and deadline rules have automated tests.	The agreed validation pipeline runs these tests before release.
NFR-14 Observability [D]	Production exposes application errors, failed jobs and notification failures.	Authorized operators can identify and investigate failures.
NFR-15 Privacy [M/D]	Minimize data collection and enforce least-privilege access.	Data categories have documented purposes and access policies.
NFR-16 AI governance [D]	Any future AI assistance has a documented purpose, limitations and human-review procedure.	No AI component can independently finalize a statutory approval or rejection.

13. Information and Record Requirements

Record type	Purpose and key information
User / role / permission	Identity reference, account state, roles, permissions and organizational scope.
Institution	Stable identifier, name and approved institutional metadata.
Application	Stable reference, institution link, assigned workflow, stage, status, dates and current owner.
Workflow definition	Route, stages, prerequisites, permitted transitions, version and effective period where applicable.
Workflow event	Event type, actor/system identity, timestamp, target record, outcome and reason where required.
Assignment	Assigned user/team, assignment time and reassignment history.
EVC activity	Application, schedule, team/coordinator, status and relevant completion/follow-up events.
Compliance obligation	Institution/application link, description, due date, responsible reviewer and status.
Evidence record	Obligation link, file reference, submitter, submission time, review status, reviewer and outcome.
Document record	Institution/record link, type, validity dates, secure file reference, renewal and verification status.
Notification	Recipient, trigger, creation time, read state and delivery outcome where supported.
Escalation event	Trigger, policy, recipient, time and processing status.
Audit event	Actor, action, target, timestamp and relevant metadata.
Configuration version	Policy or workflow version, author, effective period and publication status.

13.1 Information quality rules

- Stable identifiers are required for core records.
- Relationships among applications, institutions, obligations, evidence and documents must be explicit.
- Submitted evidence and verified evidence are distinct states.
- Human actions and automated actions are distinguishable.
- Historical events are not silently overwritten by current-state changes.
- Dates and time zones follow a consistent policy.
- Retention and archival follow an approved policy.
- Only necessary personal and institutional data is collected.

14. Prototype Demonstration Requirements

14.1 Recommended demonstration path

- 1. Open the officer dashboard and show pending applications and overdue work.
- 2. Open an application and explain its current stage, owner, next action and history.
- 3. Return the application for clarification with a reason.
- 4. Switch to the institution representative demo view and show the clarification request.
- 5. Simulate resubmission and return to the officer view to show the changed state.

- 6. Open the EVC queue and change a schedule or status.
- 7. Open a compliance obligation, submit demonstration evidence and show it awaiting review.
- 8. Open the document register and follow an expiry alert to the relevant record.
- 9. Finish with the activity history and explain how P1 turns simulated behavior into persisted, permission-controlled operations.

14.2 Demo honesty rules

- Use synthetic institutions, applications, officers, obligations and documents.
- Label role switching as a demo-only convenience.
- Label simulated notifications as simulated.
- Do not present invented data as official AICTE records.
- Do not claim a real integration or official decision has occurred when it has not.
- Ensure that the visible metrics and records agree.
- Prioritize complete journeys over numerous unfinished screens.

14.3 Visual quality expectations

- Use a consistent layout, typography, spacing and component style.
- Use clear status labels and avoid color as the only way to communicate meaning.
- Provide helpful empty, success, error and confirmation states for key interactions.
- Make the next action visible on detail screens.
- Ensure the demo starts reliably and can be repeated without manual database repair.

15. Acceptance Criteria and Release Gates

15.1 P0 prototype gate

- Role-specific demo views are navigable and internally consistent.
- Application register opens a useful detail page.
- Return/resubmission journey can be completed in the demo.
- EVC scheduling/status interaction updates the displayed state.
- Compliance evidence flow shows submitted and review states separately.
- Document expiry is visible and linked to an alert.
- Audit/activity history is visible.
- Dashboard metrics reconcile with the synthetic dataset or are clearly labeled illustrative.
- All key controls work or are clearly disabled.
- Simulations and absent integrations are disclosed.

15.2 P1 MVP gate

- Authentication and server-enforced role/record-scope authorization work.
- Core records persist across sessions.
- Workflow transitions validate configured prerequisites.
- Returns and resubmissions preserve reasons and history.

- EVC, compliance evidence and document updates persist.
- Deadline processing generates eligible notification records.
- Critical actions produce audit events.
- Critical workflow, permission and deadline rules pass automated tests.
- Errors do not corrupt workflow state.
- API behavior and implemented contracts are documented.

15.3 P2 production gate

- Applicable routes, permissions, timelines and evidence requirements are validated by authorized stakeholders.
- Identity and external integrations are approved and tested where applicable.
- Security/privacy review is complete.
- Performance and reliability targets are tested.
- Backup, recovery, monitoring and incident procedures are established.
- Notification and escalation failures are observable.
- Data migration/reconciliation is documented where relevant.
- User training, support and operational acceptance are complete.

16. Assumptions, Dependencies and Open Questions

16.1 Assumptions

- A-01: The supplied problem statement is the authoritative product starting point.
- A-02: The immediate submission uses synthetic data and simulated interactions.
- A-03: The product will use authenticated identities and server-side permissions in production.
- A-04: Where a regulatory deadline or route is not specified, it will be validated or configurable rather than invented.
- A-05: Authorized humans retain statutory decision authority.
- A-06: The prototype is a subset of the production vision, not a claim that production readiness has been achieved.
- A-07: The four-person team should prioritize coherent end-to-end demonstration journeys.

16.2 Dependencies

- Applicable APH and regulatory workflow definitions.
- Confirmation of stakeholder roles and authority boundaries.
- Validated timelines, return reasons, document requirements and escalation rules.
- Approved institutional/application data access.
- Approved identity/authentication mechanism.
- Secure document storage and retention requirements.
- Notification provider access if external delivery is required.
- Integration documentation and authorized access to existing systems, where feasible.
- Production hosting, monitoring, backup and operational support.

16.3 Open questions before production

- Which application categories and approval routes are in the initial operational scope?

- Which APH version and regulatory instruments govern each route?
- Which transitions may occur automatically and which require explicit human action?
- Which roles may return applications, schedule EVC activities, verify evidence or record decisions?
- Which timelines and escalation intervals are officially prescribed?
- Which evidence and document types apply to each category?
- Which identity, application, document and notification systems can be integrated?
- What retention, archival, audit-access and privacy requirements apply?
- What availability, performance and recovery targets are required?
- Who approves workflow/policy changes and how are changes made effective?

These questions should not block a synthetic-data prototype. They must be resolved before production policy configuration or use with real regulated records.

17. Risks and Mitigations

Risk	Potential impact	Mitigation
Scope overload before submission	Disconnected or incomplete demo.	Keep P0 to the core connected journeys; defer advanced features.
Frontend/backend contract mismatch	Integration delay and rework.	Agree shared field names, statuses and API response shapes before parallel coding.
Inconsistent AI-generated code assumptions	Broken flows and conflicting business rules.	Use one shared product vocabulary, seed dataset and acceptance checklist.
Contradictory demo records	Loss of evaluator confidence.	Validate dashboard counts, dates, timelines, queues and alerts against one coherent dataset.
Simulations mistaken for live integration	Misleading claims.	Clearly label simulated interactions and document limitations.
Hardcoded unvalidated regulatory rules	Compliance risk and costly rework.	Use validated configuration and stakeholder review.
Automation bypasses human authority	Invalid or unauthorized outcomes.	Enforce prerequisites and permissions; keep statutory decisions human-controlled.
Evidence upload treated as compliance	False compliance status.	Separate submission, review and verification states.
Deadline rules assumed rather than validated	Incorrect reminders/escalations.	Make timing configurable and validate the policy source.
Production security is postponed indefinitely	Sensitive data exposure.	Make security and operational acceptance explicit P2 release gates.

18. Team Execution Guidance

The team has two frontend and two backend contributors using AI-assisted coding. Parallel work is appropriate only after agreeing on shared data vocabulary and interaction contracts.

Owner	Primary responsibility	P0 focus
Frontend 1	Application shell, navigation, dashboard and application register	Role-aware shell, metrics, filters, list/detail navigation.
Frontend 2	Application detail, workflow interactions, EVC and compliance views	Timeline, return modal, EVC scheduling, evidence and document interactions.

Owner	Primary responsibility	P0 focus
Backend 1	Application data, application endpoints and workflow behavior	Seed records, application data shape, transition/return behavior where feasible.
Backend 2	EVC, compliance, documents and notification contract	Supporting data shapes, deadline/alert demo logic where feasible.

18.1 Shared agreement before coding

- Application identifiers and core fields.
- Stage, status and deadline-state vocabulary.
- Demo roles and their allowed actions.
- API paths and response shapes, even if the first version is mocked.
- One coherent synthetic dataset.
- Which interactions are simulated versus backend-connected.
- Repository structure, integration process and a reliable startup command.

18.2 Recommended build order

- First: shared layout, data types, sample records and API contract.
- Second: dashboard → application register → application detail.
- Third: return → clarification → resubmission journey.
- Fourth: EVC queue and scheduling interaction.
- Fifth: compliance evidence and document expiry interactions.
- Sixth: connect, test, polish and rehearse the demo.
- Defer advanced analytics, external notifications, AI features and production integrations until the core flows are stable.

19. Glossary

Term	Meaning in this PRD
AICTE	All India Council for Technical Education.
APH	Approval Process Handbook; the applicable version and requirements must be validated.
EVC	Expert Visit Committee, as referenced in the supplied problem statement.
SAC/SHC	Review or committee stages referenced by the supplied problem statement; precise responsibilities must be validated.
Workflow stage	A step in a configured application route.
Operational status	The current state of activity, such as awaiting institution or under review.
Undertaking	A time-bound commitment or obligation requiring tracking and, where applicable, evidence.
Evidence	Information or documentation submitted in support of an obligation or requirement.
P0	Submission prototype: polished UI and simulated interactions.
P1	Functional MVP: persisted records, real permissions and working core business rules.
P2	Production platform: validated workflows, integrations, security and operational readiness.
TRD	Technical Requirements Document; describes technical architecture and implementation choices.

Closing Statement

The platform's core value is the combination of configurable workflow coordination, role-specific visibility, EVC and compliance tracking, document-expiry monitoring, alerts and traceable human actions. The prototype should make that value understandable through a small number of complete journeys. The MVP should prove that those journeys work with persisted records and enforced permissions. The production platform should be released only after regulatory rules, security controls, integrations and operational responsibilities have been validated.

End of Product Requirements Document