

# INSTALLATION DIRECTIONS

## RosarioSIS Student Information System

### Version 5.9.1

RosarioSIS is a web based application which relies on other facilities such as a web server, PHP server-side scripting, and a PostgreSQL database server.

For RosarioSIS to work you must first have your web server working, PostgreSQL working, PHP working (including the `pgsql`, `gettext`, `mbstring`, `gd`, `curl`, `xmlrpc` & `xml` extensions). Setting these up varies a lot with operating system so it is well beyond the scope of this brief install document.

RosarioSIS was tested on:

- Windows 10 x86 with Apache 2.4.16, Postgres 9.3.6, and PHP 5.4.45
- Ubuntu 14.04 with Apache 2.4.18, Postgres 9.3.10, and PHP 5.5.9
- Debian Jessie with Apache 2.4.16, Postgres 9.4, and PHP 5.6.13
- Debian Stretch with Apache 2.4.25, Postgres 9.6, and PHP 7.0.14
- Ubuntu 16.04 with Apache 2.4.18, Postgres 9.5, and PHP 7.3.4
- Debian Buster with Apache 2.4.38, Postgres 11.5, and PHP 7.3.8
- Shared hosting with cPanel, nginx, Postgres 8.4, and PHP 5.6.27
- through Mozilla Firefox
- through BrowserStack for cross-browser compatibility (not compatible with Internet Explorer 8 or lower)

Minimum requirements: **PHP 5.4.45 & PostgreSQL 8.4**

Installation directions for:

- [Windows](#)
- [cPanel](#)
- [Docker](#)

## Installing the package

Unzip RosarioSIS to a directory that is accessible to your web browser. Edit the `config.inc.sample.php` file to set the configuration variables and rename it to `config.inc.php`.

- `$DatabaseServer` Host name or IP for the database server.
- `$DatabaseUsername` Username used for authenticating the database.
- `$DatabasePassword` Password used for authenticating the database.
- `$DatabaseName` Database name.
- `$DatabasePort` Port number for accessing the database server.
- `$pg_dumpPath` Full path to the postgres database dump utility, `pg_dump`.
- `$wkhtmltopdfPath` Full path to the PDF generation utility, `wkhtmltopdf`.
- `$DefaultYear` Default school year. Only change after running the *Rollover* program.
- `$RosarioNotifyAddress` Email address for notifications (new administrator).
- `$RosarioLocales` Comma separated list of locale codes. Check the `locale/` folder for available codes.

### Optional variables

- `$RosarioPath` Full path to RosarioSIS installation.
- `$wkhtmltopdfAssetsPath` Path to the `assets/` director for `wkhtmltopdf`. Possibly different than how the web browser finds it. Empty string means no translation.
- `$StudentPicturesPath` Path to student pictures.
- `$UserPicturesPath` Path to user pictures.
- `$PortalNotesFilesPath` Path to portal notes attached files.
- `$AssignmentsFilesPath` Path to student assignments files.
- `$FS_IconsPath` Path to food service icons.

- `$FileUploadsPath` Path to file uploads.
- `$LocalePath` Path to language packs. Restart Apache after changes to this directory.
- `$PNGQuantPath` Path to [PNGQuant](#) (PNG images compression).
- `$RosarioErrorsAddress` Email address for errors (PHP fatal, database, hacking).
- `$Timezone` Default time zone used by date/time functions. [List of Supported Timezones](#).
- `$ETagCache` Set to `false` to deactivate the [ETag cache](#) and disable "private" session cache. See [Sessions and security](#).
- `define( 'ROSARIO_DEBUG', true );` Debug mode activated.

## Database

Now, you're ready to setup the RosarioSIS database. If you have access to the command prompt for your server, follow these instructions.

1. Open a terminal window.
2. Login to PostgreSQL as the postgres user:

```
server$ sudo -u postgres psql
```

3. Create the rosariosis user:

```
postgres=# CREATE USER rosariosis_user WITH PASSWORD 'rosariosis_user_password';
```

4. Create the rosariosis database:

```
postgres=# CREATE DATABASE rosariosis_db WITH ENCODING 'UTF8' OWNER rosariosis_user;
```

5. Logout of PostgreSQL:

```
postgres=# \q
```

Also, the [pg\\_hba.conf](#) file may have to be altered to enable password ( `md5` ) peer authentication:

```
# "local" is for Unix domain socket connections only
local all all md5
```

To install the database, point your browser to: [http://yourdomain.com/INSTALL\\_LOCATION/InstallDatabase.php](http://yourdomain.com/INSTALL_LOCATION/InstallDatabase.php)

That's it!... now, point your browser to: [http://yourdomain.com/INSTALL\\_LOCATION/index.php](http://yourdomain.com/INSTALL_LOCATION/index.php)

and login as 'admin' password 'admin'. With this login, you can create new users, and change and delete the three template users.

## Problems

To help you spot installation problems, point your browser to: [http://yourdomain.com/INSTALL\\_LOCATION/diagnostic.php](http://yourdomain.com/INSTALL_LOCATION/diagnostic.php)

## PHP extensions

Install instructions for Ubuntu 16.04:

```
server$ sudo apt-get install php-pgsql php-gettext php-mbstring php-gd php-curl php-xmlrpc php-xml
```

## php.ini

Recommended PHP configuration settings. Edit the `php.ini` file as follows:

```
max_execution_time = 240
max_input_vars = 4000
memory_limit = 768M
```

Restart PHP and Apache.

## Other languages

Install instructions for Ubuntu 16.04. Install the *Spanish* language:

```
server$ sudo apt-get install language-pack-es
```

Then restart the server.

## wkhtmltopdf

Install instructions for Ubuntu 16.04 (Xenial):

```
server$ wget https://downloads.wkhtmltopdf.org/0.12/0.12.5/wkhtmltox_0.12.5-1.xenial_amd64.deb
server$ sudo dpkg -i wkhtmltox_0.12.5-1.xenial_amd64.deb
```

Set path in the `config.inc.php` file:

```
$wkhtmltopdfPath = '/usr/local/bin/wkhtmltopdf';
```

## Send email

Install instructions for Ubuntu 16.04. Activate the PHP `mail()` function:

```
server$ sudo apt-get install sendmail
```

## Additional configuration

[Quick Setup Guide](#)