Q

Individual subscribe Welcome: John Pearce Tools ▼ Sites ▼ Pathway Tools ▼ Help ▼



Change Current Database Current Database: Arabidopsis thaliana col

You utilized the cost function Pathway Harmony:

This function favors pathways where either the 'input' substrates are metabolites that show an increase in abundance, and the 'output' substrates are metabolites that show a decrease, or vice versa.

Search in Current Database: Enter a gene, protein, metabolite or pathway.

Compound Name Resolutions Compound Pathway Coverage

Optimum Value of the Minimized Objective Function: 108

43 compound match results form the input to the covering algorithm.
43 of the recognized compounds are substrates in 496 PGDB reactions.
42 of the recognized compounds are substrates in 287 PGDB pathways; a pathway covering set of 18 pathways covers those 42 compounds:

Colored nodes are compounds in the covered set; Colored edges are reactions with side compounds in the covered set; BLUE - no indicated change in quantity; GREEN - an increase in quantity; RED - a decrease in quantity.

Pathway	Objective Function Value	Covered Compounds	
chlorogenic acid biosynthesis II	10		shikimate
glycerol degradation I	10	0-•-•	glycerol
glyoxylate cycle	6		(S)-malate citrate cis-aconitate succinate
L-alanine degradation II (to D-lactate)	4		L-glutamate 2-oxoglutarate (R)-lactate pyruvate L-alanine
L-ascorbate biosynthesis VII (plants, D-galacturonate pathway)	10	0-0-0-0	L-galactonate
phosphatidylethanolamine biosynthesis III	5	20	L-serine ethanolamine
photorespiration	4		L-serine glycine D-glycerate 2-oxoglutarate L-glutamate
putrescine degradation IV	5	Î	4-aminobutanoate putrescine
sorbitol biosynthesis II	6	7	D-gluconate keto-D-fructose
superpathway of anaerobic sucrose degradation	4		β-D-fructofuranose sucrose (S)-lactate pyruvate

1 of 3 17/07/2023, 15:21

superpathway of aspartate and asparagine biosynthesis	4	ÅÅ (V	L-asparagine L-aspartate
			L-glutamine L-glutamate 2-oxoglutarate
superpathway of branched chain amino acid biosynthesis	5		L-threonine pyruvate 2-oxoglutarate L-isoleucine L-glutamate L-valine L-leucine
superpathway of L-citrulline metabolism	6		fumarate L-aspartate L-proline L-glutamate 2-oxoglutarate L-glutamine
superpathway of L-lysine, L-threonine and L-methionine biosynthesis II	4		L-lysine 2-oxoglutarate L-glutamate pyruvate L-aspartate L-cysteine L-threonine
superpathway of phenylalanine, tyrosine and tryptophan biosynthesis	6		L-phenylalanine L-tyrosine 2-oxoglutarate L-glutamate L-serine L-tryptophan L-glutamine pyruvate
superpathway of tetrahydrofolate biosynthesis	4		pyruvate L-glutamine L-glutamate formate
trehalose degradation II (cytosolic)	5		α,α-trehalose β-D-glucopyranose α-D-glucopyranose
urate conversion to allantoin I	10	1-0-0-0	urate

Report Errors or Provide Feedback
Page generated by Pathway Tools version 27.0 (software by SRI International) on Mon Jul 17, 2023, BIOCYC17.
Arabidopsis thaliana col version 17.1.

General Information	Data and Services	Credits	Follow Us
Intro to BioCyc	Software/Data Downloads	How to Cite	Pathway Tools Blog
Subscriptions	Web Services & APIs	Advisory Board	Mailing List

2 of 3 17/07/2023, 15:21 20,039 Databases

Linking to BioCyc

Contributors BioCyc Credits BioCyc Funding Sources

Testimonials

Metabolic and Genome Posters

Publications Update History Request New BioCyc Genome

Troubleshooting Contact Us

BioCyc Tutorials Registry **Guided Tour**

About Us

©2022 SRI International, 333 Ravenswood Avenue, Menio Park, CA 94025-3493 SRI International is an independent, nonprofit corporation. Privacy policy Disclaimer

SRI International

17/07/2023, 15:21 3 of 3