

Machine Learning Approaches to the Blockchain

some hyped-up tagline

Jean-Paul Ebejer

Supervised by Prof. Dumbledore

Co-supervised by Dr Who

Department of Alchemy

Faculty of Something

University of Malta

June, 2025

A dissertation submitted in partial fulfilment of the requirements for the degree of M.Sc. in Your Degree.



Copyright ©2025 University of Malta

WWW.UM.EDU.MT

First edition, Tuesday 24th June, 2025

To The Avengers

You know, for saving the world.

Acknowledgements

Abstract

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift - not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift - not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift - not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Contents

Li	st of	Abbreviations	X
1	Intr	oduction	1
	1.1	Motivation	1
	1.2	Aims and Objectives	1
	1.3	Our Approach	2
	1.4	Contributions	2
	1.5	Document Structure	2
2	Bacl	kground & Literature Overview	3
	2.1	Some Technique One	3
		2.1.1 Some Sub-technique One	3
	2.2	Some Technique Two	4
	2.3	Evaluation Criteria	5
	2.4	Related Work	5
	2.5	Summary	5
3	Mat	erials & Methods	6
	3.1	Subsections and Subsubsections	6
		3.1.1 A Subsection	6
	3.2	Footnotes	7
	3.3	Equations	7
	3.4	Numbered Lists	7
	3.5	Bulleted Lists	8
	3.6	Figures	8
	3.7	Two Side-by-Side Figures	9
	3.8	Acronyms	10
	3.9	Tables	10

Contents

	3.10 Long Tables	11
	3.11 Landscape Tables	14
	3.12 Theorems	16
	3.13 Lemmas	16
	3.14 Proofs	17
	3.15 Code Listings	17
	3.16 Algorithms	18
	3.17 Suppressing Page Numbers on a Float Page	19
	3.18 Referencing	21
	3.19 Summary	21
4	December 9 Discussion	22
4	Results & Discussion	22
	4.1 Summary	22
5	Evaluation	23
	5.1 Summary	23
6	Conclusions	24
	6.1 Revisiting the Aims and Objectives	24
	6.2 Critique and Limitations	24
	6.3 Future Work	25
	6.4 Final Remarks	25
Aj	ppendix A Media Content	26
Aj	ppendix B Installation Instructions	27
Aj	ppendix C User Manual	28
Re	eferences	29

List of Figures

3.1	This is the short caption for List of Figures	9
3.2	Short Caption	10
3.3	Short Random Caption	20

List of Tables

3.1	A Beautiful and Complex Table (for tables captions above)	11
3.2	Performance of Ligity in HTS mode against the Ligity-compatible DUD-E	
	targets	11
3.3	A landscape table	15

List of Abbreviations

CDMA Code Division Multiple Access	10
GSM Global System for Mobile communication	10
TDMA Time Division Multiple Access	10
UA Used Acronym	10

Introduction

Note that you may have multiple \include statements here, e.g. one for each subsection.

General structure of this chapter should read as follows. This chapter should be used to motivate your study and answer the question "Why is this important?". Also, it should define what you set out to achieve (these will be revisited in the conclusions chapter). You should describe your approach to the Aims and Objectives, including an evaluation part.

1.1 | Motivation

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

1.2 | Aims and Objectives

language. There is no need for special content, but the length of words should match the language.

1.3 | Our Approach

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

1.4 | Contributions

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

1.5 | Document Structure

Background & Literature Overview

In this section you need to explain all the theory required to understand your dissertation (i.e. the following chapters). But really in this chapter I am going to show you some examples.

2.1 | Some Technique One

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

2.1.1 | Some Sub-technique One

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you

information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

2.1.1.1 | Some Sub-sub-technique One

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language. Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

2.2 | Some Technique Two with Super Long Title Which Will Overrun In Header

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

Imagine some colourful description on Some Technique Three.

2.3 | Evaluation Criteria

This section should contain information on the metrics and background used to evaluate your work.

2.4 | Related Work

In this section you need to explain (and reference) similar work in literature. Make sure to:

- Give a systematic overview of papers with related/similar work
- Highlight similarities/differences to your work (perhaps in the form of a table)

Note that this section may be sectioned based on the different aspects of your dissertation.

2.5 | Summary

Materials & Methods

This section should include a recipe of what you did (explain what you have done so if someone wants to reproduce the experiment, they can). A flow chart is typically helpful. Also, make sure to define all software that you used including version numbers and OS. Should also include a description of statistical methods used (if any).¹

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.1 | Subsections and Subsubsections

This is a section.

3.1.1 | A Subsection

This is a subsection.

3.1.1.1 | A Subsubsection

This is a subsubsection.

 $^{^1}$ For more information see: http://rc.rcjournal.com/content/49/10/1229.short. Last Accessed: 27^{th} November, 2024.

3.2 | Footnotes

Some text with a footnote, if an online link remember to add Last Accessed.²

3.3 | Equations

The following is the most beautiful equation in maths, Euler's Identity (Equation 3.1).

$$e^{i\pi} + 1 = 0 (3.1)$$

where:

e =the constant

i = of complex fame

 $\pi = \text{not of the apple variety}$

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.4 | Numbered Lists

This is an example of a numbered list:

- 1. This is my first point
- 2. My second
- 3. My third!
- 4. And my fourth?

²Some footnote text.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.5 | Bulleted Lists

This is an example of a bulleted list:

- This is my first point
- My second
- My third!
- And my fourth?

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.6 | Figures

A test figure is shown in Figure 3.1.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This



Figure 3.1: A test figure. This caption is huge, but in the list of figures only the smaller version in the square brackets will appear.

text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.7 | Two Side-by-Side Figures

Two figures shown side-by-side are shown in Figure 3.2.




Figure 3.2: The same super saiyan. Two times.

3.8 | Acronyms

In the early nineties, GSM was deployed in many European countries. Global System for Mobile communication (GSM) offered for the first time international roaming for mobile subscribers. The GSM's use of Time Division Multiple Access (TDMA) as its communication standard was debated at length. And every now and then there are big discussion whether Code Division Multiple Access (CDMA) should have been chosen over TDMA.

If you want to know more about Global System for Mobile communication (GSM), Time Division Multiple Access (TDMA), Code Division Multiple Access (CDMA) and other acronyms, just read a book about mobile communication. Just to mention it: There is another Used Acronym (UA), for testing.

3.9 | Tables

A beautiful table is shown in Table 3.1, data from Ebejer et al. (2012).

w = 8w = 16t = 0t = 2t = 0t = 1t = 1t = 2dir = 1С 0.0790 0.1692 0.2945 0.3670 0.7187 3.1815 -0.865150.0476 5.9384 -9.0714 297.0923 46.2143 С 124.2756 -50.9612 -630.5455 -14.2721 128.2265 -381.0930 dir = 00.0357 1.2473 0.3593 0.2119 -0.2755 2.1764 С С -17.9048 -37.1111 8.8591 -30.7381 -9.5952 -3.0000 105.5518 232.1160 -94.7351 100.2497 141.2778 -259.7326

Table 3.1: A Beautiful and Complex Table (for tables captions above)

3.10 | Long Tables

The following is an example of a table (Table 3.2) spanning multiple pages.

Table 3.2: Performance of Ligity in HTS mode against the Ligity-compatible DUD-E targets. The mean (and standard deviation in parentheses) values of ROC AUC using Tanimoto is 0.622 (± 0.132), while for Tversky it is 0.671 (± 0.142); the mean EF_{1%} using Tanimoto is 5.648 (± 8.668), while for EF_{1%} using Tversky it is 9.047 (± 12.713).

Target	No.	No.	ROC	ROC	BEDRO	CBEDRO	C EF _{1%}	EF _{1%}
	of	of	AUC	AUC	Tani-	Tver-	Tani-	Tversky
	Ac-	De-	Tani-	Tver-	moto	sky	moto	
	tives	coys	moto	sky				
ABL1	182	10,750	0.563	0.473	0.077	0.077	1.653	2.204
ACE	281	16,877	0.787	0.787	0.336	0.401	12.425	19.525
ACES	453	26,242	0.634	0.645	0.077	0.155	1.766	5.518
ADA	93	5,450	0.724	0.660	0.149	0.147	3.251	3.251
ADA17	532	35,898	0.638	0.728	0.103	0.283	1.317	9.030
ADRB1	247	15,850	0.523	0.647	0.065	0.129	1.619	5.262
ADRB2	231	14,999	0.523	0.589	0.052	0.040	1.735	0.000
AKT1	293	16,450	0.386	0.548	0.039	0.107	2.737	3.080
AKT2	117	6,900	0.511	0.685	0.140	0.194	8.568	8.568
ALDR	159	8,988	0.574	0.610	0.202	0.172	10.747	6.322
AMPC	48	2,845	0.521	0.541	0.049	0.023	0.000	0.000
ANDR	269	14,349	0.722	0.742	0.194	0.354	4.839	24.938

(continued...)

Target	No.	No.	ROC	ROC	BEDRO	CBEDRO	C EF _{1%}	EF _{1%}
· ·	of	of	AUC	AUC	Tani-	Tver-	Tani-	Tver-
	Ac-	De-	Tani-	Tver-	moto	sky	moto	sky
	tives	coys	moto	sky		•		•
AOFB	121	6,875	0.422	0.464	0.045	0.027	1.652	0.000
BACE1	283	18,100	0.441	0.775	0.017	0.310	0.000	13.062
BRAF	152	9,950	0.612	0.639	0.208	0.165	12.502	5.264
CASP3 CDK2	199 474	10,694	0.600 0.467	0.734	0.068	0.258	0.502	7.031 1.055
COMT	474	27,838 3,846	0.467	0.507 0.889	0.021 0.338	$0.048 \\ 0.665$	0.000 19.447	58.341
CP2C9	120	7,449	0.739	0.634	0.058	0.003	1.660	8.299
CP3A4	170	11,787	0.450	0.493	0.022	0.150	0.000	2.345
CSF1R	166	12,149	0.526	0.542	0.136	0.152	6.031	7.238
CXCR4	40	3,405	0.575	0.722	0.217	0.134	12.665	0.000
DEF	102	5,699	0.732	0.833	0.212	0.379	10.786	15.689
DHI1	330	19,348	0.481	0.595	0.089	0.062	2.422	1.211
DPP4	533	40,941	0.586	0.591	0.154	0.157	4.312	3.937
DRD3	480	34,048	0.484	0.441	0.043	0.046	1.251	0.626
DYR	231	17,196	0.694	0.758	0.210	0.230	6.504	7.371
EGFR	542	35,047	0.593	0.491	0.054	0.037	0.922	0.000
ESR1	383	20,683	0.838	0.861	0.527	0.594	31.281	39.101
ESR2	367	20,199	0.844	0.870	0.563	0.644	20.130	32.644
FA10	537 114	28,324	0.564	0.674	0.058	0.118	0.930	2.232
FA7 FABP4	47	6,249 2,749	0.762 0.786	0.859 0.744	0.210 0.191	0.332 0.276	6.105 0.000	8.721 10.623
FAK1	100	5,350	0.780	0.531	0.191	0.276	2.019	0.000
FGFR1	139	8,698	0.511	0.522	0.111	0.003	0.722	1.445
FKB1A	111	5,799	0.605	0.751	0.162	0.164	8.122	3.610
FNTA	592	51,493	0.411	0.625	0.012	0.132	0.000	4.053
FPPS	85	8,842	0.917	0.985	0.323	0.776	2.360	36.581
GCR	258	14,998	0.805	0.834	0.244	0.324	3.092	8.116
GLCM	54	3 <i>,</i> 790	0.667	0.685	0.182	0.279	1.873	11.240
GRIA2	158	11,842	0.662	0.684	0.248	0.154	11.392	5.696
GRIK1	101	6,547	0.656	0.668	0.203	0.102	7.978	1.995
HDAC2	185	10,300	0.676	0.734	0.187	0.201	4.318	4.318
HDAC8	170	10,449	0.640	0.819	0.120	0.377	2.946	8.250
HIVINT HIVPR	100 535	6,640 35,724	0.390	0.554 0.872	0.030 0.072	0.116 0.490	$0.000 \\ 0.187$	3.018 23.898
HIVRT	338	18,884	$0.663 \\ 0.495$	0.872	0.072 0.124	0.490	4.443	1.777
HMDH	170	8,750	0.493 0.480	0.473	0.124 0.068	0.652	2.358	35.963
HS90A	88	4,850	0.435	0.506	0.006	0.032	0.000	3.436
HXK4	92	4,700	0.662	0.803	0.206	0.307	15.192	9.766
IGF1R	148	9,300	0.502	0.575	0.057	0.189	2.037	14.941
INHA	43	2,300	0.493	0.575	0.031	0.045	0.000	0.000
ITAL	138	8,500	0.619	0.465	0.037	0.065	0.000	0.728
JAK2	107	6,500	0.472	0.475	0.073	0.118	2.807	6.549
KIF11	116	6,850	0.755	0.781	0.149	0.219	4.289	2.574
KIT	166	10,449	0.463	0.437	0.045	0.030	0.000	0.000
KITH	57	2,850	0.649	0.838	0.228	0.709	14.069	47.483
KPCB	135	8,699	0.753	0.813	0.220	0.338	8.923	12.641
LCK	419	27,391	0.471	0.437	0.031	0.043	0.000	1.910
LKHA4	171	9,448	0.718	0.694	0.238	0.150	8.203	1.758

(continued...)

Target	No.	No.	ROC	ROC	BEDRO	CBEDRO	\mathbb{C} EF _{1%}	$EF_{1\%}$
	of	of	AUC	AUC	Tani-	Tver-	Tani-	Tver-
	Ac-	De-	Tani-	Tver-	moto	sky	moto	sky
	tives	coys	moto	sky		•		-
MAPK2	101	6,148	0.660	0.670	0.174	0.199	5.988	3.992
MCR	94	5,149	0.816	0.888	0.215	0.454	6.436	19.307
MET	166	11,249	0.566	0.531	0.130	0.065	6.032	0.603
MK01	79	4,550	0.518	0.602	0.121	0.206	5.095	3.821
MK10	104	6,600	0.488	0.489	0.020	0.031	0.962	0.962
MK14	578	35,847	0.511	0.589	0.040	0.064	0.173	0.519
MMP13	572	37,199	0.648	0.753	0.134	0.268	2.446	9.957
MP2K1	121	8,146	0.669	0.569	0.187	0.058	3.293	0.823
NOS1	98	8,028	0.483	0.451	0.109	0.041	3.071	0.000
NRAM	98	6,200	0.853	0.859	0.342	0.290	11.221	3.060
PA2GA	99	5,150	0.793	0.756	0.225	0.153	1.020	3.059
PARP1	508	30,029	0.635	0.692	0.215	0.231	11.234	7.884
PGH1	195	10,798	0.645	0.637	0.077	0.100	0.000	2.050
PGH2	435	23,139	0.716	0.780	0.166	0.291	3.444	9.874
PLK1	107	6,800	0.658	0.531	0.123	0.048	1.871	0.000
PNPH	103	6,946	0.575	0.578	0.161	0.181	4.888	8.799
PPARA	373	19,399	0.783	0.778	0.262	0.280	6.693	7.764
PPARD	240	12,250	0.547	0.544	0.078	0.098	1.665	2.498
PPARG PRGR	484 293	25,299 15,648	$0.515 \\ 0.740$	0.605 0.793	$0.055 \\ 0.142$	$0.118 \\ 0.318$	0.619 2.053	4.955 14.714
PTN1	130	7,249	0.740	0.793	0.142 0.055	0.090	0.000	3.068
PUR2	50	2,700	0.398	0.336	0.033	0.090	7.857	1.964
PYGM	77	3,944	0.403	0.837	0.231	0.233	0.000	3.917
PYRD	111	6,449	0.403	0.492 0.710	0.462	0.137	34.027	16.118
RENI	104	6,956	0.720	0.710	0.402	0.413	0.000	0.000
ROCK1	100	6,300	0.720	0.449	0.020	0.130	1.000	4.000
RXRA	131	6,950	0.788	0.900	0.219	0.596	6.091	27.407
SAHH	63	3,450	0.874	0.852	0.598	0.542	35.050	27.084
SRC	524	34,500	0.565	0.477	0.065	0.050	0.382	0.573
TGFR1	133	8,499	0.609	0.639	0.147	0.154	10.565	4.528
THB	103	7,450	0.794	0.762	0.238	0.150	10.614	0.965
THRB	461	27,000	0.605	0.706	0.063	0.166	2.166	5.632
TRY1	449	25,975	0.711	0.815	0.147	0.280	2.898	6.688
TRYB1	148	7,650	0.670	0.670	0.153	0.132	3.378	3.378
TYSY	109	6,745	0.594	0.725	0.071	0.226	0.911	5.468
UROK	162	9,850	0.525	0.650	0.036	0.120	0.000	1.854
VGFR2	409	24,948	0.632	0.578	0.083	0.093	1.465	1.465
WEE1	102	6,150	0.934	0.929	0.789	0.797	59.348	61.294
XIAP	100	5,150	0.752	0.974	0.190	0.897	8.077	51.490

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information

about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.11 | Landscape Tables

Next is an example of a wide table on a landscape oriented paper (Table 3.3).

Table 3.3: A table in landscape orientation.

m	х	y	z	а	A_m	В	С	х	y	z	а	A_m	В	С
1	16.128	+8.872	16.128	1.402	1.373	-146.6	-137.6	16.128	+8.872	16.128	1.402	1.373	-146.6	-137.6
2	3.442	-2.509	3.442	0.299	0.343	133.2	152.4	3.442	-2.509	3.442	0.299	0.343	133.2	152.4
3	1.826	-0.363	1.826	0.159	0.119	168.5	-161.1	1.826	-0.363	1.826	0.159	0.119	168.5	-161.1
4	0.993	-0.429	0.993	0.086	0.08	25.6	90	1.826	-0.363	1.826	0.159	0.119	168.5	-161.1
5	1.29	+0.099	1.29	0.112	0.097	-175.6	-114.7	1.826	-0.363	1.826	0.159	0.119	168.5	-161.1
6	0.483	-0.183	0.483	0.042	0.063	22.3	122.5	1.826	-0.363	1.826	0.159	0.119	168.5	-161.1
7	0.766	-0.475	0.766	0.067	0.039	141.6	-122	1.826	-0.363	1.826	0.159	0.119	168.5	-161.1
8	0.624	+0.365	0.624	0.054	0.04	-35.7	90	1.826	-0.363	1.826	0.159	0.119	168.5	-161.1
9	0.641	-0.466	0.641	0.056	0.045	133.3	-106.3	1.826	-0.363	1.826	0.159	0.119	168.5	-161.1
10	0.45	+0.421	0.45	0.039	0.034	-69.4	110.9	1.826	-0.363	1.826	0.159	0.119	168.5	-161.1
11	0.598	-0.597	0.598	0.052	0.025	92.3	-109.3	1.826	-0.363	1.826	0.159	0.119	168.5	-161.1

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.12 | Theorems

Theorem 3.12.1. Let f be a function whose derivative exists in every point, then f is a continuous function.

Theorem 3.12.2 (Pythagorean theorem). This is a theorem about right triangles and can be summarised in the next equation

$$x^2 + y^2 = z^2$$

And a consequence of Theorem 3.12.2 is the statement in the next corollary.

Corollary 3.12.2.1. There's no right rectangle whose sides measure 3 cm, 4 cm, and 6 cm.

You can reference theorems such as 3.12.2 when a label is assigned.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.13 | Lemmas

Lemma 3.13.1. Given two line segments whose lengths are a and b respectively there is a real number r such that b = ra.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really?

Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.14 | **Proofs**

Lemma 3.14.1. Given two line segments whose lengths are a and b respectively there is a real number r such that b = ra.

Proof. To prove it by contradiction try and assume that the statement is false, proceed from there and at some point you will arrive to a contradiction. \Box

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.15 | Code Listings

Here you go.

```
import numpy as np

def incmatrix(genl1,genl2):

m = len(genl1)

n = len(genl2)

M = None #to become the incidence matrix

VT = np.zeros((n*m,1), int) #dummy variable

#compute the bitwise xor matrix

M1 = bitxormatrix(genl1)

M2 = np.triu(bitxormatrix(genl2),1)
```

```
for i in range (m-1):
    for j in range(i+1, m):
    [r,c] = np.where(M2 == M1[i,j])
15
    for k in range(len(r)):
    VT[(i)*n + r[k]] = 1;
    VT[(i)*n + c[k]] = 1;
    VT[(j)*n + r[k]] = 1;
19
20
    VT[(j)*n + c[k]] = 1;
    if M is None:
22
    M = np.copy(VT)
23
24
25
    M = np.concatenate((M, VT), 1)
26
27
    VT = np.zeros((n*m,1), int)
28
29
    return M
```

Listing 3.1: My Listing Caption

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

3.16 | Algorithms

Algorithm 1: An algorithm with caption

```
Data: n > 0
Result: y = x^n
y \leftarrow 1;
X \leftarrow x;
N \leftarrow n;
while N \neq 0 do
    if N is even then
         X \leftarrow X \times X;
         N \leftarrow \frac{N}{2};
                                                                  /* This is a comment */
    else
         if N is odd then
              y \leftarrow y \times X;
              N \leftarrow N - 1;
         end
    end
end
```

3.17 | Suppressing Page Numbers on a Float Page

Kindly refer to Figure 3.3.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.



Figure 3.3: Page numbers are suppressed on this page.

3.18 | Referencing

Use \textcite for in-text citations, e.g. Einstein (1905), and \parencite for citations in parenthesis. And this is what an online reference looks like (LLC, 1999).

In their study, Einstein (1905) show the world is round. Others have shown this to be the case (Arrighi, 2003; Ebejer et al., 2016).

3.19 | **Summary**

Results & Discussion

Should include a reiteration of the experiments, and their outcome. Together with a description (discussion). Preamble should include a reminder of the aims and objectives together with a list of experiments to achieve these. Should include many charts and other visualization with appropriate descriptions.¹

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

4.1 | Summary

¹Another footnote example.

Evaluation

In an ideal world, you should have two kind of evaluations. The first is against some ground truth (perhaps a random model?). The second kind of evaluation is against other people's work (accuracy, speed, etc.). Any dimension which is of interest, should be evaluated. Evaluation should be statistically sound.

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

5.1 | Summary

Conclusions

This section should have a summary of the whole project. The original aims and objective and whether these have been met should be discussed. It should include a section with a critique and a list of limitations of your proposed solutions. Future work should be described, and this should not be marginal or silly (e.g. add machine learning models). It is always good to end on a positive note (i.e. 'Final Remarks').

6.1 | Revisiting the Aims and Objectives

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

6.2 | Critique and Limitations

6.3 | Future Work

Hello, here is some text without a meaning. This text should show what a printed text will look like at this place. If you read this text, you will get no information. Really? Is there no information? Is there a difference between this text and some nonsense like "Huardest gefburn"? Kjift – not at all! A blind text like this gives you information about the selected font, how the letters are written and an impression of the look. This text should contain all letters of the alphabet and it should be written in of the original language. There is no need for special content, but the length of words should match the language.

6.4 | Final Remarks

Media Content

If the dissertation has a DVD or pendrive attached to it, you will need a section which explains what is on the media (structure, files, data, etc.). This could be a table with filename and description.

Installation Instructions

User Manual

References

- Arrighi, P. (2003). Quantum computation explained to my mother. https://arxiv.org/abs/quant-ph/0305045
- Ebejer, J.-P., Charlton, M. H., & Finn, P. W. (2016). Are the physicochemical properties of antibacterial compounds really different from other drugs? *J. Cheminform.*, 8(1), 30.
- Ebejer, J.-P., Morris, G. M., & Deane, C. M. (2012). Freely available conformer generation methods: How good are they? *J. Chem. Inf. Model.*, 52(5), 1146–1158. https://doi.org/10.1021/ci2004658
- Einstein, A. (1905). Zur Elektrodynamik bewegter Körper. (German) [On the electrodynamics of moving bodies]. *Annalen der Physik*, 322(10), 891–921. https://doi.org/http://dx.doi.org/10.1002/andp.19053221004
- LLC, M. (1999). MS Windows NT kernel description. Retrieved September 30, 2024, from http://web.archive.org/web/20080207010024/http://www.808multimedia.com/winnt/kernel.htm