

## Data Mining

### Lab - 2

Enrollment no.:- 22010101478

Name:- Jay Ramani

Batch:- A-3

Roll no.:- 156

Step 1. Import the necessary libraries

```
In [1]: import pandas as pd
```

Step 2. Import the dataset from this [address](https://raw.githubusercontent.com/justmarkham/DAT8/master/data/users.csv).

Step 3. Assign it to a variable called users and use the 'user\_id' as index

```
In [4]: users = pd.read_csv('https://raw.githubusercontent.com/justmarkham/DAT8/master/data/u
```

```
In [5]: users
```

Out[5]:

	age	gender	occupation	zip_code
--	-----	--------	------------	----------

user_id				
1	24	M	technician	85711
2	53	F	other	94043
3	23	M	writer	32067
4	24	M	technician	43537
5	33	F	other	15213
...	...	...	...	...
939	26	F	student	33319
940	32	M	administrator	02215
941	20	M	student	97229
942	48	F	librarian	78209
943	22	M	student	77841

943 rows × 4 columns

## Step 4. See the first 25 entries

In [6]: `users.head(25)`

Out[6]:

	age	gender	occupation	zip_code
--	-----	--------	------------	----------

user_id				
1	24	M	technician	85711
2	53	F	other	94043
3	23	M	writer	32067
4	24	M	technician	43537
5	33	F	other	15213
6	42	M	executive	98101
7	57	M	administrator	91344
8	36	M	administrator	05201
9	29	M	student	01002
10	53	M	lawyer	90703
11	39	F	other	30329
12	28	F	other	06405
13	47	M	educator	29206
14	45	M	scientist	55106
15	49	F	educator	97301
16	21	M	entertainment	10309
17	30	M	programmer	06355
18	35	F	other	37212
19	40	M	librarian	02138
20	42	F	homemaker	95660
21	26	M	writer	30068
22	25	M	writer	40206
23	30	F	artist	48197
24	21	F	artist	94533
25	39	M	engineer	55107

## Step 5. See the last 10 entries

In [7]: `users.tail(10)`

```
Out[7]:
```

	age	gender	occupation	zip_code
user_id				
934	61	M	engineer	22902
935	42	M	doctor	66221
936	24	M	other	32789
937	48	M	educator	98072
938	38	F	technician	55038
939	26	F	student	33319
940	32	M	administrator	02215
941	20	M	student	97229
942	48	F	librarian	78209
943	22	M	student	77841

## Step 6. What is the number of observations in the dataset?

```
In [8]: users.shape[0]
```

```
Out[8]: 943
```

## Step 7. What is the number of columns in the dataset?

```
In [9]: users.shape[1]
```

```
Out[9]: 4
```

## Step 8. Print the name of all the columns.

```
In [10]: users.columns
```

```
Out[10]: Index(['age', 'gender', 'occupation', 'zip_code'], dtype='object')
```

## Step 9. How is the dataset indexed?

```
In [11]: users.index
```

```
Out[11]: Index([ 1,  2,  3,  4,  5,  6,  7,  8,  9, 10,
                ...,
                934, 935, 936, 937, 938, 939, 940, 941, 942, 943],
                dtype='int64', name='user_id', length=943)
```

## Step 10. What is the data type of each column?

```
In [12]: users.dtypes
```

```
Out[12]: age          int64
gender      object
occupation  object
zip_code    object
dtype: object
```

## Step 11. Print only the occupation column

```
In [13]: users['occupation']
```

```
Out[13]: user_id
1      technician
2      other
3      writer
4      technician
5      other
...
939    student
940    administrator
941    student
942    librarian
943    student
Name: occupation, Length: 943, dtype: object
```

## Step 12. How many different occupations are in this dataset?

```
In [16]: users['occupation'].nunique()
```

```
Out[16]: 21
```

```
In [18]: users['occupation'].unique()
```

```
Out[18]: array(['technician', 'other', 'writer', 'executive', 'administrator',
               'student', 'lawyer', 'educator', 'scientist', 'entertainment',
               'programmer', 'librarian', 'homemaker', 'artist', 'engineer',
               'marketing', 'none', 'healthcare', 'retired', 'salesman', 'doctor'],
              dtype=object)
```

## Step 13. What is the most frequent occupation?

```
In [31]: users['occupation'].value_counts().head(1).index[0]
```

```
Out[31]: 'student'
```

## Step 14. Summarize the DataFrame.

```
In [36]: users.describe()
```

Out[36]:

age	
count	943.000000
mean	34.051962
std	12.192740
min	7.000000
25%	25.000000
50%	31.000000
75%	43.000000
max	73.000000

## Step 15. Summarize all the columns

In [38]: `users.describe(include='all')`

Out[38]:

	age	gender	occupation	zip_code
count	943.000000	943	943	943
unique	NaN	2	21	795
top	NaN	M	student	55414
freq	NaN	670	196	9
mean	34.051962	NaN	NaN	NaN
std	12.192740	NaN	NaN	NaN
min	7.000000	NaN	NaN	NaN
25%	25.000000	NaN	NaN	NaN
50%	31.000000	NaN	NaN	NaN
75%	43.000000	NaN	NaN	NaN
max	73.000000	NaN	NaN	NaN

## Step 16. Summarize only the occupation column

In [37]: `users['occupation'].describe()`

Out[37]:

count	943
unique	21
top	student
freq	196

Name: occupation, dtype: object

## Step 17. What is the mean age of users?

In [41]: `int(users['age'].mean())`

Out[41]: 34

## Step 18. What is the age with least occurrence?

```
In [45]: users['age'].value_counts().tail()
```

```
Out[45]: age
7      1
66     1
11     1
10     1
73     1
Name: count, dtype: int64
```

```
In [ ]:
```