


```

encapsulation dot1q 20
ip address 172.23.0.129 255.255.255.224
ip helper-address 172.23.0.168
ip nat inside
!
interface GigabitEthernet0/0/0.30
description VLAN 30 - Reporteros
encapsulation dot1q 30
ip address 172.23.0.65 255.255.255.192
ip helper-address 172.23.0.168
ip nat inside
!
interface GigabitEthernet0/0/0.40
description VLAN 40 - Entrenadores
encapsulation dot1q 40
ip address 172.23.0.1 255.255.255.192
ip helper-address 172.23.0.168
ip nat inside
!
interface GigabitEthernet0/0/0.50
description VLAN 50 - Alumnos
encapsulation dot1q 50
ip address 172.23.4.1 255.255.254.0
ip helper-address 172.23.0.168
ip nat inside
!
interface GigabitEthernet0/0/0.60
description VLAN 60 - Invitados
encapsulation dot1q 60
ip address 172.23.6.1 255.255.254.0
ip helper-address 172.23.0.168
ip nat inside
!
interface GigabitEthernet0/0/1
description Enlace WAN hacia fronteraCampus (NAT outside)
ip address 10.32.100.100 255.255.255.0
ip nat outside
duplex auto
speed auto
!
interface GigabitEthernet0/0/2
no ip address
duplex auto
speed auto
shutdown
!
interface Vlan1
no ip address
shutdown
!
ip nat inside source list 1 interface GigabitEthernet0/0/1 overload
ip classless
ip route 0.0.0.0 0.0.0.0 10.32.100.1
!
ip flow-export version 9
!
access-list 1 permit 172.23.0.0 0.0.7.255
!

```

```
!  
line con 0  
!  
line aux 0  
!  
line vty 0 4  
  login local  
  transport input telnet  
!  
!  
!  
end
```