## LAB4

## App.js

```
const express = require('express');
const bodyParser = require('body-parser');
const fs = require('fs');
const path = require('path');
const userRoutes = require('./users);
const productRoutes = require('./products);
const app = express();
app.use(bodyParser.urlencoded({extented: true}));
app.use(express.static(path.join(__dirname, 'public')));
app.use(userRoutes);
app.use(productRoutes);
//404 page
app.use((req, res, next)=>{
  res.status(404).send('Page not fpund');
});
//error handling
app.use((err, req, res, next)=>{
  res.status(500).send('something wrong');
});
app.listen(3000);
User.js
const express = require('express');
```

```
const fs = require('fs');
const path = require('path');
const router = express.Router();
router.all('/', (req, res, next)=>{
  res.send('Home page');
});
module.exports = router;
Product.js
const express = require('express');
const fs = require('fs');
const path = require('path');
const router = express.Router();
router.get('/get-product', (req, res, next) =>{
  res.end('listProducts');
});
router.post('/add-product', (req, res, next) =>{
  res.send('Save successfully');
});
module.exports = router;
Index.html
<html>
  <head>
     <link href="/css/main.css" rel="stylesheet"/>
  </head>
```

```
<body>
    <form action="/add-product" method="POST">
      >
        <label>Title</label>
        <input type="text" name="title"/>
      <label>Price</label>
        <input type="text" name="price"/>
      <label>Description</label>
        <textarea name="description"></textarea>
      <button type="submit">Submit</button>
    </form>
  </body>
</html>
```