LAB9

Admin.html

```html
<div class="container border border-primary">
<div >
<h3>Advertisement</h3>
<form
[formGroup]="form"
(ngSubmit)="newAdvertisement(form.value)"
>
<div>
<div style="max-width: 100%;">
<label>Image Url:</label>
<input
formControlName="imgUrl"
type="text"
name="imgUrl"
class="form-control"
style="max-width: 100%;"
/>
</div>
<div>
<label>Description:</label>
<input
formControlName="description"
type="text"
name="description"
class="form-control"
/>
</div>
<div style="max-width: 100%;">
<label>Link Url:</label>
```

```html
<input
formControlName="linkUrl"
type="text"
name="linkUrl"
class="form-control"
style="max-width: 100%;"
/>
</div>
<div class="row">
<div class="column">
<label>Minimum age:</label>
<input type="number" min="1" max="100" value="1" formControlName="minAge"
class="form-control" name="minAge"/>
</div>
</div>
<div class="form-group">
<button type="submit" class="btn btn-primary">Send</button>
</div>
</div>
</form>
</div>
</div>
```

Admin.ts

```typescript
newAdvertisement(formData) {
console.log("the data is "+JSON.stringify(formData));
this.service.register(formData).subscribe(
(data) => {
this.router.navigate(['/home/home-admin']);
},
(error) => {
console.log(error.error);
this.formErrorMessage = error.error;
```

```typescript
this.formError = true;

}

);

}


Order.ts

router.post("/", async (req, res) => {

let advertisement = new Advertisement({

imgUrl: req.body.imgUrl,

description: req.body.description,

minAge: req.body.minAge,

country: req.body.country,

linkUrl: req.body.linkUrl,

});

advertisement = await advertisement.save();

return res.send({ msg: "ad saved successfully" });

});

router.get("/:data/:data", async (req, res) => {

let a1 = req.url.split("/", 3);

const advertisement = await Advertisement.find({$and: [{$or: [{country:a1[1]}, {country: "all"}]}, {minAge: {$gte: Number(a1[2])}}]});

return res.send({ advertisement: advertisement });

});
```