Test Article 1

THIS PAGE IS USED FOR TESTING GUFFIN – DO NOT REMOVE

Features:

- Page is completely self-contained – there are `no Roam embeds` of any kind
- 3 top-level `headers`, all H1
- nested `headers` down to H4, via *Augmented Headings* extension
- a node, (Ma5KGUH9O) "AI assistant (Claude Opus 4.6):" that has property: BLOCK_HEADING = 0, which is not a valid Markdown level. It seems that this can happen when first a valid level value (1-6) is assigned, and then the heading level is removed altogether through the Roam UI.
- a pair of JPEG `images` that **have not** been resized through the Roam UI (illustration 1.1)
- a single JPEG `image` that **has** been resized through the Roam UI (illustration 2.1)
- a JPEG `image` whose child block renders as its caption, below the image (illustration 2.1)
- three Python `code blocks` (Section 1.2): one with a caption – its child block – and no `code-source::` tag (listing 1.2.1), one with a `code-source::` tag – a SHA-pinned GitHub blob URL, through its `guffin-meta::` child – and no caption (listing 1.2.2), and one with both, the caption set above the source attribution (listing 1.2.3)
- a native `{{table}}` (Section 2.2) whose four cells are each a standalone `block reference` to a JPEG `image` block, so each cell displays its referenced image
- an embedded PDF document that has no special PublishingSemantics Attributes attached
- an embedded PDF document that has `guffin-meta:: pdf-render: "inline"`
- this INFO `Callout box`, which contains Roam `page references`

Section 1

Section 1.1

illustration 1.1

- this image **has not been resized** through the Roam UI.





- AI assistant (Claude Opus 4.6):

Section 1.2

listing 1.2.1

- this code block has a caption – its child block – and no `code-source::` tag

```
def greet(name: str) -> str:
    return f"Hello, {name}!"
```

A caption authored as the listing's child block.

listing 1.2.2

- this code block has a `code-source:` tag (through its `guffin-meta:` child) and no caption

```
"""JSON value typing.

Public symbols:

- :type:`JsonValue` — a JSON-serializable value: a primitive, or lists/objects of nested JSON
  values.
"""

type JsonValue = None | bool | int | float | str | list[JsonValue] | dict[str, JsonValue]
"""A JSON-serializable value: a primitive, or lists/objects of nested JSON values."""
```

listing 1.2.3

- this code block has both a caption and a `code-source:` tag; the caption renders above the source attribution

```
"""Generic two-dimensional geometry types.

Public symbols:

- :class:`ImageSize` — pixel dimensions (width × height) of a two-dimensional image.
"""

from pydantic import BaseModel, ConfigDict
```

A caption authored as the listing's child block, set above its source attribution.

Section 2

Section 2.1

illustration 2.1

- this image **has been resized** through the Roam UI (width:257, height:None)



A caption authored as the image's child block.

asset 2.1

- an asset is a BLOB stored by Roam in Firebase Storage; usually a file dragged into the Roam UI. The Roam Markdown representation of the asset is just the Firebase Storage URL.
- fJoSdh65Ry.pkpass

Section 2.1.1

Section 2.1.1.1

Section 2.2



Section 3

Section 3.1

- the following block contains the canonical w3.org “Dummy” PDF file: https://www.w3.org/WAI/ER/tests/xhtml/testfiles/resources/pdf/dummy.pdf
- dummy.pdf

Section 3.2

- the following block embeds a PDF with guffin-meta:: pdf-render: “inline”

Dummy PDF file

Appendix

dummy.pdf

Dummy PDF file