Test Article 1

THIS PAGE IS USED FOR TESTING GUFFIN – DO NOT REMOVE

Features:

- Page is completely self-contained – there are `no Roam embeds` of any kind
- 3 top-level `headers`, all H1
- nested `headers` down to H4, via *Augmented Headings* extension
- a node, (Ma5KGUH9O) "AI assistant (Claude Opus 4.6):" that has property: BLOCK_HEADING = 0, which is not a valid Markdown level. It seems that this can happen when first a valid level value (1-6) is assigned, and then the heading level is removed altogether through the Roam UI.
- a pair of JPEG `images` that **have not** been resized through the Roam UI (illustration 1.1)
- a single JPEG `image` that **has** been resized through the Roam UI (illustration 2.1)
- a native `{{table}}` (Section 2.2) whose four cells are each a standalone `block reference` to a JPEG `image` block, so each cell displays its referenced image
- an embedded PDF document that has no special PublishingSemantics Attributes attached
- an embedded PDF document that has `guffin-meta:: pdf-render: "inline"`
- this INFO `Callout box`, which contains Roam `page references`

Section 1

Section 1.1

illustration 1.1

- this image **has not been resized** through the Roam UI.





- AI assistant (Claude Opus 4.6):

Section 2

Section 2.1

illustration 2.1

- this image **has been resized** through the Roam UI (width:257, height:None)



asset 2.1

- an asset is a BLOB stored by Roam in Firebase Storage; usually a file dragged into the Roam UI. The Roam Markdown representation of the asset is just the Firebase Storage URL.
- fJoSdh65Ry.pkpass

Section 2.1.1

Section 2.1.1.1

Section 2.2



Section 3

Section 3.1

- the following block contains the canonical w3.org “Dummy” PDF file: https://www.w3.org/WAI/ER/tests/xhtml/testfiles/resources/pdf/dummy.pdf
- dummy.pdf

Section 3.2

- the following block embeds a PDF with guffin-meta:: pdf-render: “inline”

Dummy PDF file

Appendix

dummy.pdf

Dummy PDF file