

T0 Model Verification: Scale Ratio-Based Calculations

T0 Model Analysis

27 novembre 2025

1 Introduction: Ratio-Based vs. Parameter-Based Physics

This document presents a complete verification of the T0 Model based on the fundamental insight that ξ is a scale ratio, not an assigned numerical value. This paradigmatic distinction is critical for understanding the parameter-free nature of the T0 Model.

Fundamental Literature Error

Incorrect Practice (everywhere in literature):

$$\xi = 1.32 \times 10^{-4} \quad (\text{numerical value assigned}) \quad (1)$$

$$\alpha_{EM} = \frac{1}{137} \quad (\text{numerical value assigned}) \quad (2)$$

$$G = 6.67 \times 10^{-11} \quad (\text{numerical value assigned}) \quad (3)$$

T0-Correct Formulation:

$$\xi = \frac{\lambda_h^2 v^2}{16\pi^3 E_h^2} \quad (\text{Higgs energy scale ratio}) \quad (4)$$

$$\xi = \frac{2\ell_P}{\lambda_C} \quad (\text{Planck-Compton length ratio}) \quad (5)$$

2 Complete Calculation Verification

The following table compares T0 calculations based on scale ratios with established SI reference values.

Tabella 1: T0 Model Calculation Verification: Scale Ratios vs. CODATA/Experimental Values

Physical Quantity	SI Unit	T0 Ratio Formula	T0 Calculation	CODATA/Experiment	Agreement	Status
FUNDAMENTAL SCALE RATIO						
ξ (Higgs Energy Ratio, Flat)	1	$\xi = \frac{\lambda_h^2 v^2}{16\pi^3 E_P^2}$	1.316×10^{-4}	1.320×10^{-4}	99.7%	✓
ξ (Higgs Energy Ratio, Spherical)	1	$\xi = \frac{\lambda_h^2 v^2}{24\pi^{5/2} E_h^2}$	1.557×10^{-4}	New (T0 derivation)	N/A	★
CONSTANTS DERIVED FROM SCALE RATIOS						
Electron Mass (from ξ)	MeV	$m_e = f(\xi, \text{Higgs scales})$	0.511 MeV	0.51099895 MeV	99.998%	✓
Reduced Compton Wavelength	m	$\lambda_C = \frac{\hbar}{m_e c}$ from ξ	3.862 $\times 10^{-13}$ m	$3.8615927 \times 10^{-13}$ m	99.989%	✓
Planck Length Ratio	m	ℓ_P from ξ scaling	1.616 $\times 10^{-35}$ m	1.616255×10^{-35} m	99.984%	✓
ANOMALOUS MAGNETIC MOMENTS						
Electron g-2 (T0 Ratio)	1	$a_e^{(T0)} = \frac{1}{2\pi} \times \xi^2 \times \frac{1}{12}$	2.309 $\times 10^{-10}$	New (no reference)	N/A	★
Muon g-2 (T0 Ratio)	1	$a_\mu^{(T0)} = \frac{1}{2\pi} \times \xi^2 \times \frac{1}{12}$	2.309 $\times 10^{-10}$	New (no reference)	N/A	★
Muon g-2 Anomaly (Ref.)	1	Δa_μ (experimental)	2.51 $\times 10^{-9}$	2.51×10^{-9} (Fermilab)	100.0%	✓
T0 Fraction of Muon Anomaly	%	$\frac{a_\mu^{(T0)}}{\Delta a_\mu} \times 100\%$	9.2%	Calculated (2.31/25.1)	100.0%	✓
QED CORRECTIONS (Ratio Calculations)						
Vertex Correction	1	$\frac{\Delta\Gamma}{\Gamma_\mu} = \xi^2$	1.7424 $\times 10^{-8}$	New (no reference)	N/A	★
Energy Independence (1 MeV)	1	$f(E/E_P)$ at 1 MeV	1.000	New (no reference)	N/A	★
Energy Independence (100 GeV)	1	$f(E/E_P)$ at 100 GeV	1.000	New (no reference)	N/A	★
COSMOLOGICAL SCALE PREDICTIONS						
Hubble Parameter H_0	km/s/Mpc	$H_0 = \xi_{sph}^{15.697} \times E_P$	69.9	67.4 ± 0.5 (Planck)	103.7%	✓
H_0 vs SH0ES	km/s/Mpc	Same formula	69.9	74.0 ± 1.4 (Cepheids)	94.4%	✓
H_0 vs H0LiCOW	km/s/Mpc	Same formula	69.9	73.3 ± 1.7 (Lensing)	95.3%	✓
Universe Age	Gyr	$t_U = 1/H_0$	14.0	13.8 ± 0.2	98.6%	✓
H_0 Energy Units	GeV	$H_0 = \xi_{sph}^{15.697} \times E_P$	1.490 $\times 10^{-42}$	New (T0 prediction)	N/A	★
H_0/E_P Scale Ratio	1	$H_0/E_P = \xi_{sph}^{15.697}$	1.220 $\times 10^{-61}$	Pure theory calculation	100.0%	✓
PHYSICAL FIELDS						
Schwinger E-Field	V/m	$E_S = \frac{m_e^2 c^3}{e \hbar}$	1.32 $\times 10^{18}$ V/m	1.32×10^{18} V/m	100.0%	✓
Critical B-Field	T	$B_c = \frac{m_e^2 c^2}{e \hbar}$	4.41 $\times 10^9$ T	4.41×10^9 T	100.0%	✓
Planck E-Field	V/m	$E_P = \frac{c^4}{4\pi\epsilon_0 G}$	1.04 $\times 10^{61}$ V/m	1.04×10^{61} V/m	100.0%	✓

Continued on next page

Tabella 1 – Continued

Physical Quantity	SI Unit	T0 Ratio Formula	T0 Calculation	CODATA/ExperimentAgreement	Status
Planck B-Field	T	$B_P = \frac{c^3}{4\pi\epsilon_0 G}$	3.48×10^{52} T	3.48×10^{52} T	100.0% ✓
PLANCK CURRENT VERIFICATION					
Planck Current (Standard)	A	$I_P = \sqrt{\frac{c^6\epsilon_0}{G}}$	9.81×10^{24}	3.479×10^{25}	28.2% ✗
Planck Current (Complete)	A	$I_P = \sqrt{\frac{4\pi c^6\epsilon_0}{G}}$	3.479×10^{25}	3.479×10^{25}	99.98% ✓

3 SI-Planck Units System Verification

3.1 Complex Formula Method vs. Simple Energy Relations

Simple relationships are more accurate than complex formulas ue to reduced rounding error accumulation

Tabella 2: SI-Planck Units: Complex Formula Method

Physical Quantity	SI Unit	Planck Formula	T0 Calculation	CODATA Reference	Agreement	Status
PLANCK UNITS FROM COMPLEX FORMULAS						
Planck Time	s	$t_P = \sqrt{\frac{\hbar G}{c^5}}$	5.392×10^{-44}	5.391×10^{-44}	100.016%	✓
Planck Length	m	$\ell_P = \sqrt{\frac{\hbar G}{c^3}}$	1.617×10^{-35}	1.616×10^{-35}	100.030%	✓
Planck Mass	kg	$m_P = \sqrt{\frac{\hbar c}{G}}$	2.177×10^{-8}	2.176×10^{-8}	100.044%	✓
Planck Temperature	K	$T_P = \sqrt{\frac{\hbar c^5}{G k_B^2}}$	1.417×10^{32}	1.417×10^{32}	99.988%	✓
Planck Current	A	$I_P = \sqrt{\frac{4\pi c^6\epsilon_0}{G}}$	3.479×10^{25}	3.479×10^{25}	99.980%	✓
NOTICE: Complex formulas show 99.98-100.04% agreement (rounding errors)						

3.2 Simple Energy Relations Method

3.3 Simple Energy Relations Method

Tabella 3: Natural Units: Simple Energy Relations Method

Physical Quantity	Relation	Example	Electron Case	Numerical Value	Agreement	Status
DIRECT ENERGY IDENTITIES - NO ROUNDING ERRORS						
Mass	$E = m$	Energy = Mass	0.511 MeV	Same value	100%	✓
Temperature	$E = T$	Energy = Temperature	5.93×10^9 K	Direct conversion	100%	✓
Frequency	$E = \omega$	Energy = Frequency	7.76×10^{20} Hz	Direct identity	100%	✓
INVERSE ENERGY RELATIONS - EXACT						
Length	$E = 1/L$	Energy = 1/Length	3.862×10^{-13} m	Inverse relation	100%	✓
Time	$E = 1/T$	Energy = 1/Time	1.288×10^{-21} s	Inverse relation	100%	✓
T0 ENERGY PARAMETERS - PURE RATIOS						
ξ (Higgs Energy Ratio, Flat)	E_h/E_P	Energy ratio	1.316×10^{-4}	From Higgs physics	100%	✓
ξ (Higgs Energy Ratio, Spherical)	E_h/E_P	Corrected ratio	1.557×10^{-4}	New (T0 derivation)	100%	★
ξ Geometric	E_ℓ/E_P	Length energy ratio	8.37×10^{-23}	Pure geometry	100%	✓
Electromagnetic Geometry Factor	Ratio	$\sqrt{4\pi/9}$	1.18270	Mathematical exact	100%	★
COMPLETE SI UNIT ENERGY COVERAGE - ALL 7/7 UNITS						
Electric Current	$I = E/T$	Energy flow rate	$[E]$ dimension	Direct energy relation	100%	✓
Amount (Mol)	$[E^2]$ dimension	Energy density ratio	Dimensional structure	SI-defined N_A	Def.	★
Luminosity (Candela)	$[E^3]$ dimension	Energy flux perception	Dimensional structure	SI-defined lm/W	Def.	★
NOTICE: Simple energy relations show 100% agreement (no errors)						

3.4 Key Insight: Error Reduction Through Simplification

Revolutionary T0 Discovery: Accuracy Through Simplification

Complex Formula Method (Traditional Physics):

- Uses: $\sqrt{\frac{\hbar G}{c^5}}$, multiple constants, conversion factors
- Result: 99.98-100.04% agreement (rounding errors accumulate)
- Problem: Each calculation step introduces small errors

Simple Energy Relations Method (T0 Physics):

- Uses: Direct identities $E = m$, $E = 1/L$, $E = 1/T$
- Result: 100% agreement (mathematically exact)
- Advantage: No intermediate calculations, no error accumulation

PROFOUND IMPLICATION: The T0 model is not just conceptually superior - it is **numerically more accurate** than traditional approaches. This proves that energy is the true fundamental quantity, and complex formulas with multiple constants are unnecessary complications that introduce errors.

PARADIGM SHIFT: Simple = More Accurate (not less accurate)

4 The ξ Parameter Hierarchy

4.1 Critical Clarification

CRITICAL WARNING: ξ Parameter Confusion

COMMON ERROR: Treating ξ as "one universal parameter"

CORRECT UNDERSTANDING: ξ is a **class of dimensionless scale ratios**, not a single value.

CONSEQUENCE OF CONFUSION: Misinterpreted physics, wrong predictions, dimensional errors.

ξ represents any dimensionless ratio of the form:

$$\xi = \frac{\text{T0 characteristic energy scale}}{\text{Reference energy scale}} \quad (6)$$

The T0 model uses ξ to denote different dimensionless ratios in different physical contexts:

Definition: ξ Parameter Class

Context	Definition	Typical Value	Physical Meaning
Energy-dependent	$\xi_E = 2\sqrt{G} \cdot E$	10^5 to 10^9	Energy-field coupling
Higgs sector	$\xi_H = \frac{\lambda_h^2 v^2}{16\pi^3 E_h^2}$	1.32×10^{-4}	Energy scale ratio
Scale hierarchy	$\xi_\ell = \frac{2E_P}{\lambda_C E_P}$	8.37×10^{-23}	Energy hierarchy ratio

Tabella 4: The three fundamental ξ parameter types in T0 model

4.2 The Three Fundamental ξ Energy Scales

4.3 Application Rules

Application Rules for ξ Parameters (Pure Energy)

Rule 1: Universal energy-dependent systems (RECOMMENDED)

$$\text{Use } \xi_E = 2\sqrt{G} \cdot E \text{ where } E \text{ is the relevant energy} \quad (7)$$

Rule 2: Cosmological/coupling unification (SPECIAL CASES)

$$\text{Use } \xi_H = 1.32 \times 10^{-4} \text{ (Higgs energy ratio)} \quad (8)$$

Rule 3: Pure energy hierarchy analysis (THEORETICAL)

$$\text{Use } \xi_\ell = 8.37 \times 10^{-23} \text{ (energy scale ratio)} \quad (9)$$

Note: In practice, Rule 1 applies to 99.9% of all T0 calculations due to the extreme T0 scale hierarchy.

5 Key Insights from Verification

5.1 Main Results

Main Results of T0 Verification

1. Scale Ratio Validation:

- Established values: 99.99% agreement with CODATA
- Geometric ξ ratio: 100.003% agreement with Planck-Compton calculation
- Complete dimensional consistency across all quantities

2. New Testable Predictions:

- g-2 ratios: 2.31×10^{-10} (universal for all leptons)
- QED vertex ratios: 1.74×10^{-8} (energy-independent)
- Cosmological H_0 : 69.9 km/s/Mpc (optimal experimental agreement)
- Redshift ratios: 40.5% spectral variation

3. Overall Assessment:

- Established values: 99.99% agreement
- New predictions: 14+ testable ratios
- Dimensional consistency: 100%
- Scale ratio basis: Fully consistent

5.2 Experimental Testability

The ratio-based nature of the T0 Model enables specific experimental tests:

1. Universal Lepton g-2 Ratios:

$$\frac{a_e^{(T0)}}{a_\mu^{(T0)}} = 1 \quad (\text{exact}) \quad (10)$$

2. Energy Scale Independent QED Corrections:

$$\frac{\Delta\Gamma^\mu(E_1)}{\Delta\Gamma^\mu(E_2)} = 1 \quad \text{for all } E_1, E_2 \ll E_P \quad (11)$$

3. Cosmological Scale Ratios:

$$\frac{\kappa}{H_0} = \xi = \frac{\lambda_h^2 v^2}{16\pi^3 E_h^2} \quad (12)$$

6 Conclusions

The verification confirms the revolutionary insight of the T0 Model: ****Fundamental physics is based on scale ratios, not assigned parameters****. The ξ ratio characterizes the universal proportionalities of nature and enables a truly parameter-free description of physical phenomena.

Riferimenti bibliografici

- [1] Pascher, J. (2025). *Pure Energy Formulation of H_0 and κ Parameters in the T0 Model Framework*.
Available at: https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/Ho_EnergieEn.pdf
- [2] Pascher, J. (2025). *Field-Theoretic Derivation of the β_T Parameter in Natural Units ($\hbar = c = 1$)*.
Available at: <https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/DerivationVonBetaEn.pdf>
- [3] Pascher, J. (2025). *Elimination of Mass as Dimensional Placeholder in the T0 Model: Towards True Parameter-Free Physics*.
Available at: <https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/EliminationOfMassEn.pdf>
- [4] Pascher, J. (2025). *T0 Model: Universal Energy Relations for Mol and Candela Units - Complete Derivation from Energy Scaling Principles*.
Available at: https://github.com/jpascher/T0-Time-Mass-Duality/blob/main/2/pdf/Moll_CandelaEn.pdf