

# T0 Model: Granulation, Limits and Fundamental Asymmetry

Johann Pascher

27 de noviembre de 2025

## Resumen

The T0 model describes a fundamental granulation of spacetime at the sub-Planck scale  $L_0 = \xi \times L_P$  with  $\xi \approx 1,333 \times 10^{-4}$ . This work examines the consequences for scale hierarchies, time continuity, and the mathematical completeness of various gravitational theories. The time-mass duality  $T(x, t) \cdot m(x, t) = 1$  requires both fields to be coupled and variable, while the fundamental  $\xi$ -asymmetry enables all developmental processes.

## Índice

# 1. Granulation as Fundamental Principle of Reality

## 1.1. Minimum Length Scale $L_0$

The T0 model introduces a fundamental length scale deeper than the Planck length:

$$L_0 = \xi \times L_P \approx \frac{4}{3} \times 10^{-4} \times 1,616 \times 10^{-35} \text{ m} \approx 2,155 \times 10^{-39} \text{ m} \quad (1)$$

**Significance of  $L_0$ :**

- Absolute physical lower limit for spatial structures
- Granulated spacetime structure - not continuous
- Sub-Planck physics with new fundamental laws
- Universal scale for all physical phenomena

## 1.2. The Extreme Scale Hierarchy

From  $L_0$  to cosmological scales extends a hierarchy of over 60 orders of magnitude:

$$L_0 \approx 10^{-39} \text{ m} \quad (\text{Sub-Planck minimum}) \quad (2)$$

$$L_P \approx 10^{-35} \text{ m} \quad (\text{Planck length}) \quad (3)$$

$$L_{\text{Casimir}} \approx 100 \text{ micrometers} \quad (\text{Casimir scale}) \quad (4)$$

$$L_{\text{Atom}} \approx 10^{-10} \text{ m} \quad (\text{Atomic scale}) \quad (5)$$

$$L_{\text{Macro}} \approx 1 \text{ m} \quad (\text{Human scale}) \quad (6)$$

$$L_{\text{Cosmo}} \approx 10^{26} \text{ m} \quad (\text{Cosmological scale}) \quad (7)$$

## 1.3. Casimir Scale as Evidence of Granulation

At the Casimir characteristic scale, first measurable effects appear:

$$L_\xi \approx \frac{1}{\sqrt{\xi \times L_P}} \approx 100 \text{ micrometers} \quad (8)$$

**Experimental evidence:**

- Deviations from  $1/d^4$  law at distances  $\approx 10 \text{ nm}$
- $\xi$ -corrections in Casimir force measurements
- Limits of continuum physics become visible

# 2. Limit Systems and Scale Hierarchies

## 2.1. Three-Scale Hierarchy

The T0 model organizes all physical scales into three fundamental domains:

1.  **$L_0$ -domain:** Granulated physics, universal laws
2. **Planck domain:** Quantum gravity, transition dynamics
3. **Macro domain:** Classical physics with  $\xi$ -corrections

## 2.2. Relational Number System

Prime number ratios organize particles into natural generations:

- **3-limit:** u-, d-quarks (1st generation)
- **5-limit:** c-, s-quarks (2nd generation)
- **7-limit:** t-, b-quarks (3rd generation)

The next prime number (11) leads to  $\xi^{11}$ -corrections  $\approx 10^{-44}$ , which lie below the Planck scale.

## 2.3. CP Violation from Universal Asymmetry

The  $\xi$ -asymmetry explains:

- CP violation in weak interactions
- Matter-antimatter asymmetry in the universe
- Chiral symmetry breaking in nature

# 3. Fundamental Asymmetry as Motion Principle

## 3.1. The Universal $\xi$ -Constant

$$\xi = \frac{4}{3} \times 10^{-4} \approx 1,333 \times 10^{-4} \quad (9)$$

**Origin:** Geometric 4/3-constant from optimal 3D space packing

**Effect:** Universal asymmetry enabling all development

## 3.2. Eternal Universe Without Big Bang

The T0 model describes an eternal, infinite, non-expanding universe:

- No beginning, no end - timeless existence
- Heisenberg's uncertainty principle forbids Big Bang:  $\Delta E \times \Delta t \geq \hbar/2$
- Structured development instead of chaotic explosion
- Continuous  $\xi$ -field dynamics instead of Big Bang

## 3.3. Time Exists Only After Field-Asymmetry Excitation

**Hierarchy of time emergence:**

1. **Timeless universe:** Perfect symmetry, no time
2.  **$\xi$ -asymmetry arises:** Symmetry breaking activates time field
3. **Time-energy duality:**  $T(x, t) \cdot E(x, t) = 1$  becomes active
4. **Manifested time:** Local time emerges through field dynamics
5. **Directed time:** Thermodynamic arrow of time stabilizes

Time is not fundamental but emergent from field asymmetry.

## 4. Hierarchical Structure: Universe >Field >Space

### 4.1. The Fundamental Order Hierarchy

**Universe (highest order level):**

- Superordinate structure with eternal, infinite properties
- Global organizational principles determine everything below
- $\xi$ -asymmetry as universal guiding structure
- Thermodynamic overall balance of all processes

**Field (middle organizational level):**

- Universal  $\xi$ -field as mediator between universe and space
- Local dynamics within global constraints
- Time-energy duality as field principle
- Structure-forming processes through asymmetry

**Space (manifestation level):**

- 3D geometry as stage for field manifestations
- Granulation at  $L_0$ -scale
- Local interactions between field excitations

### 4.2. Causal Downward Coupling

$$\text{UNIVERSE} \rightarrow \text{FIELD} \rightarrow \text{SPACE} \rightarrow \text{PARTICLES} \quad (10)$$

The universe is not just the sum of its spatial parts. Superordinate properties emerge only at the highest level. The  $\xi$ -constant is universal, not a space property.

## 5. Continuous Time Beyond Certain Scales

### 5.1. The Crucial Scale Hierarchy of Time

In the T0 model, different time domains exist with fundamentally different properties. The further we move from  $L_0$ , the more continuous and constant time becomes.

#### 5.1.1. Granulated Zone (below $L_0$ )

$$L_0 = \xi \times L_P \approx 2,155 \times 10^{-39} \text{ m} \quad (11)$$

- Time is discretely granulated, not continuous
- Chaotic quantum fluctuations dominate
- Physics loses classical meaning
- All fundamental forces equally strong

### 5.1.2. Transition Zone (around $L_0$ )

- Time-mass duality  $T \cdot m = 1$  becomes fully active
- Intensive interaction of all fields
- Transition from granulated to continuous

### 5.1.3. Continuous Zone (above $L_0$ )

#### Central Insight

$$\text{Distance to } L_0 \uparrow \Rightarrow \text{Time continuity} \uparrow \Rightarrow \text{Constant direction} \uparrow \quad (12)$$

- Beyond a certain point, time becomes continuous
- Constant directed flow direction emerges
- The greater the distance to  $L_0$ , the more stable the time direction
- Emergent classical physics with  $\xi$ -corrections

## 5.2. Quantitative Scaling of Time Continuity

Time continuity as function of distance to  $L_0$ :

$$\text{Time continuity} \propto \log\left(\frac{L}{L_0}\right) \quad \text{for } L \gg L_0 \quad (13)$$

Practical scales:

$$L = 10^{-35} \text{ m (Planck)} : \text{ Still granulated} \quad (14)$$

$$L = 10^{-15} \text{ m (Nuclear)} : \text{ Transition to continuity} \quad (15)$$

$$L = 10^{-10} \text{ m (Atomic)} : \text{ Practically continuous} \quad (16)$$

$$L = 10^{-3} \text{ m (mm)} : \text{ Completely continuous, constant direction} \quad (17)$$

$$L = 1 \text{ m (Meter)} : \text{ Perfectly linear, directed time} \quad (18)$$

## 5.3. Thermodynamic Arrow of Time

Scale-dependent entropy:

- **Granulated level** ( $L_0$ ): Maximum entropy, perfect symmetry
- **Transition level**: Entropy gradients emerge
- **Continuous level**: Second law becomes active
- **Macroscopic level**: Irreversible time direction

## 6. Practical vs. Fundamental Physics

### 6.1. Time is Practically Experienced as Constant

De facto for us: Time flows constantly in our experience domain

- **Local scales (m to km):** Time is practically perfectly linear and constant
- **Measurable variations:** Only under extreme conditions (GPS satellites, particle accelerators)
- **Everyday physics:** Time constancy is a good approximation

### 6.2. Speed of Light as Clear Upper Limit

Observed reality:

- $c = 299,792,458$  m/s is measurable upper limit for information transfer
- **Causality:** No signals faster than  $c$  observed
- **Relativistic effects:** Clearly measurable at  $v \rightarrow c$
- **Particle accelerators:** Confirm  $c$ -limit daily

### 6.3. Resolution of the Apparent Contradiction

Macroscopic level (our world):

$$L = 1 \text{ m to } 10^6 \text{ m (km range)} \quad (19)$$

- Time flows constantly:  $dt/dt_0 \approx 1 + 10^{-16}$  (immeasurable)
- $c$  is practically constant:  $\Delta c/c \approx 10^{-16}$  (immeasurable)
- Einstein physics works perfectly

Fundamental level (T0 model):

$$L_0 = 10^{-39} \text{ m to } L_P = 10^{-35} \text{ m} \quad (20)$$

- Time-mass duality:  $T \cdot m = 1$  is fundamental
- $c$  is ratio:  $c = L/T$  (must be variable)
- Mathematical consistency requires coupled variation

**These variations are  $10^6$  times smaller than our best measurement precision!**

## 7. Gravitation: Mass Variation vs. Space Curvature

### 7.1. Two Equivalent Interpretations

**Einstein interpretation:**

- $m = \text{constant}$  (fixed mass)
- $g_{\mu\nu} = \text{variable}$  (curved spacetime)
- Mass causes space curvature

**T0 interpretation:**

- $m(x, t) = \text{variable}$  (dynamic mass)
- $g_{\mu\nu} = \text{fixed}$  (flat Euclidean space)
- Mass varies locally through  $\xi$ -field

### 7.2. Important Insight: We Don't Know!

#### Attention - Fundamental Point

We DO NOT KNOW whether mass causes space curvature or whether mass itself varies!  
This is an assumption, not a proven fact!

**Both interpretations are equally valid:**

**Einstein assumption:**

$$\text{Mass/energy} \rightarrow \text{Space curvature} \rightarrow \text{Gravitation} \quad (21)$$

$$G_{\mu\nu} = 8\pi T_{\mu\nu} \quad (22)$$

**T0 alternative:**

$$\xi\text{-field} \rightarrow \text{Mass variation} \rightarrow \text{Gravitational effects} \quad (23)$$

$$m(x, t) = m_0 \cdot (1 + \xi \cdot \Phi(x, t)) \quad (24)$$

### 7.3. Experimental Indistinguishability

**All measurements are frequency-based:**

- **Clocks:** Hyperfine transition frequencies
- **Scales:** Spring oscillations/resonance frequencies
- **Spectrometers:** Light frequencies and transitions
- **Interferometers:** Phases = frequency integrals

**Identical frequency shifts:**

$$\text{Einstein : } \nu' = \nu_0 \sqrt{1 + 2\Phi/c^2} \approx \nu_0(1 + \Phi/c^2) \quad (25)$$

$$\text{T0 : } \nu' = \nu_0 \cdot \frac{m(x, t)}{T(x, t)} \approx \nu_0(1 + \Phi/c^2) \quad (26)$$

Only frequency ratios are measurable - absolute frequencies are fundamentally inaccessible!

## 8. Mathematical Completeness: Both Fields Coupled Variable

### 8.1. The Correct Mathematical Formulation

Mathematically correct in T0 model:

$$T(x, t) = \text{variable} \quad (\text{Time as dynamic field}) \quad (27)$$

$$m(x, t) = \text{variable} \quad (\text{Mass as dynamic field}) \quad (28)$$

Coupled through fundamental duality:

$$T(x, t) \cdot m(x, t) = 1 \quad (29)$$

Both fields vary **TOGETHER**:

$$T(x, t) = T_0 \cdot (1 + \xi \cdot \Phi(x, t)) \quad (30)$$

$$m(x, t) = m_0 \cdot (1 - \xi \cdot \Phi(x, t)) \quad (31)$$

### 8.2. Verification of Mathematical Consistency

Duality check:

$$T(x, t) \cdot m(x, t) = T_0 m_0 \cdot (1 + \xi \Phi)(1 - \xi \Phi) \quad (32)$$

$$= T_0 m_0 \cdot (1 - \xi^2 \Phi^2) \quad (33)$$

$$\approx T_0 m_0 = 1 \quad (\text{for } \xi \Phi \ll 1) \quad (34)$$

Mathematical consistency confirmed!

### 8.3. Why Both Fields Must Be Variable

Lagrange formalism requires:

$$\delta S = \int \delta \mathcal{L} d^4x = 0 \quad (35)$$

Complete variation:

$$\delta \mathcal{L} = \frac{\partial \mathcal{L}}{\partial T} \delta T + \frac{\partial \mathcal{L}}{\partial m} \delta m + \frac{\partial \mathcal{L}}{\partial \partial_\mu T} \delta \partial_\mu T + \frac{\partial \mathcal{L}}{\partial \partial_\mu m} \delta \partial_\mu m \quad (36)$$

For mathematical completeness:

- $\delta T \neq 0$  (Time must be variable)
- $\delta m \neq 0$  (Mass must be variable)
- Both coupled through  $T \cdot m = 1$

### 8.4. Einstein's Arbitrary Constant Setting

Einstein arbitrarily sets:

$$m_0 = \text{constant} \quad \Rightarrow \quad \delta m = 0 \quad (37)$$

Mathematical problem:

- Incomplete variation of the Lagrangian
- Violates variation principle of field theory
- Arbitrary symmetry breaking without justification



## 8.5. Parameter Elegance

$$\text{Einstein : } m_0, c, G, \hbar, \Lambda, \alpha_{\text{EM}}, \dots \quad (\gg 10 \text{ free parameters}) \quad (38)$$

$$\text{T0 : } \xi \quad (1 \text{ universal parameter}) \quad (39)$$

## 9. Pragmatic Preference: Variable Mass with Constant Time

### 9.1. The Pragmatic Alternative for Our Experience Space

As pragmatists, one can certainly prefer:

$$\text{Time : } t = \text{constant} \quad (\text{practical experience}) \quad (40)$$

$$\text{Mass : } m(x, t) = \text{variable} \quad (\text{dynamic adjustment}) \quad (41)$$

**Why this is pragmatically sensible:**

- Time constancy corresponds to our direct experience
- Mass variation is conceptually easier to imagine
- Practical calculations often become simpler
- Intuitive understandability for applications

### 9.2. Practical Advantages of Constant Time

In our experienceable space (m to km):

- Time flows linearly and constantly - our direct experience
- Clocks tick uniformly - practical time measurement
- Causal sequences are clearly defined
- Technical applications (GPS, navigation) function

**Language convention:**

- Time passes constantly
- Mass adapts to the fields
- Matter becomes heavier/lighter depending on location

### 9.3. Variable Mass as Intuitive Concept

**Pragmatic interpretation:**

$$m(x) = m_0 \cdot (1 + \xi \cdot \text{Gravitational field}(x)) \quad (42)$$

**Intuitive conception:**

- Mass increases in strong gravitational fields
- Mass decreases in weaker fields
- Matter feels the local  $\xi$ -field
- Dynamic adaptation to environment

### 9.4. Scientific Legitimacy of Preference

#### Important Insight

Pragmatic preferences are scientifically justified when both approaches are experimentally equivalent!

**Justification:**

- Scientifically equivalent to Einstein approach
- Often practically advantageous for applications
- Didactically easier to teach
- Technically more efficient to implement

The choice between constant time + variable mass vs. Einstein is a matter of taste - both are scientifically equally justified!

## 10. The Eternal Philosophical Boundary

### 10.1. What the T0 Model Explains

- HOW the  $\xi$ -asymmetry works
- WHAT the consequences are
- WHICH laws follow from it
- WHEN time and development emerge

### 10.2. What the T0 Model CANNOT Explain

The fundamental questions remain:

- WHY does the  $\xi$ -asymmetry exist?
- WHERE does the original energy come from?
- WHO/WHAT gave the first impulse?
- WHY does anything exist at all instead of nothing?

### 10.3. Scientific Humility

**The eternal boundary:** Every explanation needs unexplained axioms. The ultimate reason always remains mysterious. The that of existence is given, the why remains open.

**The elegant shift:** The T0 model shifts the mystery to a deeper, more elegant level - but it cannot resolve the fundamental riddle of existence.

And that is good. Because a universe without mystery would be a boring universe.

## 11. Experimental Predictions and Tests

### 11.1. Casimir Effect Modifications

- Deviations from  $1/d^4$  law at  $d \approx 10$  nm
- $\xi$ -corrections in precision measurements
- Frequency-dependent Casimir forces

### 11.2. Atom Interferometry

- $\xi$ -resonances in quantum interferometers
- Mass variations in gravitational fields
- Time-mass duality in precision experiments

### 11.3. Gravitational Wave Detection

- $\xi$ -corrections in LIGO/Virgo data
- Modifications of wave dispersion
- Sub-Planck structures in gravitational waves

## 12. Conclusion: Asymmetry as Engine of Reality

The T0 model shows that granulation, limits, and fundamental asymmetry are inseparably connected with the scale-dependent nature of time:

1. **Granulation** at  $L_0$  defines the base scale of all physics
2. **Limit systems** organize particles into natural generations
3. **Fundamental asymmetry** generates time, development, and structure formation
4. **Hierarchical organization** from universe through field to space
5. **Continuous time** emerges beyond certain scales through distance to  $L_0$
6. **Mathematical completeness** requires T0 formulation over Einstein
7. **Experimental indistinguishability** of different interpretations
8. **Pragmatic preferences** are scientifically justified

## 9. Philosophical boundaries remain and preserve the mystery

The  $\xi$ -asymmetry is the engine of reality - without it, the universe would remain in perfect, timeless symmetry. With it emerges the entire diversity and dynamics of our observable world.

The T0 model thus offers a unified explanation for fundamental puzzles of physics - from the granulation of spacetime to the emergence of time itself.

# 13. Mathematical Proof: The Formula $T \cdot m = 1$ Excludes Singularities

## 13.1. Important Clarification: $T$ as Oscillation Period

**ATTENTION:** In this analysis,  $T$  does not mean the experienced, continuously flowing time, but the **oscillation period** or **characteristic time constant** of a system. This is a fundamental difference:

- $T$  = oscillation period (discrete, characteristic time unit)
- Not:  $T$  = continuous time coordinate (our everyday experience)

## 13.2. The Fundamental Exclusion Property

The equation  $T \cdot m = 1$  is not just a mathematical relationship – it is an **exclusion theorem**. Through its algebraic structure, it makes certain states mathematically impossible.

## 13.3. Proof 1: Exclusion of Infinite Mass

**Assumption:** There exists an infinite mass  $m = \infty$

**Mathematical consequence:**

$$T \cdot m = 1 \tag{43}$$

$$T \cdot \infty = 1 \tag{44}$$

$$T = \frac{1}{\infty} = 0 \tag{45}$$

**Contradiction:**  $T = 0$  is not in the domain of the equation  $T \cdot m = 1$ , since:

- The product  $0 \cdot \infty$  is mathematically undefined
- The original equation  $T \cdot m = 1$  would be violated ( $0 \cdot \infty \neq 1$ )

**Conclusion:**  $m = \infty$  is excluded by the formula.

## 13.4. Proof 2: Exclusion of Infinite Time

**Assumption:** There exists an infinite time  $T = \infty$

**Mathematical consequence:**

$$T \cdot m = 1 \tag{46}$$

$$\infty \cdot m = 1 \tag{47}$$

$$m = \frac{1}{\infty} = 0 \tag{48}$$

**Contradiction:**  $m = 0$  is not in the domain, since:

- The product  $\infty \cdot 0$  is mathematically undefined
- The equation  $T \cdot m = 1$  would be violated ( $\infty \cdot 0 \neq 1$ )

**Conclusion:**  $T = \infty$  is excluded by the formula.

### 13.5. Proof 3: Exclusion of Zero Values

**Assumption:** There exists  $T = 0$  or  $m = 0$

**Case 1:**  $T = 0$

$$T \cdot m = 1 \Rightarrow 0 \cdot m = 1 \quad (49)$$

This is impossible for any finite value of  $m$ , since  $0 \cdot m = 0 \neq 1$ .

**Case 2:**  $m = 0$

$$T \cdot m = 1 \Rightarrow T \cdot 0 = 1 \quad (50)$$

This is impossible for any finite value of  $T$ , since  $T \cdot 0 = 0 \neq 1$ .

**Conclusion:** Both  $T = 0$  and  $m = 0$  are excluded by the formula.

### 13.6. Proof 4: Exclusion of Mathematical Singularities

**Definition of a singularity:** A point where a function becomes undefined or infinite.

**Analysis of the function  $T = \frac{1}{m}$ :**

**Potential singularities could occur at:**

- $m = 0$  (division by zero)
- $T \rightarrow \infty$  (infinite function values)

**Exclusion by the constraint  $T \cdot m = 1$ :**

1. **At  $m = 0$ :** The equation  $T \cdot m = 1$  cannot be satisfied
2. **At  $T \rightarrow \infty$ :** Would require  $m \rightarrow 0$ , which is already excluded

**Mathematical proof of singularity freedom:**

For every point  $(T, m)$  with  $T \cdot m = 1$ :

$$T = \frac{1}{m} \text{ with } m \in (0, +\infty) \quad (51)$$

$$m = \frac{1}{T} \text{ with } T \in (0, +\infty) \quad (52)$$

Both functions are on their entire domain:

- **Continuous**
- **Differentiable**
- **Finite Well-defined**

### 13.7. The Algebraic Protection Function

The equation  $T \cdot m = 1$  acts like an **algebraic protection** against singularities:

### 13.7.1. Automatic Correction

If  $m$  becomes very small  $\Rightarrow T$  automatically becomes very large (53)

If  $T$  becomes very small  $\Rightarrow m$  automatically becomes very large (54)

But:  $T \cdot m$  always remains exactly 1 (55)

### 13.7.2. Mathematical Stability

$\lim_{m \rightarrow 0^+} T = +\infty$ , but  $T \cdot m = 1$  remains satisfied (56)

$\lim_{T \rightarrow 0^+} m = +\infty$ , but  $T \cdot m = 1$  remains satisfied (57)

The constraint **forces** the variables into a finite, well-defined region.

## 13.8. Proof 5: Positive Definiteness

**Theorem:** All solutions of  $T \cdot m = 1$  are positive.

**Proof:**

$$T \cdot m = 1 > 0 \quad (58)$$

Since the product is positive, both factors must have the same sign.

**Exclusion of negative values:**

- If  $T < 0$  and  $m < 0$ , then  $T \cdot m > 0$ , but physically meaningless
- If  $T > 0$  and  $m < 0$ , then  $T \cdot m < 0 \neq 1$
- If  $T < 0$  and  $m > 0$ , then  $T \cdot m < 0 \neq 1$

**Conclusion:** Only  $T > 0$  and  $m > 0$  satisfy the equation.

## 13.9. The Fundamental Insight About Time and Continuity

**Important physical clarification:**

The formula  $T \cdot m = 1$  describes **discrete, characteristic properties** of systems, not the continuous time flow of our experience. This means:

### 13.9.1. What $T \cdot m = 1$ does NOT state:

- „Time stands still“ ( $T = 0$ )
- „Processes take infinitely long“ ( $T = \infty$ )
- „The time flow is interrupted“
- „Our experienced time disappears“

### 13.9.2. What $T \cdot m = 1$ actually describes:

- **Oscillation periods** have mathematical limits
- **Characteristic time constants** cannot become arbitrary
- **Discrete time units** stand in fixed relation to mass
- **Periodic processes** follow the constraint  $T \cdot m = 1$

### 13.9.3. The continuous time flow remains unaffected

The continuous time coordinate  $t$  (our „arrow time“) is **not affected** by this relationship.  $T \cdot m = 1$  regulates only the **intrinsic time scales** of physical systems, not the superordinate time flow in which these systems exist.

#### Important insight about our time perception:

Our continuous time perception could practically be only a **tiny excerpt** of a much larger period – an oscillation period so immense that it far exceeds anything humans could ever experience or conceive.

#### Conceivable orders of magnitude:

- **Human life:**  $\sim 10^2$  years
- **Human history:**  $\sim 10^4$  years
- **Earth age:**  $\sim 10^9$  years
- **Universe age:**  $\sim 10^{10}$  years **Possible cosmic period:**  $10^{50}$ ,  $10^{100}$  or even larger time scales

In such a scenario, our entire observable universe would experience only an **infinitesimal small fraction** of a fundamental oscillation period. For us, time appears linear and continuous because we perceive only a vanishingly small section of a huge cosmic „oscillation“.

**Analogy:** Just as a bacterium on a clock hand would perceive the movement as „straight ahead“, although it moves on a circular path, we might experience „linear time“, although we are in a gigantic periodic structure.

This perspective shows that  $T \cdot m = 1$  and our time perception can operate on completely different scales without contradicting each other.

## 13.10. Cosmological Implications

#### This viewpoint opens new possibilities:

What we observe as cosmic development and change could be only a **small section** in a much larger cyclic pattern that follows the fundamental relationship  $T \cdot m = 1$ .

#### Possible cosmic structure:

- **Local time perception:** Linear, continuous (our experience domain)
- **Middle time scales:** Observable cosmic developments
- **Fundamental time scale:** Gigantic period according to  $T \cdot m = 1$

#### Implications:

- Nature could be organized in **layered-periodic** fashion

- Different time scales follow different regularities
- $T \cdot m = 1$  could be the **master constraint** for the largest scale
- Our observable cosmic development would be a fragment of a cyclic system

This interpretation shows how mathematical constraints ( $T \cdot m = 1$ ) and physical observations (linear time perception) can coexist in a **hierarchical time model**.

### 13.11. Conclusion: Mathematical Certainty

The formula  $T \cdot m = 1$  is not just an equation – it is an **existence proof** for singularity-free physics. It proves mathematically that:

- **Infinite masses do not exist**
- **Infinite oscillation periods do not exist**
- **Zero masses are excluded**
- **Zero oscillation periods are excluded**
- **Singularities in characteristic time scales cannot occur**

Mathematics itself protects physics from singularities – without affecting the continuous time flow.

## Referencias

- [1] J. Pascher, *T0 Model: Dimensionally Consistent Reference - Field-Theoretic Derivation of the  $\beta$ -Parameter*, 2025.
- [2] J. Pascher, *From Time Dilation to Mass Variation: Mathematical Core Formulations of Time-Mass Duality Theory*, 2025.
- [3] A. Einstein, *The Field Equations of Gravitation*, Proceedings of the Prussian Academy of Sciences, 844–847, 1915.
- [4] M. Planck, *On the Theory of the Energy Distribution Law of the Normal Spectrum*, Proceedings of the German Physical Society, 2, 237–245, 1900.
- [5] H. B. G. Casimir, *On the attraction between two perfectly conducting plates*, Proceedings of the Royal Netherlands Academy of Arts and Sciences, 51, 793–795, 1948.