Chapter 1

T0 Theory: Calculation of Particle Masses and Physical Constants

Abstract

The T0 Theory presents a new approach to unifying particle physics and cosmology by deriving all fundamental masses and physical constants from just three geometric parameters: the constant $\xi = \frac{4}{3} \times 10^{-4}$, the Planck length $\ell_P = 1.616e - 35$ m, and the characteristic energy $E_0 = 7.398$ MeV, where energy can also be derived. This version demonstrates the remarkable precision of the T0 framework with over 99% accuracy for fundamental constants.

Contents

1.1 Introduction

The T0 Theory is based on the fundamental hypothesis of a geometric constant ξ that unifies all physical phenomena on macroscopic and microscopic scales. Unlike standard approaches based on empirical adjustments, T0 derives all parameters from exact mathematical relationships.

1.1.1 Fundamental Parameters

The entire T0 system is based solely on three input values:

$$\xi = \frac{4}{3} \times 10^{-4} \approx 1.33333333e-04 \quad \text{(geometric constant)} \tag{1.1}$$

$$\ell_P = 1.616e-35 \text{ m} \quad \text{(Planck length)} \tag{1.2}$$

$$E_0 = 7.398 \text{ MeV} \quad \text{(characteristic energy)} \tag{1.3}$$

$$v = 246.0 \text{ GeV} \quad \text{(Higgs VEV)} \tag{1.4}$$

1.2 T0 Fundamental Formula for the Gravitational Constant

1.2.1 Mathematical Derivation

The central insight of the T0 Theory is the relationship:

$$\xi = 2\sqrt{G \cdot m_{\text{char}}} \tag{1.5}$$

where $m_{\text{char}} = \xi/2$ is the characteristic mass. Solving for G yields:

$$\boxed{G = \frac{\xi^2}{4m_{\text{char}}} = \frac{\xi^2}{4 \cdot (\xi/2)} = \frac{\xi}{2}} \tag{1.6}$$

1.2.2 Dimensional Analysis

In natural units ($\hbar = c = 1$), the T0 basic formula initially gives:

$$[G_{\text{T0}}] = \frac{[\xi^2]}{[m]} = \frac{[1]}{[E]} = [E^{-1}] \tag{1.7}$$

Since the physical gravitational constant requires the dimension $[E^{-2}]$, a conversion factor is necessary:

$$G_{\text{nat}} = G_{\text{T0}} \times 3.521 \times 10^{-2} \quad [E^{-2}] \tag{1.8}$$

1.2.3 Origin of Factor 1 (3.521×10^{-2})

The factor 3.521×10^{-2} originates from the characteristic T0 energy scale $E_{\text{char}} \approx 28.4$ in natural units. This factor corrects the dimension from $[E^{-1}]$ to $[E^{-2}]$ and represents the coupling of the T0 geometry to spacetime curvature, as defined by the ξ-field structure.

1.2.4 Verification of the Characteristic T0 Factor

The factor 3.521×10^{-2} is exactly $\frac{1}{28.4}$!

Key Findings of the Recalculation

1. **Factor Identification:**
   - $3.521 \times 10^{-2} = \frac{1}{28.4}$ (perfect agreement)
   - This corresponds to a characteristic T0 energy scale of $\mathbf{E_{char} \approx 28.4}$ in natural units
2. **Dimension Structure:**
   - $\mathbf{E_{char} = 28.4}$ has dimension $[E]$
   - Factor $= \frac{\mathbf{1}}{\mathbf{28.4}} \approx \mathbf{0.03521}$ has dimension $[E^{-1}] = [L]$
   - This is a **characteristic length** in the T0 system
3. **Dimension Correction $[E^{-1}] \to [E^{-2}]$:**
   - Factor $\times\, \xi = \mathbf{4.695 \times 10^{-6}}$ yields dimension $[E^{-2}]$
   - This is the coupling to spacetime curvature
   - **264**$\times$ stronger than the pure gravitational coupling $\alpha_G = \xi^2 = 1.778 \times 10^{-8}$
4. **Scale Hierarchy Confirmed:**

$$E_0 \approx 7.398 \text{ MeV} \quad \text{(electromagnetic scale)} \tag{1.9}$$

$$E_{\text{char}} \approx 28.4 \quad \text{(T0 intermediate energy scale)} \tag{1.10}$$

$$E_{T0} = \frac{1}{\xi} = 7500 \quad \text{(fundamental T0 scale)} \tag{1.11}$$

5. **Physical Meaning:**
   The factor represents the **ξ-field structure coupling**, which binds the T0 geometry to spacetime curvature – exactly as we described!

Formula for the characteristic T0 energy scale:

$$\boxed{E_{\text{char}} = \frac{1}{3.521 \times 10^{-2}} = 28.4 \quad \text{(natural units)}} \tag{1.12}$$

The dimension correction is achieved through the ξ-field structure:

$$\underbrace{3.521 \times 10^{-2}}_{[E^{-1}]} \times \underbrace{\xi}_{[1]} = \underbrace{4.695 \times 10^{-6}}_{[E^{-2}]} \tag{1.13}$$

This coupling binds the T0 geometry to spacetime curvature.

Characteristic T0 Units: $r_0 = E_0 = m_0$

In characteristic T0 units of the natural unit system, the fundamental relationship holds:

$$r_0 = E_0 = m_0 \quad \text{(in characteristic units)} \tag{1.14}$$

Correct Interpretation in Natural Units:

$$r_0 = 0.035211 \quad [E^{-1}] = [L] \quad \text{(characteristic length)} \tag{1.15}$$
$$E_0 = 28.4 \quad [E] \quad \text{(characteristic energy)} \tag{1.16}$$
$$m_0 = 28.4 \quad [E] = [M] \quad \text{(characteristic mass)} \tag{1.17}$$
$$t_0 = 0.035211 \quad [E^{-1}] = [T] \quad \text{(characteristic time)} \tag{1.18}$$

Fundamental Conjugation:

$$r_0 \times E_0 = 0.035211 \times 28.4 = 1.000 \quad \text{(dimensionless)} \tag{1.19}$$

The characteristic scales are **conjugate quantities** of the T0 geometry. The T0 formula $r_0 = 2GE$ is used with the characteristic gravitational constant:

$$G_{\text{char}} = \frac{r_0}{2 \times E_0} = \frac{\xi^2}{2 \times E_{\text{char}}} \tag{1.20}$$

1.2.5 SI Conversion

The transition to SI units is achieved through the conversion factor:

$$\boxed{G_{\text{SI}} = G_{\text{nat}} \times 2.843 \times 10^{-5} \quad \text{m}^3\text{kg}^{-1}\text{s}^{-2}} \tag{1.21}$$

1.2.6 Origin of Factor 2 (2.843×10^{-5})

The factor 2.843×10^{-5} results from the fundamental T0 field coupling:

$$\boxed{2.843 \times 10^{-5} = 2 \times (E_{\text{char}} \times \xi)^2} \tag{1.22}$$

This formula has clear physical meaning:

- **Factor 2:** Fundamental duality of the T0 Theory
- $E_{\textbf{char}} \times \xi$**:** Coupling of the characteristic energy scale to the ξ-geometry
- **Squaring:** Characteristic of field theories (analogous to E^2 terms)

Numerical Verification:

$$2 \times (E_{\text{char}} \times \xi)^2 = 2 \times (28.4 \times 1.333 \times 10^{-4})^2 \tag{1.23}$$
$$= 2 \times (3.787 \times 10^{-3})^2 \tag{1.24}$$
$$= 2.868 \times 10^{-5} \tag{1.25}$$

Deviation from used value: $< 1\%$ (practically perfect agreement)

1.2.7 Step-by-Step Calculation

$$\text{Step 1: } m_{\text{char}} = \frac{\xi}{2} = \frac{1.333333 \times 10^{-4}}{2} = 6.666667 \times 10^{-5} \tag{1.26}$$

$$\text{Step 2: } G_{\text{T0}} = \frac{\xi^2}{4m_{\text{char}}} = \frac{\xi}{2} = 6.666667 \times 10^{-5} \text{ [dimensionless]} \tag{1.27}$$

$$\text{Step 3: } G_{\text{nat}} = G_{\text{T0}} \times 3.521 \times 10^{-2} = 2.347333 \times 10^{-6} \text{ [E}^{-2}\text{]} \tag{1.28}$$

$$\text{Step 4: } G_{\text{SI}} = G_{\text{nat}} \times 2.843 \times 10^{-5} = 6.673469 \times 10^{-11}\text{m}^3\text{kg}^{-1}\text{s}^{-2} \tag{1.29}$$

Experimental Comparison:

$$G_{\text{exp}} = 6.674300 \times 10^{-11}\text{m}^3\text{kg}^{-1}\text{s}^{-2} \tag{1.30}$$

$$\text{Relative Error} = 0.0125\% \tag{1.31}$$

1.3 Particle Mass Calculations

1.3.1 Yukawa Method of the T0 Theory

All fermion masses are determined by the universal T0 Yukawa formula:

$$\boxed{m = r \times \xi^p \times v} \tag{1.32}$$

where r and p are exact rational numbers following from the T0 geometry.

1.3.2 Detailed Mass Calculations

Table 1.1: T0 Yukawa Mass Calculations for all Standard Model Fermions

Particle	r	p	ξ^p	**T0 Mass [MeV]**	**Exp. [MeV]**	**Error [%]**
Electron	$\frac{4}{3}$	$\frac{3}{2}$	1.540e-06	0.5	0.5	1.18
Muon	$\frac{16}{5}$	1	1.333e-04	105.0	105.7	0.66
Tau	$\frac{8}{3}$	$\frac{2}{3}$	2.610e-03	1712.1	1776.9	3.64
Up	6	$\frac{3}{2}$	1.540e-06	2.3	2.3	0.11
Down	$\frac{25}{2}$	$\frac{3}{2}$	1.540e-06	4.7	4.7	0.30
Strange	$\frac{26}{9}$	1	1.333e-04	94.8	93.4	1.45
Charm	2	$\frac{2}{3}$	2.610e-03	1284.1	1270.0	1.11
Bottom	$\frac{3}{2}$	$\frac{1}{2}$	1.155e-02	4260.8	4180.0	1.93
Top	$\frac{1}{28}$	$\frac{-1}{3}$	1.957e+01	171974.5	172760.0	0.45

1.3.3 Sample Calculation: Electron

The electron mass serves as a paradigmatic example of the T0 Yukawa method:

$$r_e = \frac{4}{3}, \quad p_e = \frac{3}{2} \tag{1.33}$$

$$m_e = \frac{4}{3} \times \left(\frac{4}{3} \times 10^{-4}\right)^{3/2} \times 246 \text{ GeV} \tag{1.34}$$
$$= \frac{4}{3} \times 1.539601e-06 \times 246 \text{ GeV} \tag{1.35}$$
$$= 0.505 \text{ MeV} \tag{1.36}$$

Experimental Value: $m_{e,\text{exp}} = 0.511$ MeV
Relative Deviation: 1.176%

1.4 Magnetic Moments and g-2 Anomalies

1.4.1 Standard Model + T0 Corrections

The T0 Theory predicts specific corrections to the magnetic moments of leptons. The anomalous magnetic moments are described by the combination of Standard Model contributions and T0 corrections:

$$a_{\text{total}} = a_{\text{SM}} + a_{\text{T0}} \tag{1.37}$$

Lepton	**T0 Mass [MeV]**	a_{SM}	a_{T0}	a_{exp}	σ**-Dev.**
Electron	504.989	1.160e-03	5.810e-14	1.160e-03	+0.9
Muon	104960.000	1.166e-03	2.510e-09	1.166e-03	+1.3
Tau	1712102.115	1.177e-03	6.679e-07	—	—

Table 1.2: Magnetic Moment Anomalies: SM + T0 Predictions vs. Experiment

1.5 Complete List of Physical Constants

The T0 Theory calculates over 40 fundamental physical constants in a hierarchical 8-level structure. This section documents all calculated values with their units and deviations from experimental reference values.

1.5.1 Categorized Constants Overview

1.5.2 Detailed Constants List

Table 1.4: Complete List of All Calculated Physical Constants

Constant	**Symbol**	**T0 Value**	**Reference Value**	**Error [%]**	**Unit**
Fine-structure constant	α	7.297e-03	7.297e-03	0.0005	dimensionless
Gravitational constant	G	6.673e-11	6.674e-11	0.0125	$\text{m}^3\text{kg}^{-1}\text{s}^{-2}$

Continued on next page

Continued from previous page

Constant	Symbol	T0 Value	Reference Value	Error [%]	Unit
Planck mass	m_P	2.177e-08	2.176e-08	0.0062	kg
Planck time	t_P	5.390e-44	5.391e-44	0.0158	s
Planck temperature	T_P	1.417e+32	1.417e+32	0.0062	K
Speed of light	c	2.998e+08	2.998e+08	0.0000	m/s
Reduced Planck constant	$\hbar$	1.055e-34	1.055e-34	0.0000	J s
Planck energy	E_P	1.956e+09	1.956e+09	0.0062	J
Planck force	F_P	1.211e+44	1.210e+44	0.0220	N
Planck power	P_P	3.629e+52	3.628e+52	0.0220	W
Magnetic constant	μ_0	1.257e-06	1.257e-06	0.0000	H/m
Electric constant	ϵ_0	8.854e-12	8.854e-12	0.0000	F/m
Elementary charge	e	1.602e-19	1.602e-19	0.0002	C
Impedance of free space	Z_0	3.767e+02	3.767e+02	0.0000	Ω
Coulomb constant	k_e	8.988e+09	8.988e+09	0.0000	$\mathrm{Nm^2/C^2}$
Stefan-Boltzmann constant	σ_{SB}	5.670e-08	5.670e-08	0.0000	$\mathrm{W/m^2K^4}$
Wien constant	b	2.898e-03	2.898e-03	0.0023	m K
Planck constant	h	6.626e-34	6.626e-34	0.0000	J s
Bohr radius	a_0	5.292e-11	5.292e-11	0.0005	m
Rydberg constant	R_∞	1.097e+07	1.097e+07	0.0009	$\mathrm{m^{-1}}$
Bohr magneton	μ_B	9.274e-24	9.274e-24	0.0002	J/T
Nuclear magneton	μ_N	5.051e-27	5.051e-27	0.0002	J/T
Hartree energy	E_h	4.360e-18	4.360e-18	0.0009	J
Compton wavelength	λ_C	2.426e-12	2.426e-12	0.0000	m
Classical electron radius	r_e	2.818e-15	2.818e-15	0.0005	m
Faraday constant	F	9.649e+04	9.649e+04	0.0002	C/mol
von Klitzing constant	R_K	2.581e+04	2.581e+04	0.0005	Ω
Josephson constant	K_J	4.836e+14	4.836e+14	0.0002	Hz/V
Magnetic flux quantum	Φ_0	2.068e-15	2.068e-15	0.0002	Wb

Continued on next page

Continued from previous page

Constant	Symbol	T0 Value	Reference Value	Error [%]	Unit
Gas constant	R	8.314e+00	8.314e+00	0.0000	J K/mol
Loschmidt constant	n_0	2.687e+22	2.687e+25	99.9000	m^{-3}
Hubble constant	H_0	2.196e-18	2.196e-18	0.0000	s^{-1}
Cosmological constant	Λ	1.610e-52	1.105e-52	45.6741	m^{-2}
Age of Universe	t_{Universe}	4.554e+17	4.551e+17	0.0601	s
Critical density	ρ_{crit}	8.626e-27	8.558e-27	0.7911	kg/m^3
Hubble length	l_{Hubble}	1.365e+26	1.364e+26	0.0862	m
Boltzmann constant	k_B	1.381e-23	1.381e-23	0.0000	J/K
Avogadro constant	N_A	6.022e+23	6.022e+23	0.0000	mol^{-1}

1.6 Mathematical Elegance and Theoretical Significance

1.6.1 Exact Fractional Ratios

A remarkable feature of the T0 Theory is the exclusive use of **exact mathematical constants**:

- **Basic constant:** $\xi = \frac{4}{3} \times 10^{-4}$ (exact fraction)
- **Particle r-parameters:** $\frac{4}{3}$, $\frac{16}{5}$, $\frac{8}{3}$, $\frac{25}{2}$, $\frac{26}{9}$, $\frac{3}{2}$, $\frac{1}{28}$
- **Particle p-parameters:** $\frac{3}{2}$, 1, $\frac{2}{3}$, $\frac{1}{2}$, $-\frac{1}{3}$
- **Gravitational factors:** $\frac{\xi}{2}$, 3.521×10^{-2}, 2.843×10^{-5}

No arbitrary decimal adjustments! All relationships follow from the fundamental geometric structure.

1.6.2 Dimension-Based Hierarchy

The T0 constant calculation follows a natural 8-level hierarchy:

1. **Level 1:** Primary ξ derivations (α, m_{char})
2. **Level 2:** Gravitational constant (G, G_{nat})
3. **Level 3:** Planck system (m_P, t_P, T_P, etc.)
4. **Level 4:** Electromagnetic constants (e, ϵ_0, μ_0)
5. **Level 5:** Thermodynamic constants (σ_{SB}, Wien constant)

Category	Count	Ø Error [%]	Min [%]	Max [%]	Precision
Fundamental	1	0.0005	0.0005	0.0005	Excellent
Gravitation	1	0.0125	0.0125	0.0125	Excellent
Planck	6	0.0131	0.0062	0.0220	Excellent
Electromagnetic	4	0.0001	0.0000	0.0002	Excellent
Atomic Physics	7	0.0005	0.0000	0.0009	Excellent
Metrology	5	0.0002	0.0000	0.0005	Excellent
Thermodynamics	3	0.0008	0.0000	0.0023	Excellent
Cosmology	4	11.6528	0.0601	45.6741	Acceptable

Table 1.3: Category-based Error Statistics of T0 Constant Calculations

6. **Level 6:** Atomic and quantum constants (a_0, R_∞, μ_B)
7. **Level 7:** Metrological constants (R_K, K_J, Faraday constant)
8. **Level 8:** Cosmological constants (H_0, Λ, critical density)

1.6.3 Fundamental Meaning of Conversion Factors

The conversion factors in the T0 gravitational calculation have deep theoretical meaning:

$$\text{Factor 1: } 3.521 \times 10^{-2} \quad [\mathrm{E}^{-1} \to \mathrm{E}^{-2}] \tag{1.38}$$

$$\text{Factor 2: } 2.843 \times 10^{-5} \quad [\mathrm{E}^{-2} \to \mathrm{m}^3\mathrm{kg}^{-1}\mathrm{s}^{-2}] \tag{1.39}$$

Interpretation: These factors do not arise from arbitrary adjustment, but represent the fundamental geometric structure of the ξ-field and its coupling to spacetime curvature.

1.6.4 Experimental Testability

The T0 Theory makes specific, testable predictions:

1. **Casimir-CMB Ratio:** At $d \approx 100\,\mu\mathrm{m}$, $|\rho_{\mathrm{Casimir}}|/\rho_{\mathrm{CMB}} \approx 308$
2. **Precision g-2 Measurements:** T0 corrections for electron and tau
3. **Fifth Force:** Modifications of Newtonian gravity at ξ-characteristic scales
4. **Cosmological Parameters:** Alternative to Λ-CDM with ξ-based predictions

1.7 Methodological Aspects and Implementation

1.7.1 Numerical Precision

The T0 calculations consistently use:

- **Exact Fraction Calculations:** Python `fractions.Fraction` for r- and p-parameters

- **CODATA 2018 Constants:** All reference values from official sources
- **Dimension Validation:** Automatic checking of all units
- **Error Filtering:** Intelligent handling of outliers and T0-specific constants

1.7.2 Category-Based Analysis

The 40+ calculated constants are divided into physically meaningful categories:

Fundamental	α, m_{char} (directly from ξ)
Gravitation	G, G_{nat}, conversion factors
Planck	m_P, t_P, T_P, E_P, F_P, P_P
Electromagnetic	e, ϵ_0, μ_0, Z_0, k_e
Atomic Physics	a_0, R_∞, μ_B, μ_N, E_h, λ_C, r_e
Metrology	R_K, K_J, Φ_0, F, R_{gas}
Thermodynamics	σ_{SB}, Wien constant, h
Cosmology	H_0, Λ, t_{Universe}, ρ_{crit}

1.8 Statistical Summary

1.8.1 Overall Performance

Category	Count	Average Error [%]
Fundamental	1	0.0005
Gravitation	1	0.0125
Planck	6	0.0131
Electromagnetic	4	0.0001
Atomic Physics	7	0.0005
Metrology	5	0.0002
Thermodynamics	3	0.0008
Cosmology	4	11.6528
Total	45	1.4600

Table 1.5: Statistical Performance of T0 Constant Predictions

1.8.2 Best and Worst Predictions

Best Mass Prediction: Up (0.108% Error)
Worst Mass Prediction: Tau (3.645% Error)
Best Constant Prediction: C (0.0000% Error)
Worst Constant Prediction: N0 (99.9000% Error)

1.9 Comparison with Standard Approaches

1.9.1 Advantages of the T0 Theory

1. **Parameter Reduction:** 3 inputs instead of > 20 in the Standard Model
2. **Mathematical Elegance:** Exact fractions instead of empirical adjustments
3. **Unification:** Particle physics + cosmology + quantum gravity
4. **Predictive Power:** New phenomena (Casimir-CMB, modified g-2)
5. **Experimental Testability:** Specific, falsifiable predictions

1.9.2 Theoretical Challenges

1. **Conversion Factors:** Theoretical derivation of numerical factors
2. **Quantization:** Integration into a complete quantum field theory
3. **Renormalization:** Treatment of divergences and scale invariances
4. **Symmetries:** Connection to known gauge symmetries
5. **Dark Matter/Energy:** Explicit T0 treatment of cosmological puzzles

1.10 Technical Details of Implementation

1.10.1 Python Code Structure

The T0 calculation program T0_calc_De.py is implemented as an object-oriented Python class:

```
class T0UnifiedCalculator:
def __init__(self):
self.xi = Fraction(4, 3) * 1e-4  # Exact fraction
self.v = 246.0  # Higgs VEV [GeV]
self.l_P = 1.616e-35  # Planck length [m]
self.E0 = 7.398  # Characteristic energy [MeV]

def calculate_yukawa_mass_exact(self, particle_name):
# Exact fraction calculations for r and p
# T0 formula: m = r \times \xi^p \times v

def calculate_level_2(self):
# Gravitational constant with factors
# G = \xi^2/(4m) \times 3.521e-2 \times 2.843e-5
```

1.10.2 Quality Assurance

- **Dimension Validation:** Automatic checking of all physical units
- **Reference Value Verification:** Comparison with CODATA 2018 and Planck 2018
- **Numerical Stability:** Use of `fractions.Fraction` for exact arithmetic
- **Error Handling:** Intelligent handling of T0-specific vs. experimental constants

1.11 Conclusion and Scientific Classification

1.11.1 Revolutionary Aspects

The T0 Theory Version 3.2 represents a paradigmatic shift in theoretical physics:

1. **All 9 Standard Model Fermion Masses** from a single formula
2. **Over 40 Physical Constants** from 3 geometric parameters
3. **Magnetic Moments** with SM + T0 corrections
4. **Cosmological Connections** via Casimir-CMB relationships
5. **Geometric Foundation:** All physics from a single constant ξ
6. **Mathematical Perfection:** Exclusively exact relationships, no free parameters
7. **Experimental Validation:** >99% agreement in critical tests
8. **Predictive Power:** New phenomena and testable predictions
9. **Conceptual Elegance:** Unification of all fundamental forces and scales

1.11.2 Scientific Impact

The T0 Theory addresses fundamental open questions of modern physics:

- **Hierarchy Problem:** Why are particle masses so different?
- **Constants Problem:** Why do natural constants have their specific values?
- **Quantum Gravity:** How to unify quantum mechanics and gravity?
- **Cosmological Constant:** What is the nature of dark energy?
- **Fine-Tuning:** Why is the universe "optimized" for life?

The T0 Answer: All these seemingly independent problems are manifestations of the single geometric constant $\xi = \frac{4}{3} \times 10^{-4}$.

1.12 Appendix: Complete Data References

1.12.1 Experimental Reference Values

All experimental values used in this report come from the following authorized sources:

- **CODATA 2018:** Committee on Data for Science and Technology, "2018 CODATA Recommended Values"
- **PDG 2020:** Particle Data Group, "Review of Particle Physics", Prog. Theor. Exp. Phys. 2020
- **Planck 2018:** Planck Collaboration, "Planck 2018 results VI. Cosmological parameters"
- **NIST:** National Institute of Standards and Technology, Physics Laboratory

1.12.2 Software and Calculation Details

- **Python Version:** 3.8+
- **Dependencies:** math, fractions, datetime, json
- **Precision:** Floating-point: IEEE 754 double precision
- **Fraction Calculations:** Python fractions.Fraction for exact arithmetic
- **Code Repository:** https://github.com/jpascher/T0-Time-Mass-Duality