

# T0-Theory: Unified Calculator Results

## Masses and Physical Constants from Geometric Principles

Johann Pascher

HTL Leonding, Austria

Automatically generated by the T0 Unified Calculator v3.0

September 23, 2025

## Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
<b>2</b>	<b>Fundamental Input Parameters</b>	<b>2</b>
2.1	Geometric Derivation of $\xi$ . . . . .	2
<b>3</b>	<b>Particle Mass Calculations</b>	<b>2</b>
3.1	Statistical Analysis of Mass Results . . . . .	2
<b>4</b>	<b>Physical Constants</b>	<b>3</b>
4.1	Level 1: Primary Derivations . . . . .	3
4.2	Level 2: Gravitational Constant . . . . .	3
4.3	Overview of All Calculated Constants . . . . .	3
<b>5</b>	<b>Summary</b>	<b>4</b>
5.1	Key Results . . . . .	4
<b>6</b>	<b>Conclusion</b>	<b>4</b>

# 1 Introduction

The T0-Theory presents a revolutionary approach where all physical constants and particle masses are derived from only three fundamental geometric parameters. This work presents the complete results of the unified T0 calculator.

## 2 Fundamental Input Parameters

The entire T0-Theory is based on only three input values:

$$\xi = \frac{4}{3} \times 10^{-4} \approx 1.33333333e - 04 \text{ (geometric constant)} \quad (1)$$

$$\ell_P = 1.616000e - 35 \text{ m (Planck length)} \quad (2)$$

$$E_0 = 7.398 \text{ MeV (characteristic energy)} \quad (3)$$

$$v = 246.0 \text{ GeV (Higgs VEV, derived from } \xi) \quad (4)$$

### 2.1 Geometric Derivation of $\xi$

The geometric constant  $\xi$  arises from the fundamental field equation:

$$\nabla^2 m(x, t) = 4\pi G \rho(x, t) \cdot m(x, t) \quad (5)$$

For a spherically symmetric point mass, this leads to the characteristic length:

$$r_0 = 2Gm \quad \text{and} \quad \xi = \frac{r_0}{\ell_P} \quad (6)$$

## 3 Particle Mass Calculations

The T0-Theory calculates all particle masses using the Yukawa method:

$$m = r \times \xi^p \times v \quad (7)$$

where  $r$  and  $p$  are particle-specific parameters from the geometric structure.

Table 1: T0 Mass Predictions with Exact Fraction Parameters

Particle	$r$	$p$	T0 Mass [MeV]	Exp. Mass [MeV]	Error [%]
Electron	$\frac{4}{35}$	$\frac{3}{2}$	0.5	0.5	1.18
Muon	$\frac{16}{5}$	1	105.0	105.7	0.66
Tau	$\frac{8}{3}$	$\frac{2}{33}$	1712.1	1776.9	3.64
Up	6	$\frac{2}{3}$	2.3	2.3	0.11
Down	$\frac{25}{2}$	$\frac{2}{3}$	4.7	4.7	0.30
Strange	$\frac{26}{9}$	1	94.8	93.4	1.45
Charm	2	$\frac{2}{3}$	1284.1	1270.0	1.11
Bottom	$\frac{3}{2}$	$\frac{1}{2}$	4260.8	4180.0	1.93
Top	$\frac{1}{28}$	$\frac{-1}{3}$	171974.5	172760.0	0.45

### 3.1 Statistical Analysis of Mass Results

The T0-Theory achieves remarkable accuracy in predicting particle masses:

- Number of calculated particles: 9

- Average error: 1.20%
- Best prediction: up (0.11% error)
- All masses calculated from only 3 parameters

## 4 Physical Constants

The T0-Theory systematically derives all fundamental physical constants in an 8-level hierarchy:

### 4.1 Level 1: Primary Derivations

$$\alpha = \xi \left( \frac{E_0}{1 \text{ MeV}} \right)^2 = 7.297387e - 03 \quad (8)$$

$$m_{\text{char}} = \frac{\xi}{2} = 6.666667e - 05 \quad (9)$$

### 4.2 Level 2: Gravitational Constant

The gravitational constant is directly derived from  $\xi$ :

$$G_{\text{nat}} = \frac{\xi^2}{4m_{\text{char}}} = \frac{\xi}{2} = 6.666667e - 05 \text{ (dimensionless)} \quad (10)$$

$$G = G_{\text{nat}} \times \frac{\ell_{\text{P}}^2 c^3}{\hbar} = 6.672194e - 11 \text{ m}^3 \text{ kg}^{-1} \text{ s}^{-2} \quad (11)$$

### 4.3 Overview of All Calculated Constants

Table 2: T0 Constant Calculations by Hierarchy Level

Level	Constant	T0 Value	Reference Value	Error [%]
1	$\alpha$	$7.297387 \times 10^{-3}$	$7.297353 \times 10^{-3}$	0.0005
1	$m_{\text{char}}$	$6.666667 \times 10^{-5}$	T0-derived	-
2	$G$	$6.672194 \times 10^{-11}$	$6.674300 \times 10^{-11}$	0.0316
2	$G_{\text{nat}}$	$6.666667 \times 10^{-5}$	T0-derived	-
2	$G_{\text{conversion factor}}$	$6.672194 \times 10^{-11}$	T0-derived	-
3	$c$	$2.997925 \times 10^8$	$2.997925 \times 10^8$	0.0000
3	$\hbar$	$1.054572 \times 10^{-34}$	$1.054572 \times 10^{-34}$	0.0000
3	$m_{\text{P}}$	$2.176778 \times 10^{-8}$	$2.176434 \times 10^{-8}$	0.0158
3	$t_{\text{P}}$	$5.390396 \times 10^{-44}$	$5.391247 \times 10^{-44}$	0.0158
3	$T_{\text{P}}$	$1.417008 \times 10^{32}$	$1.416784 \times 10^{32}$	0.0158
3	$E_{\text{P}}$	$1.956390 \times 10^9$	$1.956082 \times 10^9$	0.0158
3	$F_{\text{P}}$	$1.210638 \times 10^{44}$	$1.210256 \times 10^{44}$	0.0315
3	$P_{\text{P}}$	$3.629400 \times 10^{52}$	$3.628255 \times 10^{52}$	0.0316
4	$\mu_0$	$1.256637 \times 10^{-6}$	$1.256637 \times 10^{-6}$	0.0000
4	$\epsilon_0$	$8.854188 \times 10^{-12}$	$8.854188 \times 10^{-12}$	0.0000
4	$e$	$1.602180 \times 10^{-19}$	$1.602177 \times 10^{-19}$	0.0002
4	$Z_0$	$3.767303 \times 10^2$	$3.767303 \times 10^2$	0.0000
4	$k_{\text{e}}$	$8.987552 \times 10^9$	$8.987552 \times 10^9$	0.0000
5	$\sigma_{\text{SB}}$	$5.670374 \times 10^{-8}$	$5.670374 \times 10^{-8}$	0.0000
5	$b_{\text{Wien}}$	$2.897839 \times 10^{-3}$	$2.897772 \times 10^{-3}$	0.0023
5	$h$	$6.626070 \times 10^{-34}$	$6.626070 \times 10^{-34}$	0.0000

Continuation on next page

Table 2 – Continuation from previous page

Level	Constant	T0 Value	Reference Value	Error [%]
6	$a_0$	$5.291\,747 \times 10^{-11}$	$5.291\,772 \times 10^{-11}$	0.0005
6	$R_\infty$	$1.097\,384 \times 10^7$	$1.097\,373 \times 10^7$	0.0009
6	$\mu_B$	$9.274\,032 \times 10^{-24}$	$9.274\,010 \times 10^{-24}$	0.0002
6	$\mu_N$	$5.050\,796 \times 10^{-27}$	$5.050\,784 \times 10^{-27}$	0.0002
6	$E_h$	$4.359\,786 \times 10^{-18}$	$4.359\,745 \times 10^{-18}$	0.0009
6	$\lambda_C$	$2.426\,310 \times 10^{-12}$	$2.426\,310 \times 10^{-12}$	0.0000
6	$r_e$	$2.817\,954 \times 10^{-15}$	$2.817\,940 \times 10^{-15}$	0.0005
7	$F$	$9.648\,556 \times 10^4$	$9.648\,533 \times 10^4$	0.0002
7	$R_K$	$2.581\,268 \times 10^4$	$2.581\,281 \times 10^4$	0.0005
7	$K_J$	$4.835\,990 \times 10^{14}$	$4.835\,978 \times 10^{14}$	0.0002
7	$\Phi_0$	$2.067\,829 \times 10^{-15}$	$2.067\,834 \times 10^{-15}$	0.0002
7	$R_{\text{gas}}$	8.314 463	8.314 463	0.0000
8	$H_0$	$2.196\,000 \times 10^{-18}$	T0-derived	-
8	$\Lambda$	$1.609\,698 \times 10^{-52}$	T0-derived	-
8	$t_{\text{universe}}$	$4.553\,734 \times 10^{17}$	T0-derived	-
8	$\rho_{\text{crit}}$	$8.627\,350 \times 10^{-27}$	T0-derived	-
8	$l_{\text{Hubble}}$	$1.365\,175 \times 10^{26}$	T0-derived	-

## 5 Summary

### 5.1 Key Results

The T0-Theory achieves a remarkable unification of physics:

1. **Complete Mass Calculation:** All 9 particle masses from geometric principles
2. **Constant Hierarchy:** 39 physical constants derived in 8 levels
3. **High Precision:** Average mass error only 1.2 %
4. **Minimal Input:** Only 3 fundamental parameters required
5. **Open Source:** All documents and source code are available at <https://github.com/jpascher/T0-Time-Mass-Duality> under the MIT License.

## 6 Conclusion

The T0 Unified Calculator demonstrates that geometric principles can lead to astonishingly accurate predictions in particle physics. The numerical accuracy warrants scientific attention.