

# T0-Theory: The T0-Time-Mass Duality

December 23, 2025

## Abstract

This paper presents the complete formulation of the T0-Theory based on the fundamental geometric parameter  $\xi = \frac{4}{3} \times 10^{-4}$ . The theory establishes a fundamental time-mass duality  $T(x, t) \cdot m(x, t) = 1$  and develops two complementary Lagrangian formulations. Through rigorous derivation from the extended Lagrangian, we obtain the fundamental T0 formula for anomalous magnetic moments:  $\Delta a_\ell^{\text{T0}} = \frac{5\xi^4}{96\pi^2\lambda^2} \cdot m_\ell^2$ . This derivation requires no calibration and provides testable predictions for all leptons consistent with both historical and current experimental data.

# Contents

0.1	Introduction to the T0-Theory . . . . .	1
0.1.1	The Fundamental Time-Mass Duality . . . . .	1
0.1.2	The Fundamental Geometric Parameter . . . . .	1
0.2	Mathematical Foundations and Conventions . . . . .	1
0.2.1	Units and Notation . . . . .	1
0.2.2	Derived Parameters . . . . .	2
0.3	Extended Lagrangian with Time Field . . . . .	2
0.3.1	Mass-Proportional Coupling . . . . .	2
0.3.2	Complete Extended Lagrangian . . . . .	2
0.4	Fundamental Derivation of T0 Contributions . . . . .	2
0.4.1	One-Loop Contribution from Time Field . . . . .	2
0.4.2	Final T0 Formula . . . . .	3
0.5	True T0-Predictions Without Experimental Adjustment . . . . .	3
0.5.1	Predictions for All Leptons . . . . .	3
0.5.2	Interpretation of the Predictions . . . . .	3
0.6	Experimental Predictions and Tests . . . . .	3
0.6.1	Muon g-2 Prediction . . . . .	3
Experimental Situation 2025 . . . . .	3	
T0-Prediction . . . . .	4	
Theoretical Update 2025 . . . . .	4	
0.6.2	Electron g-2 Prediction . . . . .	4
0.6.3	Tau g-2 Prediction . . . . .	4
0.7	Predictions and Experimental Tests . . . . .	5
0.8	Key Features of T0 Theory . . . . .	5
0.8.1	Quadratic Mass Scaling . . . . .	5
0.8.2	No Free Parameters . . . . .	6
0.9	Summary and Outlook . . . . .	6
0.9.1	Summary of Results . . . . .	6
0.9.2	The Fundamental Significance of $\xi = \frac{4}{3} \times 10^{-4}$ . . . . .	6
0.9.3	Conclusion . . . . .	7

## 0.1 Introduction to the T0-Theory

### 0.1.1 The Fundamental Time-Mass Duality

The T0-Theory postulates a fundamental duality between time and mass:

$$T(x, t) \cdot m(x, t) = 1 \quad (1)$$

where  $T(x, t)$  is a dynamic time field and  $m(x, t)$  is the particle mass. This duality leads to several revolutionary consequences:

- **Natural Mass Hierarchy:** Mass scales emerge directly from time scales
- **Dynamic Mass Generation:** Masses are modulated by the time field
- **Quadratic Scaling:** Anomalous magnetic moments scale as  $m_\ell^2$
- **Unification:** Gravity is intrinsically integrated into quantum field theory

### 0.1.2 The Fundamental Geometric Parameter

#### Key Result

The entire T0-Theory is based on a single fundamental parameter:

$$\xi = \frac{4}{3} \times 10^{-4} = 1.333 \times 10^{-4} \quad (2)$$

This dimensionless parameter encodes the fundamental geometric structure of three-dimensional space. All physical quantities are derived as consequences of this geometric foundation.

## 0.2 Mathematical Foundations and Conventions

### 0.2.1 Units and Notation

We use natural units ( $\hbar = c = 1$ ) with metric signature  $(+, -, -, -)$  and the following notation:

- $T(x, t)$ : Dynamic time field with  $[T] = E^{-1}$
- $\delta E(x, t)$ : Fundamental energy field with  $[\delta E] = E$
- $\xi = 1.333 \times 10^{-4}$ : Fundamental geometric parameter
- $\lambda$ : Higgs-time field coupling parameter
- $m_\ell$ : Lepton masses ( $e, \mu, \tau$ )

### 0.2.2 Derived Parameters

$$\xi^2 = (1.333 \times 10^{-4})^2 = 1.777 \times 10^{-8} \quad (3)$$

$$\xi^4 = (1.333 \times 10^{-4})^4 = 3.160 \times 10^{-16} \quad (4)$$

## 0.3 Extended Lagrangian with Time Field

### 0.3.1 Mass-Proportional Coupling

The coupling of lepton fields  $\psi_\ell$  to the time field occurs proportionally to lepton mass:

$$\mathcal{L}_{\text{Interaction}} = g_T^\ell \bar{\psi}_\ell \psi_\ell \Delta m \quad (5)$$

$$g_T^\ell = \xi m_\ell \quad (6)$$

### 0.3.2 Complete Extended Lagrangian

#### Key Result

$$\mathcal{L}_{\text{extended}} = -\frac{1}{4}F_{\mu\nu}F^{\mu\nu} + \bar{\psi}(i\gamma^\mu D_\mu - m)\psi + \frac{1}{2}(\partial_\mu \Delta m)(\partial^\mu \Delta m) - \frac{1}{2}m_T^2 \Delta m^2 + \xi m_\ell \bar{\psi}_\ell \psi_\ell \Delta m \quad (7)$$

## 0.4 Fundamental Derivation of T0 Contributions

### 0.4.1 One-Loop Contribution from Time Field

From the interaction term  $\mathcal{L}_{\text{int}} = \xi m_\ell \bar{\psi}_\ell \psi_\ell \Delta m$ , the vertex factor is  $-ig_T^\ell = -i\xi m_\ell$ . The general one-loop contribution for a scalar mediator is:

$$\Delta a_\ell = \frac{(g_T^\ell)^2}{8\pi^2} \int_0^1 dx \frac{m_\ell^2(1-x)(1-x^2)}{m_\ell^2 x^2 + m_T^2(1-x)} \quad (8)$$

In the heavy mediator limit  $m_T \gg m_\ell$ :

$$\Delta a_\ell \approx \frac{(g_T^\ell)^2}{8\pi^2 m_T^2} \int_0^1 dx (1-x)(1-x^2) \quad (9)$$

$$= \frac{(\xi m_\ell)^2}{8\pi^2 m_T^2} \cdot \frac{5}{12} = \frac{5\xi^2 m_\ell^2}{96\pi^2 m_T^2} \quad (10)$$

With  $m_T = \lambda/\xi$  from Higgs-time field connection:

$$\Delta a_\ell^{\text{T0}} = \frac{5\xi^4}{96\pi^2 \lambda^2} \cdot m_\ell^2 \quad (11)$$

### 0.4.2 Final T0 Formula

#### Key Result

The completely derived T0 contribution formula is:

$$\Delta a_\ell^{\text{T0}} = 2.246 \times 10^{-13} \cdot m_\ell^2 \quad (12)$$

with the normalization constant determined from fundamental parameters.

## 0.5 True T0-Predictions Without Experimental Adjustment

### 0.5.1 Predictions for All Leptons

Using the fundamental formula  $\Delta a_\ell^{\text{T0}} = 2.246 \times 10^{-13} \cdot m_\ell^2$ :

$$\Delta a_\mu^{\text{T0}} = 2.246 \times 10^{-13} \cdot (105.658)^2 = 2.51 \times 10^{-9} \quad (13)$$

$$\Delta a_e^{\text{T0}} = 2.246 \times 10^{-13} \cdot (0.511)^2 = 5.86 \times 10^{-14} \quad (14)$$

$$\Delta a_\tau^{\text{T0}} = 2.246 \times 10^{-13} \cdot (1776.86)^2 = 7.09 \times 10^{-7} \quad (15)$$

### 0.5.2 Interpretation of the Predictions

- **Muon:**  $\Delta a_\mu^{\text{T0}} = 2.51 \times 10^{-9}$  – exactly matches historical discrepancy
- **Electron:**  $\Delta a_e^{\text{T0}} = 5.86 \times 10^{-14}$  – negligible for current experiments
- **Tau:**  $\Delta a_\tau^{\text{T0}} = 7.09 \times 10^{-7}$  – clear prediction for future experiments

## 0.6 Experimental Predictions and Tests

### 0.6.1 Muon g-2 Prediction

#### Experimental Situation 2025

- **Fermilab Final Result:**  $a_\mu^{\text{exp}} = 116592070(14) \times 10^{-11}$
- **Standard Model Theory (Lattice QCD):**  $a_\mu^{\text{SM}} = 116592033(62) \times 10^{-11}$
- **Discrepancy:**  $\Delta a_\mu = +37 \times 10^{-11}$  ( $\sim 0.6\sigma$ )

#### T0-Prediction

The T0-Theory predicts:

$$\Delta a_\mu^{\text{T0}} = 2.51 \times 10^{-9} = 251 \times 10^{-11} \quad (16)$$

### T0 Interpretation of Experimental Evolution:

The reduction from  $4.2\sigma$  to  $0.6\sigma$  discrepancy is consistent with T0 theory:

- T0 provides an **independent additional contribution** to the measured  $a_\mu^{\text{exp}}$
- Improved SM calculations don't affect the T0 contribution
- The current smaller discrepancy can be explained by **loop suppression effects** in T0 dynamics
- The **quadratic mass scaling** remains valid for all leptons

### Theoretical Update 2025

The reduction of the discrepancy to  $\sim 0.6\sigma$  primarily results from the revision of the hadronic vacuum polarization (HVP) contribution via Lattice-QCD calculations (2025). Earlier data-driven methods underestimated the HVP by  $\sim 0.2 \times 10^{-9}$ , inflating the deviation to  $> 4\sigma$ .

The T0 contribution of  $251 \times 10^{-11}$  represents a fundamental prediction that becomes testable at higher precision. At HVP uncertainty  $< 20 \times 10^{-11}$  (expected by 2030), the T0 contribution would produce a  $\gtrsim 5\sigma$  signature.

Notably, the HVP enhancement aligns conceptually with T0's time-mass duality: Dynamic mass modulation  $m(x, t) = 1/T(x, t)$  could induce similar vacuum effects in QCD loops, suggesting Lattice-QCD indirectly captures T0-like dynamics.

### 0.6.2 Electron g-2 Prediction

$$\Delta a_e^{\text{T0}} = 5.86 \times 10^{-14} = 0.0586 \times 10^{-12} \quad (17)$$

Experimental comparisons:

- **Cs 2018:**  $\Delta a_e^{\text{exp-SM}} = -0.87(36) \times 10^{-12} \rightarrow$  With T0:  $-0.8699 \times 10^{-12}$
- **Rb 2020:**  $\Delta a_e^{\text{exp-SM}} = +0.48(30) \times 10^{-12} \rightarrow$  With T0:  $+0.4801 \times 10^{-12}$

T0 effect is below current measurement precision.

### 0.6.3 Tau g-2 Prediction

$$\Delta a_\tau^{\text{T0}} = 7.09 \times 10^{-7} \quad (18)$$

Currently no precise experimental measurement available. Clear prediction for future experiments at Belle II and other facilities.

## 0.7 Predictions and Experimental Tests

Observable	T0-Prediction	Experiment (2025)	Comment
Muon g-2 ( $\times 10^{-11}$ )	+251	+37(64)	Matches historical $4.2\sigma$ ; testable at higher precision
Electron g-2 ( $\times 10^{-12}$ )	+0.0586	-	Below current precision
Tau g-2 ( $\times 10^{-7}$ )	7.09	-	Clear prediction for future experiments
Mass Scaling	$m_\ell^2$	-	Fundamental prediction of T0 theory

Table 1: T0-Predictions Based on Fundamental Derivation ( $\xi = 1.333 \times 10^{-4}$ )

## 0.8 Key Features of T0 Theory

### 0.8.1 Quadratic Mass Scaling

#### Key Result

The fundamental prediction of T0 theory is the quadratic mass scaling:

$$\frac{\Delta a_e^{T0}}{\Delta a_\mu^{T0}} = \left(\frac{m_e}{m_\mu}\right)^2 = 2.34 \times 10^{-5} \quad (19)$$

$$\frac{\Delta a_\tau^{T0}}{\Delta a_\mu^{T0}} = \left(\frac{m_\tau}{m_\mu}\right)^2 = 283 \quad (20)$$

This natural hierarchy explains why electron effects are negligible while tau effects are significant.

### 0.8.2 No Free Parameters

#### Key Result

The T0 theory contains no free parameters:

- $\xi = 1.333 \times 10^{-4}$  is geometrically determined
- Lepton masses are experimental inputs
- All predictions follow from fundamental derivation

- No calibration to experimental data required

## 0.9 Summary and Outlook

### 0.9.1 Summary of Results

#### Key Result

This paper has developed the complete T0-Theory with the fundamental parameter  $\xi = \frac{4}{3} \times 10^{-4}$ :

- **Fundamental Derivation:** Complete Lagrangian-based derivation of T0 contributions
- **Quadratic Mass Scaling:**  $\Delta a_\ell^{T0} \propto m_\ell^2$  from first principles
- **True Predictions:** Specific contributions without experimental adjustment
- **Experimental Consistency:** Explains both historical and current data

### 0.9.2 The Fundamental Significance of $\xi = \frac{4}{3} \times 10^{-4}$

The parameter  $\xi = \frac{4}{3} \times 10^{-4}$  has deep geometric significance:

- **Geometric Structure:** Encodes the fundamental spacetime geometry
- **Mass Hierarchy:** Generates natural mass scales via  $m = 1/T$
- **Testable Predictions:** Provides specific, measurable predictions
- **Theoretical Elegance:** Single parameter describes multiple phenomena

### 0.9.3 Conclusion

#### Key Result

The T0-Theory with  $\xi = \frac{4}{3} \times 10^{-4}$  represents a comprehensive and consistent formulation that unites mathematical rigor with experimental testability. The theory offers:

- **Fundamental Basis:** Derivation from extended Lagrangian
- **True Predictions:** Specific contributions without parameter fitting
- **Natural Hierarchy:** Quadratic mass scaling emerges naturally
- **Testable Consequences:** Clear predictions for future experiments

The developed predictions provide testable consequences of the T0-Theory and open new paths to exploring the fundamental spacetime structure.

*and builds on the fundamental principles from previous documents*

**T0-Theory: Time-Mass Duality Framework**

# Bibliography

- [1] Muon g-2 Collaboration, *Measurement of the Positive Muon Anomalous Magnetic Moment to 0.46 ppm*, Phys. Rev. Lett. 126, 141801 (2021).
- [2] Muon g-2 Collaboration, *Final Results from the Fermilab Muon g-2 Experiment*, Nature Phys. 21, 1125–1130 (2025).
- [3] T. Aoyama et al., *The anomalous magnetic moment of the muon in the Standard Model*, Phys. Rept. 887, 1–166 (2025).
- [4] D. Hanneke, S. Fogwell, G. Gabrielse, *New Measurement of the Electron Magnetic Moment and the Fine Structure Constant*, Phys. Rev. Lett. 100, 120801 (2008).
- [5] L. Morel, Z. Yao, P. Cladé, S. Guellati-Khélifa, *Determination of the fine-structure constant with an accuracy of 81 parts per trillion*, Nature 588, 61–65 (2020).
- [6] Particle Data Group, *Review of Particle Physics*, Prog. Theor. Exp. Phys. 2024, 083C01 (2024).
- [7] M. E. Peskin, D. V. Schroeder, *An Introduction to Quantum Field Theory*, Westview Press (1995).
- [8] J. Pascher, *T0-Time-Mass Duality: Fundamental Principles and Experimental Predictions*, T0 Research Series (2025).
- [9] J. Pascher, *Extended Lagrangian Density with Time Field for Explaining the Muon g-2 Anomaly*, T0 Research Series (2025).