

A015 – The Origin of ξ : Circularity Problem and Self-Consistent Solution

Johann Pascher

July 2026

Contents

.1	Purpose	1
.2	The Circularity Problem	1
.3	The e-p- μ System as Proof	1
.4	The Fundamental Justification of the 10^{-4} Scale	2
.5	What $K = 245$ Is and What It Is Used For	3
.6	Verification Script	3
.7	Open Questions	3
.8	Supersedes	4
.9	Use of AI Tools	4

.1 Purpose

[STIPULATION] $\xi = 4/30000$ is a stipulation (A020). This document answers whether this number is *only* empirically anchored, or whether it follows from the structure of the system. The result: ξ is not arbitrary. The exponent -4 in the order of magnitude 10^{-4} follows from the fractal spacetime dimensionality $D_f = 3 - \xi$ and the four-dimensionality of the universe. The mass-scaling exponent $\kappa = 7$ is the *unique self-consistent solution* of the e-p- μ triangle. (Note of 1 Oct. 2026: $\kappa = 7$ is a choice of the decomposition $R_{pe} = K \cdot (4/3)^7$ with remainder term K , not a selection; see the note in the section on the e-p- μ system.) (Removed on 1 Oct. 2026: previously “The prefactor $4/3$ is independently confirmed by the Casimir effect” and “triply anchored” in the following sentence – the Casimir energy per area is $-\pi^2 \hbar c / (720 a^3)$ without a factor $4/3$; there is no Casimir confirmation of the factor $4/3$.) The order of magnitude of ξ is thus anchored – but *not* derivable from the three stipulations of A020 alone; a measured mass anchor remains necessary.

.2 The Circularity Problem

[S] The original presentation appears circular:

$$\frac{m_p}{m_e} = 245 \times \left(\frac{4}{3}\right)^7 \Rightarrow \xi = \frac{4}{30000}.$$

Objection: Why $\kappa = 7$? Why $K = 245$? Is this not backward fitting?

[B] The answer: the exponent $\kappa = 7$ is not fitted but is the *unique consistent solution* for the complete e-p- μ system. That is the core of the document; the rest demonstrates it. (Note of 1 Oct. 2026: This claim does not hold; $\kappa = 7$ is a choice of the decomposition, not a selection – see the note in the following section.)

.3 The e-p- μ System as Proof

[K] The three fundamental mass ratios:

$$R_{pe} = \frac{m_p}{m_e} = 1836.15267343,$$

$$R_{\mu e} = \frac{m_\mu}{m_e} = 206.7682830,$$

$$R_{p\mu} = \frac{m_p}{m_\mu} = 8.880.$$

Multiplicativity forces $R_{pe} = R_{\mu e} \times R_{p\mu}$. For the ansatz $R_{pe} = K \times (4/3)^\kappa$ one need only test the exponent:

κ	Prediction R_{pe}	Consistent	Error
6	$245 \times (4/3)^6 = 1376.6$	×	25.0 %
7	$245 \times (4/3)^7 = 1835.4$	✓	0.04 %
8	$245 \times (4/3)^8 = 2447.2$	×	33.3 %

[K] $\kappa = 7$ is the unique consistent solution – not fitting but selection. The exponent follows directly:

$$\kappa = \frac{\ln(R_{pe}/K)}{\ln(4/3)} = \frac{\ln(1836.15/245)}{\ln(1.3333)} \approx 7.000.$$

(Note of 1 Oct. 2026: The table keeps $K = 245$, which is fitted to $\kappa = 7$ ($K = R_{pe}/(4/3)^7$, section on K), fixed and can therefore single out only $\kappa = 7$. For every κ , $K_\kappa = R_{pe}/(4/3)^\kappa$ fits exactly: $\kappa = 6, 7, 8$ give $K = 326.8; 245.1; 183.8$. The κ formula also presupposes $K = 245$. $\kappa = 7$ is a choice of the decomposition $R_{pe} = K \cdot (4/3)^7$ with remainder term K , not a selection; the table shows no uniqueness.)

.4 The Fundamental Justification of the 10^{-4} Scale

[B] Why 10^{-4} ? The argument has three steps:

(1) **From the fractal dimension.** The fractal dimension $D_f = 3 - \xi \approx 2.9998667$ generates a discrete scale hierarchy. The relative deviation from the integer dimension:

$$\delta = 1 - \frac{D_f}{3} = 1 - \frac{3 - \xi}{3} = \frac{\xi}{3} \approx 4.44 \times 10^{-5},$$

so $\xi = 3\delta = 3 - D_f$; ξ is the absolute deviation of the fractal dimension from 3. (Corrected on 1 Oct. 2026: previously $\delta \approx 1.333 \times 10^{-4}$ and "This makes ξ the relative fractal deviation" – with $D_f = 3 - \xi$, $\delta = \xi/3 = 4.444 \times 10^{-5}$; 1.333×10^{-4} is ξ itself, and the relative deviation is δ , not ξ .)

(2) **From the spacetime dimensionality.** In d -dimensional spaces one expects natural scalings $\xi_d \sim (10^{-1})^d$. For $d = 4$:

$$\xi_4 \sim (10^{-1})^4 = 10^{-4}.$$

This explains the order of magnitude; the prefactor $4/3$ does not follow from it (for step (3) see there).

(3) **From the Casimir effect.** The Casimir energy per area between ideal parallel plates is

$$\frac{E_{\text{Casimir}}}{A} = -\frac{\pi^2 \hbar c}{720 a^3}$$

without a factor $4/3$; there is no Casimir confirmation of the factor $4/3$. (Corrected on 1 Oct. 2026: previously “The Casimir effect provides the factor $4/3$ independently of mass fits” with $E_{\text{Casimir}} = -\pi^2 \hbar c / (720 a^3) \times 4/3$, and in the previous step “the exact prefactor $4/3$ is supplied by step (3)” – standard result: $E/A = -\pi^2 \hbar c / (720 a^3)$, pressure $\pi^2 \hbar c / (240 a^4)$, energy density $\pi^2 \hbar c / (720 a^4)$; a factor $4/3$ does not occur, and at +33 % it would be excluded by the measurements (about 1 % in the sphere-plate geometry).) Only the fourth ($4/3$) – not the fifth ($3/2$) or third ($5/4$) – gives consistent results for the mass spectrum. Consistency over five independent ratios:

Ratio	Experiment	T0 with $\kappa = 7$	Error
m_p/m_e	1836.1527	1835.4	0.04 %
m_μ/m_e	206.7683	input	–
m_p/m_μ	8.880	8.877	0.04 %
m_τ/m_μ	16.817	input	–
m_n/m_p	1.001378	1.001333	0.004 %

(Corrected on 1 Oct. 2026: previously in the column “T0 with $\kappa = 7$ ” $m_\mu/m_e = 206.768$ (0.001 %), $m_p/m_\mu = 8.880$ (0.02 %), $m_\tau/m_\mu = 16.817$ (0.02 %) – the ansatz $K \cdot (4/3)^\kappa$ yields only $m_p/m_e = 245 \cdot (4/3)^7 = 1835.43$; from this $m_p/m_\mu = 1835.43/206.768 = 8.877$ (–0.04 %). m_μ/m_e and m_τ/m_μ were measured values without a derivation and are inputs; the table does not show consistency over five independent ratios.)

.5 What $K = 245$ Is and What It Is Used For

[K] $K = 245$ is a *remainder term*, not a fundamental object. $\ln(R_{pe})/\ln(4/3) = 26.12$ – not an integer. To obtain an integer exponent $\kappa = 7$, one decomposes:

$$K = \frac{R_{pe}}{(4/3)^7} = \frac{1836.152}{7.492} \approx 245.1.$$

K names the remainder after extracting $(4/3)^7$. It appears in no other FFGFT formula. If R_{pe} were exactly $245 \times (4/3)^7 = 1835.43$, K would be exactly an integer; the small remainder $R_{pe} - 245 \times (4/3)^7 = 0.73$ produces the 0.04 % deviation.

[S] The prime factorisation $245 = 5 \times 7^2$ is a post-hoc observation – 7 appears because of $\kappa = 7$, 5 is coincidental. There is no geometric derivation of $K = 245$; a corresponding formula ($245 \approx \phi^{12}/(1-\xi)^2$) from the legacy corpus is numerically wrong ($\phi^{12}/(1-\xi)^2 \approx 322$, deviation 31 %).

[K] Honest assessment. The three anchors – fractal dimension (1), spacetime dimensionality (2), Casimir (3) – explain the order of magnitude 10^{-4} and the prefactor $4/3$. But all three hang on the e-p- μ system as an empirical anchor. There is no derivation of ξ from the three stipulations of A020 alone (without measured masses). What exists is the strongest available argument: the consistency of the unique self-consistent solution over five mass ratios. (Note of 1 Oct. 2026: The Casimir anchor (3) no longer applies, see there; $\kappa = 7$ is a choice of the decomposition, not a selection, and the consistency table contains two inputs – see the notes above.)

.6 Verification Script

- Numerical verification: $\kappa = 7$ as the unique consistent solution for R_{pe} , $R_{\mu e}$, $R_{p\mu}$; errors for $\kappa = 6, 7, 8$: `python/A_Serie_Skripte/a015_xi_ursprung.py` (*Note of 1 Oct. 2026: An error comparison at fixed $K = 245$ does not show uniqueness of κ , see the note on the e-p- μ system.*)

.7 Open Questions

There will be no proof of ξ – and that is not a deficiency. ξ is a fundamental parameter of the theory – analogous to α in the Standard Model or G in gravitation. Fundamental parameters are not proved from deeper principles; they are motivated by plausibility arguments, supported by consistency, and confirmed by measurements. A “purely geometric derivation without empirical input” is in principle impossible for a fundamental parameter – this holds for any theory.

What exists: plausible reasons at several levels.

(1) The fourth as the unique consistent basis. Of all harmonic intervals – fourth $4/3$, fifth $3/2$, third $5/4$ – only the fourth hits the e-p- μ system consistently. This is not a coincidence of the table but the selection mechanism of the experiment. (*Note of 1 Oct. 2026: With a free remainder term K , every base and every κ fits exactly; singling out $4/3$ and $\kappa = 7$ is a choice, not a selection mechanism – see the note on the e-p- μ system.*)

(2) Fractal deviation. $\xi = 3 - D_f$ is the absolute deviation of the fractal dimension $D_f = 3 - \xi$ from the integer dimension 3. (*Corrected on 1 Oct. 2026: previously “ $\xi = 1 - D_f/3$ is the relative deviation” – $1 - D_f/3 = \xi/3$, hence $\xi = 3(1 - D_f/3) = 3 - D_f$.) The equation $\xi = \xi$ is circular, but the consistency (D_f and ξ determine each other uniquely) is a structural argument.*

(3) Natural scaling. In d -dimensional spaces $\xi_d \sim (10^{-1})^d$ is the natural scaling; for $d = 4$ (3 spatial + 1 time) it follows that $\xi_4 \sim 10^{-4}$.

(4) Prime factor structure. $\xi = 4/30000 = 2^2/(3 \cdot 2^4 \cdot 5^4) = 1/(3 \cdot 2^2 \cdot 5^4)$ – factor 3 corresponds to the spatial dimensions, factor 4 to the spacetime dimensions, 5^4 to the fractal structure.

(5) Music theory analogue. Pythagorean 3:4:5 tetrahedra as a structural parallel to the harmonic ratios – not a proof, but a methodological origin (accordion building, acoustics, resonance physics) that suggests the interval $4:3$ as a natural unit.

Together these reasons motivate $\xi = 4/30000$ as a plausible, consistent value – not as a proved one. This is the honest state, and it is the same state as for every other fundamental parameter in physics.

$K = 245$ is a remainder term, not a fundamental parameter. It follows from R_{pe} and $\kappa = 7$ – an intermediate value, not an independent quantity (A015, section on $K=245$).

.8 Supersedes

This document subsumes: Doc. 009 (ξ -origin: circularity problem, e-p- μ system, Casimir confirmation (*Note of 1 Oct. 2026: not tenable, see step (3) of the 10^{-4} justification*), $K = 245$, complete consistency system), Doc. 180 (complete derivation chain in five steps: T0 Lagrangian $\rightarrow$ self-consistency condition $\rightarrow$ uniqueness of $\xi \rightarrow G \rightarrow L_0$, connection to the SI system).

.9 Use of AI Tools

This document was created with the assistance of AI tools. The questions, stipulations, and all substantive decisions come from the author; the tools formulate, compute, and create verification scripts. Responsibility for content and errors rests entirely with the author. Full wording of the rules in A010.