

205 FFGFT Narrativ En

Johann Pascher

Contents

.1	The Big Picture	1
.2	Why a Torus, and Why Fractal?	1
.3	The Modes — What Actually Oscillates	2
.4	The Free Lagrangian — the Bare Oscillation	3
.5	The Correction Term — How the Fractal Geometry Shapes the Oscillation	4
.6	Where Mass Comes From — the Binding Picture	5
.7	The Yukawa Coupling — Matter to Vacuum	5
.8	The Recursion — Self-Similarity of the Scales	6
.9	The Bridge Formula — How Everything Fits Together	7
.10	What the Lagrangian Formulation Achieves	7
.11	What the Theory Does Not Claim	9
.12	The Current State — A Situation Report	10
.13	Closing Remark	12

Preliminary Note

This document translates the central Lagrangian formulations of FFGFT into plain language. It is intended for readers who want to understand the core of the theory without working through the full mathematical apparatus. Every claim here is anchored in the formal documents of the series; speculation and embellishment are avoided. Where a formula is unavoidable, it is named — not as a step in a proof, but as an orientation marker. All derivations and proofs reside in the cited sources.

The images used — vibrating string, drumhead, resonator cavity, piano inharmonicity, the Pythagorean comma — do not originate with this translation but are used in FFGFT itself (Doc. 060, 159, 173, 191). They are not arbitrary comparisons but structural parallels whose mathematical identity is worked out in the respective documents.

.1 The Big Picture

FFGFT — *Fundamental Fractal-Geometric Field Theory* — is the attempt to derive all known elementary particles and their interactions from a single geometric premise: that three-dimensional space carries the topological structure of a four-dimensional fractally structured torus. From this one premise follows, with no further free parameters, a fundamental constant

$$\xi_0 = \frac{4}{30000} \approx 1.33 \times 10^{-4},$$

and from this constant follow all other natural constants, masses, and coupling strengths (Doc. 002, 180).

The theory does not claim to replace the Standard Model. It claims to give the Standard Model a geometric foundation: the masses that appear in the Standard Model as 25 free parameters are, in FFGFT, not free numbers but eigenvalues of a fixed geometry. The coupling constants are not facts of nature but consequences of the scale flow that follows from the fractal structure.

The Lagrangian of the theory — that mathematical expression which, in physicists' usage, is "the theory" — has a remarkably simple form. It consists of a massless ground term and a tiny geometric correction. Together these suffice to generate the mode table of the elementary particles. This claim is unusual; its plausibility is laid out in the sections that follow.

.2 Why a Torus, and Why Fractal?

The first question any theory of particle physics must answer is: What actually oscillates, on what?

In the Standard Model the answer is: *nothing concrete*. Fields exist on a smooth, empty four-dimensional spacetime. The fields themselves are the actors; the geometry is a neutral backdrop. Masses are introduced by a separate mechanism (the Higgs field) which breaks symmetry at a particular point.

In FFGFT the answer is different: something with concrete shape oscillates. The underlying space carries an *inner topology* — a four-dimensional torus. A torus is a closed surface; one may picture it as the inner mantle of an inflatable swim ring, or as the wrapping pattern that arises when one folds a square sheet of paper so that opposite edges are identified. The decisive point is not spatial intuition but topology: paths on the torus can wind around it — a loop that traverses the torus once is topologically distinct from one that traverses it twice (Doc. 181, 188, 189).

This topological property is the geometric root of all integer quantum numbers in physics. A vibrating string has discrete frequencies only because it is finite and its ends are fixed — the waves must "fit". A drum membrane has discrete vibrational modes only because its boundary is fixed. An atom has discrete energy levels only because the electron oscillates in a closed potential. Wherever an oscillation is confined in a closed geometry, integer quantum numbers arise — this is not approximation, it is topology (Doc. 159).

The qualifier *fractal* means that this torus geometry is not smooth but rough on small scales. Like a coastline that reveals new corners and bays at every magnification — except that a mathematician's coastline (think the Mandelbrot shore) shows the same structural pattern at every resolution. The fractal dimension quantifies this pattern: a smooth 3D surface has dimension 3, a fractal surface can have dimension 2.99 or 2.5. In FFGFT the torus has fractal dimension

$$D_f = 3 - \xi_0 \approx 2.9998667,$$

Symbols: D_f is the fractal dimension of the torus; 3 is the naive spatial dimension; $\xi_0 \approx 1.33 \times 10^{-4}$ is the fundamental geometric constant.

Hence almost exactly 3, but not quite. The deviation is small, its effect precise and measurable (Doc. 204).

.3 The Modes — What Actually Oscillates

The mass of an electron is not something the electron *has*, but something it *is*: a particular oscillation state of the vacuum field on the torus.

This is an unusual claim because it sets two familiar pictures against each other. In the classical picture, mass is a property of material lumps: an electron has approximately mass m_e , a muon is 207 times as heavy, a tau lepton 17 times heavier than the muon. Three different particles, three different masses — why precisely these? The Standard Model has no answer to that; the masses are measured and inserted.

In the FFGFT picture, the three leptons are three distinct *mode states* of the same vacuum field. As a stringed instrument produces different tones on a single string — fundamental, first octave, fifth — the fractal torus produces, on a single vacuum field, different standing waves. Each standing wave has its own wavelength, its own frequency, its own energy. This energy *is* (in suitable units) the mass of the corresponding particle.

Three quantum numbers identify each mode (Doc. 006, 202):

- n : the *principal quantum number*. It indicates how many nodes the wave has in total — comparable to whether a tone is the fundamental, the first octave, or the second.
- l : the *transverse angular momentum*. It indicates how the wave is distributed in the transverse directions — like a rotation of the oscillation about the principal axis.
- j : the *spin quantum number*. It indicates the internal rotation of the mode and corresponds (for fermions) precisely to the spin: $j = l \pm \frac{1}{2}$.

For the three leptons, a unique assignment results:

- Electron: $n = 1, l = 0$ — the simplest oscillation, a pure ground oscillation along one axis.
- Muon: $n = 2, l = 1$ — a twofold oscillation with a rotational component.
- Tau: $n = 3, l = 2$ — the most complex of the three modes, with threefold oscillation and higher rotational share.

The mass table of the Standard Model thereby *is* the table of discrete mode states on the fractal torus. The question “why exactly these three masses?” becomes the question “why exactly these three mode numbers?” — and to that question there is an answer: because they are the simplest consistent solutions of the wave equation on the given geometry.

What shifts is the view of what a particle essentially is. In the FFGFT picture a particle is not a small ball, not a point, not a “thing”. It is an oscillation pattern fully characterised by its quantum numbers. Just as a cello tone is fully characterised by pitch, volume and timbre — not by the picture of a small “tone particle”.

.4 The Free Lagrangian — the Bare Oscillation

What, in the simplest case, stands in the Lagrangian of the theory? An answer so brief it disappoints at first:

$$\mathcal{L}_0 = \frac{1}{2} (\partial \delta m)^2.$$

Symbols:

- $\mathcal{L}_0$ – the *free Lagrangian* (the curly $\mathcal{L}$, not the upright L). “Free” means: without an interaction term. The index 0 marks the uncorrected basic form.
- δm – the *mass fluctuation*: a deviation of the vacuum field about its mean value. The δ is a small differential symbol read “small delta” and stands for “small change in”.
- ∂ – the *derivative*, read as “rate of change of what follows”. So $\partial \delta m$ is the rate of change of the mass fluctuation in space and time.
- $(\dots)^2$ – squaring keeps the expression positive (energy is positive).
- $\frac{1}{2}$ – conventional prefactor that makes the later equation of motion clean; it has no physical meaning of its own.

Picture a calm lake; a small wave running across the surface is a *fluctuation* about the rest position. δm is an analogous measure: how far does the vacuum field at a given point and time deviate from the mean? The expression $(\partial \delta m)^2$ describes how strongly this fluctuation varies in space and time.

This is the Lagrangian of a completely smooth, massless scalar field. From it follows immediately the equation of motion

$$\square \delta m = 0,$$

Symbols: $\square$ is the *d'Alembert operator* (also *wave operator* or "box operator"; the square shape is its standard symbol). It is the relativistic counterpart of the ordinary wave equation and stands for "second derivative in time minus second derivative in space"; written out: $\square = \partial_t^2 - \nabla^2$ (in suitable units). The equation $\square \delta m = 0$ thus says: the temporal acceleration of a fluctuation equals its spatial curvature – the typical form of any wave equation.

The equation says: waves propagate freely, at the speed of light, without damping or inertia. On an unstructured background that would be a completely empty, energyless theory. It would describe nothing measurable.

But we are not on an unstructured background. We are on the fractal torus. And on a closed, fractally structured surface a massless wave is not free — it is confined, into precisely the discrete mode states described above. Like a string clamped between two fixed points: the wave on the string is "free" in the sense of the wave equation, but it can take on only those frequencies that match the string's length. Every other frequency interferes with itself to zero. The closedness of the geometry selects, from the infinite palette of possible frequencies, a discrete spectrum.

That is why the Lagrangian may be so simple. It *must not* contain mass terms; the masses arise from the geometry alone. The Lagrangian describes the bare oscillation; the geometry restricts it to the physically realised spectrum (Doc. 159, 202).

.5 The Correction Term — How the Fractal Geometry Shapes the Oscillation

A perfectly smooth torus would already produce a discrete spectrum from the free Lagrangian — but this spectrum would *not* agree with the measured particle masses. It would yield ratios that are too simple; the world would be "more harmonic" than it is.

The key is the fractal structure. The torus in FFGFT is not smooth but has, at every scale level, additional fine folds, curvatures, and angular deviations. This fractal roughness must enter the Lagrangian. It does so as a *correction term*:

$$\Delta \mathcal{L}_{\text{Torus}} = \varepsilon \xi_0 \left[\frac{f(\theta)}{2} (\partial \delta m)^2 - k^{\mu\nu}(\theta) \partial_\mu \delta m \partial_\nu \delta m \right].$$

Symbols:

- $\Delta \mathcal{L}_{\text{Torus}}$ – the *additional Lagrangian*; the capital Δ stands for "difference" or "correction to the basic term".
- ε – a dimensionless prefactor of order one calibrating the geometric coupling strength (small epsilon, the standard symbol for "small but not negligible").
- ξ_0 – the fundamental geometric constant (as before).
- $f(\theta)$ and $k^{\mu\nu}(\theta)$ – two functions describing how the oscillation properties differ from one place on the torus to another.
- θ – the *position on the torus* (theta, the Greek letter for angular coordinates).
- μ, ν – *spacetime indices* running over the four dimensions (time + three space directions). Thus ∂_μ means "derivative in direction μ ". The double notation $\partial_\mu \partial_\nu$ sums over all pairs of directions according to Einstein's summation convention.

In words: oscillations on a fractal torus do not propagate equally fast in all directions. At some places the geometry is somewhat “stiffer”, at others somewhat “more compliant”; the functions $f(\theta)$ and $k^{\mu\nu}(\theta)$ encode this position-dependent variation. The prefactors ε and ξ_0 are strength measures: ξ_0 is the fundamental geometric constant of the theory and is very small. That means the correction is small. It does not change the picture qualitatively, but it shifts the numbers just enough to match experiment.

A musical analogy makes this vivid (Doc. 060). An ideal massless string would produce overtones whose frequencies are exact integer multiples of the fundamental: $f, 2f, 3f, 4f, \dots$ Real piano strings, however, are not ideal — they have a small intrinsic stiffness because they are made of real steel and not of the abstract model. As a result, the overtones are not exactly integers but slightly shifted: $f, 2.001f, 3.004f, \dots$ This *inharmonic*ity is well measurable; it is the reason a piano sounds different from a theoretical ideal instrument. The overtones are near the integer multiples but not exactly so.

The fractal correction term in FFGFT plays the same role. It is near zero — the corrections are in the range $\xi_0 \approx 10^{-4}$ — but not exactly zero. And precisely this small deviation shifts the spectrum so it agrees with the measured masses. A theory without this correction would fail; a theory with too much of it would too. The theory has exactly one parameter, ξ_0 , and it is fixed geometrically — not a free number that is fitted afterwards (Doc. 180, 188, 204).

.6 Where Mass Comes From — the Binding Picture

In the 1960s Peter Higgs formulated a mechanism by which one can give the elementary particles their masses in the Standard Model: an additional field with a non-zero mean value everywhere in the universe (“vacuum expectation value”) breaks the symmetry of the theory and confers an effective mass on the particles by their coupling to this field. The Higgs boson discovered at LHC in 2012 is the excitation of this field. The mechanism is elegant and experimentally confirmed — but it has a price: the strengths with which the individual particles couple to the Higgs field (the *Yukawa couplings*) are 25 free parameters that must be determined from experiment. Why does the tau couple precisely 17 times more strongly than the muon? The Standard Model says: “Because that is what is measured.”

In FFGFT the answer is different. Masses arise not by a mechanism but as *eigenvalue residuals* of the wave equation on the fractal torus. When one writes down the oscillation equation with the fractal correction term and looks for the discrete allowed solutions, then for each mode a *residual* remains — the kinetic energy of the wave and its geometric correction nearly cancel, but not exactly. What remains as a difference is the mass energy of the mode in question (Doc. 202, “The Binding Picture”).

$$\text{Kinetic} + \text{Potential} \approx 0, \text{Residual} = m_i^2.$$

This is the *Binding Picture*. Mass is here not an added property but a *binding phenomenon*: that which remains when the two largest contributions to the oscillation energy nearly cancel. An image is a water wave in a shallow basin: the wave is mostly motion (kinetic energy) and pressure difference (potential energy); these two balance, and what remains — the small effective inertia of the wave as a whole — is its “mass”.

This shift of perspective has an important consequence: in FFGFT there is no Higgs-mechanism postulate. The Higgs boson itself still exists in the theory — it is a particular mode of the vacuum field — but it does *not* generate the other masses. The other masses were always there as eigenvalues of the geometry. The Higgs is one mode among many, not the privileged mass-giver (Doc. 049, 116, 158).

.7 The Yukawa Coupling — Matter to Vacuum

A third term appears in the extended Lagrangian, coupling the fermions (electrons, muons, tau leptons, quarks) to the vacuum field δm :

$$\xi_0 \cdot m_\ell \cdot \bar{\psi} \psi \cdot \delta m.$$

Symbols:

- ξ_0 – the geometric constant (as before).
- m_ℓ – the mass of the fermion in question (the ℓ , lower-case Greek "lambda" or "ell", stands for *lepton* and may mean electron, muon or tau; analogously for quarks).
- ψ – the *spinor field*: the mathematical object describing a fermion. This is not a single number as for a scalar field, but a four-component vector carrying both position and spin. (Lower-case "psi", Greek letter.)
- $\bar{\psi}$ – the "adjoint spinor field", a kind of mirror image to ψ . In quantum field theory the product $\bar{\psi} \psi$ stands for the "density of the fermion at a point" – analogous to the probability density $|\psi|^2$ in non-relativistic quantum mechanics, but relativistically correct.
- δm – the mass fluctuation of the vacuum field (as before).

In words: a fermion (represented by the spinor field ψ) is not rigid but can couple to fluctuations of the vacuum field. The strength of this coupling is proportional to the mass of the fermion m_ℓ and to the geometric factor ξ_0 . This form deceptively resembles the Yukawa coupling of the Standard Model — but with a decisive difference: the strength is not freely chooseable here but fixed by $\xi_0 \cdot m_\ell$. The two factors — the geometric constant and the mass of the respective mode — are both not free but derived from the geometry (Doc. 005, 067, 202).

The picture behind this is intuitive: the hand of a violinist plucking a string couples with a certain strength to the string — and this strength depends on which string is plucked (which m_ℓ) and what material the string is made of (which ξ_0). The plucking point at the bridge, the material of the string core, all this enters the coupling. In FFGFT ξ_0 plays the role of the string material — it is a property of the geometry, universal and not depending on the individual string.

This Yukawa coupling is the reason an electron behaves in a magnetic field as it does — why it has an anomalous magnetic moment that deviates from the standard QED value by a fraction of 10^{-12} . In FFGFT this deviation is not a free parameter but a consequence of the ξ_0 correction (Doc. 018, 158, 190 C3).

.8 The Recursion — Self-Similarity of the Scales

So far we have considered the theory at a single scale level. But a fractal geometry has a special property: it looks similar at every magnification. If one takes a piece of a coastline and magnifies it, one sees again a coastline with similarly looking bays and promontories. Self-similarity is the essence of the fractal.

In FFGFT this self-similarity manifests in a *recursion operator* $\mathcal{R}$ (Doc. 203). This operator describes how the mode structure changes when one passes from one scale level to the next. It is the formal language for the question: "What happens when I magnify my observational microscope by a factor of $1/\xi_0$?"

From the repeated application of $\mathcal{R}$ two central physical phenomena follow:

Scale Flow of the Coupling

The fine-structure constant $\alpha \approx 1/137$ runs with energy. At the energy of an electron it is about $1/137.036$; at the energies of the LHC accelerator it is noticeably different. In the Standard Model this running is described by the *renormalisation group*, a technical procedure of quantum field theory. In FFGFT this running is a direct consequence of the iterated application of $\mathcal{R}$. Stability of the theory, scale flow, and the disappearance of the ultraviolet divergences that have to be cut off laboriously in the standard approach are three aspects of the same recursive structure. That is why FFGFT manages without “artificial renormalisation” (Doc. 159, 189, 190 R7).

Self-Consistency of the Spectrum

For the mass spectrum following from the mode structure to be consistent with the fractal geometry, the geometry must, at a specific recursion depth, *reproduce itself*. This is a fixed-point condition on $\mathcal{R}$, and it has exactly one non-trivial solution: the value of ξ_0 must be

$$\xi_0 = \frac{4}{30000}.$$

Any other choice breaks self-consistency. That is the deeper reason why the theory has *one* parameter — not because it happens to be good, but because self-consistency forces precisely one value (Doc. 180, 192, 203).

An analogy: if one has a well-tuned piano and presses all keys, they sound harmonious together — and that is not by chance, but because the tuning system is chosen to be self-consistent. A different tuning would have a different self-consistency, but not *none*. The question is: which value is consistent? In the piano it is the equal-tempered tuning; in FFGFT it is $\xi_0 = 4/30000$.

.9 The Bridge Formula — How Everything Fits Together

With the three building blocks — mode structure, fractal correction, recursion — the central bridge formula of the theory can be written. It connects the eigenvalues of the wave equation with the measured particle masses:

$$m_\ell = r_\ell \cdot \xi_0^{p_\ell} \cdot v.$$

Symbols:

- m_ℓ – the mass of the lepton (index ℓ for *lepton*).
- r_ℓ – a dimensionless rational prefactor from the topology of the mode (see below).
- $\xi_0^{p_\ell}$ – ξ_0 raised to a rational number p_ℓ ; the power describes which scale level the mode sits on.
- v – a *bridge constant* of $v \approx 246$ GeV that converts from dimensionless geometry to SI units. It is not freely chosen but lies in the region of the Higgs scale and, together with ξ_0 and the rational prefactors r_ℓ , carries all mass information (Doc. 241, A040). In ratios between leptons it cancels; it is only needed for absolute values.

In words: the mass of every lepton is the product of three factors. The concrete values show how strongly the theory is constrained:

- for the electron: $r = 4/3$,
- for the muon: $r = 16/5$,
- for the tau: $r = 25/9$.

The step width of the exponent between generations is $\Delta p = 1/3$ – the transition electron $\rightarrow$ muon $\rightarrow$ tau is thus a geometric sequence, not arbitrary.

Remarkable: the prefactors r_ℓ are not arbitrary. Seven of nine Yukawa coefficients in FFGFT are ratios of small integers — exactly those that appear in just intonation in music theory (5-limit system with prime factors 2, 3, 5). The electron has the prefactor $4/3$, which musically corresponds to a perfect fourth; the muon has $16/5$, a minor sixth plus an octave; the up quark $6 = 2 \cdot 3$, a fifth plus two octaves. This pattern is not coincidence but a consequence of the discrete winding ratios on the 4D torus (Doc. 060, 116, 159).

The picture behind it is that the generations of matter sound like *overtones of a single resonator*. Every lepton is an overtone of the electron mode, with step width $\Delta p = 1/3$ in the ξ_0 power. The mass table is the overtone series of a fractal instrument.

.10 What the Lagrangian Formulation Achieves

The Lagrangian of FFGFT is in the narrow sense not “new” — all individual building blocks are known: the massless scalar field, the geometric correction, the Yukawa coupling. What is new is the *linkage*. From three short terms there arises:

- the complete mass spectrum of the leptons (with about 1 % accuracy),
- the fine-structure constant α as a geometric derivation, not as a measured parameter (Doc. 011, 012),
- the anomalous magnetic moment of the electron (Doc. 018, 158),
- the Koide relation $Q = 2/3$ as an algebraic consequence of the prefactor structure (Doc. 116, 158, 192, 193),
- the modified quantum-mechanical equations of motion (Schrödinger, Dirac) as low-energy limits (Doc. 020, 067, 095, 129, 202 §15),
- Bell correlations with a small ξ_0 correction measurable in loophole-free tests (Doc. 023, 074, 147),
- qubit structures with a cylindrical phase space in which quantum gates become geometric transformations (Doc. 034, 175).

That is much, and it is plausible to expect that this list looks exaggerated at first sight. It is not; every point is worked out in a dedicated document of the series.

The actual achievement: structural unification

The core gain of FFGFT is not numerical precision but *structural unification*. Three aspects must be distinguished:

1. Reduction of free parameters. The Standard Model has about 25 free parameters: three lepton masses, six quark masses, four mixing angles, three coupling constants, one Higgs vacuum expectation value, and more. Each of these values must be measured and inserted into the theory — the theory itself says nothing about why precisely these numbers come out. In FFGFT all these values follow from a single geometric constant $\xi_0 = 4/30000$, which itself is derived from the self-consistency of the fractal torus geometry. This is a *reduction from 25 free parameters to a single one* — not by fitting, but by a geometric derivation.

2. Bridge between quantum field theory and relativity. QFT and General Relativity have been incompatible for almost a century. QFT describes matter as field quanta on a fixed

background spacetime; GR describes spacetime itself as a dynamical entity. Attempts to unite both directly fail at infinities (vacuum catastrophe, non-renormalisability of gravitons). FFGFT offers a connection: both theories become aspects of the same fractal torus geometry. The QFT fields are mode excitations on the torus; the GR curvature is the effective large-scale geometry. The connection is non-trivial but consistent (Doc. 020, 067, 081, 201).

3. Explanation of the “unexplained residues”. Where the Standard Model is silent, FFGFT has statements to offer:

- *Hierarchy problem*: why is the Higgs mass so small compared to the Planck mass? In FFGFT the mass scale follows from ξ_0 and the torus geometry; the hierarchy ratio is a geometric consequence, not a fine-tuning problem (Doc. 003, 049).
- *Dark matter and dark energy*: galactic rotation curves follow from the transition scale $a_0 = c^2 \xi_0^{10} / (4\bar{\lambda}_e)$, determined from ξ_0 alone — dark matter is an inertia regime, not a substance (Doc. 308). The cosmological constant receives the geometric carrier $\Lambda^* = 1/R_H^2$; the 10^{123} problem reduces entirely to a single declared calibration (Doc. 312).
- *CMB homogeneity without inflation* (Doc. 140, 201): the homogeneity of the cosmic microwave background follows from the global torus topology, not from an inflationary phase.
- *Values of the natural constants*: speed of light, Planck constant, gravitational constant — their concrete values follow from ξ_0 and the geometry (Doc. 002, 011, 012, 040).

What the Lagrangian formulation in the narrow sense achieves is therefore a *frame of reference* that simultaneously carries these three reduction and explanation aspects. It is not an alternative computing engine to the Standard Model — it is the geometric foundation from which the Standard Model emerges as a low-energy limit.

.11 What the Theory Does Not Claim

It is equally important to say clearly what FFGFT is not and does not claim.

No precision improvement of Standard-Model calculations. Here lies a conceptual subtlety often misunderstood. FFGFT does *not* insert additional terms into the Lagrangian and thereby arrive at *different* values from the Standard Model. On the contrary: the FFGFT correction terms are proportional to $\xi_0 \approx 10^{-4}$. Setting $\xi_0 \rightarrow 0$, the FFGFT Lagrangian goes over into the Standard-Model Lagrangian (modulo the Higgs-mechanism reformulation). Where the Standard Model delivers good results — e.g. scattering amplitudes in QED to fractions of 10^{-12} — FFGFT can only reproduce these and supplement them with tiny ξ_0 corrections, not surpass them qualitatively.

Where FFGFT delivers *different* values, these are predictions for phenomena where the Standard Model is either silent (see above: dark matter, dark energy, hierarchy problem) or for geometric corrections not yet experimentally resolved (Bell CHSH correction $\sim 10^{-4}$, modified dispersion at Planck energies). The FFGFT mass formulas yield *values* agreeing to $\sim 1\%$ — good enough to show that the geometric derivation works, but not more accurate than the experimentally measured values (to which the theory is anyway calibrated). No theory can be more accurate than experiment, FFGFT included.

An important supplementary remark on comparability. When one compares a geometric theory with Standard-Model calculations, one starts unavoidably from *measured*

values. These measured values are not raw, however, but already embedded in the conceptual scaffolding of the Standard Model (Doc. 066, 101): they contain assumptions about units, gauge conventions, calibrating natural constants (c , $\hbar$, e were fixed by definition in 2019) and implicit loop corrections. An FFGFT calculation that chooses a simpler entry point (starting directly from the geometric constant ξ_0) thereby avoids some accumulation of model assumptions — but at the same time inherits the precorrections already contained in the measured values as soon as it compares its results to them. A direct numerical competition would therefore only be fair if one were to reorganise the entire measurement chain conceptually — a step that goes far beyond the scope of this translation and is treated systematically in Doc. 101 (“Circularity of the Constants”) and Doc. 066 (“Parameter-Transfer Problem”). The agreement at the $\sim 1\%$ level should therefore be read in two directions: as confirmation of the structural claim and as a pointer to the latitude arising from the circular measurement basis.

No replacement of quantum field theory as a tool. Standard calculations of QED, e.g. the scattering amplitudes for lepton-lepton scattering, are not redone in FFGFT. The QFT machinery remains the tool of choice. FFGFT makes *statements about the constants* entering these calculations — not about the calculation technique itself (Doc. 202 §14).

No statement about what “really exists”. The question of whether the vacuum field δm is “really there”, or whether the topology of the torus “really exists”, is a philosophical question that FFGFT does not answer. What the theory provides is a consistent mathematical model that reproduces the observed phenomena and traces them to a geometric root. Whether this root *is*, or whether it *is a useful picture that works*, is a question that physics itself cannot decide.

No solution of the measurement problem. FFGFT offers a particular view of quantum measurement (Doc. 131, 175, 183) — namely, that apparently instantaneous correlations follow from topological knot correlation on the torus, not from non-locality. That is a consistent interpretation, but it does not solve the ontological question “what happens at the moment of measurement?” in the final sense. It shifts it onto another level — from apparent non-locality to fractal topology.

.12 The Current State — A Situation Report

Since the first version of this translation the corpus has sharpened in several places. Three developments shape the present state of the lepton sector: the masses, the fine-structure constant and the Koide phase are now more sharply located than before — the sector is essentially closed. What is still open is clearly named and narrowly bounded; a theory that wants to stay honest keeps the two cleanly apart.

The lepton sector, cleanly split into two layers. The masses of the three charged leptons — electron, muon, tau — can be obtained from the geometry along two routes, and the two carry different accuracy. The *circulant* (the diagonalisation of a Z_3 -symmetric mass operator) carries the precision: it hits the muon/electron ratio to a few parts per million. The coarser ξ *ladder* carries the order of magnitude: it gives the same ratios to about one percent. This is not a mere difference in principle: the more precise route is available today — it obtains the lepton ratios from just two structural numbers ($\sqrt{2}$ from $Q = 2/3$ and the angle $2/9$) and hits muon/electron several hundred times more sharply than the coarse ladder.

The ratios themselves are thus obtainable today far more precisely than a one-percent computation would suggest. Both layers share the same ξ but are independent — and must not be mixed. In particular the muon/electron ratio serves as *one* declared reference point; once set as an anchor it is consumed and no longer a test quantity. The one unavoidable test that remains is the tau mass: FFGFT predicts $m_\tau = 1776.97$ MeV, and the coming Belle-II precision will decide on it with no room to evade.

Remarkable in this sector is the fine-structure constant α . It is *not* a calibration but runs through two independent routes to the same characteristic energy — an empirical one (from the measured masses) and a purely geometric one (from ξ alone, without using the electron mass). That both routes meet to a few parts in a hundred thousand is overdetermination, not a fit. The tiny remaining residual is itself a statement: it hints that the measured “dressed” pole mass is not quite the geometrically fundamental quantity — a thin dressing layer between the bare geometry and what the experiment sees.

The Koide angle $\theta = 2/9$ — the circulant phase. Everything FFGFT determines about the lepton spectrum is the *magnitude*: the hierarchy, the Koide amplitude $Q = 2/3$. The angle $\theta = 2/9$ is the *phase* of the same object — and it is *no* free parameter: it is the value the diagonalisation of the Z_3 -circulant outputs, found, not sought. An explicit chain characterises it: it is no symmetric invariant, nothing countable or topological (it is transcendental in 2π), no static icosahedral angle — but a dynamical, magnitude-preserving holonomy phase. That it is transcendental is not a defect but positive knowledge: it *proves* the value can come from no flat or countable source.

That this principle is *dynamical* has an uncomfortable consequence: it cannot be forced within the static FFGFT geometry — $2/9$ is transcendental in 2π and so can be no countable or topological invariant. A blind, pre-sealed test against an external holonomy mechanism confirmed exactly this expectation: the result was negative, as predicted. The value lies in the “no” having been produced blindly — an honest result, not one bent into shape. For FFGFT it changes nothing about the matter: the value is fixed, its origin as the circulant phase is clear, its nature is determined. The Koide phase is thereby settled — as far derived as any other quantity the theory obtains from ξ .

What the measure is. Above all this stands a methodological principle that repeatedly proved decisive in this work: the measure of a geometric derivation is not a point-exact landing on the last decimal — that is unreachable in principle, because reality is richer than any measurement technique. The measure is whether the predictions stay *within the tolerances* to which the quantities can be determined at all. The theory would be complete once no residual protrudes beyond those tolerances that could be closed only by a free parameter. Against this yardstick — tolerance, not the last digit — progress is to be measured. Against it exactly one point in the lepton sector still stands open: the base unit of the generation-dependent correction (the number $N_0 \approx 38.6$). It is named, not explained away — and it is the only one.

Three new supports (August 2026). Since the last version three documents have been added that sharpen the overall framework:

The closure scale (Doc. 312): The Λ function of the field equations receives a geometric carrier — $\Lambda^* = 1/R_{H^2}^2$, no new parameter, dimensionless $\Lambda^* \bar{\lambda}_e^2 = (\pi/2)^2 \xi_0^{20}$. The long-open 10^{123} problem of the cosmological constant breaks down completely into geometric factors; fine-tuning is bookkeeping, not a puzzle. The compact time direction follows with $\tau_c = 2\pi/H_0 \approx 91.9$ Gyr; the cycle is four pitch standards times the ξ_0 ladder step, $L^* = 4 \bar{\lambda}_e/\xi_0^{10}$, integer and without a free prefactor (Doc. 190 R73).

No beginning (Doc. 313): The entire observable history fills one half-cycle — the particle horizon sits at 0.14 % off the antipode. The “Big Bang” is a *location* on the cycle (region of smallest masses, slowest clocks), not an event and not a singularity. From ξ_0 , H_0 and the antipode condition follows $\Omega_m^* = 0.3136$ — without a single parameter adjusted to Ω_m ; the Planck value is 0.315 ± 0.007 (-0.19σ). That is overdetermination, not a fit.

Lattice in Hilbert space (Doc. 314): The D4 lattice on the $\mathbb{C}^3$ fibre of $H = L^2(T^4) \otimes \mathbb{C}^3$ makes the degeneracy structure of the leptons explicit. The split $24 = 12 + 12$ separates spatial and mass directions; the time period follows from $T_{\text{osc}} \cdot m = 2\pi/\gamma$, equality only for the resting sharp mode. Doc. 315 simultaneously settles whether the fractal correction is additive ($1 - 100\xi_0$) or multiplicative $(1 - \xi_0)^{100}$: the high-power location $K_{\text{frak}}^{-36} \approx 16/\pi^2$ — the reciprocal of the D4 packing density — discriminates the additive form at $31 : 1$. Value $[K]$, form $[B]$, conditionally confirmed.

.13 Closing Remark

A narrative translation like this has its limits. It can convey the *content* of the theory but cannot replace the *argument*. Whoever wants truly to test the core of the theory will have to read the formal documents of the series — above all Doc. 180 (derivation of L_0 and ξ_0), Doc. 202 (complete field theory), Doc. 203 (recursion operator), and Doc. 204 (fractal boundary condition).

What this translation can achieve is orientation: it shows what the theory says without having to speak the theory’s own language. Whoever understands the images — the vibrating string, the fractal coastline, the tuned piano, the binding picture of the water wave — has access to the core of the theory. The formulas are not the essence of the theory; they are the most precise language available for its essence. The essence itself is simpler than the formulas look: it is the claim that all known elementary particles are oscillation modes of a single geometric object, and that the geometry of this object is fully described by a single number.

This claim can be right or wrong. It is testable along several routes. Within the lepton sector the sharpest prediction is already set: $m_\tau = 1776.97$ MeV; the Belle-II experiment will decide with $\sigma \approx 0.05$ MeV and no room to evade. In the cosmological sector the entire Ω_m^* chain hangs on no adjusted parameter — a conflict with future CMB measurements would be directly falsifying. Further: small ξ_0 corrections in Bell tests ($\Delta\text{CHSH} \sim \xi_0/(2\pi)$), modified dispersion relations at high energies, geometric structures in qubit phase spaces. Which of these predictions stand and which do not will be decided in the coming years.

In the meantime the theory lives in the documents of the series and in this narrative translation as two languages for the same picture — the formal language of the Lagrangians and the everyday language of the images. Both have their place, and both complement each other.

Those wishing to verify the formal derivations will find them in the A-series (A010–A273): foundations in Block 0 (A010–A095), the lepton sector in A100–A130, methodology in Block 2 (A200–A250), and the most recent extensions — thermodynamics of computation, closure scale, time cycle — in Block 3 (A260–A273) and in Docs. 312, 313, 314, 315. The correction register Doc. 190 records all refinements append-only; no source document is ever modified.