
$$===$$

$$\begin{array}{l} \xi=\lambda_h^2v^2/(16\pi^3m_h^2)16\pi^3=(4\pi)\cdot(4\pi^2)=S^2\cdot2S^{34}\\ r_\tau=25/9\\ a_e=2\pi^2/(f\cdot k)\\ =k^2=(n_1^2+n_2^2+n_3^2)/L^2\\ T^41,329\pm0,025[0,690,\;2,406]\sigma=0,050,710\pm0,008\\ 0,001\,\%\\ \hbar\xi L_0=\xi\cdot\ell_P\\ \xi_0\xi\\ L_0\\ \xi\sim1\,\% \end{array}$$

$$\mathcal{R}$$

$$\begin{array}{l} m=r\,\xi^p\,v\\ K=R_{pe}/(4/3)^7\\ 1,314\\ (1-275/4\cdot\xi)\Delta=0,0002\,\% \end{array}$$

$$\begin{array}{l} \xi/(2\pi)10^{-5}N\\ \xi/\xi=m_e c^2/(\frac{16}{9}\;2\cdot)\approx414\,684 \end{array}$$

$$\begin{array}{l} \Lambda z\\ H_0\\ \xi\xi^{1/4}K_M \end{array}$$

$$\begin{array}{l} \xi R_H/\ell_P\\ 3\cdot\{1,6,14,26\}\{1,6,14,26\}\\ C_\ell=\sum_n N|j_\ell(kD_A)|^2\{3,18,42,78\}\\ {}^41:2:3:4:5k^2=3n^2\\ H_0\\ \xi4/332^2{=}4 \end{array}$$

$$\begin{array}{l} \xi^N X=\xi^N \xi\\ R_H R_H=c/H_0{\approx}3\,R_H\Lambda \end{array}$$

$$\begin{array}{l} \xi=4/30000\\ 1/\varphi r\mapsto r(1-\xi)0\\ H_0R_H\leftrightarrow R_H41/4R_H/L_0=6,49\times10^{64}\sim10^{60}\\ 1+z=e^{\xi^x\lambda}\\ vm=r\xi^pvE_0=7,398\alpha3,521\times10^{-2}2,843\times10^{-5}G\\ \Lambda\Delta v=c\,\dot{z}\,\Delta t/(1+z)+6\,z{=}0,5z_0=1,92{-}14\,z{=}4{-}20\,z{=}5\\ m_\mu/m_e\xi H_0R_H\\ K=1-100\xi\\ S_m^1\rightarrow\mathbb{R}_t\tilde{T}\cdot m=1 \end{array}$$

$$\begin{array}{l} \xi/\ell g_T m_T L_0\\ S(M)=2\pi=n\\ I/I={}_2\,3M\mathbb{Z}_3\\ K=0\rightarrow p^*D_4\\ {}_{R_m}(\mathbb{R}_t)L^2(S_m^1)L^2(\mathbb{R}_t)C^1C^2\\ V=N_1^+N_2^+N_3^+N_1^-N_2^-N_3^-= -64\cdot P_{N1}P_{N2}P_{N3}\mathbb{Z}_3\mathbb{C}V^2\equiv -V\\ ({}_3)P_{P1}P_{P2}P_{P3}|\langle_V|_{P_P}\rangle|=0VT_k^3=\xi\\ \tilde{T}\cdot m\,S_m^1\rightarrow \mathbb{R}_tL^2(S_m^1)\cong {}_{R_m}(\mathbb{R}_t)mtKR_m\xi_{n+1}=\xi_n(1-100\,\xi_n)\tilde{T}\cdot m=1K=74/75\\ \psi(t)|\psi(t)|^2\tilde{T}\tilde{T}\cdot m=1\tilde{T}_i\tilde{T}_i\neq\tilde{T}_j\\ \mathbb{Z}_3\mathbb{C}\,a+bia,b\in\{-1,0,+1\}\{0,1,2\}+1+1=-1=\{0,+1,-1\}\\ \Delta w\{+1,-1\}\{1,2\}\{0,+1,-1\}\mathbb{Z}_3\mathbb{C}\\ \xi=4/30000(r_\mu/r_e)^2/\xi=|(9)^*|^2\cdot 5^2\cdot |(27)|=43200(n_{\theta,g},n_{\phi,g})\\ (3^n)n_{\theta,g}=n_{\theta,g-1}+n_{\phi,g-1}\\ 1/\alpha=3700/27=137,037\,m_e\cdot m_\mu=54=|(3)^*|\cdot |(27)|^2|(27)|\\ \xi vm_e\\ GF(27)^*\cong \mathbb{Z}_2\times \mathbb{Z}_{13}\{+1,-1\}_4=2^{-1}\cdot {}_1\Delta m^2=120\,m_\nu^2\\ \Delta m^2=(11/3)\,m_\nu^2p=5/24\theta_{13}(25\xi)^{1/3}2/3\cdot R_\nu(13,24)=1=312\\ v=m_e/((4/3)\xi^{3/2})=248,3\,G_F=1/(\sqrt{2}\,v^2)\,\tau_n\propto G_F^{-2}=909\,\Delta m=\frac{39}{8}m_e-(27/3700)\cdot \Lambda\cdot \frac{5}{6}=1,2912\,r_d,r_u,r_e\alpha=27/3700\Lambda=\hbar c/5=|A_5:A_4|6=r_u\\ r_ip_i\alpha E_0L^2\tilde{T}\cdot m=1\end{array}$$

$$\Delta m_{32}^2\!+\!16,0\,\%$$

$$\alpha_s(M_Z)$$

$$m\alpha(M_Z)\xi$$

$$41/410^{123}R_H\rightarrow \ell_1\kappa=\Lambda R_H^2$$

$$\{1,6,14,26\}|n|^2\!=\!30$$

$$C_\ell$$

$$\Omega$$

$$d_s=1,86\!\approx\!2$$

$$H_0$$

$$M=m_P$$

$$\xi \iota \subset$$

$$D_4$$

$$\hat{F}L_0=\xi\cdot\ell_P\hat{F}\mathcal{D}(\hat{F})=\mathcal{H}\hat{F}=\hat{F}^\dagger\mathbb{Z}_3(k,-k)(0,0)\mathbb{Z}_3\chi\xi=\lambda(\hat{F}_{D_4})$$

$$\Delta m_{32}^2 \xi^{9/5} 8,717 \times 10^{-8} 1,059 \times 10^{-7} m_{\nu_i} = m_e \xi^{p_i} p_i \in \{9/4, 2, 9/5\} m_{\nu_3} = 54,11 \Delta m_{32}^2 = 2,846 \times 10^{-3} + 16,0\,\% \sum m_\nu = 64,17 m_{\nu_1} m_{\nu_2} \Delta m_{21}^2 + 8,3\,\% K F_7 + 12,9\,\% F_5 F_7 p_3 = 1,8081$$

$$0,45\,\%9/5\Delta m_{32}^2$$

$$n\!=\!M=m_P/\sqrt{2}E(L)=\hbar c/Ln(L)=L/(\sqrt{2}\,\ell_P)6,4097L=2\pi\ell_P/\,2=9,0647\,\ell_Pn4,6\times10^{29}\\10\,\%(6)n=6,41\!=\!r_s(6)$$

$$m_Tm_T=\lambda/\xi\approx5,220m_T=M/\xi\hbar/(m_Tc)=\xi\cdot\lambda_C(M)E=\hbar c/LM=m_em_e/\xi=3,83O(1)\\ \pi\xi\pi^2\sqrt{\alpha/K}R_f5,2203,78\times10^{-17}M=m_Pm_T=m_P/\xi=7500\,m_P2,155\times10^{-39}=L_0$$

$$m_T=M/\xi E=\hbar c/LT^4\\ L_0=\xi\cdot\ell_PL_0=\xi\cdot\ell_P\xi g_T^\ell=\xi m_\ell m_T=M/\xi^1\lambda_C\sim 1/m\sim \xi^1m_T\sim \xi^{-n}L_0=\xi^n\ell_Pm_TL_0\\ M=m_P\lambda=1$$

$$\lambda m_T=\lambda/\xi\lambda\lambda m_T\xi\lambda_h\approx0,129\lambda_h\lambda_h7,75\cdot L_0L_0\lambda=Mm_P$$

$$-\frac{1}{2}m_T^2(\partial m)^2m_T=\xi/\ell m=1/\ell\xi/\ell=\xi\cdot mg_T^\ell=\xi m_\ell m_T=M/\xi-\frac{1}{2}m_T^2(\Delta m)^2(\partial m)^2\Delta m\\ M_0=\xi m_P/2L_0r_s=2GM/c^2\ell_P=Gm_P/c^2r_s(x\,m_P/2)=x\,\ell_Px\xi L_0M_0\xi$$

$$S(M)=2\pi=n r_s(M)=\sqrt{2}\,\ell_P=S(M)=4\pi\cdot2\ell_P^2/(4\ell_P^2)=2\pi\,2\pi/\,2=9,0647=n9,065$$

$$I/I={}_2\,3M_2\,3\,\mathbb{Z}_3\\ \frac{I}{I}={}_2\,3\approx1,585\quad M>M$$

$$T^4/\mathbb{Z}_3N=S(M)-2\pi\,I=N\cdot{}_2\,3$$

$$\xi=(4/3)\cdot10^{-4}\\ \delta\delta=\left(2\sqrt{2}\cdot\sqrt{\xi}/3\right)0,0109\,1,20\left(2\sqrt{2}/3\right)=1,231\,\sqrt{\xi}\\ \theta_{13}\theta_{13}=(\xi^{1/3})2,93^{\circ}8,57^{\circ}1/300=25\xi8,59^{\circ}1/300\\ |V_{us}|0,21240,224525,4\,\%f$$

$$T^4\mathbb{R}^3K>0K<0\int K\,dA=0\chi=0\mathbb{R}^4/\mathbb{Z}^4\delta_{ij}\mathbb{Z}^4\Gamma_{ij}^k=0K=0\Gamma=0\pi C^2\mathbb{R}^3\\ \hat{F}\mathbb{Z}_3(k,-k)\Rightarrow(0,0)\|\hat{F}\|\leq\sum_n\xi^n=\xi/(1-\xi)N\rightarrow\infty\mathcal{D}(\hat{F})=\mathcal{H}\\ S_m^1\rightarrow\mathbb{R}_tp:\mathbb{R}\rightarrow S^1\Phi=p^*:L^2(S_m^1)\rightarrow_{R_m}(\mathbb{R}_t)(\Phi f)(t)=f(t\,\,R_m)\mathbb{R}\rightarrow S^1_{R_m}L^2(\mathbb{R}_t)\leftrightarrow\leftrightarrow\\ n/R_m(1)\leftrightarrow\Phi\rightarrow\\ D_45\nmid |(D_4)|=1152\,E_85\mid |(E_8)|$$

$$\Phi=p^*\Phi fR_m\int_{\mathbb{R}}|\Phi f|^2\,dt=\infty f\neq 0\Phi fL^2(\mathbb{R}_t)_{R_m}(\mathbb{R}_t)L^2L^2(S_m^1)\{e_n\}_{n\in\mathbb{Z}}\\ L^2(S_m^1)\cong_{R_m}(\mathbb{R}_t)\quad,\quad L^2(S_m^1)\cong L^2(\mathbb{R}_t).\\ \langle e_{n_1},e_{n_2}\rangle=R_m\,\delta_{n_1n_2}\\ \rightarrow$$

$$C^1C^2\mathbb{R}^3C^1C^2T^4\mathbb{R}^3$$
