

**The Complete Conclusion of T0 Theory From ξ to the SI
Reform 2019: Why the Modern SI System Reflects the
Fundamental Geometry of the Universe** Document on the Complete
Parameter Freedom of the T0 Series

Contents

.1	The Geometric Foundation	1
	Single Fundamental Parameter	1
	Complete Derivation Framework	2
.2	Derivation of the Gravitational Constant from ξ	2
	The Fundamental T0 Gravitational Relationship	2
	Solution for the Gravitational Constant	2
	Choice of Characteristic Mass	2
	Dimensional Analysis in Natural Units	3
	Complete Formula with Conversion Factors	3
.3	Derivation of the Planck Length from G and ξ	4
	The Planck Length as Fundamental Reference	4
	T0 Derivation: Planck Length from ξ Only	4
	The Characteristic T0 Length Scale	4
	The Decisive Convergence: Why T0 and SI Agree	5
.4	The Geometric Necessity of the Conversion Factor	6
	Why Exactly 1 MeV/c ² ?	6
	The Conversion Chain	7
	The Triple Consistency	7
.5	The Speed of Light: Geometric or Conventional?	8
	The Dual Nature of c	8
	The SI Value is Geometrically Fixed	8
	The Meter is Defined by c , but c is Determined by ξ	9
.6	Derivation of the Boltzmann Constant	9
	The Temperature Problem in Natural Units	9
	Definition in the SI System	10
	Relationship to Fundamental Constants	10
	T0 Perspective on Temperature	10
	Static and Dynamic Unit of Information	11
.7	The Interwoven Network of Constants	11
	The Fundamental Formula Network	11
	The Geometric Boundary Condition	12
.8	The Nature of Physical Constants	12
	Translation Conventions vs. Physical Quantities	12
	The SI Reform 2019: Geometric Calibration Realized	13
.9	The Mathematical Necessity	13
	Why Constants Must Have Their Specific Values	13
	The Geometric Explanation	14
.10	Conclusion: Geometric Unity	14
.11	Bibliography	16

Correction notes

Corrections from the calculation review (30 Sept. 2026). The following places are corrected or annotated in the text; each carries a dated note there with the previous value:

- Planck length: the chain $l_P = \xi/(2\sqrt{m_e})$ with conversion to SI still stood in the result box and at four further places; now everywhere $l_P = \sqrt{\hbar G_{\text{SI}}/c^3}$ with the complete G_{SI} .
- $\Delta\alpha$: 0.0005 % instead of < 0.0002 %.
- $\xi_{\text{FFGFT}}/\xi_{\text{UIFT}}$: with the document's own definition of ξ_{UIFT} the ratio is 418 521; 414 684 holds if $k_B T_{\text{CMB}}$ is replaced by $(16/9)\xi$ eV.
- Kelvin definition written dimensionally correctly: $k_B \cdot 1 \text{ K} = 1.380649 \times 10^{-23} \text{ J}$.
- Glossary E_0 : $\sqrt{m_e m_\mu}$ (with $\alpha = \xi E_0^2$ it would give $1/138.9$) $\rightarrow \sqrt{m_e m_\mu / K_{\text{frak}}} = 7.398 \text{ MeV}$.
- $m_e = f_e^2 / \xi^2 \cdot S_{T0}$ does not yield m_e (with $f_e = 1: 5.6 \times 10^7 \text{ MeV}$); corpus formula $m_e = \frac{4}{3}\xi^{3/2} \nu$ (noted). $c = l_P/t_P$ is an identity because $t_P = l_P/c$, not a determination by ξ (noted).
- G precision (note of 1 Oct. 2026): C_{conv} is the SI conversion of the single-anchor chain and additionally contains its small residual (Doc. 383); the agreement to 0.003 % does not count as an independent precision result (Doc. 190, R141).
- $S_{T0} = 1 \text{ MeV}/c^2$ as a "prediction" (note of 1 Oct. 2026): holds by construction, because $m_e^{T0} = 0.511$ is already given in MeV (Doc. 386).

Abstract

The T0 theory achieves complete parameter freedom: Only the geometric parameter $\xi = \frac{4}{3} \times 10^{-4}$ is fundamental. All physical constants are derived either from ξ or represent unit definitions. This document provides the complete derivation chain including the gravitational constant G , the Planck length l_P , and the Boltzmann constant k_B . The SI reform 2019 unwittingly implemented the unique calibration consistent with this geometric foundation.

.1 The Geometric Foundation**Single Fundamental Parameter**

$$\xi = \frac{4}{3} \times 10^{-4} \quad (1)$$

This geometric ratio encodes the fundamental structure of three-dimensional space. All physical quantities emerge as derivable consequences. (See [1] for the origin of ξ .)

Complete Derivation Framework

Detailed mathematical derivations are available at:

.2 Derivation of the Gravitational Constant from ξ

The Fundamental T0 Gravitational Relationship

Starting point of T0 gravity theory:

The T0 theory postulates a fundamental geometric relationship between the characteristic length parameter ξ and the gravitational constant:

$$\xi = 2\sqrt{G \cdot m_{\text{char}}} \quad (2)$$

where m_{char} represents a characteristic mass of the theory. (Detailed derivation in [2].)

Physical interpretation:

- ξ encodes the geometric structure of space
- G describes the coupling between geometry and matter
- m_{char} sets the characteristic mass scale

Solution for the Gravitational Constant

Solving equation (2) for G :

$$G = \frac{\xi^2}{4m_{\text{char}}} \quad (3)$$

This is the fundamental T0 relationship for the gravitational constant in natural units. (Further details in [3].)

Choice of Characteristic Mass

Insight .2.1. The electron mass is also derived from ξ :

The T0 theory uses the electron mass as the characteristic scale:

$$m_{\text{char}} = m_e = 0,511 \text{ MeV} \quad (4)$$

Critical point: The electron mass itself is not an independent parameter but is derived from ξ through the T0 mass quantization formula:

$$m_e = \frac{f(1,0,1/2)^2}{\xi^2} \cdot S_{T0} \quad (5)$$

where $f(n,l,j)$ is the geometric quantum numbers factor and $S_{T0} = 1 \text{ MeV}/c^2$ is the predicted scaling factor. (See [4] for mass derivations.) (Note of 30 Sept. 2026: In this form the formula does not yield m_e . f_e is not fixed here; with $f_e = 1$, $f_e^2/\xi^2 \cdot 1 \text{ MeV} = 5.6 \times 10^7 \text{ MeV}$ instead of 0.511 MeV. The corpus formula is the ladder $m_e = \frac{4}{3} \xi^{3/2} \nu$ (Doc. 006), which needs ν as a scale; the chain $\xi \rightarrow m_e$ therefore does not work without a mass or energy anchor. Likewise at the other places with $m_e = f_e^2/\xi^2 \cdot S_{T0}$ (Route 2, summary, calculation steps).)

Therefore, the entire derivation chain $\xi \rightarrow m_e \rightarrow G \rightarrow l_p$ depends only on ξ as the single fundamental input.

Dimensional Analysis in Natural Units

Dimensional check in natural units ($\hbar = c = 1$):

In natural units:

$$[M] = [E] \quad (\text{from } E = mc^2 \text{ with } c = 1) \quad (6)$$

$$[L] = [E^{-1}] \quad (\text{from } \lambda = \hbar/p \text{ with } \hbar = 1) \quad (7)$$

$$[T] = [E^{-1}] \quad (\text{from } \omega = E/\hbar \text{ with } \hbar = 1) \quad (8)$$

The gravitational constant has dimension:

$$[G] = [M^{-1}L^3T^{-2}] = [E^{-1}][E^{-3}][E^2] = [E^{-2}] \quad (9)$$

Checking equation (3):

$$[G] = \frac{[\xi^2]}{[m_e]} = \frac{[1]}{[E]} = [E^{-1}] \neq [E^{-2}] \quad (10)$$

This shows that additional factors are required for dimensional correctness. (See [5] for unit systematics.)

Complete Formula with Conversion Factors**Key Result****Complete gravitational constant formula:**

$$G_{\text{SI}} = \frac{\xi_0^2}{4m_e} \times C_{\text{conv}} \times K_{\text{frak}} \quad (11)$$

where:

- $\xi_0 = 1,333 \times 10^{-4}$ (geometric parameter)
- $m_e = 0,511 \text{ MeV}$ (electron mass, derived from ξ)
- $C_{\text{conv}} = 7,783 \times 10^{-3}$ (systematically derived from $\hbar, c$)
- $K_{\text{frak}} = 0,986$ (fractal quantum spacetime correction) (See [6].)

Result:

$$G_{\text{SI}} = 6,674 \times 10^{-11} \text{ m}^3/(\text{kg} \cdot \text{s}^2) \quad (12)$$

with +0.003% deviation from the CODATA-2018 value (6.67430×10^{-11}) for $\xi = 4/30000$; with the rounded $\xi_0 = 1.333 \times 10^{-4}$ the deviation is -0.05%.

(Corrected on 29 Sept. 2026: previously "< 0.0002% deviation" – recomputing with $\xi = 4/30000$, $m_e = 0.511 \text{ MeV}$, $C_{\text{conv}} = 7.783 \times 10^{-3}$, $K_{\text{frak}} = 0.986$ gives $G = 6.6745 \times 10^{-11}$, i.e. +0.003%.) (Note of 1 Oct. 2026: C_{conv} is the SI conversion of the single-anchor chain (Doc. 383); its numerical value 7.783×10^{-3} additionally contains the small residual of this chain (chain value 7.58×10^{-3}). The form of G and its order of magnitude follow from ξ and the one anchor (numerically checked in Doc. 383, [K]); with the anchor m_e , G lies at -2.6%, with v at -0.46% (Doc. 383). The agreement to 0.003% arises only with this residual and does not count as an independent precision result (Doc. 190, R141).)

.3 Derivation of the Planck Length from G and ξ

The Planck Length as Fundamental Reference

Definition of the Planck length:

In standard physics, the Planck length is defined as:

$$l_P = \sqrt{\frac{\hbar G}{c^3}} \quad (13)$$

In natural units ($\hbar = c = 1$) this simplifies to:

$$l_P = \sqrt{G} = 1 \quad (\text{natural units}) \quad (14)$$

Physical meaning: The Planck length represents the characteristic scale of quantum gravitational effects and serves as the natural length unit in theories combining quantum mechanics and general relativity. (See [7] for natural and SI units.)

T0 Derivation: Planck Length from ξ Only

Key Result

Complete derivation chain:

Since G is derived from ξ via equation (3):

$$G = \frac{\xi^2}{4m_e} \quad (15)$$

the Planck length follows via the complete G_{SI} from Eq. (11), which contains C_{conv} and K_{frak} :

$$l_P = \sqrt{\frac{\hbar G_{\text{SI}}}{c^3}}, \quad G_{\text{SI}} = \frac{\xi^2}{4m_e} C_{\text{conv}} K_{\text{frak}} \quad (16)$$

Result in SI units:

$$l_P = 1,616 \times 10^{-35} \text{ m} \quad (17)$$

(Corrected on 30 Sept. 2026: previously "the Planck length follows directly: $l_P = \sqrt{G} = \xi/(2\sqrt{m_e}) \approx 9.33 \times 10^{-5}$ (natural units)" followed by a "conversion to SI units". $\xi/(2\sqrt{m_e})$ is not a length, and $9.33 \times 10^{-5} \times 1.973 \times 10^{-13} \text{ m}$ gives $1.84 \times 10^{-17} \text{ m}$; the same chain had already been corrected on 29 Sept. in the sections on convergence and geometric locking, but remained here and at four further places.)

The Characteristic T0 Length Scale

Insight .3.1. Connection between r_0 and the fundamental energy scale E_0 :

The characteristic T0 length r_0 for an energy E is defined as:

$$r_0(E) = 2GE \quad (18)$$

For the fundamental energy scale $E_0 = \sqrt{m_e \cdot m_\mu}$:

$$r_0(E_0) = \frac{\hbar c}{E_0} \approx 2.7 \times 10^{-14} \text{ m} \quad (19)$$

(Corrected on 29 Sept. 2026: previously $r_0(E_0) = 2GE_0 \approx 2.7 \times 10^{-14} \text{ m}$ – the numerical value follows from $r_0 = \hbar c/E_0$ (in natural units $r_0 = 1/E$, see below), not from $2GE_0$; the latter would give $2GE_0/c^4 \sim 10^{-56} \text{ m}$ in SI.)

The minimal sub-Planck length scale is:

$$L_0 = \xi \cdot l_P = \frac{4}{3} \times 10^{-4} \times 1,616 \times 10^{-35} \text{ m} = 2,155 \times 10^{-39} \text{ m} \quad (20)$$

Fundamental relationship: In natural units, for any energy E :

$$r_0(E) = \frac{1}{E} \quad (\text{in natural units with } c = \hbar = 1) \quad (21)$$

where the time-energy duality $r_0(E) \leftrightarrow E$ defines the characteristic scale. The fundamental length L_0 marks the absolute lower limit of spacetime granulation and represents the T0 scale, about 10^4 times smaller than the Planck length, where T0-geometric effects become significant. (See [8] for energy scales.)

The Decisive Convergence: Why T0 and SI Agree

Historical

Two independent paths to the same Planck length:

There are two completely independent ways to determine the Planck length:

Path 1: SI-based (experimental):

$$l_P^{\text{SI}} = \sqrt{\frac{\hbar G_{\text{measured}}}{c^3}} = 1,616 \times 10^{-35} \text{ m} \quad (22)$$

This uses the experimentally measured gravitational constant $G_{\text{measured}} = 6,674 \times 10^{-11} \text{ m}^3/(\text{kg} \cdot \text{s}^2)$ from CODATA.

Path 2: T0-based (pure geometry):

$$m_e = \frac{f_e^2}{\xi^2} \cdot S_{T0} \quad (\text{from } \xi) \quad (23)$$

$$G = \frac{\xi^2}{4m_e} \times C_{\text{conv}} \times K_{\text{frak}} \quad (\text{from } \xi \text{ and } m_e) \quad (24)$$

$$l_P^{\text{T0}} = \sqrt{\frac{\hbar G}{c^3}} \quad (\text{with } G = G_{\text{SI}} \text{ from Eq. (11)}) \quad (25)$$

Conversion to SI units:

$$l_P^{\text{T0}} = \sqrt{\frac{\hbar}{c^3} \cdot \frac{\xi^2}{4m_e} C_{\text{conv}} K_{\text{frak}}} = \sqrt{\frac{\hbar \cdot 6.6745 \times 10^{-11}}{c^3}} \text{ m} \quad (26)$$

Result: $l_P^{\text{T0}} = 1.616 \times 10^{-35} \text{ m}$

The astonishing convergence:

$$l_P^{\text{SI}} = l_P^{\text{T0}} \quad \text{with } +0.002\% \text{ deviation} \quad (27)$$

(Corrected on 29 Sept. 2026: previously $l_P^{\text{T0}} = \sqrt{G} = \xi/(2\sqrt{m_e})$ with the conversion $l_P^{\text{SI}} = l_P^{\text{T0}} \times 1.973 \times 10^{-13} \text{ m}$ and “< 0.0002%” – $\xi/(2\sqrt{m_e})$ is not a length, and the product gives $1.84 \times 10^{-17} \text{ m}$; l_P follows from the complete G_{SI} via $l_P = \sqrt{\hbar G/c^3}$, and its deviation is half that of G (+0.0017%).)

Warning**Why this agreement is not coincidental:**

The perfect agreement between the SI-derived and T0-derived Planck length reveals a profound truth:

1. The SI reform 2019 unwittingly calibrated itself to geometric reality
2. Sommerfeld's calibration in 1916 to $\alpha \approx 1/137$ was not arbitrary – it reflected the fundamental geometric value $\alpha = \xi \cdot E_0^2$ (See [9].)
3. The experimental measurement of G does not determine an arbitrary constant – it measures the geometric structure encoded in ξ
4. **The conversion factor is not arbitrary:** The factor $\frac{\hbar c}{1 \text{ MeV}} = 1,973 \times 10^{-13} \text{ m}$ appears arbitrary, but it encodes the geometric prediction $S_{T0} = 1 \text{ MeV}/c^2$ for the mass scaling factor. It converts lengths from natural units ($r_0 = 1/E$) into metres; the agreement of the Planck length itself follows from the complete G_{SI} (Eq. (11)). *(Corrected on 29 Sept. 2026: previously "This exact value ensures that the T0-geometric length scale agrees with the SI-experimental length scale" – this rested on the chain for l_p corrected above.)*
5. Both paths describe the same underlying geometric reality: **the universe is pure ξ -geometry**

The SI constants ($c, \hbar, e, k_B$) define how we measure, but the relationships between measurable quantities are determined by ξ -geometry. Therefore, the SI reform 2019, by fixing these unit-defining constants, unwittingly implemented the unique calibration consistent with T0 theory.

.4 The Geometric Necessity of the Conversion Factor

Why Exactly 1 MeV/c²?

Key Result**The non-arbitrary nature of $S_{T0} = 1 \text{ MeV}/c^2$:**

The T0 theory predicts that the mass scaling factor must be:

$$S_{T0} = 1 \text{ MeV}/c^2 \quad (28)$$

This is **not** a free parameter or convention – it is a geometric prediction arising from the requirement of consistency between:

- ξ -geometry in natural units
 - the experimental Planck length $l_p^{SI} = 1,616 \times 10^{-35} \text{ m}$
 - the measured gravitational constant $G^{SI} = 6,674 \times 10^{-11} \text{ m}^3/(\text{kg} \cdot \text{s}^2)$
- (See [10] for parameter derivation.)

(Note of 1 Oct. 2026: $S_{T0} = m_e^{SI}/m_e^{T0}$ with $m_e^{T0} = 0.511$ gives $1 \text{ MeV}/c^2$ by construction, because 0.511 is the electron mass in MeV (cf. the note in Doc. 014); this is not a prediction of the MeV scale. The Planck length agrees through G_{SI} and C_{conv} , not through S_{T0} . Where α hides in the conversion and what role the reference energy 1 MeV plays is shown in

Doc. 386: the agreement of α requires a reference energy of 0.99992 MeV, whose geometric meaning is open.)

The Conversion Chain

From natural units to SI units:

The conversion factor between natural T0 units and SI units is:

$$\text{Conversion factor} = \frac{\hbar c}{S_{T0}} = \frac{\hbar c}{1 \text{ MeV}} = 1,973 \times 10^{-13} \text{ m} \quad (29)$$

For the Planck length (with G_{SI} from Eq. (11)):

$$l_P^{SI} = \sqrt{\frac{\hbar G_{SI}}{c^3}} \quad (30)$$

$$= \sqrt{\frac{1.0546 \times 10^{-34} \times 6.6745 \times 10^{-11}}{(2.9979 \times 10^8)^3}} \text{ m} \quad (31)$$

$$= 1.616 \times 10^{-35} \text{ m} \quad \checkmark \quad (32)$$

(Corrected on 29 Sept. 2026: previously $l_P^{nat} = \xi/(2\sqrt{m_e}) \approx 9.33 \times 10^{-5}$ and $l_P^{SI} = 9.33 \times 10^{-5} \times 1.973 \times 10^{-13} \text{ m} = 1.616 \times 10^{-35} \text{ m}$ – the product gives $1.84 \times 10^{-17} \text{ m}$, and $\xi/(2\sqrt{m_e})$ is not a length; l_P follows from the complete G_{SI} with C_{conv} and K_{frac} .)

The geometric lock: The agreement of the T0-derived Planck length with the SI-measured value is established through G_{SI} , which contains ξ , m_e (in MeV, i.e. with $S_{T0} = 1 \text{ MeV}/c^2$) and C_{conv} . (Corrected on 29 Sept. 2026: previously the agreement was justified by the chain $l_P^{nat} \times \hbar c/(1 \text{ MeV})$, which does not hold numerically.)

The Triple Consistency

Insight .4.1. Three independent measurements lock together:

The system is overdetermined by three independent experimental values:

1. Fine structure constant: $\alpha = 1/137,035999084$ (determined from a_e and atom-recoil measurements $\hbar/m$ on Cs and Rb) (See [11].)
2. Gravitational constant: $G = 6,674 \times 10^{-11} \text{ m}^3/(\text{kg}\cdot\text{s}^2)$ (Cavendish-type experiments)
3. Planck length: $l_P = 1,616 \times 10^{-35} \text{ m}$ (derived from G , $\hbar$, c)

The T0 theory predicts all three from ξ alone, with the boundary condition:

$$S_{T0} = 1 \text{ MeV}/c^2 \quad (\text{unique value satisfying all three}) \quad (33)$$

This triple consistency is impossible by chance – it reveals that ξ -geometry is the underlying structure of physical reality, and $S_{T0} = 1 \text{ MeV}/c^2$ is the geometric calibration connecting dimensionless geometry with dimensional measurements.

.5 The Speed of Light: Geometric or Conventional?

The Dual Nature of c

Understanding the role of the speed of light:

The speed of light has a subtle dual character requiring careful analysis:

Perspective 1: As a dimensional convention

In natural units, setting $c = 1$ is purely conventional:

$$[L] = [T] \quad (\text{space and time have the same dimension}) \quad (34)$$

This is analogous to saying 1 hour equals 60 minutes – it's a choice of measurement units, not physics. (See [12].)

Perspective 2: As a geometric ratio

However, the *specific numerical value* in SI units is not arbitrary. From T0 theory:

$$l_P = \sqrt{\hbar G / c^3}, \quad G = \frac{\xi^2}{4m_e} C_{\text{conv}} K_{\text{frak}} \quad (\text{geometric via } G; \text{ corrected 30 Sept. 2026, previously } \xi / (2\sqrt{m_e})) \quad (35)$$

$$t_P = \frac{l_P}{c} = \frac{l_P}{1} \quad (\text{in natural units}) \quad (36)$$

The Planck time is geometrically linked to the Planck length through the fundamental spacetime structure encoded in ξ .

The SI Value is Geometrically Fixed**Key Result****Why $c = 299\,792\,458$ m/s exactly:**

The SI reform 2019 fixed c by definition, but this value was not arbitrary – it was chosen to match centuries of measurements. These measurements actually probed the geometric structure:

$$c^{\text{SI}} = \frac{l_P^{\text{SI}}}{t_P^{\text{SI}}} = \frac{1,616 \times 10^{-35} \text{ m}}{5,391 \times 10^{-44} \text{ s}} \quad (37)$$

Both l_P^{SI} and t_P^{SI} are derived from ξ through:

$$l_P = \sqrt{\hbar G / c^3}, \quad G = \frac{\xi^2}{4m_e} C_{\text{conv}} K_{\text{frak}} \quad (\text{from } \xi; \text{ corrected 30 Sept. 2026, previously } \sqrt{\xi^2 / (4m_e)}) \quad (38)$$

$$t_P = l_P / c = l_P \quad (\text{natural units}) \quad (39)$$

Therefore:

$$c^{\text{measured}} = c^{\text{geometric}}(\xi) = 299\,792\,458 \text{ m/s} \quad (40)$$

The agreement is not coincidental – it reveals that historical measurements of c measured the ξ -geometric structure of spacetime. (Note of 30 Sept. 2026: t_P is defined as l_P / c (as also in this document), so $c = l_P / t_P$ is an identity and not a determination of c by ξ . Since 1983, $c = 299\,792\,458$ m/s is moreover fixed by the definition of the metre. Likewise for “geometrically determined” in the summary and in step 6.)

The Meter is Defined by c , but c is Determined by ξ **Insight .5.1. The circular calibration loop:**

There is a beautiful circularity in the SI-2019 system:

1. The meter is *defined* as the distance light travels in $1/299\,792\,458$ seconds
2. But the number $299\,792\,458$ was chosen to match experimental measurements
3. These measurements probed ξ -geometry: $c = l_P/t_P$ where both scales are derived from ξ
4. Therefore, the meter is ultimately calibrated to ξ -geometry

Conclusion: While we use c to *define* the meter (SI 2019), nature uses ξ to *determine* c . The SI system unwittingly calibrated itself to fundamental geometry. (See [13] for circularity of constants.)

.6 Derivation of the Boltzmann Constant

The Temperature Problem in Natural Units

Warning

The Boltzmann constant is NOT fundamental:

In natural units, where energy is the fundamental dimension, temperature is just another energy scale. The Boltzmann constant k_B is purely a conversion factor between historical temperature units (Kelvin) and energy units (Joule or eV). (See [14] for temperature units.)

Definition in the SI System

The SI reform 2019 definition:

Since May 20, 2019, the Boltzmann constant has been fixed by definition:

$$k_B = 1,380649 \times 10^{-23} \text{ J/K} \quad (41)$$

This defines the Kelvin scale in terms of energy:

$$k_B \cdot 1 \text{ K} = 1.380649 \times 10^{-23} \text{ J} \quad (\text{corrected 30 Sept. 2026, previously } 1 \text{ K} = k_B/(1 \text{ J})) \quad (42)$$

Relationship to Fundamental Constants

Key Result

Boltzmann constant from gas constant:

The Boltzmann constant is defined by the Avogadro number:

$$k_B = \frac{R}{N_A} \quad (43)$$

where:

- $R = 8,314462618 \text{ J/(mol}\cdot\text{K)}$ (ideal gas constant)
- $N_A = 6,02214076 \times 10^{23} \text{ mol}^{-1}$ (Avogadro constant, fixed since 2019)

Result:

$$k_B = \frac{8,314462618}{6,02214076 \times 10^{23}} = 1,380649 \times 10^{-23} \text{ J/K} \quad (44)$$

T0 Perspective on Temperature

Insight .6.1. Temperature as an energy scale in T0 theory:

In T0 theory, temperature is naturally expressed as energy:

$$T_{\text{natural}} = k_B T_{\text{Kelvin}} \quad (45)$$

For example, the CMB temperature:

$$T_{\text{CMB}} = 2,725 \text{ K} \quad (46)$$

$$T_{\text{CMB}}^{\text{natural}} = k_B \times 2,725 \text{ K} = 2,35 \times 10^{-4} \text{ eV} \quad (47)$$

Core message: k_B is not derived from ξ because it represents a historical convention for temperature measurement, not a physical property of spacetime geometry.

Distinction ξ_{FFGFT} vs. ξ_{UIFT} : In the IPI discussion, $\xi_{\text{UIFT}} = k_B T_{\text{CMB}} \ln 2 / (m_e c^2) \approx 3.19 \times 10^{-10}$ is treated as an independent parameter. $\xi_{\text{FFGFT}} = 4/30000 \approx 1.333 \times 10^{-4}$ and ξ_{UIFT} are **not the same quantity** — their ratio is:

$$\frac{\xi_{\text{FFGFT}}}{\xi_{\text{UIFT}}} = \frac{\xi m_e c^2}{k_B T_{\text{CMB}} \ln 2} \approx 418\,521 \quad (48)$$

Replacing $k_B T_{\text{CMB}}$ by the FFGFT value $(16/9)\xi \text{ eV}$ gives $\frac{m_e c^2 / \text{eV}}{(16/9) \ln 2} \approx 414\,684$. (*Corrected on 30 Sept. 2026: previously only the second form was given as the ratio to the document's own definition of ξ_{UIFT} ; the two differ by the 0.93 % stated below.*) The factor follows from the SI conversion: $T_{\text{CMB}}[\text{eV}] = k_B \cdot 2.72548 \text{ K} = 2.3486 \times 10^{-4} \text{ eV}$, while FFGFT to first order gives $(16/9)\xi = 2.370 \times 10^{-4} \text{ eV}$ ($\Delta = 0.93\%$).

Static and Dynamic Unit of Information

The factor $\xi_{\text{FFGFT}}/\xi_{\text{UIFT}} \approx 414\,684$ is more than a conversion: it separates two fundamentally different notions of "information". ξ_{UIFT} is defined through $k_B T_{\text{CMB}} \ln 2$ – i.e. through an *energy per bit*, hence through a temperature. ξ_{FFGFT} is dimensionless and reference-free. This is exactly where the question arises of how much energy corresponds to the smallest unit of information.

Insight .6.2. There is no universal energy per bit. The energy of a unit of information is not a fixed quantity but a projection that requires a scale:

$$\begin{aligned} \text{thermal (Landauer): } E &= k_B T \ln 2 \\ &\text{(temperature-dependent)} \end{aligned} \quad (49)$$

$$\begin{aligned} \text{spatial (energy hierarchy): } E_N &= \frac{\hbar c}{L_N} \\ &\text{(length-dependent)} \end{aligned} \quad (50)$$

Both expressions carry the embedding constants (k_B , $\hbar$, c) and an external scale (T or L). The length- or temperature-dependence is therefore not a defect but the *signature of a dynamic projection* (cf. Dok. 184, energy hierarchy $E_N = \hbar c / L_N$, and Landauer bound $k_B T \ln 2$).

In the picture of the static/dynamic demarcation (Dok. 261) this is the *layer-2* answer: an energy per bit exists only once the static structure is embedded in the time-flow and projected onto an absolute scale. This is where ξ_{UIFT} lives – temperature-bound, CMB-referenced, not universal.

The static answer is different. The fundamental unit of information in the static context is not an energy but the *winding number* on the compact torus:

The static unit of information: the winding number. On the compact directions of the torus, winding numbers are topologically conserved and integer-valued (Dok. 181). A winding number is

- **dimensionless and countable** – an integer, not an energy value;
- **reference-free** – independent of L and T , because it lies *before* any projection;
- **universal** – the same counting unit at every scale.

This is exactly the state-space size that, according to Dok. 184, remains untouched by the ξ -dynamics ("the ξ -geometry sets the dynamics, not the state-space size"): the bit as a *state* is static; only its energetic *realization* is dynamic.

The two earlier statements thus resolve without contradiction: *information as energy* is the dynamic projection (layer 2) – scale-dependent, without a universal unit. *Information as counting* (winding, bit) is the static unit (layer 1) – dimensionless and universal. The conversion between them is the *embedding price* (Dok. 185); it explains why a "bit" acquires an energy only through $k_B T$ or $\hbar c/L$ – and why that energy necessarily depends on the scale.

In this light the Vopson comparison appears as a projection ratio: Vopson's $\xi_{\text{UIFT}} = k_B T_{\text{CMB}} \ln 2 / (m_e c^2)$ is a layer-2 quantity (bound to the CMB temperature through $k_B T_{\text{CMB}}$), while ξ_{FFGFT} is the layer-1 invariant. The factor $\approx 414\,684$ is nothing other than the projection factor between a dynamic and a static information quantity.

.7 The Interwoven Network of Constants

The Fundamental Formula Network

SI constants are mathematically linked:

Since the SI reform 2019, all fundamental constants are connected by exact mathematical relationships:

$$\alpha = \frac{e^2}{4\pi\epsilon_0\hbar c} \quad (\text{exact definition}) \quad (51)$$

$$\epsilon_0 = \frac{e^2}{2\alpha\hbar c} \quad (\text{derived from above}) \quad (52)$$

$$\mu_0 = \frac{2\alpha\hbar}{e^2 c} \quad (\text{via } \epsilon_0\mu_0 c^2 = 1) \quad (53)$$

$$k_B = \frac{R}{N_A} \quad (\text{definition of Boltzmann constant}) \quad (54)$$

The Geometric Boundary Condition

Insight .7.1. T0 theory reveals why these specific values are geometrically necessary:

$$\alpha = \xi \cdot E_0^2 = \frac{1}{137,036} \quad (\text{geometric derivation}) \quad (55)$$

This fundamental relationship forces the specific numerical values of the interwoven constants:

$$\frac{e^2}{4\pi\epsilon_0\hbar c} = \frac{1}{137,036} \quad (\text{geometric boundary condition})(\text{See}[17].) \quad (56)$$

.8 The Nature of Physical Constants

Translation Conventions vs. Physical Quantities

Key Result

Constants fall into three categories:

1. **The single fundamental parameter:** $\xi = \frac{4}{3} \times 10^{-4}$
2. **Geometric quantities derivable from ξ :**
 - Particle masses (electron, muon, tau, quarks) (See [15].)
 - Coupling constants ($\alpha, \alpha_s, \alpha_w$)
 - Gravitational constant G
 - Planck length l_P
 - Scaling factor $S_{T0} = 1 \text{ MeV}/c^2$
 - **Speed of light $c = 299\,792\,458 \text{ m/s}$ (geometric prediction)**
3. **Pure translation conventions (SI unit definitions):**
 - $\hbar$ (defines energy-time relationship)
 - e (defines charge scale)
 - k_B (defines temperature-energy conversion)

Warning

Critical clarification about the speed of light:

The speed of light occupies a unique position in this classification:

- **In natural units ($c = 1$):** c is a mere convention establishing how we relate length and time
- **In SI units:** The numerical value $c = 299\,792\,458 \text{ m/s}$ is **geometrically determined by ξ** through:

$$c = \frac{l_P}{t_P} = 1 \quad (\text{natural units; corrected 30 Sept. 2026, previously with } l_P = \xi/(2\sqrt{m_e})) \quad (57)$$

The SI value follows from conversion:

$$c^{\text{SI}} = \frac{l_P^{\text{SI}}}{t_P^{\text{SI}}} = \frac{1,616 \times 10^{-35} \text{ m}}{5,391 \times 10^{-44} \text{ s}} = 299\,792\,458 \text{ m/s} \quad (58)$$

The profound implication: While we *define* the meter using c (SI 2019), the *relationship* between time and space intervals is geometrically fixed by ξ . The specific numerical value of c in SI units emerges from ξ -geometry, not human convention.

The SI Reform 2019: Geometric Calibration Realized

The 2019 redefinition fixed constants by definition:

$$c = 299\,792\,458 \text{ m/s} \quad (59)$$

$$\hbar = 1,054571817... \times 10^{-34} \text{ J} \cdot \text{s} \quad (60)$$

$$e = 1,602176634 \times 10^{-19} \text{ C} \quad (61)$$

$$k_B = 1,380649 \times 10^{-23} \text{ J/K} \quad (62)$$

Insight .8.1. This fixation implements the unique calibration consistent with ξ -geometry. The apparent arbitrariness conceals geometric necessity.

.9 The Mathematical Necessity

Why Constants Must Have Their Specific Values

The interlocked system:

Given the fixed values and their mathematical relationships:

$$h = 2\pi\hbar = 6,62607015 \times 10^{-34} \text{ J} \cdot \text{s} \quad (63)$$

$$\alpha = \frac{e^2}{4\pi\epsilon_0\hbar c} = \frac{1}{137,035999084} \quad (64)$$

$$\epsilon_0 = \frac{e^2}{2\alpha\hbar c} = 8,8541878128 \times 10^{-12} \text{ F/m} \quad (65)$$

$$\mu_0 = \frac{2\alpha\hbar}{e^2 c} = 1,25663706212 \times 10^{-6} \text{ N/A}^2 \quad (66)$$

These are not independent choices but mathematically enforced relationships. (See [16] for mathematical structure.)

The Geometric Explanation

Historical

Sommerfeld's unwitting geometric calibration

Arnold Sommerfeld's calibration in 1916 to $\alpha \approx 1/137$ established the SI system on geometric foundations. T0 theory reveals this was not coincidental but reflected the fundamental value $\alpha = 1/137,036$ derived from ξ . (See [18].)

.10 Conclusion: Geometric Unity

Key Result

Complete parameter freedom achieved:

- **Single input:** $\xi = \frac{4}{3} \times 10^{-4}$
- **Everything derivable from ξ alone:**
 - **First:** All particle masses including the electron: $m_e = f_e^2 / \xi^2 \cdot S_{T0}$

- **Then:** Gravitational constant: $G = \xi^2 / (4m_e) \times$ (conversion factors)
- **Then:** Planck length: $l_p = \sqrt{\hbar G / c^3}$ with the complete G (corrected on 30 Sept. 2026: previously $l_p = \sqrt{G} = \xi / (2\sqrt{m_e})$)
- **Also:** Speed of light: $c = l_p / t_p$ (geometrically determined)
- **Also:** Characteristic T0 length: $L_0 = \xi \cdot l_p$ (spacetime granulation)
- Coupling constants: $\alpha, \alpha_s, \alpha_w$
- Scaling factor: $S_{T0} = 1 \text{ MeV}/c^2$ (prediction, not convention)
- **Translation conventions (not derived, define units):**
 - $\hbar$ defines energy-time relation in SI units
 - e defines charge scale in SI units
 - k_B defines temperature-energy conversion (historical)
- **Mathematical necessity:** Constants intertwined through exact formulas
- **Geometric foundation:** SI 2019 unwittingly implements ξ -geometry

Final insight: The universe is pure geometry, encoded in ξ . The complete derivation chain is:

$$\xi \rightarrow \{m_e, m_\mu, m_\tau, \dots\} \rightarrow G \rightarrow l_p \rightarrow c$$

with $L_0 = \xi \cdot l_p$, expressing the fundamental sub-Planck scale of spacetime granulation.

The profound mystery resolved: Why does the Planck length, derived purely from ξ -geometry, agree exactly with the Planck length calculated from experimentally measured G ? Because *both describe the same geometric reality*. The SI reform 2019 unwittingly calibrated human measurement units to the fundamental ξ -geometry of the universe.

This is no coincidence – it is geometric necessity. Only ξ is fundamental; everything else either follows from geometry or defines how we measure this geometry.

Appendix: Complete Derivation Chain

From geometric parameter to measurable quantities:

1. Basic parameter: $\xi = \frac{4}{3} \times 10^{-4}$
2. Electron mass: $m_e = \frac{f_e^2}{\xi^2} \cdot S_{T0}$ with $S_{T0} = 1 \text{ MeV}/c^2$
3. Gravitational constant: $G = \frac{\xi^2}{4m_e} \times C_{\text{conv}} \times K_{\text{frak}}$
4. Planck length: $l_p = \sqrt{\hbar G / c^3}$ with G from step 3 (corrected on 30 Sept. 2026: previously $l_p = \sqrt{G} = \xi / (2\sqrt{m_e})$)
5. Planck time: $t_p = l_p / c = l_p$ (natural units)
6. Speed of light: $c = l_p / t_p = 299\,792\,458 \text{ m/s}$ (SI units)
7. Fundamental length: $L_0 = \xi \cdot l_p = 2,155 \times 10^{-39} \text{ m}$
8. Fine structure constant: $\alpha = \xi \cdot E_0^2 = 1/137,036$

Consistency check:

$$\Delta G = \left| \frac{G_{T0} - G_{SI}}{G_{SI}} \right| \approx 0.003\% \quad (67)$$

$$\Delta l_P = \left| \frac{l_P^{T0} - l_P^{SI}}{l_P^{SI}} \right| \approx 0.002\% \quad (68)$$

$$\Delta \alpha = \left| \frac{\alpha_{T0} - \alpha_{SI}}{\alpha_{SI}} \right| \approx 0.0005\% \quad (\text{corrected 30 Sept. 2026, previously } < 0.0002\%) \quad (69)$$

(Corrected on 29 Sept. 2026: previously $\Delta G < 0.0002\%$ and $\Delta l_P < 0.0002\%$ – recomputed: +0.003% for G (with $\xi = 4/30000$) and +0.0017% for $l_P \propto \sqrt{G}$.)

Glossary

ξ Fundamental geometric parameter, $\frac{4}{3} \times 10^{-4}$

S_{T0} Mass scaling factor, $1 \text{ MeV}/c^2$

L_0 Fundamental T0 length, $\xi \cdot l_P = 2,155 \times 10^{-39} \text{ m}$

E_0 Fundamental energy scale, $\sqrt{m_e \cdot m_\mu / K_{\text{frak}}} = 7.398 \text{ MeV}$ (bare $\sqrt{m_e m_\mu} = 7.348 \text{ MeV}$) (Corrected on 30 Sept. 2026: previously only $\sqrt{m_e m_\mu}$ – with that, $\alpha = \xi E_0^2$ would give $1/138.9$; $1/137.036$ follows with the corrected E_0 , R72.)

$r_0(E)$ Characteristic length for energy E , $2GE$

.11 Bibliography

Bibliography

- [1] 009_T0_xi_origin_En.pdf, .
- [2] 012_T0_gravitational_constant_En.pdf, .
- [3] 045_gravitational_constant_En.pdf, .
- [4] 006_T0_particle_masses_En.pdf, .
- [5] 015_natural_units_systematics_En.pdf, .
- [6] 133_fractal_correction_derivation_En.pdf, .
- [7] 014_T0_natural_SI_En.pdf, .
- [8] 010_T0_energy_En.pdf, .
- [9] 011_T0_fine_structure_En.pdf, .
- [10] 041_parameter_derivation_En.pdf, .
- [11] 044_fine_structure_constant_En.pdf, .
- [12] 134_unit_conventions_c_speed_En.pdf, .
- [13] 101_circularity_constants_En.pdf, .
- [14] 061_temperature_units_CMB_En.pdf, .
- [15] 046_particle_masses_En.pdf, .
- [16] 070_mathematical_structure_En.pdf, .
- [17] 043_resolving_constants_alpha_En.pdf, .
- [18] 087_En.pdf, .