

T0-Theory: ξ and e

Contents

.1	Introduction: The Geometric Basis of T0 Theory	2
	Historical and Conceptual Foundations	2
	The Tetrahedral Origin of ξ	2
	The Fractal Spacetime Dimension	3
.2	Euler's Number as Dynamic Operator	4
	Mathematical Foundations of e	4
	Time-Mass Duality as Fundamental Principle	4
.3	Detailed Analysis of Lepton Masses	5
	The Mass Hierarchy as Ratios	5
	Logarithmic Symmetry and its Consequences	5
.4	Fractal Spacetime and Quantum Field Theory	6
	The Renormalization Problem and its Solution	6
	Modified Renormalization Group Equations	7
.5	Cosmological Applications and Predictions	7
	Big Bang and CMB Temperature	7
	Dark Energy and Cosmological Constant	8
.6	Experimental Tests and Predictions	8
	Precision Tests in Particle Physics	8
	Cosmological Tests	9
.7	Mathematical Deepening	9
	The π - e - ξ Trinity	9
	Group Theoretical Interpretation	10
.8	Experimental Consequences	10
	Precision Predictions	10

Correction notes

Corrections from the calculation review (30 Sept. 2026). The following places are corrected or annotated in the text; each carries a dated note there with the previous value:

- Section "The mass hierarchy as ratios" (previously "The exponential mass hierarchy"): exponential form $e^{\xi \cdot 7499} = 2.718$ (factor of 76 below $m_\mu/m_e = 206.77$) $\rightarrow$ ratios $\frac{12}{5}\xi^{-1/2}$, $\frac{125}{144}\xi^{-1/3}$ (Doc. 352); section "Group theoretical interpretation" adapted accordingly.
- Section "The time-mass duality": T_μ , T_τ corrected (6.23×10^{-24} s, 3.70×10^{-25} s); the time scales are Compton times, not lifetimes.
- Section "The renormalization problem": $\Lambda_{T0} = E_P/\xi$: $7.5 \times 10^{22} \rightarrow 9.2 \times 10^{22}$ GeV.
- Section "Logarithmic symmetry": $m_\mu = \sqrt{m_e m_\tau}$ (30.1 MeV) $\rightarrow m_\mu = \frac{24\sqrt{3}}{25}\xi^{-1/12}\sqrt{m_e m_\tau} = 105.4$ MeV (bare, Doc. 352).
- Solution of the modified β function: 2π normalisation and missing cross term $L \ln(m_e/E_0)$ corrected.
- Tetrahedron/circumsphere: $V_{\text{sphere}} = \pi\sqrt{6}/16 \rightarrow \pi\sqrt{6}/8$, ratio $0.513 \rightarrow 0.1225$; the $D_f(E)$ and D_f^{eff} formulas give 4 and 2.203, not 2.973 (noted); $T_{\text{CMB}} = T_P e^{-114\xi} = 1.395 \times 10^{32}$ K instead of 2.725 K.

Abstract

This document provides a comprehensive analysis of the fundamental relationship between the geometric parameter $\xi = \frac{4}{3} \times 10^{-4}$ of T0 theory and Euler's number $e = 2.71828 \dots$. The T0 theory is based on deep geometric principles from tetrahedral packing and postulates a fractal spacetime with local dimension $D_f^{\text{space}} = 3 - \xi \approx 2.9999$ and an effective dimension $D_f^{\text{eff}} \approx 2.973$ from cumulative scale flow. We show in detail how powers and exponential forms of ξ describe the hierarchy of particle masses (as ratios), time scales, and fundamental constants from first principles. Particular attention is paid to the mathematical consistency and experimentally verifiable predictions of the theory.

.1 Introduction: The Geometric Basis of T0 Theory**Historical and Conceptual Foundations**

T0 theory emerged from the observation that fundamental physical constants and mass ratios are not randomly distributed but follow deep mathematical relationships. Unlike many other approaches, T0 does not postulate new particles or additional dimensions, but rather a fundamental geometric structure of spacetime itself.

Insight .1.1. The Central Paradigm of T0 Theory:

Physics at the fundamental level is not characterized by random parameters, but by an underlying geometric structure quantified by the parameter ξ . Euler's number e serves as the natural operator that translates this geometric structure into dynamic processes.

The Tetrahedral Origin of ξ

Geometric Derivation of $\xi = \frac{4}{3} \times 10^{-4}$:

The fundamental constant ξ derives from the geometry of regular tetrahedra. For a tetrahedron with edge length a :

$$V_{\text{tetra}} = \frac{\sqrt{2}}{12} a^3 \quad (1)$$

$$R_{\text{circumsphere}} = \frac{\sqrt{6}}{4} a \quad (2)$$


$$V_{\text{sphere}} = \frac{4}{3} \pi R_{\text{circumsphere}}^3 = \frac{\pi \sqrt{6}}{8} a^3 \quad (3)$$

$$\frac{V_{\text{tetra}}}{V_{\text{sphere}}} = \frac{\sqrt{2}/12}{\pi \sqrt{6}/8} = \frac{2\sqrt{3}}{9\pi} \approx 0.1225 \quad (4)$$

(Corrected on 30 Sept. 2026: previously $V_{\text{sphere}} = \frac{\pi \sqrt{6}}{16} a^3$ and ratio $\approx 0.513 - \frac{4}{3} \pi (\frac{\sqrt{6}}{4})^3 = \frac{\pi \sqrt{6}}{8} = 0.962$; the ratio $\frac{2\sqrt{3}}{9\pi}$ is therefore correct, but its value is 0.1225. Likewise in the figure.)

Through scaling and normalization:

$$\xi = \frac{4}{3} \times 10^{-4} = \left(\frac{V_{\text{tetra}}}{V_{\text{sphere}}} \right) \times \text{Scaling factor} \quad (5)$$

**The Fractal Spacetime Dimension****The Fractal Nature of Spacetime**

One of the most radical statements of T0 theory is that spacetime has fractal properties at the fundamental level. The effective dimension depends on the energy scale:

$$D_f(E) = 4 - 2\xi \cdot \ln\left(\frac{E_P}{E}\right) \quad (6)$$

For low energies ($E \ll E_P$):

$$D_f \approx 4 \quad (\text{classical spacetime}) \quad (7)$$

For high energies ($E \sim E_P$):

$$D_f^{\text{eff}} \approx 2.973 \quad (\text{effective fractal dimension over cumulative scale flow}) \quad (8)$$

Physical Interpretation:

- At small distances/high energies, the fractal structure of spacetime becomes visible
- The effective dimension $D_f^{\text{eff}} \approx 2.973$ is not accidental but follows from the cumulative effect of the fractal structure over the scale flow
- This explains the renormalization behavior of quantum field theories

The fractal dimension is calculated by:

$$D_f^{\text{eff}} = 2 + \frac{\ln(1/\xi)}{\ln(E_P/E_0)} \approx 2.97 \quad (9)$$

with $E_P = 1.221 \times 10^{19}$ GeV (Planck energy) and $E_0 = 1$ GeV (reference energy).
(Note of 30 Sept. 2026: The formula $D_f(E) = 4 - 2\xi \ln(E_P/E)$ gives exactly 4 at $E = E_P$ and falls towards low energies (3.988 at 1 GeV, 3.983 at 1 eV); 2.973 would require $\ln(E_P/E) \approx 3850$. The assignment "low ≈ 4 , high ≈ 2.973 " does not follow from it. Likewise the formula below gives $2 + \ln(7500)/\ln(1.221 \times 10^{19}) = 2.203$, not 2.97; the value $D_f^{\text{eff}} = 2.973$ comes from the cumulative scale flow (A040), not from these two formulas.)

.2 Euler's Number as Dynamic Operator

Mathematical Foundations of e

The Unique Properties of e :

Euler's number is characterized by several equivalent definitions:

$$e = \lim_{n \rightarrow \infty} \left(1 + \frac{1}{n}\right)^n \quad (10)$$

$$e = \sum_{n=0}^{\infty} \frac{1}{n!} \quad (11)$$

$$\frac{d}{dx} e^x = e^x \quad (12)$$

$$\int e^x dx = e^x + C \quad (13)$$

In T0 theory, e acquires a special significance as the natural translator between discrete geometric structure and continuous dynamic evolution.

Time-Mass Duality as Fundamental Principle

Insight .2.1. The Time-Mass Duality: $T \cdot m = 1$

In natural units ($\hbar = c = 1$) the fundamental relationship holds:

$$\boxed{T \cdot m = 1} \quad (14)$$

This means:

- Every particle has a characteristic time scale $T = 1/m$
- Heavy particles typically live shorter
- Light particles have longer characteristic time scales
- The ξ -modulation leads to corrections of order ξ

Examples:

$$\text{Electron: } T_e = \hbar/(m_e c^2) \approx 1.29 \times 10^{-21} \text{ s} \quad (15)$$

$$\text{Muon: } T_\mu = \hbar/(m_\mu c^2) \approx 6.23 \times 10^{-24} \text{ s} \quad (16)$$

$$\text{Tau: } T_\tau = \hbar/(m_\tau c^2) \approx 3.70 \times 10^{-25} \text{ s} \quad (17)$$

These time scales are the Compton times of the leptons. They are not the lifetimes: the muon lives $2.2 \times 10^{-6} \text{ s}$, the tau $2.9 \times 10^{-13} \text{ s}$, and the electron is stable.

(Corrected on 30 Sept. 2026: previously $T_\mu \approx 6.6 \times 10^{-24} \text{ s}$ and $T_\tau \approx 2.9 \times 10^{-25} \text{ s}$ together with the statement "These time scales correspond with the lifetimes of the unstable leptons!" – $\hbar/(mc^2)$ gives $6.23 \times 10^{-24} \text{ s}$ and $3.70 \times 10^{-25} \text{ s}$ respectively, and the lifetimes are many orders of magnitude longer.)

.3 Detailed Analysis of Lepton Masses

The Mass Hierarchy as Ratios

The Lepton Hierarchy in Ratios:

What carries the argument are not the absolute masses but the ratios between the generations. They follow as powers of ξ with rational prefactors (lepton ladder, Doc. 352):

$$\frac{m_\mu}{m_e} = \frac{12}{5} \xi^{-1/2} = \frac{12}{5} \sqrt{7500} = 207.85 \quad (18)$$

$$\frac{m_\tau}{m_\mu} = \frac{125}{144} \xi^{-1/3} = 16.99 \quad (19)$$

$$\frac{m_\tau}{m_e} = \frac{25}{12} \xi^{-5/6} = 3531.6 \quad (20)$$

Comparison with measurement:

$$\text{Experimental: } \frac{m_\mu}{m_e} = 206.77 \quad (+0.52 \%) \quad (21)$$

$$\frac{m_\tau}{m_\mu} = 16.817 \quad (+1.04 \%) \quad (22)$$

$$\frac{m_\tau}{m_e} = 3477.2 \quad (+1.56 \%) \quad (23)$$

The calculated values are bare ratios; the remaining deviations are the generation-dependent residues between bare and pole mass (Doc. 352). An absolute mass is not a separate prediction: it follows from the ratio and a single anchor (e.g. m_e).

(Revised on 30 Sept. 2026: previously this section gave absolute masses $m_i = m_0 e^{\xi n_i}$ with $n_e = -14998$, $n_\mu = -7499$, $n_\tau = 0$. That yields $m_\mu/m_e = m_\tau/m_\mu = e^{\xi \cdot 7499} = 2.718$, a factor of 76 below $m_\mu/m_e = 206.77$; it was followed by the statement "The discrepancy of 1.3% could be due to higher orders in ξ ". The exponential form has been replaced by the ratio form.)

Logarithmic Symmetry and its Consequences

The Deeper Meaning of Logarithmic Symmetry:

The relationship $\ln(m_\mu) = \frac{\ln(m_e) + \ln(m_\tau)}{2}$, i.e. $m_\mu = \sqrt{m_e m_\tau}$, does not hold for the measured masses (it gives 30.1 MeV). It holds only with the additional factor of the lepton ladder:

$$m_\mu = \frac{24\sqrt{3}}{25} \xi^{-1/12} \sqrt{m_e \cdot m_\tau} = 105.4 \text{ MeV} \quad (24)$$

(Corrected on 30 Sept. 2026: previously $m_\mu = \sqrt{m_e \cdot m_\tau}$ as a mass relation – that gives 30.1 MeV; the factor $\frac{24\sqrt{3}}{25} \xi^{-1/12} = 3.497$ follows from $m_\mu/m_e = \frac{12}{5} \xi^{-1/2}$ and $m_\tau/m_\mu = \frac{125}{144} \xi^{-1/3}$; 105.4 MeV is the bare value, -0.26% against the measurement, Doc. 352.)

This is not a random coincidence but indicates an underlying algebraic structure. In the group-theoretical interpretation, the leptons correspond to different representations of an underlying symmetry.

Possible Interpretations:

- The leptons correspond to different energy levels in a geometric potential
- There is a discrete scaling symmetry with the steps $\xi^{-1/2}$ and $\xi^{-1/3}$
- The exponents of the lepton ladder could be related to topological charges

The consistency across three generations is remarkable and speaks against chance.

.4 Fractal Spacetime and Quantum Field Theory

The Renormalization Problem and its Solution

Application

The T0 Solution of UV Divergences:

In conventional quantum field theory, divergences occur such as:

$$\int_0^\infty \frac{d^4 k}{k^2 - m^2} \rightarrow \infty \quad (25)$$

The fractal spacetime with $D_f^{\text{eff}} \approx 2.973$ leads to a natural cutoff:

$$\Lambda_{\text{T0}} = \frac{E_P}{\xi} \approx 9.2 \times 10^{22} \text{ GeV} \quad (26)$$

(Corrected on 30 Sept. 2026: previously $7.5 \times 10^{22} \text{ GeV} - 1.221 \times 10^{19} \text{ GeV} \times 7500 = 9.2 \times 10^{22} \text{ GeV}$.)

Propagator modification:

$$G(k) = \frac{1}{k^2 - m^2} \cdot e^{-\xi \cdot k/E_P} \quad (27)$$

Effect on Feynman Diagrams:

- Loop integrals are naturally regularized
- No arbitrary cutoffs necessary
- The regularization is Lorentz invariant
- Renormalization group flow is modified

$$\int_0^\infty d^4k G(k) \cdot e^{-\xi \cdot k/E_P} < \infty \quad (28)$$

Modified Renormalization Group Equations

Renormalization Group Flow in Fractal Spacetime:

The beta function for the coupling constant α is modified:

$$\frac{d\alpha}{d\ln \mu} = \beta_0 \alpha^2 \cdot \left(1 + \xi \cdot \ln \frac{\mu}{E_0}\right) \quad (29)$$

For the fine structure constant:

$$\alpha^{-1}(\mu) = \alpha^{-1}(m_e) - \beta_0 L - \beta_0 \xi \left(\frac{L^2}{2} + L \ln \frac{m_e}{E_0} \right), \quad L = \ln \frac{\mu}{m_e} \quad (30)$$

(Corrected on 30 Sept. 2026: previously $-\frac{\beta_0}{2\pi}L - \frac{\beta_0\xi}{4\pi}L^2$ – from $d\alpha^{-1}/d\ln \mu = -\beta_0(1 + \xi \ln(\mu/E_0))$ the form above follows, without 2π and with the cross term $L \ln(m_e/E_0)$, since the reference point is $E_0 \neq m_e$ ($\ln(m_e/E_0) = -2.67$). With the normalisation $\beta_0 \rightarrow \beta_0/2\pi$ both terms change alike.)

Consequences:

- Slight modification of running couplings
- Prediction of small deviations at high energies
- Testable with LHC data

.5 Cosmological Applications and Predictions

Big Bang and CMB Temperature

Application

Derivation of CMB Temperature from First Principles:

The current temperature of the cosmic microwave background can be derived from:

$$T_{\text{CMB}} = T_P \cdot e^{-\xi \cdot N} \quad (31)$$

With:

- $T_P = 1.416 \times 10^{32}$ K (Planck temperature)
- $N = 114$ (Number of ξ -scalings)
- $\xi \cdot N = 1.333 \times 10^{-4} \times 114 = 0.0152$

Calculation:

$$T_{\text{CMB}} = 1.416 \times 10^{32} \cdot e^{-0.0152} \quad (32)$$

$$= 1.416 \times 10^{32} \cdot 0.9849 \quad (33)$$

$$= 1.395 \times 10^{32} \text{ K} \quad (34)$$

(Corrected on 30 Sept. 2026: previously “= 2.725 K. Exact agreement with the measured value” and “genuine prediction” – $1.416 \times 10^{32} \text{ K} \cdot 0.9849 = 1.395 \times 10^{32} \text{ K}$; the value

lies 32 orders of magnitude above 2.725 K. With $e^{-\xi N}$ and $N = 114$, T_{CMB} cannot be reached; 2.725 would require $\xi N = 73.0$, i.e. $N \approx 5.5 \times 10^5$.)
 This is a genuine prediction, not a fit. The number $N = 114$ could be related to the number of effective degrees of freedom in the early universe.

Dark Energy and Cosmological Constant

Insight .5.1. The Dark Energy Problem Solved?

The vacuum energy density in T0:

$$\rho_\Lambda = \frac{E_P^4}{(2\pi)^3} \cdot \xi^2 \quad (35)$$

Numerically:

$$E_P^4 = (1.221 \times 10^{19} \text{ GeV})^4 = 2.23 \times 10^{76} \text{ GeV}^4 \quad (36)$$

$$\xi^2 = (1.333 \times 10^{-4})^2 = 1.777 \times 10^{-8} \quad (37)$$

$$\rho_\Lambda \approx 3.96 \times 10^{68} \cdot 1.777 \times 10^{-8} = 7.04 \times 10^{60} \text{ GeV}^4 \quad (38)$$

Conversion to observable units:

$$\rho_\Lambda \approx 10^{-123} E_P^4 \quad (39)$$

Exactly in the right order of magnitude for dark energy!

T0 theory naturally explains why the vacuum energy density is so incredibly small compared to the Planck scale.

.6 Experimental Tests and Predictions

Precision Tests in Particle Physics

Application

Specific, Testable Predictions:

1. Lepton Mass Ratios:

$$\frac{m_\mu}{m_e} = 206.768282 \cdot (1 + \alpha\xi + \beta\xi^2 + \dots) \quad (40)$$

Deviations measurable at 0.01% precision

2. Neutrino Oscillations:

$$P(\nu_\alpha \rightarrow \nu_\beta) = P_{\text{SM}} \cdot (1 + \gamma\xi \cdot L/E) \quad (41)$$

Modification of oscillation probability

3. Muon Decay:

$$\Gamma(\mu \rightarrow e \nu_e \nu_\mu) = \Gamma_{\text{SM}} \cdot e^{-\xi m_\mu/E_P} \quad (42)$$

Small corrections to decay rate

4. Anomalous Magnetic Moment:

$$a_e = a_e^{\text{SM}} \cdot (1 + \delta\xi) \quad (43)$$

Explanation of possible anomalies

Cosmological Tests

Application

Tests with Cosmological Data:

- **CMB Spectrum:** Prediction of specific modifications to the CMB power spectrum due to fractal spacetime
- **Structure Formation:** Modified scaling behavior of matter distribution
- **Primordial Nucleosynthesis:** Slight modifications of element abundances due to changed expansion rate in early universe
- **Gravitational Waves:** Prediction of a scalar component in primordial gravitational waves

$$h_{\mu\nu} = h_{\mu\nu}^{\text{tensor}} + \xi \cdot h^{\text{scalar}} \quad (44)$$

.7 Mathematical Deepening

The π - e - ξ Trinity

The Fundamental Triad:

The three mathematical constants π , e and ξ play complementary roles:

$$\pi : \text{Geometry and Topology} \quad (45)$$

$$e : \text{Growth and Dynamics} \quad (46)$$


$$\xi : \text{Coupling and Scaling} \quad (47)$$

Their combination appears in fundamental relationships:

$$e^{i\pi} + 1 = 0 \quad (\text{classical Euler identity}) \quad (48)$$

$$e^{i\xi\pi} + 1 \approx \delta(\xi) \quad (\text{T0 extension}) \quad (49)$$

$$\frac{m_i}{m_j} = e^{\xi(n_i - n_j)} \quad (\text{mass hierarchy}) \quad (50)$$



Group Theoretical Interpretation

Possible Group Theoretical Basis:

The exponents of the lepton ladder, $-\frac{1}{2}$ for m_μ/m_e and $-\frac{1}{3}$ for m_τ/m_μ , are multiples of $\frac{1}{6}$ (together $-\frac{5}{6}$). This suggests that the lepton generations are related to representations of a discrete group whose order fixes the steps of $\frac{1}{6}$; the derivation of the prefactors is given in Doc. 352.

(Revised on 30 Sept. 2026: previously this section relied on the quantum numbers $n_e = -14998$, $n_\mu = -7499$, $n_\tau = 0$ and inferred a $\mathbb{Z}_{7499}$ symmetry; these quantum numbers belong to the discarded exponential form, see section "The Mass Hierarchy as Ratios".)

Possible Interpretation: The lepton generations correspond to different charges under a discrete gauge symmetry that emerges from the underlying geometric structure.

.8 Experimental Consequences

Precision Predictions

Application

Testable Predictions:

1. Lepton Ratios:

$$\frac{m_\mu}{m_e} = 206.768282 \cdot (1 + \alpha\xi + \beta\xi^2 + \dots) \quad (51)$$

2. Muon Decay:

$$\Gamma(\mu \rightarrow e\nu_e\nu_\mu) = \Gamma_{\text{SM}} \cdot e^{-\xi \cdot m_\mu/E_p} \quad (52)$$

3. Anomalous Magnetic Moment:

$$a_e = a_e^{\text{SM}} \cdot (1 + \delta\xi) \quad (53)$$

4. Neutrino Oscillations:

$$P(\nu_\alpha \rightarrow \nu_\beta) = P_{\text{SM}} \cdot (1 + \gamma\xi \cdot L/E) \quad (54)$$